Armand Valsesia

List of Publications by Citations

Source: https://exaly.com/author-pdf/7538378/armand-valsesia-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

57 8,518 22 58 g-index

58 9,787 12.6 4.6 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
57	Global variation in copy number in the human genome. <i>Nature</i> , 2006 , 444, 444-54	50.4	3306
56	Origins and functional impact of copy number variation in the human genome. <i>Nature</i> , 2010 , 464, 704-	12 50.4	1467
55	Genome-wide association study of CNVs in 16,000 cases of eight common diseases and 3,000 shared controls. <i>Nature</i> , 2010 , 464, 713-20	50.4	639
54	Assessment of transcript reconstruction methods for RNA-seq. <i>Nature Methods</i> , 2013 , 10, 1177-84	21.6	477
53	A new highly penetrant form of obesity due to deletions on chromosome 16p11.2. <i>Nature</i> , 2010 , 463, 671-5	50.4	403
52	Global DNA hypomethylation coupled to repressive chromatin domain formation and gene silencing in breast cancer. <i>Genome Research</i> , 2012 , 22, 246-58	9.7	385
51	Mirror extreme BMI phenotypes associated with gene dosage at the chromosome 16p11.2 locus. <i>Nature</i> , 2011 , 478, 97-102	50.4	322
50	Exome sequencing identifies recurrent somatic MAP2K1 and MAP2K2 mutations in melanoma. <i>Nature Genetics</i> , 2011 , 44, 133-9	36.3	313
49	Genome-wide association study identifies new HLA class II haplotypes strongly protective against narcolepsy. <i>Nature Genetics</i> , 2010 , 42, 786-9	36.3	145
48	Accurate and reliable high-throughput detection of copy number variation in the human genome. <i>Genome Research</i> , 2006 , 16, 1566-74	9.7	122
47	Breaking the waves: improved detection of copy number variation from microarray-based comparative genomic hybridization. <i>Genome Biology</i> , 2007 , 8, R228	18.3	110
46	Analysis of 1508 Plasma Samples by Capillary-Flow Data-Independent Acquisition Profiles Proteomics of Weight Loss and Maintenance. <i>Molecular and Cellular Proteomics</i> , 2019 , 18, 1242-1254	7.6	88
45	Proteomic Biomarker Discovery in 1000 Human Plasma Samples with Mass Spectrometry. <i>Journal of Proteome Research</i> , 2016 , 15, 389-99	5.6	67
44	The complex SNP and CNV genetic architecture of the increased risk of congenital heart defects in Down syndrome. <i>Genome Research</i> , 2013 , 23, 1410-21	9.7	48
43	Network-guided analysis of genes with altered somatic copy number and gene expression reveals pathways commonly perturbed in metastatic melanoma. <i>PLoS ONE</i> , 2011 , 6, e18369	3.7	40
42	The Growing Importance of CNVs: New Insights for Detection and Clinical Interpretation. <i>Frontiers in Genetics</i> , 2013 , 4, 92	4.5	38
41	Transcriptome profiling from adipose tissue during a low-calorie diet reveals predictors of weight and glycemic outcomes in obese, nondiabetic subjects. <i>American Journal of Clinical Nutrition</i> , 2017 , 106, 736-746	7	36

(2019-2017)

40	Protein quantitative trait locus study in obesity during weight-loss identifies a leptin regulator. <i>Nature Communications</i> , 2017 , 8, 2084	17.4	36
39	Genome-wide identification of circulating-miRNA expression quantitative trait loci reveals the role of several miRNAs in the regulation of cardiometabolic phenotypes. <i>Cardiovascular Research</i> , 2019 , 115, 1629-1645	9.9	34
38	Rare genomic structural variants in complex disease: lessons from the replication of associations with obesity. <i>PLoS ONE</i> , 2013 , 8, e58048	3.7	27
37	Obesity shows preserved plasma proteome in large independent clinical cohorts. <i>Scientific Reports</i> , 2018 , 8, 16981	4.9	27
36	Genome-wide meta-analysis of common variant differences between men and women. <i>Human Molecular Genetics</i> , 2012 , 21, 4805-15	5.6	24
35	Distinct lipid profiles predict improved glycemic control in obese, nondiabetic patients after a low-caloric diet intervention: the Diet, Obesity and Genes randomized trial. <i>American Journal of Clinical Nutrition</i> , 2016 , 104, 566-75	7	21
34	Identification of ALK in Thinness. <i>Cell</i> , 2020 , 181, 1246-1262.e22	56.2	21
33	Apolipoprotein M: a novel adipokine decreasing with obesity and upregulated by calorie restriction. <i>American Journal of Clinical Nutrition</i> , 2019 , 109, 1499-1510	7	20
32	Molecular Biomarkers for Weight Control in Obese Individuals Subjected to a Multiphase Dietary Intervention. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017 , 102, 2751-2761	5.6	19
31	Genomic history of the Italian population recapitulates key evolutionary dynamics of both Continental and Southern Europeans. <i>BMC Biology</i> , 2020 , 18, 51	7.3	18
30	Subcutaneous Adipose Tissue and Systemic Inflammation Are Associated With Peripheral but Not Hepatic Insulin Resistance in Humans. <i>Diabetes</i> , 2019 , 68, 2247-2258	0.9	18
29	Plasma lipid profiling of tissue-specific insulin resistance in human obesity. <i>International Journal of Obesity</i> , 2019 , 43, 989-998	5.5	18
28	Copy Number Variation. <i>Methods in Molecular Biology</i> , 2018 , 1793, 231-258	1.4	16
27	Variation in extracellular matrix genes is associated with weight regain after weight loss in a sex-specific manner. <i>Genes and Nutrition</i> , 2015 , 10, 56	4.3	16
26	Metabolic profiling of tissue-specific insulin resistance in human obesity: results from the Diogenes study and the Maastricht Study. <i>International Journal of Obesity</i> , 2020 , 44, 1376-1386	5.5	15
25	Plasma metabolites and lipids predict insulin sensitivity improvement in obese, nondiabetic individuals after a 2-phase dietary intervention. <i>American Journal of Clinical Nutrition</i> , 2018 , 108, 13-23	7	15
24	Identification and validation of copy number variants using SNP genotyping arrays from a large clinical cohort. <i>BMC Genomics</i> , 2012 , 13, 241	4.5	14
23	Endogenous nicotinamide riboside metabolism protects against diet-induced liver damage. <i>Nature Communications</i> , 2019 , 10, 4291	17.4	13

22	Analysis of circulating angiopoietin-like protein 3 and genetic variants in lipid metabolism and liver health: the DiOGenes study. <i>Genes and Nutrition</i> , 2018 , 13, 7	4.3	13
21	Sexual Dimorphism, Age, and Fat Mass Are Key Phenotypic Drivers of Proteomic Signatures. <i>Journal of Proteome Research</i> , 2017 , 16, 4122-4133	5.6	12
20	Genome-wide gene-based analyses of weight loss interventions identify a potential role for NKX6.3 in metabolism. <i>Nature Communications</i> , 2019 , 10, 540	17.4	11
19	GH deficiency status combined with GH receptor polymorphism affects response to GH in children. <i>European Journal of Endocrinology</i> , 2015 , 173, 777-89	6.5	11
18	Rational and design of an overfeeding protocol in constitutional thinness: Understanding the physiology, metabolism and genetic background of resistance to weight gain. <i>Annales D£ndocrinologie</i> , 2016 , 77, 563-569	1.7	11
17	Integrative phenotyping of glycemic responders upon clinical weight loss using multi-omics. <i>Scientific Reports</i> , 2020 , 10, 9236	4.9	9
16	Augmented mitochondrial energy metabolism is an early response to chronic glucose stress in human pancreatic beta cells. <i>Diabetologia</i> , 2020 , 63, 2628-2640	10.3	9
15	Diet-resistant obesity is characterized by a distinct plasma proteomic signature and impaired muscle fiber metabolism. <i>International Journal of Obesity</i> , 2018 , 42, 353-362	5.5	9
14	Salivary Emylase copy number is not associated with weight trajectories and glycemic improvements following clinical weight loss: results from a 2-phase dietary intervention study. <i>American Journal of Clinical Nutrition</i> , 2019 , 109, 1029-1037	7	8
13	A fully joint Bayesian quantitative trait locus mapping of human protein abundance in plasma. <i>PLoS Computational Biology</i> , 2020 , 16, e1007882	5	8
12	FADS1 genotype is distinguished by human subcutaneous adipose tissue fatty acids, but not inflammatory gene expression. <i>International Journal of Obesity</i> , 2019 , 43, 1539-1548	5.5	8
11	Fast and Accurate Approaches for Large-Scale, Automated Mapping of Food Diaries on Food Composition Tables. <i>Frontiers in Nutrition</i> , 2018 , 5, 38	6.2	7
10	Network Analysis of Metabolite GWAS Hits: Implication of CPS1 and the Urea Cycle in Weight Maintenance. <i>PLoS ONE</i> , 2016 , 11, e0150495	3.7	7
9	Crosstalk between Drp1 phosphorylation sites during mitochondrial remodeling and their impact on metabolic adaptation. <i>Cell Reports</i> , 2021 , 36, 109565	10.6	5
8	Multiple hot-deck imputation for network inference from RNA sequencing data. <i>Bioinformatics</i> , 2018 , 34, 1726-1732	7.2	3
7	AssociationViewer: a scalable and integrated software tool for visualization of large-scale variation data in genomic context. <i>Bioinformatics</i> , 2009 , 25, 662-3	7.2	3
6	A fully joint Bayesian quantitative trait locus mapping of human protein abundance in plasma		3
5	Untargeted Profiling of Bile Acids and Lysophospholipids Identifies the Lipid Signature Associated with Glycemic Outcome in an Obese Non-Diabetic Clinical Cohort. <i>Biomolecules</i> , 2020 , 10,	5.9	1

LIST OF PUBLICATIONS

4	Differential Mitochondrial Gene Expression in Adipose Tissue Following Weight Loss Induced by Diet or Bariatric Surgery. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, 1312-1324	5.6	1
3	Network analyses reveal negative link between changes in adipose tissue GDF15 and BMI during dietary induced weight loss. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 ,	5.6	1
2	Clinical- and omics-based models of subclinical atherosclerosis in healthy Chinese adults: a cross-sectional exploratory study. <i>American Journal of Clinical Nutrition</i> , 2021 , 114, 1752-1762	7	O
1	Increasing the discovery power of -omics studies. Systems Biomedicine (Austin, Tex.), 2013, 1, 84-93		