

Levente Kriston

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7538971/levente-kriston-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

211
papers

5,497
citations

41
h-index

64
g-index

244
ext. papers

6,944
ext. citations

4
avg, IF

6
L-index

#	Paper	IF	Citations
211	Patient-centered placement matching of alcohol-dependent patients based on a standardized intake assessment: process evaluation within an exploratory randomized controlled trial.. <i>BMC Psychiatry</i> , 2022 , 22, 60	4.2	
210	Measuring oral health: the Physical Oral Health Index: Physical Oral Health Index (PhOX).. <i>Journal of Dentistry</i> , 2022 , 118, 103946	4.8	2
209	Implementability of collecting patient-reported outcome data in stroke unit care - a qualitative study.. <i>BMC Health Services Research</i> , 2022 , 22, 346	2.9	
208	Adapting the patient and physician versions of the 9-item shared decision making questionnaire for other healthcare providers in Japan. <i>BMC Medical Informatics and Decision Making</i> , 2021 , 21, 314	3.6	1
207	Predictors of trajectories of obsessive-compulsive symptoms during the COVID-19 pandemic in the general population in Germany. <i>Translational Psychiatry</i> , 2021 , 11, 323	8.6	4
206	Psychometric properties of a patient-reported outcome set in acute stroke patients. <i>Brain and Behavior</i> , 2021 , 11, e2249	3.4	3
205	Editor's Choice - The GermanVasc Score: A Pragmatic Risk Score Predicts Five Year Amputation Free Survival in Patients with Peripheral Arterial Occlusive Disease. <i>European Journal of Vascular and Endovascular Surgery</i> , 2021 , 61, 248-256	2.3	8
204	Evidence on Technology-Based Psychological Interventions in Diagnosed Depression: Systematic Review. <i>JMIR Mental Health</i> , 2021 , 8, e21700	6	4
203	Association between physicians and patients perspectives of shared decision making in primary care settings in Japan: The impact of environmental factors. <i>PLoS ONE</i> , 2021 , 16, e0246518	3.7	3
202	Rationale and design of an interventional study of cross-sectoral, coordinated treatment of stroke patients with patient-orientated outcome measurement (StroCare). <i>Neurological Research and Practice</i> , 2021 , 3, 7	3.2	2
201	Profiles of patients self-reported health after acute stroke. <i>Neurological Research and Practice</i> , 2021 , 3, 43	3.2	0
200	Longitudinal predictors of problematic alcohol use in adolescence: A 2-year follow-up study. <i>Addictive Behaviors</i> , 2021 , 120, 106952	4.2	0
199	Evaluation of a program for routine implementation of shared decision-making in cancer care: results of a stepped wedge cluster randomized trial.. <i>Implementation Science</i> , 2021 , 16, 106	8.4	2
198	Pharmaceutical management of elderly high-risk patients in perioperative settings (PHAROS): protocol of a pilot sequential intervention study. <i>BMJ Open</i> , 2020 , 10, e039094	3	0
197	The Impact of Childhood Maltreatment on Long-Term Outcomes in Disorder-Specific vs. Nonspecific Psychotherapy for Chronic Depression. <i>Journal of Affective Disorders</i> , 2020 , 272, 152-157	6.6	0
196	Cancer patients preferred and perceived level of involvement in treatment decision-making: an epidemiological study. <i>Acta Oncologica</i> , 2020 , 59, 967-974	3.2	16
195	Changes in Therapeutic Alliance and in Social Inhibition as Mediators of the Effect of the Cognitive Behavioral Analysis System of Psychotherapy: A Secondary Analysis from a Randomized Clinical Trial. <i>Psychotherapy and Psychosomatics</i> , 2020 , 89, 261-262	9.4	5

194	Patient-Centered Placement Matching of Alcohol-Dependent Patients Based on a Standardized Intake Assessment: Primary Outcomes of an Exploratory Randomized Controlled Trial. <i>European Addiction Research</i> , 2020 , 26, 109-121	4.6	2
193	Assessing the strength of case growth trends in the coronavirus pandemic. <i>Royal Society Open Science</i> , 2020 , 7, 201622	3.3	2
192	Psychometric Evaluation of the Japanese 9-Item Shared Decision-Making Questionnaire and Its Association with Decision Conflict and Patient Factors in Japanese Primary Care. <i>JMA Journal</i> , 2020 , 3, 208-215	1	5
191	Challenges in the Transition from In-Patient to Out-Patient Treatment in Depression. <i>Deutsches A&#x0308;rztblatt International</i> , 2020 , 117, 472-479	2.5	7
190	Editor's Choice - Comorbidity Patterns Among Patients with Peripheral Arterial Occlusive Disease in Germany: A Trend Analysis of Health Insurance Claims Data. <i>European Journal of Vascular and Endovascular Surgery</i> , 2020 , 59, 59-66	2.3	40
189	Concepts of Metacognition in the Treatment of Patients with Mental Disorders. <i>Journal of Rational - Emotive and Cognitive - Behavior Therapy</i> , 2020 , 38, 173-183	1.7	5
188	Effects of telephone-based health coaching on patient-reported outcomes and health behavior change: A randomized controlled trial. <i>PLoS ONE</i> , 2020 , 15, e0236861	3.7	5
187	A skills network approach to physicians' competence in shared decision making. <i>Health Expectations</i> , 2020 , 23, 1466-1476	3.7	2
186	Predictive accuracy of a hierarchical logistic model of cumulative SARS-CoV-2 case growth until May 2020. <i>BMC Medical Research Methodology</i> , 2020 , 20, 278	4.7	3
185	Efficacy of the Managing Cancer and Living Meaningfully (CALM) individual psychotherapy for patients with advanced cancer: A single-blind randomized controlled trial. <i>Psycho-Oncology</i> , 2020 , 29, 1895-1904	3.9	8
184	Machine learning's feet of clay. <i>Journal of Evaluation in Clinical Practice</i> , 2020 , 26, 373-375	2.5	9
183	Data Privacy Compliant Validation of Health Insurance Claims Data: the IDOMENEO Approach. <i>Gesundheitswesen</i> , 2020 , 82, S94-S100	0.5	6
182	Internet gaming disorder and problematic social media use in a representative sample of German adolescents: Prevalence estimates, comorbid depressive symptoms and related psychosocial aspects. <i>Computers in Human Behavior</i> , 2020 , 103, 31-36	7.7	67
181	Adverse events during a disorder-specific psychotherapy compared to a nonspecific psychotherapy in patients with chronic depression. <i>Journal of Clinical Psychology</i> , 2020 , 76, 7-19	2.8	5
180	Prevalence, symptomatology, risk factors and healthcare services utilization regarding paternal depression in Germany: study protocol of a controlled cross-sectional epidemiological study. <i>BMC Psychiatry</i> , 2019 , 19, 289	4.2	3
179	Quality Indicators in Peripheral Arterial Occlusive Disease Treatment: A Systematic Review. <i>European Journal of Vascular and Endovascular Surgery</i> , 2019 , 58, 738-745	2.3	3
178	Two-Year Follow-Up after Treatment with the Cognitive Behavioral Analysis System of Psychotherapy versus Supportive Psychotherapy for Early-Onset Chronic Depression. <i>Psychotherapy and Psychosomatics</i> , 2019 , 88, 154-164	9.4	16
177	Piloting and evaluating feasibility of a training program to improve patient safety for inter-professional inpatient care teams - study protocol of a cluster randomized controlled trial. <i>Trials</i> , 2019 , 20, 386	2.8	1

176	Outcome evaluation by patient reported outcome measures in stroke clinical practice (EPOS) protocol for a prospective observation and implementation study. <i>Neurological Research and Practice</i> , 2019 , 1, 28	3.2	9
175	Rationale and design of a systematic review: effectiveness and acceptance of technology-based psychological interventions in different clinical phases of depression management. <i>BMJ Open</i> , 2019 , 9, e028042	3	3
174	Improvement of perioperative care of the elderly patient (PeriAge): protocol of a controlled interventional feasibility study. <i>BMJ Open</i> , 2019 , 9, e031837	3	0
173	Comparative effectiveness of continuation and maintenance treatments for persistent depressive disorder in adults. <i>The Cochrane Library</i> , 2019 , 5, CD012855	5.2	16
172	Are Invasive Procedures Effective for Chronic Pain? A Systematic Review. <i>Pain Medicine</i> , 2019 , 20, 1281-1293		12
171	Confidence of treatment decision and perceived risk of procedure-related neurological complications in the management of unruptured intracranial aneurysms. <i>Journal of NeuroInterventional Surgery</i> , 2019 , 11, 479-484	7.8	1
170	Effectiveness of metacognitive interventions for mental disorders in adults-A systematic review and meta-analysis (METACOG). <i>Clinical Psychology and Psychotherapy</i> , 2019 , 26, 227-240	2.9	41
169	A longitudinal study on psychosocial causes and consequences of Internet gaming disorder in adolescence. <i>Psychological Medicine</i> , 2019 , 49, 287-294	6.9	78
168	Long-term efficacy of Metacognitive Training for Depression (D-MCT): A randomized controlled trial. <i>British Journal of Clinical Psychology</i> , 2019 , 58, 245-259	3.6	6
167	Hepatitis E seroprevalence in the Americas: A systematic review and meta-analysis. <i>Liver International</i> , 2018 , 38, 1951-1964	7.9	33
166	Association of comorbid personality disorders with clinical characteristics and outcome in a randomized controlled trial comparing two psychotherapies for early-onset persistent depressive disorder. <i>Journal of Affective Disorders</i> , 2018 , 229, 262-268	6.6	11
165	Does Childhood Maltreatment Moderate the Effect of the Cognitive Behavioral Analysis System of Psychotherapy versus Supportive Psychotherapy in Persistent Depressive Disorder?. <i>Psychotherapy and Psychosomatics</i> , 2018 , 87, 46-48	9.4	17
164	The German version of the helping alliance questionnaire: psychometric properties in patients with persistent depressive disorder. <i>BMC Psychiatry</i> , 2018 , 18, 107	4.2	5
163	Factors Influencing Confidence in Diagnostic Ratings and Retreatment Recommendations in Coiled Aneurysms. <i>American Journal of Neuroradiology</i> , 2018 , 39, 869-874	4.4	2
162	Efficacy of metacognitive training for patients with borderline personality disorder: Preliminary results. <i>Psychiatry Research</i> , 2018 , 262, 459-464	9.9	19
161	Evaluation of a program for routine implementation of shared decision-making in cancer care: study protocol of a stepped wedge cluster randomized trial. <i>Implementation Science</i> , 2018 , 13, 51	8.4	15
160	Indicators of outcome quality in peripheral arterial disease revascularisations - a Delphi expert consensus. <i>Vasa - European Journal of Vascular Medicine</i> , 2018 , 47, 491-497	1.9	17
159	Rationale and methods of the IDOMENEO health outcomes of the peripheral arterial disease revascularisation study in the GermanVasc registry. <i>Vasa - European Journal of Vascular Medicine</i> , 2018 , 47, 499-505	1.9	4

158	Prospective observational study validating the German version of the Control of Allergic Rhinitis and Asthma Test (CARAT10). <i>Npj Primary Care Respiratory Medicine</i> , 2018 , 28, 45	3.2	1
157	Depressive Symptoms in Adolescents. <i>Deutsches A&#x0308;rzteblatt International</i> , 2018 , 115, 549-555		17
156	Assessment of patient centredness through patient-reported experience measures (ASPIRED): protocol of a mixed-methods study. <i>BMJ Open</i> , 2018 , 8, e025896	3	17
155	Collaborative mental health care program versus a general practitioner program and usual care for treatment of patients with mental or neurological disorders in Germany: protocol of a multiperspective evaluation study. <i>BMC Psychiatry</i> , 2018 , 18, 347	4.2	4
154	How often do general practitioners use placebos and non-specific interventions? Systematic review and meta-analysis of surveys. <i>PLoS ONE</i> , 2018 , 13, e0202211	3.7	22
153	Moderating effect of comorbid anxiety disorders on treatment outcome in a randomized controlled psychotherapy trial in early-onset persistently depressed outpatients. <i>Depression and Anxiety</i> , 2018 , 35, 1001-1008	8.4	10
152	Course and stability of cognitive and metacognitive beliefs in depression. <i>Depression and Anxiety</i> , 2018 , 35, 1239-1246	8.4	18
151	Psychometric Properties of a German Version of the Young Diagnostic Questionnaire (YDQ) in two Independent Samples of Adolescents. <i>International Journal of Mental Health and Addiction</i> , 2017 , 15, 182-190	8.8	5
150	Adolescent problematic Internet use: Is a parental rating suitable to estimate prevalence and identify familial correlates?. <i>Computers in Human Behavior</i> , 2017 , 67, 233-239	7.7	28
149	Effect of Disorder-Specific vs Nonspecific Psychotherapy for Chronic Depression: A Randomized Clinical Trial. <i>JAMA Psychiatry</i> , 2017 , 74, 233-242	14.5	64
148	Internet gaming disorder in early adolescence: Associations with parental and adolescent mental health. <i>European Psychiatry</i> , 2017 , 43, 14-18	6	41
147	Clinical instruments and methods for assessing physical oral health: A systematic review. <i>Community Dentistry and Oral Epidemiology</i> , 2017 , 45, 337-347	2.8	2
146	Placebo and nocebo reactions in randomized trials of pharmacological treatments for persistent depressive disorder. A meta-regression analysis. <i>Journal of Affective Disorders</i> , 2017 , 215, 288-298	6.6	25
145	How do medical students engaging in elective courses on acupuncture and homeopathy differ from unselected students? A survey. <i>BMC Complementary and Alternative Medicine</i> , 2017 , 17, 148	4.7	6
144	The Prevalence and Psychosocial Correlates of Internet Gaming Disorder. <i>Deutsches A&#x0308;rzteblatt International</i> , 2017 , 114, 419-424	2.5	42
143	Use of the 9-item Shared Decision Making Questionnaire (SDM-Q-9 and SDM-Q-Doc) in intervention studies-A systematic review. <i>PLoS ONE</i> , 2017 , 12, e0173904	3.7	47
142	Process quality of decision-making in multidisciplinary cancer team meetings: a structured observational study. <i>BMC Cancer</i> , 2017 , 17, 772	4.8	46
141	Effectiveness of metacognitive interventions for mental disorders in adults: a systematic review protocol (METACOG). <i>BMJ Open</i> , 2017 , 7, e015428	3	5

140	Associations of Social Support, Friends Only Known Through the Internet, and Health-Related Quality of Life with Internet Gaming Disorder in Adolescence. <i>Cyberpsychology, Behavior, and Social Networking</i> , 2017 , 20, 436-441	4.4	28
139	Continuation and maintenance treatments for persistent depressive disorder. <i>The Cochrane Library</i> , 2017 ,	5.2	2
138	Patient involvement in a systematic review: Development and pilot evaluation of a patient workshop. <i>Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen</i> , 2017 , 127-128, 56-61	1.4	6
137	IDOMENEO Ist die Versorgungsrealität in der Gefäßmedizin Leitlinien- und Versorgungsgerecht?. <i>Gefasschirurgie</i> , 2017 , 22, 41-47	0.3	15
136	Risk and protective factors for mental health problems in preschool-aged children: cross-sectional results of the BELLA preschool study. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2017 , 11, 12	6.8	10
135	Negative affect and a fluctuating jumping to conclusions bias predict subsequent paranoia in daily life: An online experience sampling study. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2017 , 56, 106-112	2.6	20
134	Predicting the preferences for involvement in medical decision making among patients with mental disorders. <i>PLoS ONE</i> , 2017 , 12, e0182203	3.7	9
133	Effectiveness of telephone-based aftercare case management for adult patients with unipolar depression compared to usual care: A randomized controlled trial. <i>PLoS ONE</i> , 2017 , 12, e0186967	3.7	5
132	Trajectories of maternal ante- and postpartum depressive symptoms and their association with child- and mother-related characteristics in a West African birth cohort study. <i>PLoS ONE</i> , 2017 , 12, e0187267	2.7	10
131	The Young Schema Questionnaire 3 Short Form (YSQ-S3). <i>European Journal of Psychological Assessment</i> , 2017 , 33, 134-143	2.2	38
130	Mental Health Problems Among Preschoolers in Germany: Results of the BELLA Preschool Study. <i>Child Psychiatry and Human Development</i> , 2016 , 47, 529-38	3.3	9
129	Wirksame Rückfallprophylaxe nach erfolgreicher Pharmakotherapie. <i>InFo Neurologie & Psychiatrie</i> , 2016 , 18, 29-30	0	
128	Efficacy of Metacognitive Training for Depression: A Randomized Controlled Trial. <i>Psychotherapy and Psychosomatics</i> , 2016 , 85, 231-4	9.4	27
127	A Brief Version of the Quality of Life in Short Stature Youth Questionnaire - the QoLISSY-Brief. <i>Child Indicators Research</i> , 2016 , 9, 971-984	1.9	2
126	Treatment patterns in inpatient depression care. <i>International Journal of Methods in Psychiatric Research</i> , 2016 , 25, 55-67	4.3	3
125	Meta-analysis on the effectiveness of alcohol screening with brief interventions for patients in emergency care settings. <i>Addiction</i> , 2016 , 111, 783-94	4.6	69
124	Adverse event methods were heterogeneous and insufficiently reported in randomized trials on persistent depressive disorder. <i>Journal of Clinical Epidemiology</i> , 2016 , 71, 97-108	5.7	22
123	Efficacy of selective serotonin reuptake inhibitors and adverse events: meta-regression and mediation analysis of placebo-controlled trials. <i>British Journal of Psychiatry</i> , 2016 , 208, 114-9	5.4	28

122	Longitudinal course of ante- and postpartum generalized anxiety symptoms and associated factors in West-African women from Ghana and Côte d'Ivoire. <i>Journal of Affective Disorders</i> , 2016 , 197, 125-33	6.6	12
121	Questionable assumptions hampered interpretation of a network meta-analysis of primary care depression treatments. <i>Journal of Clinical Epidemiology</i> , 2016 , 71, 86-96	5.7	14
120	Quantitative Evaluation of Performance in Interventional Neuroradiology: An Integrated Curriculum Featuring Theoretical and Practical Challenges. <i>PLoS ONE</i> , 2016 , 11, e0148694	3.7	7
119	Risiko- und Schutzfaktoren generalisierter Ängstlichkeit im Kindes- und Jugendalter. <i>Kindheit Und Entwicklung (discontinued)</i> , 2016 , 25, 21-30	0.3	5
118	Hepatitis E Seroprevalence in Europe: A Meta-Analysis. <i>Viruses</i> , 2016 , 8,	6.2	135
117	Psychometric properties of the newly developed Physician Teaching Self-Efficacy Questionnaire (PTSQ). <i>BMC Medical Education</i> , 2016 , 16, 247	3.3	7
116	Comparative Safety of Pharmacologic Treatments for Persistent Depressive Disorder: A Systematic Review and Network Meta-Analysis. <i>PLoS ONE</i> , 2016 , 11, e0153380	3.7	26
115	Effectiveness of Telephone-Based Health Coaching for Patients with Chronic Conditions: A Randomised Controlled Trial. <i>PLoS ONE</i> , 2016 , 11, e0161269	3.7	29
114	Effects of culture-sensitive adaptation of patient information material on usefulness in migrants: a multicentre, blinded randomised controlled trial. <i>BMJ Open</i> , 2016 , 6, e012008	3	14
113	Adaptation and Psychometric Evaluation of the Young Diagnostic Questionnaire (YDQ) for Parental Assessment of Adolescent Problematic Internet Use. <i>Journal of Behavioral Addictions</i> , 2016 , 5, 311-7	6.3	16
112	Psychometric properties of the German version of the CRAFFT. <i>Addictive Behaviors</i> , 2016 , 59, 42-7	4.2	5
111	Symptom change trajectories during inpatient psychotherapy in routine care and their associations with long-term outcomes. <i>Psychiatry Research</i> , 2016 , 238, 228-235	9.9	14
110	Psychopathological factors associated with problematic alcohol and problematic Internet use in a sample of adolescents in Germany. <i>Psychiatry Research</i> , 2016 , 240, 272-277	9.9	38
109	Risk and protective factors for the development of depressive symptoms in children and adolescents: results of the longitudinal BELLA study. <i>European Child and Adolescent Psychiatry</i> , 2015 , 24, 695-703	5.5	57
108	The longitudinal BELLA study: design, methods and first results on the course of mental health problems. <i>European Child and Adolescent Psychiatry</i> , 2015 , 24, 651-63	5.5	60
107	The Vicious Cycle of Family Atmosphere, Interpersonal Self-concepts, and Paranoia in Schizophrenia-A Longitudinal Study. <i>Schizophrenia Bulletin</i> , 2015 , 41, 1403-12	1.3	16
106	Odds ratios of treatment response were well approximated from continuous rating scale scores for meta-analysis. <i>Journal of Clinical Epidemiology</i> , 2015 , 68, 740-51	5.7	9
105	Psychometric properties of the Occupational Stress and Coping Inventory (AVEM) in a cancer population. <i>Acta Oncologica</i> , 2015 , 54, 232-42	3.2	10

104	Observational tools for measuring parent-infant interaction: a systematic review. <i>Clinical Child and Family Psychology Review</i> , 2015 , 18, 99-132	6.9	55
103	Prevalence of pathological internet use in a representative German sample of adolescents: results of a latent profile analysis. <i>Psychopathology</i> , 2015 , 48, 25-30	3.4	51
102	Efficacy and acceptability of pharmacological treatments for depressive disorders in primary care: systematic review and network meta-analysis. <i>Annals of Family Medicine</i> , 2015 , 13, 69-79	2.9	101
101	Usefulness scale for patient information material (USE) - development and psychometric properties. <i>BMC Medical Informatics and Decision Making</i> , 2015 , 15, 34	3.6	18
100	Drinking patterns of alcohol intoxicated adolescents in the emergency department: A latent class analysis. <i>Addictive Behaviors</i> , 2015 , 50, 51-9	4.2	16
99	Comparative effectiveness of psychological treatments for depressive disorders in primary care: network meta-analysis. <i>BMC Family Practice</i> , 2015 , 16, 103	2.6	30
98	Development of a questionnaire measuring Attitudes towards Psychological Online Interventions-the APOI. <i>Journal of Affective Disorders</i> , 2015 , 187, 136-41	6.6	71
97	Evaluating a collaborative smoking cessation intervention in primary care (ENTER): study protocol for a cluster-randomized controlled trial. <i>Trials</i> , 2015 , 16, 447	2.8	4
96	Effectiveness of a brief psychoeducational group intervention for relatives on the course of disease in patients after inpatient depression treatment compared with treatment as usual--study protocol of a multisite randomised controlled trial. <i>BMC Psychiatry</i> , 2015 , 15, 259	4.2	5
95	Conceptual decomposition of complex health care interventions for evidence synthesis: a literature review. <i>Journal of Evaluation in Clinical Practice</i> , 2015 , 21, 817-23	2.5	12
94	Longitudinal relations between symptoms, neurocognition, and self-concept in schizophrenia. <i>Frontiers in Psychology</i> , 2015 , 6, 917	3.4	12
93	Is visual evaluation of aneurysm coiling a reliable study end point? Systematic review and meta-analysis. <i>Stroke</i> , 2015 , 46, 1574-81	6.7	9
92	To what extent are surgery and invasive procedures effective beyond a placebo response? A systematic review with meta-analysis of randomised, sham controlled trials. <i>BMJ Open</i> , 2015 , 5, e009653 ³		75
91	Effectiveness of psychological treatments for depressive disorders in primary care: systematic review and meta-analysis. <i>Annals of Family Medicine</i> , 2015 , 13, 56-68	2.9	109
90	Translation and validation of a multidimensional instrument to assess health literacy. <i>Health Expectations</i> , 2015 , 18, 2776-86	3.7	12
89	Comparing the nine-item Shared Decision-Making Questionnaire to the OPTION Scale - an attempt to establish convergent validity. <i>Health Expectations</i> , 2015 , 18, 137-50	3.7	49
88	Effectiveness of a Web-based tailored interactive health communication application for patients with type 2 diabetes or chronic low back pain: randomized controlled trial. <i>Journal of Medical Internet Research</i> , 2015 , 17, e53	7.6	41
87	Shared Decision Making and the Use of Decision Aids. <i>Deutsches A&#x0308;rztblatt International</i> , 2015 , 112, 672-9	2.5	41

86	Efficacy and acceptability of acute treatments for persistent depressive disorder: a network meta-analysis. <i>Depression and Anxiety</i> , 2014 , 31, 621-30	8.4	73
85	Development and testing of culturally sensitive patient information material for Turkish, Polish, Russian and Italian migrants with depression or chronic low back pain (KULTINFO): study protocol for a double-blind randomized controlled trial. <i>Trials</i> , 2014 , 15, 265	2.8	8
84	Verbal fluency in focal epilepsy: a systematic review and meta-analysis. <i>Neuropsychology Review</i> , 2014 , 24, 200-18	7.7	41
83	Generalizability of findings from efficacy trials for chronic depression: an analysis of eligibility criteria. <i>Psychiatric Services</i> , 2014 , 65, 897-904	3.3	10
82	Placement matching of alcohol-dependent patients based on a standardized intake assessment: rationale and design of a randomized controlled trial. <i>BMC Psychiatry</i> , 2014 , 14, 286	4.2	7
81	Efficiency and contribution of strategies for finding randomized controlled trials: a case study from a systematic review on therapeutic interventions of chronic depression. <i>Journal of Public Health Research</i> , 2014 , 3, 177	2.2	9
80	The German version of the Four Habits Coding Scheme - association between physicians' communication and shared decision making skills in the medical encounter. <i>Patient Education and Counseling</i> , 2014 , 94, 224-9	3.1	14
79	Incorporating uncertainty regarding applicability of evidence from meta-analyses into clinical decision making. <i>Journal of Clinical Epidemiology</i> , 2014 , 67, 325-34	5.7	5
78	Medication complexity, prescription behaviour and patient adherence at the interface between ambulatory and stationary medical care. <i>European Journal of Clinical Pharmacology</i> , 2013 , 69, 573-80	2.8	11
77	Association between perceived oral and general health. <i>Journal of Dentistry</i> , 2013 , 41, 581-9	4.8	50
76	Patient preference for involvement, experienced involvement, decisional conflict, and satisfaction with physician: a structural equation model test. <i>BMC Health Services Research</i> , 2013 , 13, 231	2.9	44
75	Characteristics of predrinking and associated risks: a survey in a sample of German high school students. <i>International Journal of Public Health</i> , 2013 , 58, 197-205	4	17
74	Insufficient diagnostic accuracy of a single-item questionnaire to detect psychosocial distress in temporomandibular disorder patients. <i>Clinical Oral Investigations</i> , 2013 , 17, 1937-45	4.2	2
73	Selective serotonin reuptake inhibitors and tricyclic antidepressants in the acute treatment of chronic depression and dysthymia: a systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2013 , 144, 7-15	6.6	72
72	Telephone-based health coaching for chronically ill patients: study protocol for a randomized controlled trial. <i>Trials</i> , 2013 , 14, 337	2.8	27
71	Dealing with clinical heterogeneity in meta-analysis. Assumptions, methods, interpretation. <i>International Journal of Methods in Psychiatric Research</i> , 2013 , 22, 1-15	4.3	56
70	Psychometric evaluation of the German version of the Patient Activation Measure (PAM13). <i>BMC Public Health</i> , 2013 , 13, 1027	4.1	40
69	Incomplete medication adherence of chronically ill patients in German primary care. <i>Patient Preference and Adherence</i> , 2013 , 7, 237-44	2.4	12

68	Reducing cardiovascular medication complexity in a German university hospital: effects of a structured pharmaceutical management intervention on adherence. <i>Journal of Managed Care Pharmacy</i> , 2013 , 19, 396-407		33
67	Reliability and Validity of the German Version of the Young Schema Questionnaire [Short Form 3 (YSQ-S3)]. <i>European Journal of Psychological Assessment</i> , 2013 , 29, 205-212	2.2	50
66	Development and psychometric evaluation of the German version of the Medication Regimen Complexity Index (MRCI-D). <i>Journal of Evaluation in Clinical Practice</i> , 2012 , 18, 515-22	2.5	24
65	Effectiveness of a web-based, individually tailored decision aid for depression or acute low back pain: a randomized controlled trial. <i>Patient Education and Counseling</i> , 2012 , 87, 360-8	3.1	31
64	A latent variable framework for modeling dyadic measures in research on shared decision-making. <i>Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen</i> , 2012 , 106, 253-63	1.4	13
63	Management of sexual dysfunction due to antipsychotic drug therapy. <i>The Cochrane Library</i> , 2012 , 11, CD003546	5.2	19
62	Development and psychometric properties of the Shared Decision Making Questionnaire--physician version (SDM-Q-Doc). <i>Patient Education and Counseling</i> , 2012 , 88, 284-90	3.1	126
61	Longer term outcome of cognitive-behavioural and psychodynamic psychotherapy in routine mental health care: randomised controlled trial. <i>Behaviour Research and Therapy</i> , 2012 , 50, 580-7	5.2	12
60	Combination of pharmacotherapy and psychotherapy in the treatment of chronic depression: a systematic review and meta-analysis. <i>BMC Psychiatry</i> , 2012 , 12, 61	4.2	35
59	The latent factor structure of Young's early maladaptive schemas: are schemas organized into domains?. <i>Journal of Clinical Psychology</i> , 2012 , 68, 684-98	2.8	30
58	The capacity to see things from the child's point of view--assessing insightfulness in mothers with and without a diagnosis of depression. <i>Clinical Psychology and Psychotherapy</i> , 2012 , 19, 508-17	2.9	7
57	Lay theories toward cancer and myocardial infarction: a trans-cultural comparison of Germans and Spaniards. <i>Journal of Health Psychology</i> , 2012 , 17, 77-86	3.1	5
56	Levodopa for restless legs syndrome. <i>The Cochrane Library</i> , 2011 , CD005504	5.2	9
55	Risk factors for chronic depression--a systematic review. <i>Journal of Affective Disorders</i> , 2011 , 129, 1-13	6.6	153
54	Not as golden as standards should be: interpretation of the Hamilton Rating Scale for Depression. <i>Journal of Affective Disorders</i> , 2011 , 128, 175-7	6.6	35
53	Treatment of depressive disorders in primary care--protocol of a multiple treatment systematic review of randomized controlled trials. <i>BMC Family Practice</i> , 2011 , 12, 127	2.6	11
52	Comparative efficacy of the Cognitive Behavioral Analysis System of Psychotherapy versus supportive psychotherapy for early onset chronic depression: design and rationale of a multisite randomized controlled trial. <i>BMC Psychiatry</i> , 2011 , 11, 134	4.2	23
51	Dopamine agonists for restless legs syndrome. <i>The Cochrane Library</i> , 2011 , CD006009	5.2	48

50	Class Evolution Tree: a graphical tool to support decisions on the number of classes in exploratory categorical latent variable modeling for rehabilitation research. <i>International Journal of Rehabilitation Research</i> , 2011 , 34, 181-5	1.8	5
49	What works for patients in outpatient treatment for alcohol addiction? An explorative study into clients' evaluation of subjective factors and therapy satisfaction. <i>Substance Abuse: Research and Treatment</i> , 2011 , 5, 27-34	1.6	1
48	Confirmatory factor analysis and recommendations for improvement of the Autonomy-Preference-Index (API). <i>Health Expectations</i> , 2010 , 13, 234-43	3.7	40
47	Cluster-randomized controlled trial of dissemination strategies of an online quality improvement programme for alcohol-related disorders. <i>Alcohol and Alcoholism</i> , 2010 , 45, 70-8	3.5	6
46	The effects of nonpharmacological interventions on subjective memory complaints: a systematic review and meta-analysis. <i>Psychotherapy and Psychosomatics</i> , 2010 , 79, 6-19	9.4	37
45	Prävalenz, Diagnostik und Therapie weiblicher sexueller Funktionsstörungen in der gynäkologischen Praxis – Eine deutschlandweite Repräsentativbefragung. <i>Geburtshilfe Und Frauenheilkunde</i> , 2010 , 70, 281-287	2	3
44	Effectiveness of systematic treatment selection for psychodynamic and cognitive-behavioural therapy: randomised controlled trial in routine mental healthcare. <i>British Journal of Psychiatry</i> , 2010 , 197, 96-105	5.4	37
43	Effectiveness of psychotherapeutic, pharmacological, and combined treatments for chronic depression: a systematic review (METACHRON). <i>BMC Psychiatry</i> , 2010 , 10, 95	4.2	16
42	High agreement of self-report and physician-diagnosed somatic conditions yields limited bias in examining mental-physical comorbidity. <i>Journal of Clinical Epidemiology</i> , 2010 , 63, 558-65	5.7	134
41	Sick leave and depression - determining factors and clinical effect in outpatient care. <i>Psychiatry Research</i> , 2010 , 180, 68-73	9.9	2
40	Meta-analysis as the core of evidence-based behavioral medicine: tools and pitfalls of a statistical approach. <i>Current Opinion in Psychiatry</i> , 2010 , 23, 145-50	4.9	3
39	Drinking before going out—a predictor of negative nightlife experiences in a German inner city area. <i>International Journal of Drug Policy</i> , 2010 , 21, 251-4	5.5	10
38	Is one question enough to detect female sexual dysfunctions? A diagnostic accuracy study in 6,194 women. <i>Journal of Sexual Medicine</i> , 2010 , 7, 1831-41	1.1	11
37	Effect of sexual function on health-related quality of life mediated by depressive symptoms in cardiac rehabilitation. findings of the SPARK project in 493 patients. <i>Journal of Sexual Medicine</i> , 2010 , 7, 2044-2055	1.1	57
36	The 9-item Shared Decision Making Questionnaire (SDM-Q-9). Development and psychometric properties in a primary care sample. <i>Patient Education and Counseling</i> , 2010 , 80, 94-9	3.1	383
35	Improving outpatient care of depression by implementing practice guidelines: a controlled clinical trial. <i>International Journal for Quality in Health Care</i> , 2009 , 21, 29-36	1.9	13
34	Evidenzbasierte Medizin und die psychiatrische Praxis. <i>Psychiatrie Und Psychotherapie Up2date</i> , 2009 , 3, 49-67		
33	Analyzing effectiveness of long-term psychodynamic psychotherapy. <i>JAMA - Journal of the American Medical Association</i> , 2009 , 301, 930-1; author reply 932-933	27.4	9

32	Association of sexual functioning and quality of partnership in patients in cardiovascular rehabilitation--a gender perspective. <i>Journal of Sexual Medicine</i> , 2009 , 6, 164-74	1.1	19
31	Diagnostik psychosozialer Belastungen bei Arbeitsunfallpatienten. <i>Trauma Und Berufskrankheit</i> , 2009 , 11, 423-431	0	
30	Psychometric properties of the German version of the Motivational Interviewing Treatment Integrity Code. <i>Journal of Substance Abuse Treatment</i> , 2009 , 36, 44-8	4.2	31
29	Patients language proficiency and inpatient depression treatment in Baden-Württemberg (South Germany). <i>Psychiatric Services</i> , 2009 , 60, 545-8	3.3	0
28	Challenges in reporting meta-analyses of diagnostic accuracy studies. <i>Annals of Internal Medicine</i> , 2009 , 150, 430	8	11
27	General practitioners and online continuing medical education - which factors influence its use?. <i>GMS German Medical Science</i> , 2009 , 7, Doc08	3.2	3
26	Confirmatory factor analysis of the German version of the international index of erectile function (IIEF): a comparison of four models. <i>Journal of Sexual Medicine</i> , 2008 , 5, 92-9	1.1	24
25	Effects of written information material on help-seeking behavior in patients with erectile dysfunction: a longitudinal study. <i>Journal of Sexual Medicine</i> , 2008 , 5, 436-47	1.1	14
24	Treatment of depressive symptoms and attitudes towards treatment options in a representative German general population sample. <i>International Journal of Psychiatry in Clinical Practice</i> , 2008 , 12, 5-10	2.4	5
23	St John's wort for major depression. <i>The Cochrane Library</i> , 2008 , CD000448	5.2	157
22	Meta-analysis: are 3 questions enough to detect unhealthy alcohol use?. <i>Annals of Internal Medicine</i> , 2008 , 149, 879-88	8	77
21	Finding the ideal place for a psychotherapeutic intervention in a stepped care approach--a brief overview of the literature and preliminary results from the Project PREDICT. <i>International Journal of Methods in Psychiatric Research</i> , 2008 , 17 Suppl 1, S60-4	4.3	10
20	Management of sexual dysfunction due to antipsychotic drug therapy. <i>Cochrane Database of Systematic Reviews</i> , 2007 , CD003546		19
19	The effects of a shared decision-making intervention in primary care of depression: a cluster-randomized controlled trial. <i>Patient Education and Counseling</i> , 2007 , 67, 324-32	3.1	266
18	The validity of the laboratory marker combinations DOVER and QUVER to detect physician's diagnosis of at-risk drinking. <i>Addiction Biology</i> , 2007 , 12, 85-92	4.6	5
17	Can written information material help to increase treatment motivation in patients with erectile dysfunction? A survey of 1188 men. <i>International Journal of Impotence Research</i> , 2007 , 19, 330-5	2.3	7
16	Detection and management of alcohol use disorders in German primary care influenced by non-clinical factors. <i>Alcohol and Alcoholism</i> , 2007 , 42, 308-16	3.5	22
15	Einführung in www.alkohol-leitlinie.de - Evaluation einer computergestützten Fortbildung für Hausärzte und Arzthelferinnen zur Diagnostik und Behandlung alkoholbezogener Störungen. <i>Zeitschrift für Allgemeinmedizin</i> , 2007 , 83, 447-451		1

14	The alcohol use disorders identification test for detecting at-risk drinking: a systematic review and meta-analysis. <i>Journal of Studies on Alcohol and Drugs</i> , 2007 , 68, 461-73	1.9	98
13	Dopamine agonists for restless legs syndrome 2006 ,		1
12	DOVER and QUVER-new marker combinations to detect and monitor at-risk drinking. <i>Alcoholism: Clinical and Experimental Research</i> , 2006 , 30, 1372-80	3.7	10
11	Efficacy of PDE-5-inhibitors for erectile dysfunction. A comparative meta-analysis of fixed-dose regimen randomized controlled trials administering the International Index of Erectile Function in broad-spectrum populations. <i>International Journal of Impotence Research</i> , 2006 , 18, 229-35	2.3	49
10	A meta-regression analysis of treatment effect modifiers in trials with flexible-dose oral sildenafil for erectile dysfunction in broad-spectrum populations. <i>International Journal of Impotence Research</i> , 2006 , 18, 559-65	2.3	11
9	Living in the best of all worlds. Despite premises approximating the truth with meta-analyses. <i>International Journal of Impotence Research</i> , 2006 , 18, 572-573	2.3	0
8	German general practitioners' perceived role in the management of alcohol use disorders: responsible but undertrained. <i>Primary Care and Community Psychiatry</i> , 2006 , 11, 29-35		3
7	A systematic review of research on strategies for the management of antipsychotic-induced sexual dysfunction: high-level evidence is needed. <i>Journal of Clinical Psychiatry</i> , 2006 , 67, 1649-50	4.6	7
6	Erleben der Sexualität nach Schwangerschaft und Entbindung. <i>Geburtshilfe Und Frauenheilkunde</i> , 2005 , 65, 751-760	2	2
5	Berprüfung der Gültigkeit und Zuverlässigkeit des deutschen Female Sexual Function Index (FSFI-d). <i>Geburtshilfe Und Frauenheilkunde</i> , 2004 , 64, 293-303	2	73
4	Projection of Cumulative Coronavirus Disease 2019 (COVID-19) Case Growth with a Hierarchical Logistic Model		9
3	Aktuelle Entwicklung der kumulativen Inzidenz bestätigter SARS-CoV-2-Infektionen und infektionsbedingter Todesfälle in Deutschland [Modeling the cumulative incidence of SARS-CoV-2 cases and deaths in Germany]		3
2	Predictive Accuracy of a Hierarchical Logistic Model of Cumulative SARS-CoV-2 Case Growth		1
1	Psychometric properties of the Brief Infant-Toddler Social and Emotional Assessment (BITSEA) in two-year-old Ivorian and Ghanaian children. <i>Applied Developmental Science</i> , 1-11	3.6	0