

# Bruce M Robinson

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7539404/bruce-m-robinson-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

225  
papers

11,251  
citations

59  
h-index

101  
g-index

246  
ext. papers

14,112  
ext. citations

5.4  
avg, IF

5.91  
L-index

#	Paper	IF	Citations
225	Thrombocytopenia predicts mortality in Chinese hemodialysis patients- an analysis of the China DOPPS.. <i>BMC Nephrology</i> , <b>2022</b> , 23, 11	2.7	0
224	Routinely measured cardiac troponin I and N-terminal pro-B-type natriuretic peptide as predictors of mortality in haemodialysis patients.. <i>ESC Heart Failure</i> , <b>2022</b> ,	3.7	2
223	Sex-Specific Differences in Mortality and Incident Dialysis in the Chronic Kidney Disease Outcomes and Practice Patterns Study.. <i>Kidney International Reports</i> , <b>2022</b> , 7, 410-423	4.1	2
222	Potential Surrogate Outcomes for Kidney Failure in Advanced CKD: Evaluation of Power and Predictive Ability in CKDopps.. <i>Kidney Medicine</i> , <b>2022</b> , 4, 100395	2.8	0
221	Diabetes Prevalence, Treatment, Control, and Outcomes Among Hemodialysis Patients in the Gulf Cooperation Council Countries.. <i>Kidney International Reports</i> , <b>2022</b> , 7, 1093-1102	4.1	0
220	Mortality Trends After Transfer From Peritoneal Dialysis to Hemodialysis.. <i>Kidney International Reports</i> , <b>2022</b> , 7, 1062-1073	4.1	1
219	Etelcalcetide Versus Cinacalcet in Hemodialysis Patients in the United States: A Facility Calcimimetic Approach to Assess Real-World Effectiveness. <i>Kidney Medicine</i> , <b>2022</b> , 100475	2.8	
218	Changes in practice patterns in Japan from before to after JSDT 2013 guidelines on hemodialysis prescriptions: results from the JDOPPS. <i>BMC Nephrology</i> , <b>2021</b> , 22, 339	2.7	
217	Hyperkalemia excursions are associated with an increased risk of mortality and hospitalizations in hemodialysis patients. <i>CKJ: Clinical Kidney Journal</i> , <b>2021</b> , 14, 1760-1769	4.5	4
216	Implementation of PDOPPS in a middle-income country: Early lessons from Thailand. <i>Peritoneal Dialysis International</i> , <b>2021</b> , 896860821993950	2.8	5
215	Medical Director Practice of Advising Increased Dietary Protein Intake in Hemodialysis Patients With Hyperphosphatemia: Associations With Mortality in the Dialysis Outcomes and Practice Patterns Study. <i>Journal of Renal Nutrition</i> , <b>2021</b> ,	3	1
214	Comparison of annual eGFR decline among primary kidney diseases in patients with CKD G3b-5: results from a REACH-J CKD cohort study. <i>Clinical and Experimental Nephrology</i> , <b>2021</b> , 25, 902-910	2.5	1
213	Association of Local Unit Sampling and Microbiology Laboratory Culture Practices With the Ability to Identify Causative Pathogens in Peritoneal Dialysis-Associated Peritonitis in Thailand. <i>Kidney International Reports</i> , <b>2021</b> , 6, 1118-1129	4.1	4
212	Mortality, hospitalization and transfer to haemodialysis and hybrid therapy, in Japanese peritoneal dialysis patients. <i>Peritoneal Dialysis International</i> , <b>2021</b> , 8968608211016127	2.8	2
211	Urgent-start dialysis in patients referred early to a nephrologist-the CKD-REIN prospective cohort study. <i>Nephrology Dialysis Transplantation</i> , <b>2021</b> , 36, 1500-1510	4.3	0
210	Controversies in optimal anemia management: conclusions from a Kidney Disease: Improving Global Outcomes (KDIGO) Conference. <i>Kidney International</i> , <b>2021</b> , 99, 1280-1295	9.9	18
209	Improving data quality in observational research studies: Report of the Cure Glomerulonephropathy (CureGN) network. <i>Contemporary Clinical Trials Communications</i> , <b>2021</b> , 22, 100749	1.8	2

208	Secondary hyperparathyroidism, weight loss, and longer term mortality in haemodialysis patients: results from the DOPPS. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , <b>2021</b> , 12, 855-865	10.3	3
207	Higher mortality risk among kidney transplant recipients than among estimated glomerular filtration rate-matched patients with CKD-preliminary results. <i>Nephrology Dialysis Transplantation</i> , <b>2021</b> , 36, 176-184	4.3	3
206	: achievement, predictors and relationship to mortality in hemodialysis patients in the Gulf Cooperation Council countries: results from DOPPS (2012-18). <i>CKJ: Clinical Kidney Journal</i> , <b>2021</b> , 14, 820-830	4.5	5
205	Association of erythropoietin resistance and fibroblast growth factor 23 in dialysis patients: Results from the Japanese Dialysis Outcomes and Practice Patterns Study. <i>Nephrology</i> , <b>2021</b> , 26, 46-53	2.2	4
204	Long- Versus Short-Acting Erythropoiesis-Stimulating Agent Type and Mortality. <i>Kidney International Reports</i> , <b>2021</b> , 6, 214-218	4.1	3
203	The risk of medically uncontrolled secondary hyperparathyroidism depends on parathyroid hormone levels at haemodialysis initiation. <i>Nephrology Dialysis Transplantation</i> , <b>2021</b> , 36, 160-169	4.3	6
202	Serum total indoxyl sulfate and clinical outcomes in hemodialysis patients: results from the Japan Dialysis Outcomes and Practice Patterns Study. <i>CKJ: Clinical Kidney Journal</i> , <b>2021</b> , 14, 1236-1243	4.5	7
201	A real-world longitudinal study of anemia management in non-dialysis-dependent chronic kidney disease patients: a multinational analysis of CKDopps. <i>Scientific Reports</i> , <b>2021</b> , 11, 1784	4.9	7
200	Baseline data report of the China Dialysis Outcomes and Practice Patterns Study (DOPPS). <i>Scientific Reports</i> , <b>2021</b> , 11, 873	4.9	8
199	Adherence to the Kidney Disease: Improving Global Outcomes CKD Guideline in Nephrology Practice Across Countries. <i>Kidney International Reports</i> , <b>2021</b> , 6, 437-448	4.1	5
198	Citric Acid-Containing Dialysate and Survival Rate in the Dialysis Outcomes and Practice Patterns Study.. <i>Kidney360</i> , <b>2021</b> , 2, 666-673	1.8	0
197	Serum biomarkers of iron stores are associated with worse physical health-related quality of life in nondialysis-dependent chronic kidney disease patients with or without anemia. <i>Nephrology Dialysis Transplantation</i> , <b>2021</b> , 36, 1694-1703	4.3	4
196	International Comparisons of Native Arteriovenous Fistula Patency and Time to Becoming Catheter-Free: Findings From the Dialysis Outcomes and Practice Patterns Study (DOPPS). <i>American Journal of Kidney Diseases</i> , <b>2021</b> , 77, 245-254	7.4	7
195	Serum Biomarkers of Iron Stores Are Associated with Increased Risk of All-Cause Mortality and Cardiovascular Events in Nondialysis CKD Patients, with or without Anemia. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2021</b> , 32, 2020-2030	12.7	9
194	Etelcalcetide Utilization, Dosing Titration, and Chronic Kidney Disease-Mineral and Bone Disease (CKD-MBD) Marker Responses in US Hemodialysis Patients. <i>American Journal of Kidney Diseases</i> , <b>2021</b> ,	7.4	1
193	Physical functioning in patients with chronic kidney disease stage G3b-5 in Japan: The reach-J CKD cohort study. <i>Nephrology</i> , <b>2021</b> , 26, 981-987	2.2	
192	Prescription of Direct Oral Anticoagulants to Patients With Moderate-to-Advanced CKD: Too Little or Just Right?. <i>Kidney International Reports</i> , <b>2021</b> , 6, 2496-2500	4.1	
191	Blood flow rate: An independent risk factor of mortality in Chinese hemodialysis patients. <i>Seminars in Dialysis</i> , <b>2021</b> ,	2.5	1

190	New Insights into Acute-on-Chronic Kidney Disease in Nephrology Patients: The CKD-REIN Study. <i>Nephrology Dialysis Transplantation</i> , <b>2021</b> ,	4.3	1
189	The combination of malnutrition-inflammation and functional status limitations is associated with mortality in hemodialysis patients. <i>Scientific Reports</i> , <b>2021</b> , 11, 1582	4.9	1
188	At the Crossroads for Intravenous Iron Dosing. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2020</b> , 31, 1653-1654	12.7	1
187	Impact of longer term phosphorus control on cardiovascular mortality in hemodialysis patients using an area under the curve approach: results from the DOPPS. <i>Nephrology Dialysis Transplantation</i> , <b>2020</b> , 35, 1794-1801	4.3	14
186	Management of Anemia in Nondialysis Chronic Kidney Disease: Current Recommendations, Real-World Practice, and Patient Perspectives.. <i>Kidney360</i> , <b>2020</b> , 1, 855-862	1.8	3
185	Physical health-related quality of life at higher achieved hemoglobin levels among chronic kidney disease patients: a systematic review and meta-analysis. <i>BMC Nephrology</i> , <b>2020</b> , 21, 259	2.7	1
184	Adverse Drug Reactions in Patients with CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , <b>2020</b> , 15, 1090-1102	6.9	13
183	Persistent Disease Activity in Patients With Long-Standing Glomerular Disease. <i>Kidney International Reports</i> , <b>2020</b> , 5, 860-871	4.1	2
182	Establishing a Core Outcome Set for Peritoneal Dialysis: Report of the SONG-PD (Standardized Outcomes in Nephrology-Peritoneal Dialysis) Consensus Workshop. <i>American Journal of Kidney Diseases</i> , <b>2020</b> , 75, 404-412	7.4	36
181	Chronic kidney disease progression and mortality risk profiles in Germany: results from the Chronic Kidney Disease Outcomes and Practice Patterns Study. <i>Nephrology Dialysis Transplantation</i> , <b>2020</b> , 35, 803-810	4.3	14
180	Estimating the Fraction of First-Year Hemodialysis Deaths Attributable to Potentially Modifiable Risk Factors: Results from the DOPPS. <i>Clinical Epidemiology</i> , <b>2020</b> , 12, 51-60	5.9	6
179	Sex differences in chronic kidney disease awareness among US adults, 1999 to 2018. <i>PLoS ONE</i> , <b>2020</b> , 15, e0243431	3.7	5
178	Incidence of ESKD Among Native Hawaiians and Pacific Islanders Living in the 50 US States and Pacific Island Territories. <i>American Journal of Kidney Diseases</i> , <b>2020</b> , 76, 340-349.e1	7.4	4
177	Associations of Hemoglobin Levels With Health-Related Quality of Life, Physical Activity, and Clinical Outcomes in Persons With Stage 3-5 Nondialysis CKD. <i>Journal of Renal Nutrition</i> , <b>2020</b> , 30, 404-414	7.4	14
176	Combinations of mineral and bone disorder markers and risk of death and hospitalizations in the international Dialysis Outcomes and Practice Patterns Study. <i>CKJ: Clinical Kidney Journal</i> , <b>2020</b> , 13, 1056-1062	4.5	5
175	Prevalence of atheromatous and non-atheromatous cardiovascular disease by age in chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , <b>2020</b> , 35, 827-836	4.3	12
174	The impact of unmeasured within- and between-cluster confounding on the bias of effect estimator of a continuous exposure. <i>Statistical Methods in Medical Research</i> , <b>2020</b> , 29, 2119-2139	2.3	4
173	Surgeon Characteristics and Dialysis Vascular Access Outcomes in the United States: A Retrospective Cohort Study. <i>American Journal of Kidney Diseases</i> , <b>2020</b> , 75, 158-166	7.4	13

172	Peritoneal Dialysis-Related Infection Rates and Outcomes: Results From the Peritoneal Dialysis Outcomes and Practice Patterns Study (DOPPS). <i>American Journal of Kidney Diseases</i> , <b>2020</b> , 76, 42-53	7.4	49
171	Parathyroid Hormone Serum Levels and Mortality among Hemodialysis Patients in the Gulf Cooperation Council Countries: Results from the DOPPS (2012-2018).. <i>Kidney360</i> , <b>2020</b> , 1, 1083-1090	1.8	2
170	Longitudinal Changes in Health-Related Quality of Life in Primary Glomerular Disease: Results From the CureGN Study. <i>Kidney International Reports</i> , <b>2020</b> , 5, 1679-1689	4.1	4
169	Peritoneal Dialysis and Mortality, Kidney Transplant, and Transition to Hemodialysis: Trends From 1996-2015 in the United States. <i>Kidney Medicine</i> , <b>2020</b> , 2, 610-619.e1	2.8	5
168	Inflammation and Erythropoiesis-Stimulating Agent Response in Hemodialysis Patients: A Self-matched Longitudinal Study of Anemia Management in the Dialysis Outcomes and Practice Patterns Study (DOPPS). <i>Kidney Medicine</i> , <b>2020</b> , 2, 286-296	2.8	9
167	Replicating Randomized Trial Results with Observational Data Using the Parametric g-Formula: An Application to Intravenous Iron Treatment in Hemodialysis Patients. <i>Clinical Epidemiology</i> , <b>2020</b> , 12, 1249-1260 <sup>1</sup>	5.9	1
166	Fibroblast Growth Factor 23 and Mortality Among Prevalent Hemodialysis Patients in the Japan Dialysis Outcomes and Practice Patterns Study. <i>Kidney International Reports</i> , <b>2020</b> , 5, 1956-1964	4.1	2
165	Urinary Sodium-to-Potassium Ratio and Blood Pressure in CKD. <i>Kidney International Reports</i> , <b>2020</b> , 5, 1240-1250	4.1	5
164	Potassium homeostasis and management of dyskalemia in kidney diseases: conclusions from a Kidney Disease: Improving Global Outcomes (KDIGO) Controversies Conference. <i>Kidney International</i> , <b>2020</b> , 97, 42-61	9.9	106
163	Low hemoglobin at hemodialysis initiation: an international study of anemia management and mortality in the early dialysis period. <i>CKJ: Clinical Kidney Journal</i> , <b>2020</b> , 13, 425-433	4.5	9
162	Anemia and iron deficiency among chronic kidney disease Stages 3-5ND patients in the Chronic Kidney Disease Outcomes and Practice Patterns Study: often unmeasured, variably treated. <i>CKJ: Clinical Kidney Journal</i> , <b>2020</b> , 13, 613-624	4.5	32
161	International variation in the management of mineral bone disorder in patients with chronic kidney disease: Results from CKDopps. <i>Bone</i> , <b>2019</b> , 129, 115058	4.7	6
160	Variability in Cinacalcet Prescription across US Hemodialysis Facilities. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , <b>2019</b> , 14, 241-249	6.9	10
159	Associations between Hemodialysis Facility Practices to Manage Fluid Volume and Intradialytic Hypotension and Patient Outcomes. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , <b>2019</b> , 14, 385-393	6.9	24
158	Transition Between Different Renal Replacement Modalities: Gaps in Knowledge and Care-The Integrated Research Initiative. <i>Peritoneal Dialysis International</i> , <b>2019</b> , 39, 4-12	2.8	16
157	Prescription of renin-angiotensin-aldosterone system inhibitors (RAASi) and its determinants in patients with advanced CKD under nephrologist care. <i>Journal of Clinical Hypertension</i> , <b>2019</b> , 21, 991-1001 <sup>2,3</sup>	2.3	17
156	Cardiovascular Event Rates Among Hemodialysis Patients Across Geographical Regions-A Snapshot From The Dialysis Outcomes and Practice Patterns Study (DOPPS). <i>Kidney International Reports</i> , <b>2019</b> , 4, 864-872	4.1	9
155	Self-reported Urine Volume in Hemodialysis Patients: Predictors and Mortality Outcomes in the International Dialysis Outcomes and Practice Patterns Study (DOPPS). <i>American Journal of Kidney Diseases</i> , <b>2019</b> , 74, 425-428	7.4	6

154	Patient-reported advantages and disadvantages of peritoneal dialysis: results from the PDOPPS. <i>BMC Nephrology</i> , <b>2019</b> , 20, 116	2.7	15
153	Health-related quality of life in glomerular disease. <i>Kidney International</i> , <b>2019</b> , 95, 1209-1224	9.9	20
152	The association between longer haemodialysis treatment times and hospitalization and mortality after the two-day break in individuals receiving three times a week haemodialysis. <i>Nephrology Dialysis Transplantation</i> , <b>2019</b> , 34, 1577-1584	4.3	14
151	Pruritus and Patient Reported Outcomes in Non-Dialysis CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , <b>2019</b> , 14, 673-681	6.9	29
150	Dialysis initiation, modality choice, access, and prescription: conclusions from a Kidney Disease: Improving Global Outcomes (KDIGO) Controversies Conference. <i>Kidney International</i> , <b>2019</b> , 96, 37-47	9.9	96
149	Guideline attainment and morbidity/mortality rates in a large cohort of European haemodialysis patients (EURODOPPS). <i>Nephrology Dialysis Transplantation</i> , <b>2019</b> , 34, 2105-2110	4.3	5
148	The Association of Functional Status with Mortality and Dialysis Modality Change: Results from the Peritoneal Dialysis Outcomes and Practice Patterns Study (PDOPPS). <i>Peritoneal Dialysis International</i> , <b>2019</b> , 39, 103-111	2.8	11
147	Insulin resistance and chronic kidney disease progression, cardiovascular events, and death: findings from the chronic renal insufficiency cohort study. <i>BMC Nephrology</i> , <b>2019</b> , 20, 60	2.7	16
146	Attitudes toward Peritoneal Dialysis among Peritoneal Dialysis and Hemodialysis Medical Directors: Are We Preaching to the Right Choir?. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , <b>2019</b> , 14, 1067-1070	6.9	3
145	International and Racial Differences in Mineral and Bone Disorder Markers and Treatments Over the First 5 Years of Hemodialysis in the Dialysis Outcomes and Practice Patterns Study. <i>Kidney Medicine</i> , <b>2019</b> , 1, 86-96	2.8	1
144	Considerable international variation exists in blood pressure control and antihypertensive prescription patterns in chronic kidney disease. <i>Kidney International</i> , <b>2019</b> , 96, 983-994	9.9	25
143	Increased Risk of Bone Fractures in Hemodialysis Patients Treated with Proton Pump Inhibitors in Real World: Results from the Dialysis Outcomes and Practice Patterns Study (DOPPS). <i>Journal of Bone and Mineral Research</i> , <b>2019</b> , 34, 2238-2245	6.3	8
142	International Anemia Prevalence and Management in Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , <b>2019</b> , 39, 539-546	2.8	9
141	Facility Variation and Predictors of Do Not Resuscitate Orders of Hemodialysis Patients in Canada: DOPPS. <i>Canadian Journal of Kidney Health and Disease</i> , <b>2019</b> , 6, 2054358119879777	2.3	2
140	Remote Management for Peritoneal Dialysis: A Qualitative Study of Patient, Care Partner, and Clinician Perceptions and Priorities in the United States and the United Kingdom. <i>Kidney Medicine</i> , <b>2019</b> , 1, 354-365	2.8	14
139	Projecting ESRD Incidence and Prevalence in the United States through 2030. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2019</b> , 30, 127-135	12.7	119
138	CureGN Study Rationale, Design, and Methods: Establishing a Large Prospective Observational Study of Glomerular Disease. <i>American Journal of Kidney Diseases</i> , <b>2019</b> , 73, 218-229	7.4	39
137	Risk profile, quality of life and care of patients with moderate and advanced CKD: The French CKD-REIN Cohort Study. <i>Nephrology Dialysis Transplantation</i> , <b>2019</b> , 34, 277-286	4.3	26

136	Improving the prognosis of patients with severely decreased glomerular filtration rate (CKD G4+): conclusions from a Kidney Disease: Improving Global Outcomes (KDIGO) Controversies Conference. <i>Kidney International</i> , <b>2018</b> , 93, 1281-1292	9.9	41
135	In Reply to Stepwise Attempts on the Forearm Protect Against Exhaustion of Vascular Access Options. <i>American Journal of Kidney Diseases</i> , <b>2018</b> , 71, 758-759	7.4	
134	Mortality risk in patients on hemodiafiltration versus hemodialysis: a real-world comparison from the DOPPS. <i>Nephrology Dialysis Transplantation</i> , <b>2018</b> , 33, 683-689	4.3	35
133	Association between serum ferritin and mortality: findings from the USA, Japan and European Dialysis Outcomes and Practice Patterns Study. <i>Nephrology Dialysis Transplantation</i> , <b>2018</b> , 33, 2234-2244	4.3	33
132	Evaluation of the adequacy of drug prescriptions in patients with chronic kidney disease: results from the CKD-REIN cohort. <i>British Journal of Clinical Pharmacology</i> , <b>2018</b> , 84, 2811-2823	3.8	36
131	DOPPS data suggest a possible survival benefit of renin angiotensin-aldosterone system inhibitors and other antihypertensive medications for hemodialysis patients. <i>Kidney International</i> , <b>2018</b> , 94, 589-599	9.9	15
130	A nationwide prospective cohort study of patients with advanced chronic kidney disease in Japan: The Reach-J CKD cohort study. <i>Clinical and Experimental Nephrology</i> , <b>2018</b> , 22, 309-317	2.5	4
129	International Differences in the Location and Use of Arteriovenous Accesses Created for Hemodialysis: Results From the Dialysis Outcomes and Practice Patterns Study (DOPPS). <i>American Journal of Kidney Diseases</i> , <b>2018</b> , 71, 469-478	7.4	78
128	Mineral and bone disorder management in hemodialysis patients: comparing PTH control practices in Japan with Europe and North America: the Dialysis Outcomes and Practice Patterns Study (DOPPS). <i>BMC Nephrology</i> , <b>2018</b> , 19, 253	2.7	10
127	Dialysate Calcium Concentration below 3.0 mEq/L Is Not Associated with Improved Outcomes in the Japanese Dialysis Outcomes and Practice Patterns Study. <i>Nephron</i> , <b>2018</b> , 140, 240-248	3.3	1
126	Perceptions about the dialysis modality decision process among peritoneal dialysis and in-center hemodialysis patients. <i>BMC Nephrology</i> , <b>2018</b> , 19, 298	2.7	14
125	SP340 IS LOW HEMOGLOBIN AT HEMODIALYSIS INITIATION ASSOCIATED WITH FIRST-YEAR SURVIVAL AMONG PATIENTS TREATED TO TARGET LEVELS SOON AFTER DIALYSIS START?. <i>Nephrology Dialysis Transplantation</i> , <b>2018</b> , 33, i459-i459	4.3	
124	Clinical Characteristics and Treatment Patterns of Children and Adults With IgA Nephropathy or IgA Vasculitis: Findings From the CureGN Study. <i>Kidney International Reports</i> , <b>2018</b> , 3, 1373-1384	4.1	23
123	Missed Hemodialysis Treatments: International Variation, Predictors, and Outcomes in the Dialysis Outcomes and Practice Patterns Study (DOPPS). <i>American Journal of Kidney Diseases</i> , <b>2018</b> , 72, 634-643	7.4	30
122	Twice-Weekly Hemodialysis and Clinical Outcomes in the China Dialysis Outcomes and Practice Patterns Study. <i>Kidney International Reports</i> , <b>2018</b> , 3, 889-896	4.1	13
121	Patterns of Erythropoiesis-Stimulating Agent Use in European Hemodialysis Patients: The Dialysis Outcomes and Practice Patterns Study. <i>Nephron</i> , <b>2018</b> , 140, 24-30	3.3	3
120	The Authors Reply. <i>Kidney International</i> , <b>2018</b> , 94, 221-222	9.9	
119	Facility Practice Variation to Help Understand the Effects of Public Policy: Insights from the Dialysis Outcomes and Practice Patterns Study (DOPPS). <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , <b>2017</b> , 12, 190-199	6.9	11

118	Predialysis blood pressure on survival in hemodialysis patients. <i>Kidney International</i> , <b>2017</b> , 91, 755-756	9.9	3
117	Food Insecurity, CKD, and Subsequent ESRD in US Adults. <i>American Journal of Kidney Diseases</i> , <b>2017</b> , 70, 38-47	7.4	53
116	Unique hemoglobin A1c level distribution and its relationship with mortality in diabetic hemodialysis patients. <i>Kidney International</i> , <b>2017</b> , 92, 497-503	9.9	12
115	Examining the Association between Hemodialysis Access Type and Mortality: The Role of Access Complications. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , <b>2017</b> , 12, 955-964	6.9	67
114	Regional Differences in the Associations Between Prescribed Dialysate Sodium Concentration and Interdialytic Weight Gain in the Dialysis Outcomes and Practice Patterns Study. <i>American Journal of Kidney Diseases</i> , <b>2017</b> , 70, 450-451	7.4	5
113	Understanding associations of hemodialysis practices with clinical and patient-reported outcomes: examples from the DOPPS. <i>Nephrology Dialysis Transplantation</i> , <b>2017</b> , 32, ii106-ii112	4.3	16
112	Seasonal variations in transition, mortality and kidney transplantation among patients with end-stage renal disease in the USA. <i>Nephrology Dialysis Transplantation</i> , <b>2017</b> , 32, ii99-ii105	4.3	10
111	Evaluating the effectiveness of IV iron dosing for anemia management in common clinical practice: results from the Dialysis Outcomes and Practice Patterns Study (DOPPS). <i>BMC Nephrology</i> , <b>2017</b> , 18, 330	2.7	12
110	Association between changes in quality of life and mortality in hemodialysis patients: results from the DOPPS. <i>Nephrology Dialysis Transplantation</i> , <b>2017</b> , 32, 521-527	4.3	28
109	International Comparisons of Prevalence, Awareness, and Treatment of Pruritus in People on Hemodialysis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , <b>2017</b> , 12, 2000-2007	6.9	70
108	Explaining trends and variation in timing of dialysis initiation in the United States. <i>Medicine (United States)</i> , <b>2017</b> , 96, e6911	1.8	14
107	Hemodialysis practice patterns in the Russia Dialysis Outcomes and Practice Patterns Study (DOPPS), with international comparisons. <i>Hemodialysis International</i> , <b>2017</b> , 21, 393-408	1.7	14
106	Interdialytic Weight Gain: Trends, Predictors, and Associated Outcomes in the International Dialysis Outcomes and Practice Patterns Study (DOPPS). <i>American Journal of Kidney Diseases</i> , <b>2017</b> , 69, 367-379	7.4	61
105	Additional Contribution of the Malnutrition-Inflammation Score to Predict Mortality and Patient-Reported Outcomes as Compared With Its Components in a Cohort of African Descent Hemodialysis Patients. <i>Journal of Renal Nutrition</i> , <b>2017</b> , 27, 45-52	3	16
104	The Dialysis Outcomes and Practice Patterns Study (DOPPS) in Turkey. <i>Hemodialysis International</i> , <b>2017</b> , 21, 430-439	1.7	5
103	Dialysate Potassium, Serum Potassium, Mortality, and Arrhythmia Events in Hemodialysis: Results From the Dialysis Outcomes and Practice Patterns Study (DOPPS). <i>American Journal of Kidney Diseases</i> , <b>2017</b> , 69, 266-277	7.4	85
102	Associations of employment status and educational levels with mortality and hospitalization in the dialysis outcomes and practice patterns study in Japan. <i>PLoS ONE</i> , <b>2017</b> , 12, e0170731	3.7	14
101	SO037ANEMIA PREVALENCE AND TREATMENT AMONG PATIENTS WITH CHRONIC KIDNEY DISEASE STAGE 3-5: DATA FROM THE CHRONIC KIDNEY DISEASE OUTCOMES AND PRACTICE PATTERNS STUDY (CKDOPPS). <i>Nephrology Dialysis Transplantation</i> , <b>2016</b> , 31, i16-i17	4.3	4



100	Hemodialysis Facility Variation in Hospitalization and Transfusions Using Medicare Claims: The DOPPS Practice Monitor for US Dialysis Care. <i>American Journal of Kidney Diseases</i> , <b>2016</b> , 67, 337-40	7.4	9
99	International Comparisons to Assess Effects of Payment and Regulatory Changes in the United States on Anemia Practice in Patients on Hemodialysis: The Dialysis Outcomes and Practice Patterns Study. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2016</b> , 27, 2205-15	12.7	25
98	Functional Dependence and Mortality in the International Dialysis Outcomes and Practice Patterns Study (DOPPS). <i>American Journal of Kidney Diseases</i> , <b>2016</b> , 67, 283-92	7.4	78
97	The dialysis outcomes and practice patterns study phase 5 in the Gulf Cooperation Council countries: Design and study methods. <i>Saudi Journal of Kidney Diseases and Transplantation: an Official Publication of the Saudi Center for Organ Transplantation, Saudi Arabia</i> , <b>2016</b> , 27, S1-11	0.6	8
96	Cardiovascular and Stroke Risk in Japanese Hemodialysis Patients With Atrial Fibrillation. <i>Therapeutic Apheresis and Dialysis</i> , <b>2016</b> , 20, 608-614	1.9	2
95	Anemia Management in the China Dialysis Outcomes and Practice Patterns Study. <i>Blood Purification</i> , <b>2016</b> , 42, 33-43	3.1	18
94	Factors affecting outcomes in patients reaching end-stage kidney disease worldwide: differences in access to renal replacement therapy, modality use, and haemodialysis practices. <i>Lancet, The</i> , <b>2016</b> , 388, 294-306	4.0	204
93	The CKD Outcomes and Practice Patterns Study (CKDopps): Rationale and Methods. <i>American Journal of Kidney Diseases</i> , <b>2016</b> , 68, 402-13	7.4	35
92	The Peritoneal Dialysis Outcomes and Practice Patterns Study (PDOPPS): Unifying Efforts to Inform Practice and Improve Global Outcomes in Peritoneal Dialysis. <i>Peritoneal Dialysis International</i> , <b>2016</b> , 36, 297-307	2.8	75
91	Development and validation of cardiovascular risk scores for haemodialysis patients. <i>International Journal of Cardiology</i> , <b>2016</b> , 216, 68-77	3.2	30
90	Risk of ESRD in the United States. <i>American Journal of Kidney Diseases</i> , <b>2016</b> , 68, 862-872	7.4	43
89	Reliability and validity of the coping strategy inventory-short form applied to hemodialysis patients in 13 countries: Results from the Dialysis Outcomes and Practice Patterns Study (DOPPS). <i>Journal of Psychosomatic Research</i> , <b>2016</b> , 91, 12-19	4.1	9
88	Phosphate binder pill burden, patient-reported non-adherence, and mineral bone disorder markers: Findings from the DOPPS. <i>Hemodialysis International</i> , <b>2016</b> , 20, 38-49	1.7	72
87	Trends in US Vascular Access Use, Patient Preferences, and Related Practices: An Update From the US DOPPS Practice Monitor With International Comparisons. <i>American Journal of Kidney Diseases</i> , <b>2015</b> , 65, 905-15	7.4	186
86	Has dialysis payment reform led to initial racial disparities in anemia and mineral metabolism management?. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2015</b> , 26, 754-64	12.7	13
85	Understanding the Recent Increase in Ferritin Levels in United States Dialysis Patients: Potential Impact of Changes in Intravenous Iron and Erythropoiesis-Stimulating Agent Dosing. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , <b>2015</b> , 10, 1814-21	6.9	44
84	The DOPPS Practice Monitor for US Dialysis Care: PTH Levels and Management of Mineral and Bone Disorder in US Hemodialysis Patients. <i>American Journal of Kidney Diseases</i> , <b>2015</b> , 66, 536-9	7.4	17
83	Nephrology care prior to end-stage renal disease and outcomes among new ESRD patients in the USA. <i>CKJ: Clinical Kidney Journal</i> , <b>2015</b> , 8, 772-80	4.5	60

82	Data from the Dialysis Outcomes and Practice Patterns Study validate an association between high intravenous iron doses and mortality. <i>Kidney International</i> , <b>2015</b> , 87, 162-8	9.9	121
81	A phase 2 trial of lenvatinib (E7080) in advanced, progressive, radioiodine-refractory, differentiated thyroid cancer: A clinical outcomes and biomarker assessment. <i>Cancer</i> , <b>2015</b> , 121, 2749-56	6.4	130
80	On a preference-based instrumental variable approach in reducing unmeasured confounding-by-indication. <i>Statistics in Medicine</i> , <b>2015</b> , 34, 1150-68	2.3	15
79	Importance of simultaneous evaluation of multiple risk factors for hemodialysis patients mortality and development of a novel index: dialysis outcomes and practice patterns study. <i>PLoS ONE</i> , <b>2015</b> , 10, e0128652	3.7	19
78	Development and validation of a predictive mortality risk score from a European hemodialysis cohort. <i>Kidney International</i> , <b>2015</b> , 87, 996-1008	9.9	103
77	Recent changes in therapeutic approaches and association with outcomes among patients with secondary hyperparathyroidism on chronic hemodialysis: the DOPPS study. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , <b>2015</b> , 10, 98-109	6.9	174
76	Dialysate sodium prescription and blood pressure in hemodialysis patients. <i>American Journal of Hypertension</i> , <b>2014</b> , 27, 1160-9	2.3	26
75	Association of blood pressure with all-cause mortality and stroke in Japanese hemodialysis patients: the Japan Dialysis Outcomes and Practice Pattern Study. <i>Hemodialysis International</i> , <b>2014</b> , 18, 607-15	1.7	15
74	Gender, low Kt/V, and mortality in Japanese hemodialysis patients: opportunities for improvement through modifiable practices. <i>Hemodialysis International</i> , <b>2014</b> , 18, 596-606	1.7	27
73	Associations of self-reported physical activity types and levels with quality of life, depression symptoms, and mortality in hemodialysis patients: the DOPPS. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , <b>2014</b> , 9, 1702-12	6.9	83
72	Pruritus in hemodialysis patients: Results from the Japanese Dialysis Outcomes and Practice Patterns Study (JDOPPS). <i>Hemodialysis International</i> , <b>2014</b> , 18, 657-67	1.7	61
71	Association between allopurinol and mortality among Japanese hemodialysis patients: results from the DOPPS. <i>International Urology and Nephrology</i> , <b>2014</b> , 46, 1833-41	2.3	22
70	Patient-powered research networks: building capacity for conducting patient-centered clinical outcomes research. <i>Journal of the American Medical Informatics Association: JAMIA</i> , <b>2014</b> , 21, 583-6	8.6	52
69	Recovery time, quality of life, and mortality in hemodialysis patients: the Dialysis Outcomes and Practice Patterns Study (DOPPS). <i>American Journal of Kidney Diseases</i> , <b>2014</b> , 64, 86-94	7.4	116
68	The French Chronic Kidney Disease-Renal Epidemiology and Information Network (CKD-REIN) cohort study. <i>Nephrology Dialysis Transplantation</i> , <b>2014</b> , 29, 1500-7	4.3	53
67	The authors reply. <i>Kidney International</i> , <b>2014</b> , 86, 649	9.9	
66	Sex-specific differences in hemodialysis prevalence and practices and the male-to-female mortality rate: the Dialysis Outcomes and Practice Patterns Study (DOPPS). <i>PLoS Medicine</i> , <b>2014</b> , 11, e1001750	11.6	111
65	Worldwide, mortality risk is high soon after initiation of hemodialysis. <i>Kidney International</i> , <b>2014</b> , 85, 158-65	9.9	188

64	High rates of death and hospitalization follow bone fracture among hemodialysis patients. <i>Kidney International</i> , <b>2014</b> , 85, 166-73	9.9	207
63	Dialysate bicarbonate and the risk of death. <i>Seminars in Dialysis</i> , <b>2014</b> , 27, 505	2.5	
62	Catheter-related infection and septicemia: impact of seasonality and modifiable practices from the DOPPS. <i>Seminars in Dialysis</i> , <b>2014</b> , 27, 72-7	2.5	14
61	Two-times weekly hemodialysis in China: frequency, associated patient and treatment characteristics and Quality of Life in the China Dialysis Outcomes and Practice Patterns study. <i>Nephrology Dialysis Transplantation</i> , <b>2014</b> , 29, 1770-7	4.3	59
60	Potassium-binding resins: Associations with serum chemistries and interdialytic weight gain in hemodialysis patients. <i>American Journal of Nephrology</i> , <b>2014</b> , 39, 252-9	4.6	26
59	The DOPPS practice monitor for US dialysis care: potential impact of recent guidelines and regulatory changes on management of mineral and bone disorder among US hemodialysis patients. <i>American Journal of Kidney Diseases</i> , <b>2014</b> , 63, 851-4	7.4	16
58	The chronic kidney disease outcomes and practice patterns study Brazil (CKDopps-Brazil): design, data and methodology. <i>Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia</i> , <b>2014</b> , 36, 96-101	1.5	5
57	Temporal risk profile for infectious and noninfectious complications of hemodialysis access. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2013</b> , 24, 1668-77	12.7	67
56	Association of dialysate bicarbonate concentration with mortality in the Dialysis Outcomes and Practice Patterns Study (DOPPS). <i>American Journal of Kidney Diseases</i> , <b>2013</b> , 62, 738-46	7.4	107
55	Hepatitis C infection is very rarely treated among hemodialysis patients. <i>American Journal of Nephrology</i> , <b>2013</b> , 38, 405-12	4.6	109
54	Estimating prevalence of CKD stages 3-5 using health system data. <i>American Journal of Kidney Diseases</i> , <b>2013</b> , 61, 930-8	7.4	24
53	The DOPPS Practice Monitor for US dialysis care: trends through December 2011. <i>American Journal of Kidney Diseases</i> , <b>2013</b> , 61, 342-6	7.4	41
52	A multinational cohort study of in-center daily hemodialysis and patient survival. <i>Kidney International</i> , <b>2013</b> , 83, 300-7	9.9	46
51	The DOPPS practice monitor for U.S. dialysis care: update on trends in anemia management 2 years into the bundle. <i>American Journal of Kidney Diseases</i> , <b>2013</b> , 62, 1213-6	7.4	40
50	Significance of interdialytic weight gain versus chronic volume overload: consensus opinion. <i>American Journal of Nephrology</i> , <b>2013</b> , 38, 78-90	4.6	87
49	Associations of frequency and duration of patient-doctor contact in hemodialysis facilities with mortality. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2013</b> , 24, 1493-502	12.7	24
48	Major bleeding events and risk stratification of antithrombotic agents in hemodialysis: results from the DOPPS. <i>Kidney International</i> , <b>2013</b> , 84, 600-8	9.9	65
47	Fistula versus catheter outcomes: the importance of surgical training. <i>Kidney International</i> , <b>2013</b> , 83, 531-2	9.9	1

46	The authors reply. <i>Kidney International</i> , <b>2013</b> , 84, 1051-2	9.9	1
45	Changes in dialysis treatment modalities during institution of flat rate reimbursement and quality assurance programs. <i>Kidney International</i> , <b>2013</b> , 84, 578-84	9.9	8
44	Variation in intravenous iron use internationally and over time: the Dialysis Outcomes and Practice Patterns Study (DOPPS). <i>Nephrology Dialysis Transplantation</i> , <b>2013</b> , 28, 2570-9	4.3	74
43	Hemodialysis patient preference for type of vascular access: variation and predictors across countries in the DOPPS. <i>Journal of Vascular Access</i> , <b>2013</b> , 14, 264-72	1.8	42
42	Implementation and first results of a German chronic kidney disease registry. <i>Clinical Nephrology</i> , <b>2013</b> , 79, 184-91	2.1	19
41	Current evidence argues against lowering the dialysate sodium. <i>Nephrology News &amp; Issues</i> , <b>2013</b> , 27, 18-21		9
40	Predialysis serum sodium level, dialysate sodium, and mortality in maintenance hemodialysis patients: the Dialysis Outcomes and Practice Patterns Study (DOPPS). <i>American Journal of Kidney Diseases</i> , <b>2012</b> , 59, 238-48	7.4	108
39	The DOPPS Practice Monitor for US dialysis care: trends through April 2011. <i>American Journal of Kidney Diseases</i> , <b>2012</b> , 59, 309-12	7.4	19
38	Phosphate binder use and mortality among hemodialysis patients in the Dialysis Outcomes and Practice Patterns Study (DOPPS): evaluation of possible confounding by nutritional status. <i>American Journal of Kidney Diseases</i> , <b>2012</b> , 60, 90-101	7.4	142
37	The DOPPS Practice Monitor for US dialysis care: trends through August 2011. <i>American Journal of Kidney Diseases</i> , <b>2012</b> , 60, 160-5	7.4	43
36	Blood pressure levels and mortality risk among hemodialysis patients in the Dialysis Outcomes and Practice Patterns Study. <i>Kidney International</i> , <b>2012</b> , 82, 570-80	9.9	94
35	Dialysis Outcomes and Practice Patterns Study (DOPPS): its strengths, limitations, and role in informing practices and policies. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , <b>2012</b> , 7, 1897-905	6.9	45
34	Hemoglobin A(1c) levels and mortality in the diabetic hemodialysis population: findings from the Dialysis Outcomes and Practice Patterns Study (DOPPS). <i>Diabetes Care</i> , <b>2012</b> , 35, 2527-32	14.6	62
33	Assessment of the psychological burden associated with pruritus in hemodialysis patients using the kidney disease quality of life short form. <i>Quality of Life Research</i> , <b>2012</b> , 21, 603-12	3.7	35
32	Reduced survival and quality of life following return to dialysis after transplant failure: the Dialysis Outcomes and Practice Patterns Study. <i>Nephrology Dialysis Transplantation</i> , <b>2012</b> , 27, 4464-72	4.3	59
31	Modifiable practices associated with sudden death among hemodialysis patients in the Dialysis Outcomes and Practice Patterns Study. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , <b>2012</b> , 7, 765-74	6.9	116
30	Dialysate sodium concentration and the association with interdialytic weight gain, hospitalization, and mortality. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , <b>2012</b> , 7, 92-100	6.9	97
29	Dialysis outcomes and analysis of practice patterns suggests the dialysis schedule affects day-of-week mortality. <i>Kidney International</i> , <b>2012</b> , 81, 1108-15	9.9	66

28	Longer dialysis session length is associated with better intermediate outcomes and survival among patients on in-center three times per week hemodialysis: results from the Dialysis Outcomes and Practice Patterns Study (DOPPS). <i>Nephrology Dialysis Transplantation</i> , <b>2012</b> , 27, 4180-8	4.3	118
27	Choice of reference in the evaluation of the day-of-week effect on mortality on hemodialysis. <i>Kidney International</i> , <b>2012</b> , 82, 1339-40; author reply 1340	9.9	0
26	Psychosocial variables are associated with being wait-listed, but not with receiving a kidney transplant in the Dialysis Outcomes and Practice Patterns Study (DOPPS). <i>Nephrology Dialysis Transplantation</i> , <b>2012</b> , 27, 2107-13	4.3	20
25	Should high-dose oral diuretics be used to increase urine output in patients on chronic peritoneal and hemodialysis?. <i>Seminars in Dialysis</i> , <b>2011</b> , 24, 366-8	2.5	2
24	Association of CKD with disability in the United States. <i>American Journal of Kidney Diseases</i> , <b>2011</b> , 57, 212-27	7.4	60
23	Facility-level interpatient hemoglobin variability in hemodialysis centers participating in the Dialysis Outcomes and Practice Patterns Study (DOPPS): Associations with mortality, patient characteristics, and facility practices. <i>American Journal of Kidney Diseases</i> , <b>2011</b> , 57, 266-75	7.4	253
22	The Dialysis Outcomes and Practice Patterns Study (DOPPS) Practice Monitor: rationale and methods for an initiative to monitor the new US bundled dialysis payment system. <i>American Journal of Kidney Diseases</i> , <b>2011</b> , 57, 822-31	7.4	39
21	Changes in anemia management and hemoglobin levels following revision of a bundling policy to incorporate recombinant human erythropoietin. <i>Kidney International</i> , <b>2011</b> , 79, 340-6	9.9	37
20	The associations of social support and other psychosocial factors with mortality and quality of life in the dialysis outcomes and practice patterns study. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , <b>2011</b> , 6, 142-52	6.9	122
19	C-reactive protein and mortality in hemodialysis patients: the Dialysis Outcomes and Practice Patterns Study (DOPPS). <i>Nephron Clinical Practice</i> , <b>2011</b> , 117, c167-78		38
18	Absence of anemia in hemodialysis patients. <i>Blood Purification</i> , <b>2011</b> , 32, 209	3.1	1
17	Naturally occurring higher hemoglobin concentration does not increase mortality among hemodialysis patients. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2011</b> , 22, 358-65	12.7	45
16	Iron and calciphylaxis. <i>Nephrology Dialysis Transplantation</i> , <b>2011</b> , 26, 3063; author reply 3063-4	4.3	4
15	Nonsteroidal anti-inflammatory drug use among persons with chronic kidney disease in the United States. <i>Annals of Family Medicine</i> , <b>2011</b> , 9, 423-30	2.9	88
14	C-reactive protein and prediction of 1-year mortality in prevalent hemodialysis patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , <b>2011</b> , 6, 2452-61	6.9	99
13	Uric acid levels and all-cause and cardiovascular mortality in the hemodialysis population. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , <b>2011</b> , 6, 2470-7	6.9	89
12	Depression as a potential explanation for gender differences in health-related quality of life among patients on maintenance hemodialysis. <i>Nephron Clinical Practice</i> , <b>2010</b> , 115, c35-40		34
11	Physical exercise among participants in the Dialysis Outcomes and Practice Patterns Study (DOPPS): correlates and associated outcomes. <i>Nephrology Dialysis Transplantation</i> , <b>2010</b> , 25, 3050-62	4.3	198

10	Atrial fibrillation in hemodialysis patients: clinical features and associations with anticoagulant therapy. <i>Kidney International</i> , <b>2010</b> , 77, 1098-106	9.9	275
9	Caring for dialysis patients: international insights from the Dialysis Outcomes and Practice Patterns Study (DOPPS). Identifying best practices and outcomes in the DOPPS. <i>Seminars in Dialysis</i> , <b>2010</b> , 23, 4-6	2.5	11
8	Prescription of antihypertensive agents to haemodialysis patients: time trends and associations with patient characteristics, country and survival in the DOPPS. <i>Nephrology Dialysis Transplantation</i> , <b>2009</b> , 24, 2809-16	4.3	47
7	International hemodialysis patient outcomes comparisons revisited: the role of practice patterns and other factors. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , <b>2009</b> , 4 Suppl 1, S12-7	6.9	30
6	The survival advantage for haemodialysis patients taking vitamin D is questioned: findings from the Dialysis Outcomes and Practice Patterns Study. <i>Nephrology Dialysis Transplantation</i> , <b>2009</b> , 24, 963-72	4.3	117
5	Mortality risk for dialysis patients with different levels of serum calcium, phosphorus, and PTH: the Dialysis Outcomes and Practice Patterns Study (DOPPS). <i>American Journal of Kidney Diseases</i> , <b>2008</b> , 52, 519-30	7.4	724
4	Revisiting survival differences by race and ethnicity among hemodialysis patients: the Dialysis Outcomes and Practice Patterns Study. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2006</b> , 17, 2910-8	12.7	79
3	Anemia and mortality in hemodialysis patients: accounting for morbidity and treatment variables updated over time. <i>Kidney International</i> , <b>2005</b> , 68, 2323-30	9.9	83
2	Administration of parenteral iron and mortality among hemodialysis patients. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2004</b> , 15, 1623-32	12.7	156
1	Variation in Peritoneal Dialysis Time on Therapy by Country. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , CJN.16341221	6.9	1