

# Timothy Davis

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7539691/publications.pdf>

Version: 2024-02-01

519  
papers

22,075  
citations

11608

70  
h-index

16605

123  
g-index

527  
all docs

527  
docs citations

527  
times ranked

21507  
citing authors

#	ARTICLE	IF	CITATIONS
1	Dulaglutide and cardiovascular outcomes in type 2 diabetes (REWIND): a double-blind, randomised placebo-controlled trial. <i>Lancet, The</i> , 2019, 394, 121-130.	6.3	1,625
2	Effect of fenofibrate on the need for laser treatment for diabetic retinopathy (FIELD study): a randomised controlled trial. <i>Lancet, The</i> , 2007, 370, 1687-1697.	6.3	918
3	Plasmodium knowlesi Malaria in Humans Is Widely Distributed and Potentially Life Threatening. <i>Clinical Infectious Diseases</i> , 2008, 46, 165-171.	2.9	676
4	Melioidosis: A Major Cause of Community-Acquired Septicemia in Northeastern Thailand. <i>Journal of Infectious Diseases</i> , 1989, 159, 890-899.	1.9	515
5	Common infections in diabetes: pathogenesis, management and relationship to glycaemic control. <i>Diabetes/Metabolism Research and Reviews</i> , 2007, 23, 3-13.	1.7	411
6	Dulaglutide and renal outcomes in type 2 diabetes: an exploratory analysis of the REWIND randomised, placebo-controlled trial. <i>Lancet, The</i> , 2019, 394, 131-138.	6.3	394
7	Effects of fenofibrate on renal function in patients with type 2 diabetes mellitus: the Fenofibrate Intervention and Event Lowering in Diabetes (FIELD) Study. <i>Diabetologia</i> , 2011, 54, 280-290.	2.9	304
8	Clinical and Laboratory Features of Human Plasmodium knowlesi Infection. <i>Clinical Infectious Diseases</i> , 2009, 49, 852-860.	2.9	277
9	Glycemic Exposure Is Associated With Reduced Pulmonary Function in Type 2 Diabetes: The Fremantle Diabetes Study. <i>Diabetes Care</i> , 2004, 27, 752-757.	4.3	262
10	Tirzepatide versus insulin glargine in type 2 diabetes and increased cardiovascular risk (SURPASS-4): a randomised, open-label, parallel-group, multicentre, phase 3 trial. <i>Lancet, The</i> , 2021, 398, 1811-1824.	6.3	257
11	Piperaquine. <i>Drugs</i> , 2005, 65, 75-87.	4.9	247
12	Reappraisal of known malaria resistance loci in a large multicenter study. <i>Nature Genetics</i> , 2014, 46, 1197-1204.	9.4	206
13	Polymorphisms in Plasmodium falciparum Chloroquine Resistance Transporter and Multidrug Resistance 1 Genes: Parasite Risk Factors That Affect Treatment Outcomes for P. falciparum Malaria After Artemether-Lumefantrine and Artesunate-Amodiaquine. <i>American Journal of Tropical Medicine and Hygiene</i> , 2014, 91, 833-843.	0.6	204
14	Association Between Plasma Triglycerides and High-Density Lipoprotein Cholesterol and Microvascular Kidney Disease and Retinopathy in Type 2 Diabetes Mellitus. <i>Circulation</i> , 2014, 129, 999-1008.	1.6	197
15	Peripheral Arterial Disease and Risk of Cardiac Death in Type 2 Diabetes: The Fremantle Diabetes Study. <i>Diabetes Care</i> , 2006, 29, 575-580.	4.3	195
16	Severe hypoglycaemia and cognitive impairment in older patients with diabetes: the Fremantle Diabetes Study. <i>Diabetologia</i> , 2009, 52, 1808-1815.	2.9	191
17	A Trial of Combination Antimalarial Therapies in Children from Papua New Guinea. <i>New England Journal of Medicine</i> , 2008, 359, 2545-2557.	13.9	174
18	Risk Factors for Stroke in Type 2 Diabetes Mellitus. <i>Archives of Internal Medicine</i> , 1999, 159, 1097.	4.3	173

#	ARTICLE	IF	CITATIONS
19	Estimated glomerular filtration rate and albuminuria are independent predictors of cardiovascular events and death in type 2 diabetes mellitus: the Fenofibrate Intervention and Event Lowering in Diabetes (FIELD) study. <i>Diabetologia</i> , 2011, 54, 32-43.	2.9	172
20	Loss-of-function mutations in IGSF1 cause an X-linked syndrome of central hypothyroidism and testicular enlargement. <i>Nature Genetics</i> , 2012, 44, 1375-1381.	9.4	169
21	Effect of a Pharmaceutical Care Program on Vascular Risk Factors in Type 2 Diabetes: The Fremantle Diabetes Study. <i>Diabetes Care</i> , 2005, 28, 771-776.	4.3	156
22	Lipid-lowering therapy and peripheral sensory neuropathy in type 2 diabetes: the Fremantle Diabetes Study. <i>Diabetologia</i> , 2008, 51, 562-566.	2.9	149
23	Determinants of Severe Hypoglycemia Complicating Type 2 Diabetes: The Fremantle Diabetes Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 2240-2247.	1.8	148
24	Population pharmacokinetics of piperazine in adults and children with uncomplicated falciparum or vivax malaria. <i>British Journal of Clinical Pharmacology</i> , 2003, 57, 253-262.	1.1	146
25	Glucuronidation of Dihydroartemisinin in Vivo and by Human Liver Microsomes and Expressed UDP-Glucuronosyltransferases. <i>Drug Metabolism and Disposition</i> , 2002, 30, 1005-1012.	1.7	138
26	Efficacy and Safety of Dihydroartemisinin+Piperazine (Artekin) in Cambodian Children and Adults with Uncomplicated Falciparum Malaria. <i>Clinical Infectious Diseases</i> , 2002, 35, 1469-1476.	2.9	136
27	Predictors, consequences and costs of diabetes-related lower extremity amputation complicating type 2 diabetes: The Fremantle Diabetes Study. <i>Diabetologia</i> , 2006, 49, 2634-2641.	2.9	135
28	Artemisinin-based combination therapies for uncomplicated malaria. <i>Medical Journal of Australia</i> , 2005, 182, 181-185.	0.8	133
29	Cognitive impairment, physical disability and depressive symptoms in older diabetic patients: the Fremantle Cognition in Diabetes Study. <i>Diabetes Research and Clinical Practice</i> , 2003, 61, 59-67.	1.1	124
30	Longitudinal Predictors of Reduced Mobility and Physical Disability in Patients With Type 2 Diabetes: The Fremantle Diabetes Study. <i>Diabetes Care</i> , 2005, 28, 2441-2447.	4.3	124
31	Predictors of cognitive impairment and dementia in older people with diabetes. <i>Diabetologia</i> , 2008, 51, 241-248.	2.9	123
32	A prospective study of depression and mortality in patients with type 2 diabetes: the Fremantle Diabetes Study. <i>Diabetologia</i> , 2005, 48, 2532-2539.	2.9	117
33	Growth Hormone (GH) Release in Response to GH-Releasing Hormone in Man is 3-Fold Enhanced by Galanin*. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1987, 65, 1248-1252.	1.8	115
34	Reduced pulmonary function and its associations in type 2 diabetes: the Fremantle Diabetes Study. <i>Diabetes Research and Clinical Practice</i> , 2000, 50, 153-159.	1.1	114
35	Autoantibodies to glutamic acid decarboxylase in diabetic patients from a multi-ethnic Australian community: the Fremantle Diabetes Study. <i>Diabetic Medicine</i> , 2000, 17, 667-674.	1.2	113
36	Selective high-performance liquid chromatographic determination of artesunate and $\pm$ - and $\hat{2}$ -dihydroartemisinin in patients with falciparum malaria. <i>Biomedical Applications</i> , 1996, 677, 345-350.	1.7	112

#	ARTICLE	IF	CITATIONS
37	Prevalence and progression of subclinical hypothyroidism in women with type 2 diabetes: the Fremantle Diabetes Study. <i>Clinical Endocrinology</i> , 2005, 62, 480-486.	1.2	111
38	Cohort Profile: The Fremantle Diabetes Study. <i>International Journal of Epidemiology</i> , 2013, 42, 412-421.	0.9	111
39	CAPTURE: a multinational, cross-sectional study of cardiovascular disease prevalence in adults with type 2 diabetes across 13 countries. <i>Cardiovascular Diabetology</i> , 2021, 20, 154.	2.7	111
40	In vitro stage-specific sensitivity of <i>Plasmodium falciparum</i> to quinine and artemisinin drugs. <i>International Journal for Parasitology</i> , 1996, 26, 519-525.	1.3	110
41	Prediabetes: a position statement from the Australian Diabetes Society and Australian Diabetes Educators Association. <i>Medical Journal of Australia</i> , 2007, 186, 461-465.	0.8	110
42	Diabetes education and knowledge in patients with type 2 diabetes from the community. <i>Journal of Diabetes and Its Complications</i> , 2003, 17, 82-89.	1.2	109
43	Interactions among Thyroid Function, Insulin Sensitivity, and Serum Lipid Concentrations: The Fremantle Diabetes Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005, 90, 5317-5320.	1.8	108
44	Benefits and Safety of Long-Term Fenofibrate Therapy in People With Type 2 Diabetes and Renal Impairment. <i>Diabetes Care</i> , 2012, 35, 218-225.	4.3	108
45	A pharmacokinetic and pharmacodynamic study of intravenous vs oral artesunate in uncomplicated <i>falciparum</i> malaria. <i>British Journal of Clinical Pharmacology</i> , 1998, 45, 123-129.	1.1	105
46	Comparative Pharmacokinetics of Intramuscular Artesunate and Artemether in Patients with Severe <i>Falciparum</i> Malaria. <i>Antimicrobial Agents and Chemotherapy</i> , 2004, 48, 4234-4239.	1.4	105
47	Incidence and predictors of silent myocardial infarction in type 2 diabetes and the effect of fenofibrate: an analysis from the Fenofibrate Intervention and Event Lowering in Diabetes (FIELD) study. <i>European Heart Journal</i> , 2010, 31, 92-99.	1.0	105
48	Islet autoantibodies in clinically diagnosed type 2 diabetes: prevalence and relationship with metabolic control (UKPDS 70). <i>Diabetologia</i> , 2005, 48, 695-702.	2.9	101
49	Safety evaluation of fixed combination piperazine plus dihydroartemisinin (Artekin®) in Cambodian children and adults with malaria. <i>British Journal of Clinical Pharmacology</i> , 2003, 57, 93-99.	1.1	99
50	Prognostic Significance of Silent Myocardial Infarction in Newly Diagnosed Type 2 Diabetes Mellitus. <i>Circulation</i> , 2013, 127, 980-987.	1.6	99
51	Acute Suppurative Parotitis Caused by <i>Pseudomonas pseudomallei</i> in Children. <i>Journal of Infectious Diseases</i> , 1989, 159, 654-660.	1.9	97
52	Relationship Between Ethnicity and Glycemic Control, Lipid Profiles, and Blood Pressure During the First 9 Years of Type 2 Diabetes: U.K. Prospective Diabetes Study (UKPDS 55). <i>Diabetes Care</i> , 2001, 24, 1167-1174.	4.3	97
53	Disposition of oral quinine in acute <i>falciparum</i> malaria. <i>European Journal of Clinical Pharmacology</i> , 1991, 40, 49-52.	0.8	96
54	Comparison of three antigen detection methods for diagnosis and therapeutic monitoring of malaria: a field study from southern Vietnam. <i>Tropical Medicine and International Health</i> , 2002, 7, 304-308.	1.0	96

#	ARTICLE	IF	CITATIONS
55	Predictors of Cognitive Decline in Older Individuals With Diabetes. <i>Diabetes Care</i> , 2008, 31, 2103-2107.	4.3	93
56	The Current Status and Potential Role of Laboratory Testing to Prevent Transfusion-Transmitted Malaria. <i>Transfusion Medicine Reviews</i> , 2005, 19, 229-240.	0.9	92
57	Pharmacokinetics and Pharmacodynamics of Intravenous Artesunate in Severe Falciparum Malaria. <i>Antimicrobial Agents and Chemotherapy</i> , 2001, 45, 181-186.	1.4	90
58	Human candidate gene polymorphisms and risk of severe malaria in children in Kilifi, Kenya: a case-control association study. <i>Lancet Haematology</i> , 2018, 5, e333-e345.	2.2	90
59	B-vitamins reduce the long-term risk of depression after stroke: The VITATOPS-DEP trial. <i>Annals of Neurology</i> , 2010, 68, 503-510.	2.8	85
60	Negative Association between Infra-renal Aortic Diameter and Glycaemia: The Health In Men Study. <i>European Journal of Vascular and Endovascular Surgery</i> , 2007, 33, 599-604.	0.8	84
61	Effects of a High-Fat Meal on the Relative Oral Bioavailability of Piperaquine. <i>Antimicrobial Agents and Chemotherapy</i> , 2005, 49, 2407-2411.	1.4	83
62	Is Self-Monitoring of Blood Glucose Appropriate for All Type 2 Diabetic Patients?: The Fremantle Diabetes Study. <i>Diabetes Care</i> , 2006, 29, 1764-1770.	4.3	81
63	The IGSF1 Deficiency Syndrome: Characteristics of Male and Female Patients. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, 4942-4952.	1.8	81
64	Pharmacokinetics and Efficacy of Piperaquine and Chloroquine in Melanesian Children with Uncomplicated Malaria. <i>Antimicrobial Agents and Chemotherapy</i> , 2008, 52, 237-243.	1.4	80
65	Alpha <sub>1</sub> -acid glycoprotein (orosomucoid) and plasma protein binding of quinine in falciparum malaria.. <i>British Journal of Clinical Pharmacology</i> , 1991, 32, 311-315.	1.1	79
66	Erythrocyte survival in severe falciparum malaria. <i>Acta Tropica</i> , 1991, 48, 263-270.	0.9	77
67	Bone mineral density and its determinants in diabetes: the Fremantle Diabetes Study. <i>Diabetologia</i> , 2006, 49, 863-871.	2.9	77
68	U.K. Prospective Diabetes Study 22: Effect of age at diagnosis on diabetic tissue damage during the first 6 years of NIDDM. <i>Diabetes Care</i> , 1997, 20, 1435-1441.	4.3	76
69	Prevalence and predictors of osteopenia and osteoporosis in adults with Type 1 diabetes. <i>Diabetic Medicine</i> , 2009, 26, 45-52.	1.2	76
70	The antimalarial agent mefloquine inhibits ATP-sensitive K-channels. <i>British Journal of Pharmacology</i> , 2000, 131, 756-760.	2.7	75
71	Features and Prognosis of Severe Malaria Caused by Plasmodium falciparum, Plasmodium vivax and Mixed Plasmodium Species in Papua New Guinean Children. <i>PLoS ONE</i> , 2011, 6, e29203.	1.1	74
72	A comprehensive investigation of variants in genes encoding adiponectin (ADIPOQ) and its receptors (ADIPOR1/R2), and their association with serum adiponectin, type 2 diabetes, insulin resistance and the metabolic syndrome. <i>BMC Medical Genetics</i> , 2013, 14, 15.	2.1	73

#	ARTICLE	IF	CITATIONS
73	Does self-monitoring of blood glucose improve outcome in type 2 diabetes? The Fremantle Diabetes Study. <i>Diabetologia</i> , 2007, 50, 510-515.	2.9	71
74	Effect of Continuous Positive Airway Pressure Therapy on Cardiovascular Risk Factors in Patients with Type 2 Diabetes and Obstructive Sleep Apnea. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, 4212-4218.	1.8	70
75	Oral bioavailability of dihydroartemisinin in Vietnamese volunteers and in patients with falciparum malaria. <i>British Journal of Clinical Pharmacology</i> , 2001, 51, 541-546.	1.1	68
76	Matrix Biology of Abdominal Aortic Aneurysms in Diabetes: Mechanisms Underlying the Negative Association. <i>Connective Tissue Research</i> , 2007, 48, 125-131.	1.1	67
77	Synthesis and antimalarial evaluation of novel isocryptolepine derivatives. <i>Bioorganic and Medicinal Chemistry</i> , 2011, 19, 7519-7525.	1.4	67
78	A study of the factors affecting the metabolic clearance of quinine in malaria. <i>European Journal of Clinical Pharmacology</i> , 1997, 52, 487-493.	0.8	66
79	Effect of insulin therapy on quality of life in Type 2 diabetes mellitus: The Fremantle Diabetes Study. <i>Diabetes Research and Clinical Practice</i> , 2001, 52, 63-71.	1.1	66
80	Pharmacokinetics of Chloroquine and Monodesethylchloroquine in Pregnancy. <i>Antimicrobial Agents and Chemotherapy</i> , 2010, 54, 1186-1192.	1.4	66
81	Pharmacokinetics and pharmacodynamics of gliclazide in Caucasians and Australian Aborigines with type 2 diabetes. <i>British Journal of Clinical Pharmacology</i> , 2000, 49, 223-230.	1.1	65
82	Pyruvium Targets the Unfolded Protein Response to Hypoglycemia and Its Anti-Tumor Activity Is Enhanced by Combination Therapy. <i>PLoS ONE</i> , 2008, 3, e3951.	1.1	65
83	The value of self-monitoring of blood glucose: a review of recent evidence. <i>Journal of Diabetes and Its Complications</i> , 2010, 24, 129-141.	1.2	65
84	IFN- $\gamma$ T cells and CD14 <sup>+</sup> Monocytes Are Predominant Cellular Sources of Cytokines and Chemokines Associated With Severe Malaria. <i>Journal of Infectious Diseases</i> , 2014, 210, 295-305.	1.9	65
85	A Sub-Microscopic Gametocyte Reservoir Can Sustain Malaria Transmission. <i>PLoS ONE</i> , 2011, 6, e20805.	1.1	65
86	Hemodynamic Effects of Fenofibrate and Coenzyme Q10 in Type 2 Diabetic Subjects With Left Ventricular Diastolic Dysfunction. <i>Diabetes Care</i> , 2008, 31, 1502-1509.	4.3	63
87	An Australian cardiovascular risk equation for type 2 diabetes: the Fremantle Diabetes Study. <i>Internal Medicine Journal</i> , 2010, 40, 286-292.	0.5	63
88	Silent myocardial infarction and its prognosis in a community-based cohort of Type 2 diabetic patients: the Fremantle Diabetes Study. <i>Diabetologia</i> , 2004, 47, 395-399.	2.9	62
89	Serum uric acid does not predict cardiovascular or all-cause mortality in type 2 diabetes: the Fremantle Diabetes Study. <i>Diabetologia</i> , 2010, 53, 1288-1294.	2.9	62
90	Glycaemic levels triggering intensification of therapy in type 2 diabetes in the community: the Fremantle Diabetes Study. <i>Medical Journal of Australia</i> , 2006, 184, 325-328.	0.8	61

#	ARTICLE	IF	CITATIONS
91	Metformin and lactic acidosis in an Australian community setting: the Fremantle Diabetes Study. <i>Medical Journal of Australia</i> , 2008, 188, 446-449.	0.8	61
92	The effect of ciprofloxacin on theophylline pharmacokinetics in healthy subjects.. <i>British Journal of Clinical Pharmacology</i> , 1995, 39, 305-311.	1.1	59
93	Identification of Novel Circulating Biomarkers Predicting Rapid Decline in Renal Function in Type 2 Diabetes: The Fremantle Diabetes Study Phase II. <i>Diabetes Care</i> , 2017, 40, 1548-1555.	4.3	59
94	Arrhythmias and Mortality After Myocardial Infarction in Diabetic Patients: Relationship to diabetes treatment. <i>Diabetes Care</i> , 1998, 21, 637-640.	4.3	58
95	Personality traits, self-care behaviours and glycaemic control in Type 2 diabetes: The Fremantle Diabetes Study Phase II. <i>Diabetic Medicine</i> , 2014, 31, 487-492.	1.2	58
96	A systematic review of risk factors for cataract in type 2 diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2019, 35, e3073.	1.7	58
97	Erythrocyte sequestration and anemia in severe falciparum malaria. Analysis of acute changes in venous hematocrit using a simple mathematical model.. <i>Journal of Clinical Investigation</i> , 1990, 86, 793-800.	3.9	57
98	Serum procalcitonin concentrations in acute malaria. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 1994, 88, 670-671.	0.7	56
99	A Safe and Effective Consecutive-Infusion Regimen for Rapid Quinine Loading in Severe Falciparum Malaria. <i>Journal of Infectious Diseases</i> , 1990, 161, 1305-1308.	1.9	55
100	The relationship between metformin therapy and the fasting plasma lactate in type 2 diabetes: The Fremantle Diabetes Study. <i>British Journal of Clinical Pharmacology</i> , 2001, 52, 137-144.	1.1	55
101	Measurement of piperazine in plasma by liquid chromatography with ultraviolet absorbance detection. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2003, 791, 93-101.	1.2	55
102	Measures of Capillary Permeability in Acute Falciparum Malaria: Relation to Severity of Infection and Treatment. <i>Clinical Infectious Diseases</i> , 1992, 15, 256-266.	2.9	53
103	Electrocardiographic monitoring in severe falciparum malaria. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 1996, 90, 266-269.	0.7	53
104	Pharmacokinetic Properties of Sulfadoxine-Pyrimethamine in Pregnant Women. <i>Antimicrobial Agents and Chemotherapy</i> , 2009, 53, 4368-4376.	1.4	53
105	Desbutyl-Lumefantrine Is a Metabolite of Lumefantrine with Potent <i>In Vitro</i> Antimalarial Activity That May Influence Artemether-Lumefantrine Treatment Outcome. <i>Antimicrobial Agents and Chemotherapy</i> , 2011, 55, 1194-1198.	1.4	53
106	Reduced Risk of Plasmodium vivax Malaria in Papua New Guinean Children with Southeast Asian Ovalocytosis in Two Cohorts and a Case-Control Study. <i>PLoS Medicine</i> , 2012, 9, e1001305.	3.9	53
107	Incidence and Predictors of Hospitalization for Bacterial Infection in Community-Based Patients with Type 2 Diabetes: The Fremantle Diabetes Study. <i>PLoS ONE</i> , 2013, 8, e60502.	1.1	53
108	A five-year prospective study of bone mineral density in men and women with diabetes: The Fremantle Diabetes Study. <i>Acta Diabetologica</i> , 2012, 49, 153-158.	1.2	52

#	ARTICLE	IF	CITATIONS
109	Lifetime depression and anxiety increase prevalent psychological symptoms and worsen glycemic control in type 2 diabetes: The Fremantle Diabetes Study Phase II. <i>Diabetes Research and Clinical Practice</i> , 2016, 122, 190-197.	1.1	52
110	Penetration of Dihydroartemisinin into Cerebrospinal Fluid after Administration of Intravenous Artesunate in Severe Falciparum Malaria. <i>Antimicrobial Agents and Chemotherapy</i> , 2003, 47, 368-370.	1.4	51
111	Chronic complications and mortality in community-based patients with latent autoimmune diabetes in adults: the Fremantle Diabetes Study. <i>Diabetic Medicine</i> , 2008, 25, 1245-1250.	1.2	51
112	Disposition of Artesunate and Dihydroartemisinin after Administration of Artesunate Suppositories in Children from Papua New Guinea with Uncomplicated Malaria. <i>Antimicrobial Agents and Chemotherapy</i> , 2004, 48, 2966-2972.	1.4	50
113	Magnetic susceptibility of iron in malaria-infected red blood cells. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2009, 1792, 93-99.	1.8	50
114	Clinical and parasitological response to oral chloroquine and primaquine in uncomplicated human <i>Plasmodium knowlesi</i> infections. <i>Malaria Journal</i> , 2010, 9, 238.	0.8	50
115	Population Pharmacokinetics of Artemether, Lumefantrine, and Their Respective Metabolites in Papua New Guinean Children with Uncomplicated Malaria. <i>Antimicrobial Agents and Chemotherapy</i> , 2011, 55, 5306-5313.	1.4	50
116	HDL-C and HDL-C/ApoA-I Predict Long-Term Progression of Glycemia in Established Type 2 Diabetes. <i>Diabetes Care</i> , 2014, 37, 2351-2358.	4.3	50
117	Glucose turnover in severe falciparum malaria. <i>Metabolism: Clinical and Experimental</i> , 1993, 42, 334-340.	1.5	49
118	The pharmacokinetic properties of intramuscular artesunate and rectal dihydroartemisinin in uncomplicated falciparum malaria. <i>British Journal of Clinical Pharmacology</i> , 2002, 53, 23-30.	1.1	49
119	A randomised controlled trial of a pharmaceutical care programme in high-risk diabetic patients in an outpatient clinic. <i>International Journal of Pharmacy Practice</i> , 2011, 10, 85-89.	0.3	48
120	Continuous Infusions of Meropenem in Ambulatory Care: Clinical Efficacy, Safety and Stability. <i>PLoS ONE</i> , 2014, 9, e102023.	1.1	48
121	Ethnicity and long-term vascular outcomes in Type 2 diabetes: a prospective observational study (UKPDS 83). <i>Diabetic Medicine</i> , 2014, 31, 200-207.	1.2	48
122	Glycemic Control in Older Subjects with Type 2 Diabetes Mellitus in the Fremantle Diabetes Study. <i>Journal of the American Geriatrics Society</i> , 2000, 48, 1449-1453.	1.3	47
123	Continuing Disparities in Cardiovascular Risk Factors and Complications Between Aboriginal and Anglo-Celt Australians With Type 2 Diabetes. <i>Diabetes Care</i> , 2012, 35, 2005-2011.	4.3	47
124	Artemether-lumefantrine dosing for malaria treatment in young children and pregnant women: A pharmacokinetic-pharmacodynamic meta-analysis. <i>PLoS Medicine</i> , 2018, 15, e1002579.	3.9	47
125	Artesunate Suppositories versus Intramuscular Artemether for Treatment of Severe Malaria in Children in Papua New Guinea. <i>Antimicrobial Agents and Chemotherapy</i> , 2006, 50, 968-974.	1.4	46
126	Prevalence and Risk Factor Correlates of Elevated C-Reactive Protein in an Adult Australian Population. <i>American Journal of Cardiology</i> , 2008, 101, 193-198.	0.7	46

#	ARTICLE	IF	CITATIONS
127	Utility of the metabolic syndrome and its components in the prediction of incident cardiovascular disease: a prospective cohort study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2009, 16, 235-241.	3.1	46
128	A new blood glucose management algorithm for type 2 diabetes: a position statement of the Australian Diabetes Society. <i>Medical Journal of Australia</i> , 2014, 201, 650-653.	0.8	46
129	Incidence and predictors of hospitalization for tendon rupture in Type 2 diabetes: the Fremantle Diabetes Study. <i>Diabetic Medicine</i> , 2014, 31, 425-430.	1.2	46
130	Comparison of anthropometric measures as predictors of cancer incidence: A pooled collaborative analysis of 11 Australian cohorts. <i>International Journal of Cancer</i> , 2015, 137, 1699-1708.	2.3	46
131	Prevalence of diabetes in Australia: insights from the Fremantle Diabetes Study Phase II. <i>Internal Medicine Journal</i> , 2018, 48, 803-809.	0.5	46
132	The Relationship between Hypomagnesemia, Metformin Therapy and Cardiovascular Disease Complicating Type 2 Diabetes: The Fremantle Diabetes Study. <i>PLoS ONE</i> , 2013, 8, e74355.	1.1	46
133	Rectal Administration of Artemisinin Derivatives for the Treatment of Malaria. <i>JAMA - Journal of the American Medical Association</i> , 2007, 297, 2381.	3.8	45
134	Comparison of the Framingham and United Kingdom Prospective Diabetes Study cardiovascular risk equations in Australian patients with type 2 diabetes from the Fremantle Diabetes Study. <i>Medical Journal of Australia</i> , 2009, 190, 180-184.	0.8	45
135	Dichloroacetate for lactic acidosis in severe malaria: A pharmacokinetic and pharmacodynamic assessment. <i>Metabolism: Clinical and Experimental</i> , 1994, 43, 974-981.	1.5	44
136	Neurological, cardiovascular and metabolic effects of mefloquine in healthy volunteers: a double-blind, placebo-controlled trial. <i>British Journal of Clinical Pharmacology</i> , 1996, 42, 415-421.	1.1	44
137	Transfer of chloroquine and desethylchloroquine across the placenta and into milk in Melanesian mothers. <i>British Journal of Clinical Pharmacology</i> , 2008, 65, 674-679.	1.1	43
138	Pharmacokinetic Properties of Azithromycin in Pregnancy. <i>Antimicrobial Agents and Chemotherapy</i> , 2010, 54, 360-366.	1.4	43
139	Dipeptidyl peptidase-4 inhibitors: pharmacokinetics, efficacy, tolerability and safety in renal impairment. <i>Diabetes, Obesity and Metabolism</i> , 2014, 16, 891-899.	2.2	43
140	Fear of falling is common in patients with type 2 diabetes and is associated with increased risk of falls. <i>Age and Ageing</i> , 2015, 44, 687-690.	0.7	43
141	Effect of fenofibrate on uric acid and gout in type 2 diabetes: a post-hoc analysis of the randomised, controlled FIELD study. <i>Lancet Diabetes and Endocrinology</i> , 2018, 6, 310-318.	5.5	43
142	Resistance of <i>Plasmodium falciparum</i> to antimalarial drugs in a highly endemic area of southern Viet Nam: a study in vivo and in vitro. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2001, 95, 325-329.	0.7	42
143	Impact of metabolic syndrome and its components on cardiovascular disease event rates in 4900 patients with type 2 diabetes assigned to placebo in the field randomised trial. <i>Cardiovascular Diabetology</i> , 2011, 10, 102.	2.7	42
144	Hepatic blood flow and metabolism in severe falciparum malaria: clearance of intravenously administered galactose. <i>Clinical Science</i> , 1992, 82, 63-70.	1.8	41

#	ARTICLE	IF	CITATIONS
145	Dementia and its associations in type 2 diabetes mellitus: The Fremantle Diabetes Study. <i>Diabetes Research and Clinical Practice</i> , 2001, 53, 165-172.	1.1	41
146	Nurse-based evaluation of point-of-care assays for glycated haemoglobin. <i>Clinica Chimica Acta</i> , 2006, 365, 257-263.	0.5	40
147	Severe Anemia in Papua New Guinean Children from a Malaria-Endemic Area: A Case-Control Etiologic Study. <i>PLoS Neglected Tropical Diseases</i> , 2012, 6, e1972.	1.3	40
148	Interactions among primaquine, malaria infection and other antimalarials in Thai subjects.. <i>British Journal of Clinical Pharmacology</i> , 1993, 35, 193-198.	1.1	39
149	Skeletal Muscle Involvement in Falciparum Malaria: Biochemical and Ultrastructural Study. <i>Clinical Infectious Diseases</i> , 1999, 29, 831-835.	2.9	39
150	Characteristics and outcome of type 2 diabetes in urban Aboriginal people: the Fremantle Diabetes Study. <i>Internal Medicine Journal</i> , 2007, 37, 59-63.	0.5	38
151	Effect of continuous positive airway pressure therapy on sexual function and serum testosterone in males with type 2 diabetes and obstructive sleep apnoea. <i>Clinical Endocrinology</i> , 2014, 81, 254-258.	1.2	38
152	The efficacy of a malarial antibody enzyme immunoassay for establishing the reinstatement status of blood donors potentially exposed to malaria. <i>Vox Sanguinis</i> , 2005, 88, 98-106.	0.7	37
153	Role of P Glycoprotein in Absorption of Novel Antimalarial Drugs. <i>Antimicrobial Agents and Chemotherapy</i> , 2006, 50, 3504-3506.	1.4	37
154	Ethnic diversity in Type 2 diabetes. <i>Diabetic Medicine</i> , 2008, 25, 52-56.	1.2	37
155	Fenofibrate improves endothelial function in the brachial artery and forearm resistance arterioles of statin-treated Type 2 diabetic patients. <i>Clinical Science</i> , 2010, 118, 607-615.	1.8	37
156	Temporal changes in the prevalence and associates of diabetes-related lower extremity amputations in patients with type 2 diabetes: the Fremantle Diabetes Study. <i>Cardiovascular Diabetology</i> , 2015, 14, 152.	2.7	37
157	Anemia complicating type 2 diabetes: Prevalence, risk factors and prognosis. <i>Journal of Diabetes and Its Complications</i> , 2017, 31, 1169-1174.	1.2	37
158	Prospective Evaluation of Carotid Bruit as a Predictor of First Stroke in Type 2 Diabetes. <i>Stroke</i> , 2003, 34, 2145-2151.	1.0	36
159	Prevalence and prognostic implications of the metabolic syndrome in community-based patients with type 1 diabetes: The Fremantle Diabetes Study. <i>Diabetes Research and Clinical Practice</i> , 2007, 78, 412-417.	1.1	36
160	Artemisinin-Naphthoquine Combination Therapy for Uncomplicated Pediatric Malaria: a Pharmacokinetic Study. <i>Antimicrobial Agents and Chemotherapy</i> , 2012, 56, 2472-2484.	1.4	36
161	Feasibility of a multi-modal exercise program on cognition in older adults with Type 2 diabetes – a pilot randomised controlled trial. <i>BMC Geriatrics</i> , 2017, 17, 237.	1.1	36
162	Glucose Metabolism In Quinine-Treated Patients With Uncomplicated Falciparum Malaria. <i>Clinical Endocrinology</i> , 1990, 33, 739-749.	1.2	35

#	ARTICLE	IF	CITATIONS
163	The efficacy of benzimidazole drugs against Plasmodium falciparum in vitro. Transactions of the Royal Society of Tropical Medicine and Hygiene, 1997, 91, 580-584.	0.7	35
164	Vascular depression in older people with diabetes. Diabetologia, 2006, 49, 2828-2836.	2.9	35
165	Sulphonylurea+metformin combination therapy, cardiovascular disease and all-cause mortality: the Fremantle Diabetes Study. Diabetes, Obesity and Metabolism, 2010, 12, 757-765.	2.2	35
166	Aspirin Is Associated With Reduced Cardiovascular and All-Cause Mortality in Type 2 Diabetes in a Primary Prevention Setting. Diabetes Care, 2010, 33, 317-321.	4.3	35
167	Serum Vitamin A and E Concentrations in Acute Falciparum Malaria: Modulators or Markers of Severity?. Clinical Science, 1994, 87, 505-511.	1.8	34
168	A Prospective Clinical and Bacteriologic Study of Inguinal Buboec in Thai Men. Clinical Infectious Diseases, 1996, 22, 233-239.	2.9	34
169	Protein binding and $\alpha/\beta$ anomer ratio of dihydroartemisinin in vivo. British Journal of Clinical Pharmacology, 2004, 57, 529-533.	1.1	33
170	Glycemic Control Over 5 Years in 4,900 People With Type 2 Diabetes. Diabetes Care, 2012, 35, 1165-1170.	4.3	33
171	Artemisinin-Naphthoquine Combination Therapy for Uncomplicated Pediatric Malaria: a Tolerability, Safety, and Preliminary Efficacy Study. Antimicrobial Agents and Chemotherapy, 2012, 56, 2465-2471.	1.4	33
172	Mid-Life Predictors of Cognitive Impairment and Dementia in Type 2 Diabetes Mellitus: The Fremantle Diabetes Study. Journal of Alzheimer's Disease, 2014, 42, S63-S70.	1.2	33
173	Dementia onset, incidence and risk in type 2 diabetes: a matched cohort study with the Fremantle Diabetes Study Phase I. Diabetologia, 2017, 60, 89-97.	2.9	33
174	Neurological, cardiovascular and metabolic effects of mefloquine in healthy volunteers: a double-blind, placebo-controlled trial. British Journal of Clinical Pharmacology, 1996, 42, 415-421.	1.1	33
175	The diagonal ear lobe crease (Frank's sign) is not associated with coronary artery disease or retinopathy in type 2 diabetes: the Fremantle Diabetes Study. Australian and New Zealand Journal of Medicine, 2000, 30, 573-577.	0.5	32
176	Incidence and Determinants of Carpal Tunnel Decompression Surgery in Type 2 Diabetes. Diabetes Care, 2008, 31, 498-500.	4.3	32
177	Comparison of the Framingham and United Kingdom Prospective Diabetes Study cardiovascular risk equations in Australian patients with type 2 diabetes from the Fremantle Diabetes Study. Medical Journal of Australia, 2009, 191, 47-48.	0.8	32
178	The metabolic syndrome and cancer: Is the metabolic syndrome useful for predicting cancer risk above and beyond its individual components?. Diabetes and Metabolism, 2015, 41, 463-469.	1.4	32
179	Advanced Glycation End Products and esRAGE Are Associated With Bone Turnover and Incidence of Hip Fracture in Older Men. Journal of Clinical Endocrinology and Metabolism, 2018, 103, 4224-4231.	1.8	32
180	The risk of Plasmodium vivax parasitaemia after P. falciparum malaria: An individual patient data meta-analysis from the WorldWide Antimalarial Resistance Network. PLoS Medicine, 2020, 17, e1003393.	3.9	32

#	ARTICLE	IF	CITATIONS
181	Relative bioavailability of artesunate and dihydroartemisinin: investigations in the isolated perfused rat liver and in healthy Caucasian volunteers.. American Journal of Tropical Medicine and Hygiene, 2002, 66, 130-136.	0.6	32
182	Incidence and predictors of all-cause and site-specific cancer in type 2 diabetes: the Fremantle Diabetes Study. European Journal of Endocrinology, 2012, 167, 589-599.	1.9	31
183	Artemisinin-Naphthoquine versus Artemether-Lumefantrine for Uncomplicated Malaria in Papua New Guinean Children: An Open-Label Randomized Trial. PLoS Medicine, 2014, 11, e1001773.	3.9	31
184	Antiplasmodial and Antioxidant Isofuranonaphthoquinones from the Roots of Bulbine capitata. Planta Medica, 2001, 67, 340-344.	0.7	30
185	Treatment of Uncomplicated Falciparum Malaria in Southern Vietnam: Can Chloroquine or Sulfadoxine-Pyrimethamine Be Reintroduced in Combination with Artesunate?. Clinical Infectious Diseases, 2003, 37, 1461-1466.	2.9	30
186	A comparative study of a flow-cytometry-based assessment of in vitro Plasmodium falciparum drug sensitivity. Malaria Journal, 2009, 8, 294.	0.8	30
187	A comparison of the sensitivities of detection of Plasmodium falciparum gametocytes by magnetic fractionation, thick blood film microscopy, and RT-PCR. Malaria Journal, 2009, 8, 98.	0.8	30
188	Plasma Plasmodium falciparum Histidine-Rich Protein-2 Concentrations Do Not Reflect Severity of Malaria in Papua New Guinean Children. Clinical Infectious Diseases, 2011, 52, 440-446.	2.9	30
189	Population Pharmacokinetics, Tolerability, and Safety of Dihydroartemisinin-Piperaquine and Sulfadoxine-Pyrimethamine-Piperaquine in Pregnant and Nonpregnant Papua New Guinean Women. Antimicrobial Agents and Chemotherapy, 2015, 59, 4260-4271.	1.4	30
190	Glycerol metabolism in severe falciparum malaria. Metabolism: Clinical and Experimental, 1994, 43, 887-892.	1.5	29
191	Prevalence of abdominal aortic aneurysms in men with diabetes. Medical Journal of Australia, 1997, 166, 630-633.	0.8	29
192	Multiple dose study of interactions between artesunate and artemisinin in healthy volunteers. British Journal of Clinical Pharmacology, 2001, 52, 377-385.	1.1	29
193	A comparison of two methods of foot health education: The Fremantle Diabetes Study Phase II. Primary Care Diabetes, 2015, 9, 155-162.	0.9	29
194	Pharmacokinetics of Transfer of Azithromycin into the Breast Milk of African Mothers. Antimicrobial Agents and Chemotherapy, 2016, 60, 1592-1599.	1.4	29
195	Comprehensive mass spectrometry based biomarker discovery and validation platform as applied to diabetic kidney disease. EuPA Open Proteomics, 2017, 14, 1-10.	2.5	29
196	Hippocampal atrophy, asymmetry, and cognition in type 2 diabetes mellitus. Brain and Behavior, 2018, 8, e00741.	1.0	29
197	A physician-initiated double-blind, randomised, placebo-controlled, phase 2 study evaluating the efficacy and safety of inhibition of NADPH oxidase with the first-in-class Nox-1/4 inhibitor, GKT137831, in adults with type 1 diabetes and persistently elevated urinary albumin excretion: Protocol and statistical considerations. Contemporary Clinical Trials. 2020, 90, 105892.	0.8	29
198	Abnormal circulatory control in falciparum malaria: the effects of antimalarial drugs. European Journal of Clinical Pharmacology, 1993, 44, 325-329.	0.8	28

#	ARTICLE	IF	CITATIONS
199	Glucose metabolism in severe malaria: Minimal model analysis of the intravenous glucose tolerance test incorporating a stable glucose label. <i>Metabolism: Clinical and Experimental</i> , 1997, 46, 1435-1440.	1.5	28
200	Relative Bradycardia Is Not a Feature of Enteric Fever in Children. <i>Clinical Infectious Diseases</i> , 1999, 28, 582-586.	2.9	28
201	Subacute Sclerosing Panencephalitis in Papua New Guinean Children: The Cost of Continuing Inadequate Measles Vaccine Coverage. <i>PLoS Neglected Tropical Diseases</i> , 2011, 5, e932.	1.3	28
202	Validation and Application of a Dried Blood Spot Ceftriaxone Assay. <i>Antimicrobial Agents and Chemotherapy</i> , 2016, 60, 14-23.	1.4	28
203	Antibody Targets on the Surface of <i>Plasmodium falciparum</i> Infected Erythrocytes That Are Associated With Immunity to Severe Malaria in Young Children. <i>Journal of Infectious Diseases</i> , 2019, 219, 819-828.	1.9	28
204	Dexfenfluramine in Type II diabetes: effect on weight and diabetes control. <i>Medical Journal of Australia</i> , 1993, 158, 167-169.	0.8	28
205	Determinants of ADP-induced platelet aggregation in diabetes mellitus. <i>Diabetologia</i> , 1986, 29, 291-294.	2.9	27
206	Synergistic In Vitro Antimalarial Activity of Omeprazole and Quinine. <i>Antimicrobial Agents and Chemotherapy</i> , 1999, 43, 1304-1306.	1.4	27
207	Asymptomatic bacteriuria as a predictor of subsequent hospitalisation with urinary tract infection in diabetic adults: The Fremantle Diabetes Study. <i>Diabetologia</i> , 2005, 48, 1288-1291.	2.9	27
208	Determinants of Diabetes-Attributable Non-Blood Glucose-Lowering Medication Costs in Type 2 Diabetes: The Fremantle Diabetes Study. <i>Diabetes Care</i> , 2005, 28, 329-336.	4.3	27
209	Prognostic indicators in adults hospitalized with falciparum malaria in Western Thailand. <i>Malaria Journal</i> , 2013, 12, 229.	0.8	27
210	Comorbid Anxiety and Depression and Their Impact on Cardiovascular Disease in Type 2 Diabetes: The Fremantle Diabetes Study Phase II. <i>Depression and Anxiety</i> , 2016, 33, 960-966.	2.0	27
211	The efficacy of dihydroartemisinin-piperazine and artemether-lumefantrine with and without primaquine on <i>Plasmodium vivax</i> recurrence: A systematic review and individual patient data meta-analysis. <i>PLoS Medicine</i> , 2019, 16, e1002928.	3.9	27
212	Changes in the peripheral blood eosinophil count in falciparum malaria. <i>Acta Tropica</i> , 1991, 48, 243-246.	0.9	26
213	The Hypothalamic-Pituitary-Adrenocortical Axis in Severe Falciparum Malaria: Effects of Cytokines1. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1997, 82, 3029-3033.	1.8	26
214	Niacin improves small artery vasodilatory function and compliance in statin-treated type 2 diabetic patients. <i>Diabetes and Vascular Disease Research</i> , 2010, 7, 296-299.	0.9	26
215	Comparison of an assumed versus measured leucocyte count in parasite density calculations in Papua New Guinean children with uncomplicated malaria. <i>Malaria Journal</i> , 2014, 13, 145.	0.8	26
216	Temporal Trends in Cardiovascular Complications in People With or Without Type 2 Diabetes: The Fremantle Diabetes Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e2471-e2482.	1.8	26

#	ARTICLE	IF	CITATIONS
217	Diabetes and metabolic dysfunction-associated fatty liver disease. <i>Metabolism: Clinical and Experimental</i> , 2021, 123, 154868.	1.5	26
218	Mathematical Modeling of Malaria Infection with Innate and Adaptive Immunity in Individuals and Agent-Based Communities. <i>PLoS ONE</i> , 2012, 7, e34040.	1.1	26
219	Prevalence and Predictors of Complementary Medicine Usage in Diabetes: Fremantle Diabetes Study. <i>Journal of Pharmacy Practice and Research</i> , 2003, 33, 260-264.	0.5	25
220	Calcium and phosphate metabolism in acute falciparum malaria. <i>Clinical Science</i> , 1991, 81, 297-304.	1.8	24
221	The obesity-driven rising costs of type 2 diabetes in Australia: projections from the Fremantle Diabetes Study. <i>Internal Medicine Journal</i> , 2006, 36, 155-161.	0.5	24
222	Pharmacokinetic Comparison of Two Piperaquine-Containing Artemisinin Combination Therapies in Papua New Guinean Children with Uncomplicated Malaria. <i>Antimicrobial Agents and Chemotherapy</i> , 2012, 56, 3288-3297.	1.4	24
223	A longitudinal study of foot ulceration and its risk factors in community-based patients with type 2 diabetes: The Fremantle Diabetes Study. <i>Diabetes Research and Clinical Practice</i> , 2014, 106, 42-49.	1.1	24
224	Depression symptoms are persistent in Type 2 diabetes: risk factors and outcomes of 5-year depression trajectories using latent class growth analysis. <i>Diabetic Medicine</i> , 2017, 34, 1108-1115.	1.2	24
225	Safety and therapeutic efficacy of artesunate suppositories for treatment of malaria in children in Papua New Guinea. <i>Pediatric Infectious Disease Journal</i> , 2003, 22, 251-255.	1.1	23
226	In Vitro Interactions between Piperaquine, Dihydroartemisinin, and Other Conventional and Novel Antimalarial Drugs. <i>Antimicrobial Agents and Chemotherapy</i> , 2006, 50, 2883-2885.	1.4	23
227	Prevalence, Characteristics, and Prognostic Significance of <i>HFE</i> Gene Mutations in Type 2 Diabetes. <i>Diabetes Care</i> , 2008, 31, 1795-1801.	4.3	23
228	Effect of race on the glycaemic response to sitagliptin: Insights from the Trial Evaluating Cardiovascular Outcomes with Sitagliptin (TECOS). <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 1427-1434.	2.2	23
229	Clinical features and management of <i>Plasmodium knowlesi</i> infections in humans. <i>Parasitology</i> , 2018, 145, 18-31.	0.7	23
230	Clinical Features and Outcome in Children with Severe <i>Plasmodium falciparum</i> Malaria: A Meta-Analysis. <i>PLoS ONE</i> , 2014, 9, e86737.	1.1	23
231	Antimalarial drugs and glucose metabolism. <i>British Journal of Clinical Pharmacology</i> , 1997, 44, 1-7.	1.1	22
232	Assessment of the effect of malaria infection on hepatic clearance of dihydroartemisinin using rat liver perfusions and microsomes. <i>British Journal of Pharmacology</i> , 1998, 125, 159-167.	2.7	22
233	<i>In vitro</i> sensitivity of <i>Plasmodium falciparum</i> to conventional and novel antimalarial drugs in Papua New Guinea. <i>Tropical Medicine and International Health</i> , 2010, 15, 342-349.	1.0	22
234	Lumbar Puncture in Children from an Area of Malaria Endemicity Who Present with a Febrile Seizure. <i>Clinical Infectious Diseases</i> , 2010, 51, 534-540.	2.9	22

#	ARTICLE	IF	CITATIONS
235	Chloroquine and Its Derivatives Exacerbate B19V-Associated Anemia by Promoting Viral Replication. <i>PLoS Neglected Tropical Diseases</i> , 2010, 4, e669.	1.3	22
236	Apathy in Older Patients with Type 2 Diabetes. <i>American Journal of Geriatric Psychiatry</i> , 2015, 23, 615-621.	0.6	22
237	Acquisition of Antibodies Against Endothelial Protein C Receptor Binding Domains of <i>Plasmodium falciparum</i> Erythrocyte Membrane Protein 1 in Children with Severe Malaria. <i>Journal of Infectious Diseases</i> , 2019, 219, 808-818.	1.9	22
238	Glucose Turnover in Pregnant Women with Acute Malaria. <i>Clinical Science</i> , 1994, 86, 83-90.	1.8	21
239	Retinopathy in latent autoimmune diabetes of adults: the Fremantle Diabetes Study. <i>Diabetic Medicine</i> , 2002, 19, 602-605.	1.2	21
240	Glucose and lactate turnover in adults with falciparum malaria: effect of complications and antimalarial therapy. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2002, 96, 411-417.	0.7	21
241	Parasites and biosecurity – the example of Australia. <i>Trends in Parasitology</i> , 2003, 19, 410-416.	1.5	21
242	Notifications of imported malaria in Western Australia, 1990–2001: incidence, associated factors and chemoprophylaxis. <i>Medical Journal of Australia</i> , 2005, 182, 164-167.	0.8	21
243	Economic impact of moderate weight loss in patients with Type 2 diabetes: The Fremantle Diabetes Study. <i>Diabetic Medicine</i> , 2011, 28, 1131-1135.	1.2	21
244	Molecular Assessment of <i>Plasmodium falciparum</i> Resistance to Antimalarial Drugs in Papua New Guinea Using an Extended Ligase Detection Reaction Fluorescent Microsphere Assay. <i>Antimicrobial Agents and Chemotherapy</i> , 2011, 55, 798-805.	1.4	21
245	Pharmacokinetic Properties of Single-Dose Primaquine in Papua New Guinean Children: Feasibility of Abbreviated High-Dose Regimens for Radical Cure of Vivax Malaria. <i>Antimicrobial Agents and Chemotherapy</i> , 2014, 58, 432-439.	1.4	21
246	Temporal changes in the prevalence and associates of foot ulceration in type 2 diabetes: The Fremantle Diabetes Study. <i>Journal of Diabetes and Its Complications</i> , 2015, 29, 356-361.	1.2	21
247	Prevalence, risk factors and sequelae of <i>Staphylococcus aureus</i> carriage in diabetes: the Fremantle Diabetes Study Phase II. <i>Journal of Diabetes and Its Complications</i> , 2015, 29, 1092-1097.	1.2	21
248	Temporal Trends in Incident Hospitalization for Diabetes-Related Foot Ulcer in Type 2 Diabetes: The Fremantle Diabetes Study. <i>Diabetes Care</i> , 2021, 44, 722-730.	4.3	21
249	Serum ionized calcium, serum and intracellular phosphate, and serum parathormone concentrations in acute malaria. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 1993, 87, 49-53.	0.7	20
250	Community-acquired infections in type 2 diabetic patients and their nondiabetic partners. <i>Journal of Diabetes and Its Complications</i> , 2005, 19, 259-263.	1.2	20
251	<i>Helicobacter pylori</i> cytotoxin-associated gene-A antibodies do not predict complications or death in type 2 diabetes: The Fremantle Diabetes Study. <i>Atherosclerosis</i> , 2010, 212, 321-326.	0.4	20
252	The relationship between estimated glomerular filtration rate trajectory and all-cause mortality in type 2 diabetes: the Fremantle Diabetes Study. <i>European Journal of Endocrinology</i> , 2016, 175, 273-285.	1.9	20

#	ARTICLE	IF	CITATIONS
253	Rapid Antigen Detection Tests for Malaria Diagnosis in Severely Ill Papua New Guinean Children: A Comparative Study Using Bayesian Latent Class Models. <i>PLoS ONE</i> , 2012, 7, e48701.	1.1	20
254	Clinical Impact of the Temporal Relationship between Depression and Type 2 Diabetes: The Fremantle Diabetes Study Phase II. <i>PLoS ONE</i> , 2013, 8, e81254.	1.1	20
255	Plasma N-acetyl-,D-glucosaminidase activities and glycaemia in diabetes mellitus. <i>Diabetologia</i> , 1983, 24, 433-6.	2.9	19
256	Platelet-activating factor and lipid metabolism in acute malaria. <i>Journal of Infection</i> , 1993, 26, 279-285.	1.7	19
257	Prospects for the treatment of drug-resistant malaria parasites. <i>Future Microbiology</i> , 2006, 1, 127-141.	1.0	19
258	Simultaneous determination of primaquine and carboxyprimaquine in plasma using solid phase extraction and LC-MS assay. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2012, 902, 142-146.	1.2	19
259	A histopathologic study of fatal paediatric cerebral malaria caused by mixed <i>Plasmodium falciparum</i> / <i>Plasmodium vivax</i> infections. <i>Malaria Journal</i> , 2012, 11, 107.	0.8	19
260	Quality of Antimalarial Drugs and Antibiotics in Papua New Guinea: A Survey of the Health Facility Supply Chain. <i>PLoS ONE</i> , 2014, 9, e96810.	1.1	19
261	Prevalence of depression and its associations with cardio-metabolic control in Aboriginal and Anglo-Celt patients with type 2 diabetes: The Fremantle Diabetes Study Phase II. <i>Diabetes Research and Clinical Practice</i> , 2015, 107, 384-391.	1.1	19
262	Metabolic memory and all-cause death in community-based patients with type 2 diabetes: the Fremantle Diabetes Study. <i>Diabetes, Obesity and Metabolism</i> , 2016, 18, 598-606.	2.2	19
263	Efficacy of Intermittently Scanned Continuous Glucose Monitoring in the Prevention of Recurrent Severe Hypoglycemia. <i>Diabetes Technology and Therapeutics</i> , 2020, 22, 367-373.	2.4	19
264	Hyponatremia in severe malaria: evidence for an appropriate anti-diuretic hormone response to hypovolemia. <i>American Journal of Tropical Medicine and Hygiene</i> , 2009, 80, 141-5.	0.6	19
265	The effect of cholinergic blockade on the growth hormone response to galanin in humans. <i>Metabolism: Clinical and Experimental</i> , 1988, 37, 1089-1091.	1.5	18
266	The pituitary-thyroid axis in severe <i>falciparum</i> malaria: evidence for depressed thyrotroph and thyroid gland function. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 1990, 84, 330-335.	0.7	18
267	Maternal Family History of Diabetes Is Associated With a Reduced Risk of Cardiovascular Disease in Women With Type 2 Diabetes. <i>Diabetes Care</i> , 2010, 33, 1477-1483.	4.3	18
268	Characterization of Treatment Failure in Efficacy Trials of Drugs against <i>Plasmodium vivax</i> by Genotyping Neutral and Drug Resistance-Associated Markers. <i>Antimicrobial Agents and Chemotherapy</i> , 2011, 55, 4479-4481.	1.4	18
269	Cost-effectiveness of artemisinin combination therapy for uncomplicated malaria in children: data from Papua New Guinea. <i>Bulletin of the World Health Organization</i> , 2011, 89, 211-220.	1.5	18
270	Reference Intervals for Common Laboratory Tests in Melanesian Children. <i>American Journal of Tropical Medicine and Hygiene</i> , 2011, 85, 50-54.	0.6	18

#	ARTICLE	IF	CITATIONS
271	Population Pharmacokinetics of Intravenous Artesunate: A Pooled Analysis of Individual Data From Patients With Severe Malaria. <i>CPT: Pharmacometrics and Systems Pharmacology</i> , 2014, 3, 1-9.	1.3	18
272	Prevention of bacterial infections in the newborn by pre-delivery administration of azithromycin: Study protocol of a randomized efficacy trial. <i>BMC Pregnancy and Childbirth</i> , 2015, 15, 302.	0.9	18
273	Significant geographical differences in prevalence of mutations associated with Plasmodium falciparum and Plasmodium vivax drug resistance in two regions from Papua New Guinea. <i>Malaria Journal</i> , 2015, 14, 399.	0.8	18
274	Safety, tolerability and pharmacokinetic properties of coadministered azithromycin and piperaquine in pregnant Papua New Guinean women. <i>British Journal of Clinical Pharmacology</i> , 2016, 82, 199-212.	1.1	18
275	Lifetime depression history and depression risk in type 2 diabetes: A case-control study. <i>Journal of Diabetes and Its Complications</i> , 2016, 30, 38-42.	1.2	18
276	The prevalence of monogenic diabetes in Australia: the Fremantle Diabetes Study Phase II. <i>Medical Journal of Australia</i> , 2017, 207, 344-347.	0.8	18
277	A comparison of obesity indices in relation to mortality in type 2 diabetes: the Fremantle Diabetes Study. <i>Diabetologia</i> , 2020, 63, 528-536.	2.9	18
278	The Hypothalamic-Pituitary-Adrenocortical Axis in Severe Falciparum Malaria: Effects of Cytokines. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1997, 82, 3029-3033.	1.8	18
279	CAREGIVERS' ACCEPTANCE OF USING ARTESUNATE SUPPOSITORIES FOR TREATING CHILDHOOD MALARIA IN PAPUA NEW GUINEA. <i>American Journal of Tropical Medicine and Hygiene</i> , 2007, 76, 634-640.	0.6	18
280	Parasitic procrastination: late-presenting ovale malaria and schistosomiasis. <i>Medical Journal of Australia</i> , 2001, 175, 146-148.	0.8	17
281	Predictors of first stroke in Type 1 diabetes: The Fremantle Diabetes Study. <i>Diabetic Medicine</i> , 2005, 22, 551-553.	1.2	17
282	Prevalence, Incidence, and Prognosis of Hepatobiliary Disease in Community-Based Patients with Type 2 Diabetes: The Fremantle Diabetes Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, 1581-1588.	1.8	17
283	Gametocyte Clearance Kinetics Determined by Quantitative Magnetic Fractionation in Melanesian Children with Uncomplicated Malaria Treated with Artemisinin Combination Therapy. <i>Antimicrobial Agents and Chemotherapy</i> , 2015, 59, 4489-4496.	1.4	17
284	Temporal changes in Plasmodium falciparum anti-malarial drug sensitivity in vitro and resistance-associated genetic mutations in isolates from Papua New Guinea. <i>Malaria Journal</i> , 2015, 14, 37.	0.8	17
285	Proton Pump Inhibitors, Nephropathy, and Cardiovascular Disease in Type 2 Diabetes: The Fremantle Diabetes Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 2985-2993.	1.8	17
286	Risk and associates of incident hip fracture in type 1 diabetes: The Fremantle Diabetes Study. <i>Diabetes Research and Clinical Practice</i> , 2017, 134, 153-160.	1.1	17
287	Comparison of artemether-lumefantrine with sulfadoxine-pyrimethamine for the treatment of uncomplicated falciparum malaria in eastern Nepal. <i>American Journal of Tropical Medicine and Hygiene</i> , 2007, 77, 423-30.	0.6	17
288	In vitro antimalarial activity of retinoids and the influence of selective retinoic acid receptor antagonists. <i>Acta Tropica</i> , 2003, 87, 345-353.	0.9	16

#	ARTICLE	IF	CITATIONS
289	Statins as Potential Antimalarial Drugs: Low Relative Potency and Lack of Synergy with Conventional Antimalarial Drugs. <i>Antimicrobial Agents and Chemotherapy</i> , 2009, 53, 2212-2214.	1.4	16
290	Prevention and treatment of malaria in pregnancy. <i>Future Microbiology</i> , 2010, 5, 1599-1613.	1.0	16
291	Effect of Coadministered Fat on the Tolerability, Safety, and Pharmacokinetic Properties of Dihydroartemisinin-Piperaquine in Papua New Guinean Children with Uncomplicated Malaria. <i>Antimicrobial Agents and Chemotherapy</i> , 2014, 58, 5784-5794.	1.4	16
292	Naphthoquine: An Emerging Candidate for Artemisinin Combination Therapy. <i>Drugs</i> , 2016, 76, 789-804.	4.9	16
293	Serum bicarbonate concentration and the risk of cardiovascular disease and death in type 2 diabetes: the Fremantle Diabetes Study. <i>Cardiovascular Diabetology</i> , 2016, 15, 143.	2.7	16
294	A 10-Year Prospective Study of Bone Mineral Density and Bone Turnover in Males and Females With Type 1 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 3531-3539.	1.8	16
295	Glycaemic control and mortality in older people with type 2 diabetes: The Fremantle Diabetes Study Phase II. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 2852-2859.	2.2	16
296	Retinopathy predicts stroke but not myocardial infarction in type 2 diabetes: the Fremantle Diabetes Study Phase II. <i>Cardiovascular Diabetology</i> , 2020, 19, 43.	2.7	16
297	Severe falciparum malaria with hyperparasitaemia treated with intravenous artesunate. <i>Medical Journal of Australia</i> , 1997, 166, 416-418.	0.8	15
298	Assessment of the Effect of Mefloquine on Artesunate Pharmacokinetics in Healthy Male Volunteers. <i>Antimicrobial Agents and Chemotherapy</i> , 2007, 51, 1099-1101.	1.4	15
299	Parameterization of high magnetic field gradient fractionation columns for applications with Plasmodium falciparum infected human erythrocytes. <i>Malaria Journal</i> , 2010, 9, 116.	0.8	15
300	Nuclear Magnetic Resonance: A Tool for Malaria Diagnosis?. <i>American Journal of Tropical Medicine and Hygiene</i> , 2011, 85, 815-817.	0.6	15
301	Comparison of three methods for detection of gametocytes in Melanesian children treated for uncomplicated malaria. <i>Malaria Journal</i> , 2014, 13, 319.	0.8	15
302	Cardiovascular Effects of Glucose-lowering Therapies for Type 2 Diabetes: New Drugs in Perspective. <i>Clinical Therapeutics</i> , 2017, 39, 1012-1025.	1.1	15
303	Platelet sensitivity in vitro to adenosine-5'-diphosphate and prostacyclin and diabetic retinopathy. <i>Diabetologia</i> , 1985, 28, 274-276.	2.9	14
304	Comparative effects of quinine and quinidine on glucose metabolism in healthy volunteers.. <i>British Journal of Clinical Pharmacology</i> , 1990, 30, 397-403.	1.1	14
305	Antiplatelet therapy, <i>Helicobacter pylori</i> infection and complicated peptic ulcer disease in diabetes: The Fremantle Diabetes Study. <i>Diabetic Medicine</i> , 2009, 26, 70-75.	1.2	14
306	Serum carboxymethyllysine concentrations are reduced in diabetic men with abdominal aortic aneurysms: Health In Men Study. <i>Journal of Vascular Surgery</i> , 2009, 50, 626-631.	0.6	14

#	ARTICLE	IF	CITATIONS
307	Pharmacokinetic Properties of Conventional and Double-Dose Sulfadoxine-Pyrimethamine Given as Intermittent Preventive Treatment in Infancy. <i>Antimicrobial Agents and Chemotherapy</i> , 2011, 55, 1693-1700.	1.4	14
308	Diagnostic Criteria for Depression in Type 2 Diabetes: A Data-Driven Approach. <i>PLoS ONE</i> , 2014, 9, e112049.	1.1	14
309	Intensification of medication and glycaemic control among patients with type 2 diabetes—the ADVANCE trial. <i>Diabetes, Obesity and Metabolism</i> , 2014, 16, 426-432.	2.2	14
310	Self-awareness of foot health status in patients with Type 2 diabetes: the Fremantle Diabetes Study Phase II. <i>Diabetic Medicine</i> , 2014, 31, 1439-1445.	1.2	14
311	Plasma Amyloid- $\beta$ Peptides in Type 2 Diabetes: A Matched Case-Control Study. <i>Journal of Alzheimer's Disease</i> , 2017, 56, 1127-1133.	1.2	14
312	Optimal antimalarial dose regimens for chloroquine in pregnancy based on population pharmacokinetic modelling. <i>International Journal of Antimicrobial Agents</i> , 2017, 50, 542-551.	1.1	14
313	Validation of a protein biomarker test for predicting renal decline in type 2 diabetes: The Fremantle Diabetes Study Phase II. <i>Journal of Diabetes and Its Complications</i> , 2019, 33, 107406.	1.2	14
314	Advances in type 2 diabetes therapy: a focus on cardiovascular and renal outcomes. <i>Medical Journal of Australia</i> , 2020, 212, 133-139.	0.8	14
315	Prevalence and patterns of multimorbidity in Australian baby boomers: the Busselton healthy ageing study. <i>BMC Public Health</i> , 2021, 21, 1539.	1.2	14
316	Longevity of Antibody Responses to a Salmonella typhi-Specific Outer Membrane Protein: Interpretation of a Dot Enzyme Immunosorbent Assay in an Area of High Typhoid Fever Endemicity. <i>American Journal of Tropical Medicine and Hygiene</i> , 1997, 57, 656-659.	0.6	14
317	Meningeal Inflammation Increases Artemether Concentrations in Cerebrospinal Fluid in Papua New Guinean Children Treated with Intramuscular Artemether. <i>Antimicrobial Agents and Chemotherapy</i> , 2011, 55, 5027-5033.	1.4	13
318	Investigation of volatile organic biomarkers derived from Plasmodium falciparum in vitro. <i>Malaria Journal</i> , 2012, 11, 314.	0.8	13
319	Prevalence and prognosis of a low serum testosterone in men with type 2 diabetes: the Fremantle Diabetes Study Phase II. <i>Clinical Endocrinology</i> , 2016, 85, 444-452.	1.2	13
320	Prevalence and incidence of thyroid dysfunction in type 1 diabetes, type 2 diabetes and latent autoimmune diabetes of adults: The Fremantle Diabetes Study Phase II. <i>Clinical Endocrinology</i> , 2020, 92, 373-382.	1.2	13
321	Characterization of the effect of retinol on Plasmodium falciparum in vitro. <i>Experimental Parasitology</i> , 2004, 107, 136-144.	0.5	12
322	Development of a pharmacodynamic model of murine malaria and antimalarial treatment with dihydroartemisinin. <i>International Journal for Parasitology</i> , 2007, 37, 1569-1576.	1.3	12
323	Ultrasonographic assessment of splenic volume at presentation and after anti-malarial therapy in children with malarial anaemia. <i>Malaria Journal</i> , 2015, 14, 219.	0.8	12
324	Pharmacokinetics of Piperaquine Transfer into the Breast Milk of Melanesian Mothers. <i>Antimicrobial Agents and Chemotherapy</i> , 2015, 59, 4272-4278.	1.4	12

#	ARTICLE	IF	CITATIONS
325	A Toll-like receptor-1 variant and its characteristic cellular phenotype is associated with severe malaria in Papua New Guinean children. <i>Genes and Immunity</i> , 2016, 17, 52-59.	2.2	12
326	A population-based study of the association between dysglycaemia and hearing loss in middle age. <i>Diabetic Medicine</i> , 2017, 34, 683-690.	1.2	12
327	Penicillin Dried Blood Spot Assay for Use in Patients Receiving Intramuscular Benzathine Penicillin G and Other Penicillin Preparations To Prevent Rheumatic Fever. <i>Antimicrobial Agents and Chemotherapy</i> , 2017, 61, .	1.4	12
328	Ultrasonographic assessment of joint pathology in type 2 diabetes and hyperuricemia: The Fremantle Diabetes Study Phase II. <i>Journal of Diabetes and Its Complications</i> , 2018, 32, 400-405.	1.2	12
329	Development and Validation of a Simple Hip Fracture Risk Prediction Tool for Type 2 Diabetes: The Fremantle Diabetes Study Phase I. <i>Diabetes Care</i> , 2019, 42, 102-109.	4.3	12
330	Population Pharmacokinetic Study of Ceftriaxone in Elderly Patients, Using Cystatin C-Based Estimates of Renal Function To Account for Frailty. <i>Antimicrobial Agents and Chemotherapy</i> , 2020, 64, .	1.4	12
331	Incidence and associates of diabetic ketoacidosis in a community-based cohort: the Fremantle Diabetes Study Phase II. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e000983.	1.2	12
332	Progression of skeletal muscle damage during treatment of severe falciparum malaria. <i>Acta Tropica</i> , 2000, 76, 271-276.	0.9	11
333	Cardiovascular risk factors in pre-pubertal Malays: Effects of diabetic parentage. <i>Diabetes Research and Clinical Practice</i> , 2007, 76, 119-125.	1.1	11
334	Investigation of reproductive toxicity of piperazine in mice. <i>Reproductive Toxicology</i> , 2010, 29, 206-213.	1.3	11
335	Cryptococcal meningitis in immunocompetent Papua New Guinean children. <i>Tropical Doctor</i> , 2010, 40, 61-63.	0.2	11
336	Angiotensin-Converting Enzyme Insertion/Deletion Polymorphism and Severe Hypoglycemia Complicating Type 2 Diabetes: The Fremantle Diabetes Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, E696-E700.	1.8	11
337	Increasing Chloramphenicol Resistance in <i>Streptococcus pneumoniae</i> Isolates from Papua New Guinean Children with Acute Bacterial Meningitis. <i>Antimicrobial Agents and Chemotherapy</i> , 2011, 55, 4454-4456.	1.4	11
338	Risk of suicide in Australian adults with diabetes: the Fremantle Diabetes Study. <i>Internal Medicine Journal</i> , 2015, 45, 976-980.	0.5	11
339	Pharmacokinetics of a Novel Sublingual Spray Formulation of the Antimalarial Drug Artemether in African Children with Malaria. <i>Antimicrobial Agents and Chemotherapy</i> , 2015, 59, 3208-3215.	1.4	11
340	A Randomized Open-Label Evaluation of the Antimalarial Prophylactic Efficacy of Azithromycin-Piperazine versus Sulfadoxine-Pyrimethamine in Pregnant Papua New Guinean Women. <i>Antimicrobial Agents and Chemotherapy</i> , 2019, 63, .	1.4	11
341	Dementia complicating type 2 diabetes and the influence of premature mortality: the Fremantle Diabetes Study. <i>Acta Diabetologica</i> , 2019, 56, 767-776.	1.2	11
342	Possible Neuroleptic Malignant Syndrome Associated with Olanzapine. <i>Annals of Pharmacotherapy</i> , 2000, 34, 667-667.	0.9	10

#	ARTICLE	IF	CITATIONS
343	Application of a multi-faceted approach for the assessment of treatment response in falciparum malaria: a study from Malaysian Borneo. <i>International Journal for Parasitology</i> , 2003, 33, 1545-1552.	1.3	10
344	Comparison of bioassay and high performance liquid chromatographic assay of artesunate and dihydroartemisinin in plasma. <i>Acta Tropica</i> , 2003, 87, 371-375.	0.9	10
345	Toxicity Related to Chloroquine Treatment of Resistant Vivax Malaria. <i>Annals of Pharmacotherapy</i> , 2003, 37, 526-529.	0.9	10
346	Risk factors for Plasmodium falciparum and Plasmodium vivax gametocyte carriage in Papua New Guinean children with uncomplicated malaria. <i>Acta Tropica</i> , 2016, 160, 1-8.	0.9	10
347	Validation and Application of a Dried Blood Spot Assay for Biofilm-Active Antibiotics Commonly Used for Treatment of Prosthetic Implant Infections. <i>Antimicrobial Agents and Chemotherapy</i> , 2016, 60, 4940-4955.	1.4	10
348	Pharmacokinetic considerations for use of artemisinin-based combination therapies against falciparum malaria in different ethnic populations. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2017, 13, 1115-1133.	1.5	10
349	Incidence and Determinants of Intraocular Lens Implantation in Type 2 Diabetes: The Fremantle Diabetes Study Phase II. <i>Diabetes Care</i> , 2019, 42, 288-296.	4.3	10
350	Ertapenem for osteoarticular infections in obese patients: a pharmacokinetic study of plasma and bone concentrations. <i>European Journal of Clinical Pharmacology</i> , 2019, 75, 511-517.	0.8	10
351	The relationship between carotid disease and retinopathy in diabetes: a systematic review. <i>Cardiovascular Diabetology</i> , 2020, 19, 54.	2.7	10
352	Community-based management of complex type 2 diabetes: adaptation of an integrated model of care in a general practice setting. <i>Internal Medicine Journal</i> , 2021, 51, 62-68.	0.5	10
353	CYP2D6 and CYP2C19 in Papua New Guinea: High frequency of previously uncharacterized CYP2D6 alleles and heterozygote excess. <i>International Journal of Molecular Epidemiology and Genetics</i> , 2010, 1, 310-9.	0.4	10
354	Clearance of young parasite forms following treatment of falciparum malaria in humans: comparison of three simple mathematical models. <i>Epidemiology and Infection</i> , 1997, 119, 61-69.	1.0	9
355	Subclinical hypothyroidism and mortality in women with type 2 diabetes. <i>Clinical Endocrinology</i> , 2006, 64, 476-477.	1.2	9
356	Toxicology and pharmacokinetics of piperazine in mice. <i>Toxicology</i> , 2008, 249, 55-61.	2.0	9
357	Predictors of Acute Bacterial Meningitis in Children from a Malaria-Endemic Area of Papua New Guinea. <i>American Journal of Tropical Medicine and Hygiene</i> , 2012, 86, 240-245.	0.6	9
358	Determinants and costs of community nursing in patients with type 2 diabetes from a community-based observational study: The Fremantle Diabetes Study. <i>International Journal of Nursing Studies</i> , 2013, 50, 1166-1171.	2.5	9
359	Influence of Premature Mortality on the Link Between Type 2 Diabetes and Hip Fracture: The Fremantle Diabetes Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 551-559.	1.8	9
360	The relationship between circulating adiponectin, ADIPOQ variants and incident cardiovascular disease in type 2 diabetes: The Fremantle Diabetes Study. <i>Diabetes Research and Clinical Practice</i> , 2018, 143, 62-70.	1.1	9

#	ARTICLE	IF	CITATIONS
361	Apoptosis inhibitor of macrophage and diabetic kidney disease. <i>Cellular and Molecular Immunology</i> , 2019, 16, 521-521.	4.8	9
362	Risk factors and outcomes of anxiety symptom trajectories in type 2 diabetes: the Fremantle Diabetes Study Phase II. <i>Diabetic Medicine</i> , 2020, 37, 1688-1695.	1.2	9
363	Influence of Renin-Angiotensin System Inhibitors on Lower Respiratory Tract Infections in Type 2 Diabetes: The Fremantle Diabetes Study Phase II. <i>Diabetes Care</i> , 2020, 43, 2113-2120.	4.3	9
364	Pharmacokinetics of dihydroartemisinin in a murine malaria model. <i>American Journal of Tropical Medicine and Hygiene</i> , 2008, 78, 641-2.	0.6	9
365	Haematological consequences of acute uncomplicated falciparum malaria: a WorldWide Antimalarial Resistance Network pooled analysis of individual patient data. <i>BMC Medicine</i> , 2022, 20, 85.	2.3	9
366	Glucose tolerance in rural diabetic Thais, first-degree relatives and non-diabetic controls. <i>Diabetes Research and Clinical Practice</i> , 1995, 27, 171-180.	1.1	8
367	Treatment of falciparum malaria in Vietnamese children: the need for combination therapy and optimized dosage regimens. <i>Annals of Tropical Paediatrics</i> , 2001, 21, 307-312.	1.0	8
368	Autoantibodies to the islet cell antigen SOX-13 are associated with duration but not type of diabetes. <i>Diabetic Medicine</i> , 2003, 20, 198-204.	1.2	8
369	The continuing legacy of the United Kingdom Prospective Diabetes Study. <i>Medical Journal of Australia</i> , 2004, 180, 104-105.	0.8	8
370	Greater use of insulin by southern European compared with Anglo-Celt patients with type 2 diabetes: the Fremantle Diabetes Study. <i>European Journal of Endocrinology</i> , 2004, 151, 579-586.	1.9	8
371	The mechanistic, diagnostic and prognostic utility of biomarkers in severe malaria. <i>Biomarkers in Medicine</i> , 2013, 7, 363-380.	0.6	8
372	Artemether-lumefantrine versus artemisinin-naphthoquine in Papua New Guinean children with uncomplicated malaria: a six months post-treatment follow-up study. <i>Malaria Journal</i> , 2015, 14, 121.	0.8	8
373	Circulating osteocalcin is unrelated to glucose homeostasis in adults with type 1 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2017, 31, 948-951.	1.2	8
374	Clinical risk factors for depressive syndrome in Type 2 diabetes: the Fremantle Diabetes Study. <i>Diabetic Medicine</i> , 2018, 35, 903-910.	1.2	8
375	Caregivers' acceptance of using artesunate suppositories for treating childhood malaria in Papua New Guinea. <i>American Journal of Tropical Medicine and Hygiene</i> , 2007, 76, 634-40.	0.6	8
376	Insulin sensitivity and beta-cell function assessed by C-peptide in young adults with cystic fibrosis. <i>European Journal of Clinical Investigation</i> , 1987, 17, 12-15.	1.7	7
377	In-vivo Platelet Activation and Anomalous Thrombospondin Levels in Severe Falciparum Malaria. <i>Platelets</i> , 1992, 3, 195-200.	1.1	7
378	A comprehensive patient-held record for diabetes. Part one: initial development of the Diabetes Databank. <i>Practical Diabetes International: the International Journal for Diabetes Care Teams Worldwide</i> , 2001, 18, 241-245.	0.2	7

#	ARTICLE	IF	CITATIONS
379	Cardiovascular risk prediction in adults with type 1 diabetes: The Fremantle Diabetes Study. <i>Diabetes Research and Clinical Practice</i> , 2010, 90, e75-e78.	1.1	7
380	The relationship between self-monitoring of blood glucose results and glycated haemoglobin in type 2 diabetes: The Fremantle Diabetes Study. <i>Diabetes Research and Clinical Practice</i> , 2011, 94, 371-376.	1.1	7
381	Quantification of Plasmodium falciparum Gametocytes by Magnetic Fractionation. <i>American Journal of Tropical Medicine and Hygiene</i> , 2011, 84, 158-160.	0.6	7
382	Plasmodium falciparum and Plasmodium vivax Genotypes and Efficacy of Intermittent Preventive Treatment in Papua New Guinea. <i>Antimicrobial Agents and Chemotherapy</i> , 2014, 58, 6958-6961.	1.4	7
383	Accuracy of cerebrospinal leucocyte count, protein and culture for the diagnosis of acute bacterial meningitis: a comparative study using Bayesian latent class analysis. <i>Tropical Medicine and International Health</i> , 2014, 19, 1520-1524.	1.0	7
384	Pharmacokinetics of a Novel Sublingual Spray Formulation of the Antimalarial Drug Artemether in Healthy Adults. <i>Antimicrobial Agents and Chemotherapy</i> , 2015, 59, 3197-3207.	1.4	7
385	Dose-response relationship between statin therapy and glycaemia in community-based patients with type 2 diabetes: the Fremantle Diabetes Study. <i>Diabetes, Obesity and Metabolism</i> , 2016, 18, 1143-1146.	2.2	7
386	Treatment regimens for pregnant women with falciparum malaria. <i>Expert Review of Anti-Infective Therapy</i> , 2016, 14, 691-704.	2.0	7
387	Low serum HDL-cholesterol concentrations in mid-life predict late-life cognitive impairment in type 2 diabetes: The Fremantle diabetes study. <i>Journal of Diabetes and Its Complications</i> , 2017, 31, 945-947.	1.2	7
388	Artemisinin Therapy for Malaria in Hemoglobinopathies: A Systematic Review. <i>Clinical Infectious Diseases</i> , 2018, 66, 799-804.	2.9	7
389	Validation of a Dried Blood Spot Ceftriaxone Assay in Papua New Guinean Children with Severe Bacterial Infections. <i>Antimicrobial Agents and Chemotherapy</i> , 2018, 62, .	1.4	7
390	The relationship between intensification of blood glucose-lowering therapies, health status and quality of life in type 2 diabetes: The Fremantle Diabetes Study Phase II. <i>Diabetes Research and Clinical Practice</i> , 2018, 142, 294-302.	1.1	7
391	Carotid Disease and Retinal Optical Coherence Tomography Angiography Parameters in Type 2 Diabetes: The Fremantle Diabetes Study Phase II. <i>Diabetes Care</i> , 2020, 43, 3034-3041.	4.3	7
392	PromarkerD Predicts Renal Function Decline in Type 2 Diabetes in the Canagliflozin Cardiovascular Assessment Study (CANVAS). <i>Journal of Clinical Medicine</i> , 2020, 9, 3212.	1.0	7
393	Contemporary Cardiovascular Risk Assessment for Type 2 Diabetes Including Heart Failure as an Outcome: The Fremantle Diabetes Study Phase II. <i>Journal of Clinical Medicine</i> , 2020, 9, 1428.	1.0	7
394	Efficacy and Safety of Ertugliflozin in Patients with Type 2 Diabetes Inadequately Controlled by Metformin and Sulfonylurea: A Sub-Study of VERTIS CV. <i>Diabetes Therapy</i> , 2021, 12, 1279-1297.	1.2	7
395	Compliance in diabetes mellitus: A self-assessment study. <i>Practical Diabetes International: the International Journal for Diabetes Care Teams Worldwide</i> , 1988, 5, 170-172.	0.2	6
396	The metabolism of platelet-activating factor in severe and cerebral malaria. <i>Journal of Infection</i> , 1995, 31, 181-188.	1.7	6

#	ARTICLE	IF	CITATIONS
397	Pharmacokinetics of retinyl palmitate and retinol after intramuscular retinyl palmitate administration in severe malaria. <i>Clinical Science</i> , 2000, 99, 433-441.	1.8	6
398	Pharmacokinetics of retinyl palmitate and retinol after intramuscular retinyl palmitate administration in severe malaria. <i>Clinical Science</i> , 2000, 99, 433.	1.8	6
399	A comprehensive patient-held record for diabetes. Part two: Large-scale assessment of the Diabetes Databank by patients and health care workers. <i>Practical Diabetes International: the International Journal for Diabetes Care Teams Worldwide</i> , 2001, 18, 311-314.	0.2	6
400	An Assessment of Eligibility for Inhaled Insulin (Exubera): The Fremantle Diabetes Study. <i>Diabetes Care</i> , 2007, 30, 360-361.	4.3	6
401	Characteristics and prognosis of Asian patients with type 2 diabetes from a multi-racial Australian community: the Fremantle Diabetes Study. <i>Internal Medicine Journal</i> , 2013, 43, 1125-1132.	0.5	6
402	Accuracy of initial clinical diagnosis of acute bacterial meningitis in children from a malaria-endemic area of Papua New Guinea. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2014, 108, 444-448.	0.7	6
403	Viral pathogens in children hospitalized with features of central nervous system infection in a malaria-endemic region of Papua New Guinea. <i>BMC Infectious Diseases</i> , 2014, 14, 630.	1.3	6
404	Incidence and predictors of idiopathic pulmonary fibrosis complicating Type 2 diabetes: the Fremantle Diabetes Study Phase I. <i>Internal Medicine Journal</i> , 2021, 51, 276-279.	0.5	6
405	The utility of the Diabetes Anxiety Depression Scale in Type 2 diabetes mellitus: The Fremantle Diabetes Study Phase II. <i>PLoS ONE</i> , 2018, 13, e0194417.	1.1	6
406	CIGMA ASSESSMENT OF INSULIN RESISTANCE AND PANCREATIC BETA CELL FUNCTION IN THE ELDERLY. <i>Age and Ageing</i> , 1985, 14, 220-224.	0.7	5
407	Retinol supplementation in murine Plasmodium berghei malaria: Effects on tissue levels, parasitaemia and lipid peroxidation. <i>International Journal for Parasitology</i> , 2007, 37, 525-537.	1.3	5
408	A cardiac magnetic resonance imaging study of electrocardiographic Q waves in type 2 diabetes: The Fremantle Diabetes Study. <i>Diabetes Research and Clinical Practice</i> , 2008, 82, 87-92.	1.1	5
409	The epidemiology and characteristics of type 2 diabetes in urban, community-based young people. <i>Internal Medicine Journal</i> , 2010, 40, 850-854.	0.5	5
410	Apolipoprotein E genotype and mortality in Southern European and Anglo-Celt patients with type 2 diabetes: the Fremantle Diabetes Study. <i>European Journal of Endocrinology</i> , 2010, 163, 559-564.	1.9	5
411	Angiotensin-Converting Enzyme Insertion/Deletion Polymorphism and Severe Hypoglycemia Complicating Type 2 Diabetes: The Fremantle Diabetes Study. <i>Endocrinology</i> , 2011, 152, 1195-1195.	1.4	5
412	Accuracy, determinants, and consequences of body weight self-perception in type 2 diabetes: the Fremantle Diabetes Study. <i>Journal of Diabetes and Its Complications</i> , 2011, 25, 1-6.	1.2	5
413	Prevalence and predictors of abnormal arterial function in statin-treated type 2 diabetes mellitus patients. <i>Metabolism: Clinical and Experimental</i> , 2012, 61, 349-357.	1.5	5
414	Prevalence and Implications of Cerebrospinal Fluid Leukocytosis in Papua New Guinean Children Hospitalized with Severe Malaria. <i>American Journal of Tropical Medicine and Hygiene</i> , 2013, 89, 866-868.	0.6	5

#	ARTICLE	IF	CITATIONS
415	The interactive effects of type 2 diabetes mellitus and schizophrenia on all-cause mortality: The Fremantle Diabetes Study. <i>Journal of Diabetes and Its Complications</i> , 2015, 29, 1320-1322.	1.2	5
416	Changes in characteristics and management of Asian and Chinese adults with type 2 diabetes over a 15-year period in an urban Australian community: The Fremantle Diabetes Study. <i>Journal of Diabetes</i> , 2016, 8, 139-147.	0.8	5
417	Use of quantitative pharmacology tools to improve malaria treatments. <i>Expert Review of Clinical Pharmacology</i> , 2016, 9, 303-316.	1.3	5
418	Optimal Antimalarial Dose Regimens for Sulfadoxine-Pyrimethamine with or without Azithromycin in Pregnancy Based on Population Pharmacokinetic Modeling. <i>Antimicrobial Agents and Chemotherapy</i> , 2017, 61, .	1.4	5
419	Pharmacotherapy for the prevention of malaria in pregnant women: currently available drugs and challenges. <i>Expert Opinion on Pharmacotherapy</i> , 2018, 19, 1779-1796.	0.9	5
420	Temporal changes in the incidence and predictors of severe hypoglycaemia in type 2 diabetes: The Fremantle Diabetes Study. <i>Diabetes, Obesity and Metabolism</i> , 2019, 21, 648-657.	2.2	5
421	High risk of early sub-therapeutic penicillin concentrations after intramuscular benzathine penicillin G injections in Ethiopian children and adults with rheumatic heart disease. <i>PLoS Neglected Tropical Diseases</i> , 2021, 15, e0009399.	1.3	5
422	A comparison of the clinical, laboratory and epidemiological features of two divergent subpopulations of <i>Plasmodium knowlesi</i> . <i>Scientific Reports</i> , 2021, 11, 20117.	1.6	5
423	Successful Withdrawal of Insulin Therapy After Post-Treatment Clearance of Hepatitis C Virus in a Man with Type 2 Diabetes. <i>American Journal of Case Reports</i> , 2017, 18, 414-417.	0.3	5
424	Glucose tolerance in pregnant patients with acute falciparum malaria. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 1993, 87, 666-667.	0.7	4
425	Serum lipid profiles in Malay mothers and neonates: A cross-sectional study. <i>Journal of Paediatrics and Child Health</i> , 1996, 32, 428-432.	0.4	4
426	Effect of an intensive education programme on clinical management of diabetic inpatients. <i>Practical Diabetes International: the International Journal for Diabetes Care Teams Worldwide</i> , 1996, 13, 110-114.	0.2	4
427	Non-radioisotopic glucose turnover in children with falciparum malaria and enteric fever. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 1998, 92, 532-537.	0.7	4
428	Evidence for undetected malaria infection in non-immune Australian travellers not taking chemoprophylaxis. <i>Acta Tropica</i> , 2006, 99, 62-66.	0.9	4
429	In Vitro Antimalarial Activity and Drug Interactions of Fenofibric Acid. <i>Antimicrobial Agents and Chemotherapy</i> , 2012, 56, 2814-2818.	1.4	4
430	Adapting and validating diabetes simulation models across settings: Accounting for mortality differences using administrative data. <i>Journal of Diabetes and Its Complications</i> , 2013, 27, 351-356.	1.2	4
431	Incidence and precipitants of hospitalization for pancreatitis in people with diabetes: the Fremantle Diabetes Study. <i>Diabetic Medicine</i> , 2014, 31, 913-919.	1.2	4
432	Pharmacokinetic studies of antimalarials: recent developments. <i>Expert Review of Clinical Pharmacology</i> , 2016, 9, 341-343.	1.3	4

#	ARTICLE	IF	CITATIONS
433	Two-year audit of outcomes of pituitary surgery at an Australian teaching hospital. <i>Internal Medicine Journal</i> , 2017, 47, 1248-1255.	0.5	4
434	Methicillin-resistant <i>Staphylococcus aureus</i> in Papua New Guinea: a community nasal colonization prevalence study. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2017, 111, 360-362.	0.7	4
435	The association between carotid disease, arterial stiffness and diabetic retinopathy in type 2 diabetes: the Fremantle Diabetes Study Phase II. <i>Diabetic Medicine</i> , 2021, 38, e14407.	1.2	4
436	Cognitive Impairment in People with Diabetes-Related Foot Ulceration. <i>Journal of Clinical Medicine</i> , 2021, 10, 2808.	1.0	4
437	A regular meal and insulin infusion regimen: its use in the treatment of acute-onset ketotic diabetes and in stabilization of poorly controlled established diabetic subjects. <i>Diabetes Care</i> , 1982, 5, 492-496.	4.3	4
438	An Unusual Cause of Deep Venous Thrombosis. <i>Medical Journal of Australia</i> , 1993, 158, 648-648.	0.8	3
439	Dynamic assessment of parathyroid function in acute malaria. <i>Journal of Internal Medicine</i> , 1998, 243, 349-354.	2.7	3
440	Adverse Effects of Antimalarial Prophylactic Drugs: An Important Consideration in the Risk-Benefit Equation. <i>Annals of Pharmacotherapy</i> , 1998, 32, 1104-1106.	0.9	3
441	Evidence for continued two-brood replication of <i>Plasmodium falciparum</i> in vivo during quinine treatment. <i>Acta Tropica</i> , 2003, 89, 41-45.	0.9	3
442	Dipeptidyl peptidase-4 inhibitors and cardiovascular safety. <i>Medical Journal of Australia</i> , 2014, 200, 450-451.	0.8	3
443	Carotid Artery Ultrasonographic Assessment in Patients from the Fremantle Diabetes Study Phase II with Carotid Bruits Detected by Electronic Auscultation. <i>Diabetes Technology and Therapeutics</i> , 2014, 16, 604-610.	2.4	3
444	Confirming Cerebral Malaria Deaths in Resource-Limited Settings. <i>American Journal of Tropical Medicine and Hygiene</i> , 2014, 90, 192-192.	0.6	3
445	Pneumococcal vaccination and incident hospitalisation for pneumonia in type 2 diabetes: the Fremantle Diabetes Study Phase II. <i>Internal Medicine Journal</i> , 2017, 47, 1206-1210.	0.5	3
446	Regarding Lactation Status and Studies of Pyrimethamine Pharmacokinetics in Pregnancy. <i>CPT: Pharmacometrics and Systems Pharmacology</i> , 2017, 6, 730-730.	1.3	3
447	Subjective memory complaints are not increased in type 2 diabetes: A matched cohort study. <i>Journal of Diabetes and Its Complications</i> , 2019, 33, 424-426.	1.2	3
448	Complementary medicine use and its cost in Australians with type 2 diabetes: the Fremantle Diabetes Study Phase II. <i>Internal Medicine Journal</i> , 2020, 50, 944-950.	0.5	3
449	Defining the combined benefit of intermittent preventive malaria treatment in pregnancy. <i>The Lancet Global Health</i> , 2020, 8, e871-e872.	2.9	3
450	Updated pharmacokinetic considerations for the use of antimalarial drugs in pregnant women. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2020, 16, 741-758.	1.5	3

#	ARTICLE	IF	CITATIONS
451	Differences in retinopathy prevalence and progression between Anglo-Celt and Aboriginal Australians: The Fremantle Diabetes Study Phase II. <i>Internal Medicine Journal</i> , 2020, , .	0.5	3
452	Assessment of biomarkers associated with rapid renal decline in the detection of retinopathy and its progression in type 2 diabetes: The Fremantle Diabetes Study Phase II. <i>Journal of Diabetes and Its Complications</i> , 2021, 35, 107853.	1.2	3
453	Prevalence, Incidence and Associates of Pulmonary Hypertension Complicating Type 2 Diabetes: Insights from the Fremantle Diabetes Study Phase 2 and National Echocardiographic Database of Australia. <i>Journal of Clinical Medicine</i> , 2021, 10, 4503.	1.0	3
454	Bradycardia and Hypothermia Complicating Azithromycin Treatment. <i>American Journal of Case Reports</i> , 2017, 18, 883-886.	0.3	3
455	Effect of race on cardiometabolic responses to once-weekly exenatide: insights from the Exenatide Study of Cardiovascular Event Lowering (EXSCCEL). <i>Cardiovascular Diabetology</i> , 2022, 21, .	2.7	3
456	<i>Plasmodium falciparum</i> : Isolate-Specific Radiosensitivity. <i>Experimental Parasitology</i> , 2001, 99, 108-110.	0.5	2
457	Inhaled human insulin (Exubera®): its pharmacologic profile, efficacy and safety in the treatment of adults with diabetes mellitus. <i>Expert Review of Clinical Pharmacology</i> , 2008, 1, 13-25.	1.3	2
458	Contemporary management of type 2 diabetes: blood glucose-lowering therapies and glycaemic targets. <i>Medical Journal of Australia</i> , 2008, 189, 246-248.	0.8	2
459	Manufacture and Testing of a High Field Gradient Magnetic Fractionation System for Quantitative Detection of <i>Plasmodium falciparum</i> Gametocytes. , 2010, , .		2
460	Renin-angiotensin-aldosterone system blockade and urinary albumin excretion in community-based patients with Type 2 diabetes: The Fremantle Diabetes Study. <i>Diabetic Medicine</i> , 2011, 28, 849-855.	1.2	2
461	Hypertriglyceridaemia in statin-treated type 2 diabetic patients. <i>Practical Diabetes International: the International Journal for Diabetes Care Teams Worldwide</i> , 2011, 28, 257-260.	0.2	2
462	Lung function, diabetes and the metabolic syndrome. <i>Practical Diabetes</i> , 2014, 31, 184-185.	0.1	2
463	Updated prevalence of monogenic diabetes in Australia: Fremantle Diabetes Study Phase 2. <i>Medical Journal of Australia</i> , 2019, 211, 189.	0.8	2
464	Complementary and alternative medicine beliefs in type 2 diabetes: The Fremantle Diabetes Study Phase II. <i>Diabetes Research and Clinical Practice</i> , 2020, 166, 108311.	1.1	2
465	Knowledge of ocular complications of diabetes in community-based people with type 2 diabetes: The Fremantle Diabetes Study II. <i>Primary Care Diabetes</i> , 2021, 15, 554-560.	0.9	2
466	The pharmacokinetic properties of artemether and lumefantrine in Malaysian patients with <i>Plasmodium knowlesi</i> malaria. <i>British Journal of Clinical Pharmacology</i> , 2022, 88, 691-701.	1.1	2
467	Artemisininins. , 2010, , 2090-2104.		2
468	Fenofibrate and Impaired Taste Perception in Type 2 Diabetes. <i>American Journal of Case Reports</i> , 2020, 21, e927647.	0.3	2

#	ARTICLE	IF	CITATIONS
469	Loss-of-function mutations in IGSF1 cause a novel, X-linked syndrome of central hypothyroidism and testicular enlargement. <i>Endocrine Abstracts</i> , 0, , 1-1.	0.0	2
470	Pharmacokinetic properties of the antimalarial combination therapy artemetherâ€“lumefantrine in normal-weight, overweight and obese healthy male adults. <i>International Journal of Antimicrobial Agents</i> , 2022, 59, 106482.	1.1	2
471	Sodiumâ€“glucose cotransportâ€“2 inhibitor induced ketoacidosis following coronary artery bypass surgery: implications for management. <i>Internal Medicine Journal</i> , 2022, 52, 876-879.	0.5	2
472	Recognition and management of falciparum malaria. <i>EMA - Emergency Medicine Australasia</i> , 2000, 12, 276-284.	0.5	1
473	Title is missing!. <i>Pediatric Infectious Disease Journal</i> , 2003, 22, 251-255.	1.1	1
474	Multisystem Schistosoma haematobium Infection in an Australian Tourist. <i>Journal of Travel Medicine</i> , 2006, 8, 325-328.	1.4	1
475	A Clinical Screening Tool Identifies Autoimmune Diabetes in Adults: Response to Furlanos et al.. <i>Diabetes Care</i> , 2006, 29, 2560-2560.	4.3	1
476	Should aspirin be used for the primary prevention of cardiovascular disease in people with diabetes?. <i>Medical Journal of Australia</i> , 2009, 191, 356-357.	0.8	1
477	Rosiglitazone and cardiovascular disease revisited. <i>Medical Journal of Australia</i> , 2010, 193, 134-135.	0.8	1
478	O5-03-03: SEVERE HYPOGLYCAEMIA DOES NOT EXPLAIN THE RELATIONSHIP BETWEEN LONG DURATION INSULIN THERAPY AND LATE-LIFE COGNITIVE IMPAIRED IN TYPE 2 DIABETES: THE FREMANTLE DIABETES STUDY. , 2014, 10, P295-P295.		1
479	Re: Essential Service Standards for Equitable National Cardiovascular Care for Aboriginal and Torres Strait Islander People. <i>Heart Lung and Circulation</i> , 2015, 24, 626.	0.2	1
480	Cost-effectiveness of artemisininâ€“naphthoquine versus artemetherâ€“lumefantrine for the treatment of uncomplicated malaria in Papua New Guinean children. <i>Malaria Journal</i> , 2017, 16, 438.	0.8	1
481	Hearing Loss in Adults. <i>New England Journal of Medicine</i> , 2018, 378, 968-970.	13.9	1
482	The LEADER trial in type 2 diabetes: Were the characteristics and outcomes of the participants representative?. <i>Journal of Diabetes and Its Complications</i> , 2019, 33, 427-433.	1.2	1
483	Changes in the Epidemiology of Hepatobiliary Disease Complicating Type 2 Diabetes over 25 Years: The Fremantle Diabetes Study. <i>Journal of Clinical Medicine</i> , 2020, 9, 3409.	1.0	1
484	Incidence and predictors of vision loss complicating type 2 diabetes: The Fremantle Diabetes Study Phase II. <i>Journal of Diabetes and Its Complications</i> , 2020, 34, 107560.	1.2	1
485	Relative incidence and predictors of pulmonary arterial hypertension complicating type 2 diabetes: The Fremantle Diabetes Study Phase I. <i>Journal of Diabetes and Its Complications</i> , 2021, 35, 107773.	1.2	1
486	Atovaquone. , 2010, , 2073-2081.		1

#	ARTICLE	IF	CITATIONS
487	A prospective six-month audit of inpatient hypoglycemia in step-down general medical and geriatric wards. <i>International Journal of Medical Sciences</i> , 2021, 18, 3744-3747.	1.1	1
488	Proguanil and Chloroproguanil. , 2010, , 2082-2089.		1
489	Correlation between density of malaria parasitaemia and clinical symptoms. <i>Medical Journal of Australia</i> , 1995, 162, 670-670.	0.8	1
490	PHARMACOKINETIC STUDY OF INTRAMUSCULAR ARTESUNATE IN VIETNAMESE PATIENTS WITH FALCIPARUM MALARIA.. <i>Therapeutic Drug Monitoring</i> , 1999, 21, 453.	1.0	1
491	Contribution of Malaria to Inhospital Mortality in Papua New Guinean Children from a Malaria-Endemic Area: A Prospective Observational Study. <i>American Journal of Tropical Medicine and Hygiene</i> , 2019, 100, 835-841.	0.6	1
492	Temporal Trends in Renal Replacement Therapy in Community-Based People with or without Type 2 Diabetes: The Fremantle Diabetes Study. <i>Journal of Clinical Medicine</i> , 2022, 11, 695.	1.0	1
493	Prevalence and predictors of <i>Helicobacter pylori</i> infection in children and adults from the Penan ethnic minority of Malaysian Borneo. <i>American Journal of Tropical Medicine and Hygiene</i> , 2004, 71, 444-50.	0.6	1
494	High mean platelet volume after myocardial infarction. <i>BMJ: British Medical Journal</i> , 1985, 290, 238-238.	2.4	0
495	Models of parasite clearance following treatment of falciparum malaria in humans. <i>Environmetrics</i> , 1995, 6, 529-534.	0.6	0
496	United Kingdom Prospective Diabetes Study: the end of the beginning?. <i>Medical Journal of Australia</i> , 1998, 169, 511-512.	0.8	0
497	Are ear lobe creases a reliable predictor of CHD?. <i>Practical Diabetes International: the International Journal for Diabetes Care Teams Worldwide</i> , 2003, 20, 170-170.	0.2	0
498	Addition of artesunate to standard antimalarial drugs reduces treatment failure. <i>Evidence-Based Healthcare and Public Health</i> , 2004, 8, 156-158.	0.0	0
499	Fenofibrate and diabetic retinopathy – Authors' reply. <i>Lancet, The</i> , 2008, 371, 722.	6.3	0
500	Fenofibrate improves endothelial function in both conduit and resistance arteries in statin-treated type 2 diabetics. <i>Heart Lung and Circulation</i> , 2009, 18, S242.	0.2	0
501	Niacin improves microcirculatory endothelial dysfunction and arterial compliance in statin-treated type 2 diabetic subjects. <i>Heart Lung and Circulation</i> , 2009, 18, S245.	0.2	0
502	Response to Wang and Kao. <i>American Journal of Gastroenterology</i> , 2010, 105, 224-225.	0.2	0
503	Use of non-prescription therapies, including complementary medicines, in type 2 diabetes: the Fremantle diabetes study. <i>International Journal of Pharmacy Practice</i> , 2011, 10, R19-R19.	0.3	0
504	Safety of incretin-based therapies for type 2 diabetes. <i>Medical Journal of Australia</i> , 2011, 195, 312-313.	0.8	0

#	ARTICLE	IF	CITATIONS
505	Re: Subclinical thyroid dysfunction and mortality in type 2 diabetes. Journal of Diabetes and Its Complications, 2017, 31, 1474.	1.2	0
506	Temporal changes in glycaemic thresholds for treatment intensification in type 2 diabetes in an urban Australian setting: the Fremantle Diabetes Study. Internal Medicine Journal, 2018, 48, 1215-1221.	0.5	0
507	Author reply. Internal Medicine Journal, 2018, 48, 367-368.	0.5	0
508	Response to Letter to the Editor: "Advanced Glycation End Products and esRAGE Are Associated With Bone Turnover and Incidence of Hip Fracture in Older Men", Journal of Clinical Endocrinology and Metabolism, 2019, 104, 684-685.	1.8	0
509	Response to Comment on Davis et al. Development and Validation of a Simple Hip Fracture Risk Prediction Tool for Type 2 Diabetes: the Fremantle Diabetes Study Phase I. Diabetes Care 2018;42:102-109. Diabetes Care, 2019, 42, e101-e101.	4.3	0
510	Diabetes in the coronary care unit. , 2011, , 606-610.		0
511	Cerebral Malaria: Pathophysiology of Clinical Features. , 2014, , 1-10.		0
512	AIDS in Thailand. Medical Journal of Australia, 1991, 154, 706-706.	0.8	0
513	Tesaglitazar. IDrugs: the Investigational Drugs Journal, 2005, 8, 927-35.	0.7	0
514	Title is missing!. , 2020, 17, e1003393.		0
515	Title is missing!. , 2020, 17, e1003393.		0
516	Title is missing!. , 2020, 17, e1003393.		0
517	Title is missing!. , 2020, 17, e1003393.		0
518	Title is missing!. , 2020, 17, e1003393.		0
519	The effect of sickle cell genotype on the pharmacokinetic properties of artemether-lumefantrine in Tanzanian children. International Journal for Parasitology: Drugs and Drug Resistance, 2022, 19, 31-39.	1.4	0