Timothy Davis

List of Publications by Citations

Source: https://exaly.com/author-pdf/7539691/timothy-davis-publications-by-citations.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

16,923 65 108 503 h-index g-index citations papers 6.42 6.3 19,411 527 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
503	Dulaglutide and cardiovascular outcomes in type 2 diabetes (REWIND): a double-blind, randomised placebo-controlled trial. <i>Lancet, The</i> , 2019 , 394, 121-130	40	917
502	Effect of fenofibrate on the need for laser treatment for diabetic retinopathy (FIELD study): a randomised controlled trial. <i>Lancet, The</i> , 2007 , 370, 1687-97	40	749
501	Plasmodium knowlesi malaria in humans is widely distributed and potentially life threatening. <i>Clinical Infectious Diseases</i> , 2008 , 46, 165-71	11.6	523
500	Melioidosis: a major cause of community-acquired septicemia in northeastern Thailand. <i>Journal of Infectious Diseases</i> , 1989 , 159, 890-9	7	424
499	Common infections in diabetes: pathogenesis, management and relationship to glycaemic control. Diabetes/Metabolism Research and Reviews, 2007, 23, 3-13	7.5	310
498	Effects of fenofibrate on renal function in patients with type 2 diabetes mellitus: the Fenofibrate Intervention and Event Lowering in Diabetes (FIELD) Study. <i>Diabetologia</i> , 2011 , 54, 280-90	10.3	238
497	Dulaglutide and renal outcomes in type 2 diabetes: an exploratory analysis of the REWIND randomised, placebo-controlled trial. <i>Lancet, The</i> , 2019 , 394, 131-138	40	228
496	Clinical and laboratory features of human Plasmodium knowlesi infection. <i>Clinical Infectious Diseases</i> , 2009 , 49, 852-60	11.6	224
495	Piperaquine: a resurgent antimalarial drug. <i>Drugs</i> , 2005 , 65, 75-87	12.1	215
494	Glycemic exposure is associated with reduced pulmonary function in type 2 diabetes: the Fremantle Diabetes Study. <i>Diabetes Care</i> , 2004 , 27, 752-7	14.6	202
493	Polymorphisms in Plasmodium falciparum chloroquine resistance transporter and multidrug resistance 1 genes: parasite risk factors that affect treatment outcomes for P. falciparum malaria after artemether-lumefantrine and artesunate-amodiaquine. <i>American Journal of Tropical Medicine</i>	3.2	167
492	A trial of combination antimalarial therapies in children from Papua New Guinea. <i>New England Journal of Medicine</i> , 2008 , 359, 2545-57	59.2	160
491	Peripheral arterial disease and risk of cardiac death in type 2 diabetes: the Fremantle Diabetes Study. <i>Diabetes Care</i> , 2006 , 29, 575-80	14.6	156
490	Severe hypoglycaemia and cognitive impairment in older patients with diabetes: the Fremantle Diabetes Study. <i>Diabetologia</i> , 2009 , 52, 1808-15	10.3	155
489	Association between plasma triglycerides and high-density lipoprotein cholesterol and microvascular kidney disease and retinopathy in type 2 diabetes mellitus: a global case-control study in 13 countries. <i>Circulation</i> , 2014 , 129, 999-1008	16.7	153
488	Reappraisal of known malaria resistance loci in a large multicenter study. <i>Nature Genetics</i> , 2014 , 46, 119	9 <i>7</i> ; 2. 94	150
487	Loss-of-function mutations in IGSF1 cause an X-linked syndrome of central hypothyroidism and testicular enlargement. <i>Nature Genetics</i> , 2012 , 44, 1375-81	36.3	147

(1996-2011)

486	Estimated glomerular filtration rate and albuminuria are independent predictors of cardiovascular events and death in type 2 diabetes mellitus: the Fenofibrate Intervention and Event Lowering in Diabetes (FIELD) study. <i>Diabetologia</i> , 2011 , 54, 32-43	10.3	145
485	Risk factors for stroke in type 2 diabetes mellitus: United Kingdom Prospective Diabetes Study (UKPDS) 29. <i>Archives of Internal Medicine</i> , 1999 , 159, 1097-103		143
484	Effect of a pharmaceutical care program on vascular risk factors in type 2 diabetes: the Fremantle Diabetes Study. <i>Diabetes Care</i> , 2005 , 28, 771-6	14.6	129
483	Population pharmacokinetics of piperaquine in adults and children with uncomplicated falciparum or vivax malaria. <i>British Journal of Clinical Pharmacology</i> , 2004 , 57, 253-62	3.8	128
482	Glucuronidation of dihydroartemisinin in vivo and by human liver microsomes and expressed UDP-glucuronosyltransferases. <i>Drug Metabolism and Disposition</i> , 2002 , 30, 1005-12	4	126
481	Determinants of severe hypoglycemia complicating type 2 diabetes: the Fremantle diabetes study. Journal of Clinical Endocrinology and Metabolism, 2010 , 95, 2240-7	5.6	125
480	Lipid-lowering therapy and peripheral sensory neuropathy in type 2 diabetes: the Fremantle Diabetes Study. <i>Diabetologia</i> , 2008 , 51, 562-6	10.3	125
479	Efficacy and safety of dihydroartemisinin-piperaquine (Artekin) in Cambodian children and adults with uncomplicated falciparum malaria. <i>Clinical Infectious Diseases</i> , 2002 , 35, 1469-76	11.6	117
478	Predictors, consequences and costs of diabetes-related lower extremity amputation complicating type 2 diabetes: the Fremantle Diabetes Study. <i>Diabetologia</i> , 2006 , 49, 2634-41	10.3	112
477	Artemisinin-based combination therapies for uncomplicated malaria. <i>Medical Journal of Australia</i> , 2005 , 182, 181-5	4	112
476	Cognitive impairment, physical disability and depressive symptoms in older diabetic patients: the Fremantle Cognition in Diabetes Study. <i>Diabetes Research and Clinical Practice</i> , 2003 , 61, 59-67	7.4	108
475	Predictors of cognitive impairment and dementia in older people with diabetes. <i>Diabetologia</i> , 2008 , 51, 241-8	10.3	103
474	A prospective study of depression and mortality in patients with type 2 diabetes: the Fremantle Diabetes Study. <i>Diabetologia</i> , 2005 , 48, 2532-9	10.3	101
473	Autoantibodies to glutamic acid decarboxylase in diabetic patients from a multi-ethnic Australian community: the Fremantle Diabetes Study. <i>Diabetic Medicine</i> , 2000 , 17, 667-74	3.5	101
472	In vitro stage-specific sensitivity of Plasmodium falciparum to quinine and artemisinin drugs. <i>International Journal for Parasitology</i> , 1996 , 26, 519-25	4.3	101
471	Growth hormone (GH) release in response to GH-releasing hormone in man is 3-fold enhanced by galanin. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1987 , 65, 1248-52	5.6	98
470	Longitudinal predictors of reduced mobility and physical disability in patients with type 2 diabetes: the Fremantle Diabetes Study. <i>Diabetes Care</i> , 2005 , 28, 2441-7	14.6	97
469	Selective high-performance liquid chromatographic determination of artesunate and alpha- and beta-dihydroartemisinin in patients with falciparum malaria. <i>Biomedical Applications</i> , 1996 , 677, 345-50		97

468	Prediabetes: a position statement from the Australian Diabetes Society and Australian Diabetes Educators Association. <i>Medical Journal of Australia</i> , 2007 , 186, 461-5	4	94
467	Comparative pharmacokinetics of intramuscular artesunate and artemether in patients with severe falciparum malaria. <i>Antimicrobial Agents and Chemotherapy</i> , 2004 , 48, 4234-9	5.9	91
466	Diabetes education and knowledge in patients with type 2 diabetes from the community: the Fremantle Diabetes Study. <i>Journal of Diabetes and Its Complications</i> , 2003 , 17, 82-9	3.2	91
465	Relationship between ethnicity and glycemic control, lipid profiles, and blood pressure during the first 9 years of type 2 diabetes: U.K. Prospective Diabetes Study (UKPDS 55). <i>Diabetes Care</i> , 2001 , 24, 1167-74	14.6	89
464	Cohort profile: the Fremantle Diabetes Study. International Journal of Epidemiology, 2013, 42, 412-21	7.8	88
463	Islet autoantibodies in clinically diagnosed type 2 diabetes: prevalence and relationship with metabolic control (UKPDS 70). <i>Diabetologia</i> , 2005 , 48, 695-702	10.3	88
462	A pharmacokinetic and pharmacodynamic study of intravenous vs oral artesunate in uncomplicated falciparum malaria. <i>British Journal of Clinical Pharmacology</i> , 1998 , 45, 123-9	3.8	87
461	Prevalence and progression of subclinical hypothyroidism in women with type 2 diabetes: the Fremantle Diabetes Study. <i>Clinical Endocrinology</i> , 2005 , 62, 480-6	3.4	87
460	Incidence and predictors of silent myocardial infarction in type 2 diabetes and the effect of fenofibrate: an analysis from the Fenofibrate Intervention and Event Lowering in Diabetes (FIELD) study. <i>European Heart Journal</i> , 2010 , 31, 92-9	9.5	86
459	Safety evaluation of fixed combination piperaquine plus dihydroartemisinin (Artekin) in Cambodian children and adults with malaria. <i>British Journal of Clinical Pharmacology</i> , 2004 , 57, 93-9	3.8	86
458	Benefits and safety of long-term fenofibrate therapy in people with type 2 diabetes and renal impairment: the FIELD Study. <i>Diabetes Care</i> , 2012 , 35, 218-25	14.6	85
457	Interactions among thyroid function, insulin sensitivity, and serum lipid concentrations: the Fremantle diabetes study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 5317-20	5.6	83
456	Disposition of oral quinine in acute falciparum malaria. <i>European Journal of Clinical Pharmacology</i> , 1991 , 40, 49-52	2.8	83
455	Reduced pulmonary function and its associations in type 2 diabetes: the Fremantle Diabetes Study. <i>Diabetes Research and Clinical Practice</i> , 2000 , 50, 153-9	7.4	82
454	Predictors of cognitive decline in older individuals with diabetes. <i>Diabetes Care</i> , 2008 , 31, 2103-7	14.6	79
453	Pharmacokinetics and pharmacodynamics of intravenous artesunate in severe falciparum malaria. <i>Antimicrobial Agents and Chemotherapy</i> , 2001 , 45, 181-6	5.9	79
452	Acute suppurative parotitis caused by Pseudomonas pseudomallei in children. <i>Journal of Infectious Diseases</i> , 1989 , 159, 654-60	7	78
45 ¹	Effects of a high-fat meal on the relative oral bioavailability of piperaquine. <i>Antimicrobial Agents and Chemotherapy</i> , 2005 , 49, 2407-11	5.9	77

(2010-2013)

450	Prognostic significance of silent myocardial infarction in newly diagnosed type 2 diabetes mellitus: United Kingdom Prospective Diabetes Study (UKPDS) 79. <i>Circulation</i> , 2013 , 127, 980-7	16.7	76
449	Comparison of three antigen detection methods for diagnosis and therapeutic monitoring of malaria: a field study from southern Vietnam. <i>Tropical Medicine and International Health</i> , 2002 , 7, 304-8	2.3	76
448	The current status and potential role of laboratory testing to prevent transfusion-transmitted malaria. <i>Transfusion Medicine Reviews</i> , 2005 , 19, 229-40	7.4	73
447	Pharmacokinetics and efficacy of piperaquine and chloroquine in Melanesian children with uncomplicated malaria. <i>Antimicrobial Agents and Chemotherapy</i> , 2008 , 52, 237-43	5.9	71
446	The IGSF1 deficiency syndrome: characteristics of male and female patients. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, 4942-52	5.6	70
445	Is self-monitoring of blood glucose appropriate for all type 2 diabetic patients? The Fremantle Diabetes Study. <i>Diabetes Care</i> , 2006 , 29, 1764-70	14.6	70
444	B-vitamins reduce the long-term risk of depression after stroke: The VITATOPS-DEP trial. <i>Annals of Neurology</i> , 2010 , 68, 503-10	9.4	67
443	Negative association between infra-renal aortic diameter and glycaemia: the Health in Men Study. <i>European Journal of Vascular and Endovascular Surgery</i> , 2007 , 33, 599-604	2.3	67
442	The antimalarial agent mefloquine inhibits ATP-sensitive K-channels. <i>British Journal of Pharmacology</i> , 2000 , 131, 756-60	8.6	67
441	Alpha 1-acid glycoprotein (orosomucoid) and plasma protein binding of quinine in falciparum malaria. <i>British Journal of Clinical Pharmacology</i> , 1991 , 32, 311-5	3.8	67
440	U.K. Prospective Diabetes Study 22. Effect of age at diagnosis on diabetic tissue damage during the first 6 years of NIDDM. <i>Diabetes Care</i> , 1997 , 20, 1435-41	14.6	66
439	Bone mineral density and its determinants in diabetes: the Fremantle Diabetes Study. <i>Diabetologia</i> , 2006 , 49, 863-71	10.3	66
438	Prevalence and predictors of osteopenia and osteoporosis in adults with Type 1 diabetes. <i>Diabetic Medicine</i> , 2009 , 26, 45-52	3.5	65
437	Does self-monitoring of blood glucose improve outcome in type 2 diabetes? The Fremantle Diabetes Study. <i>Diabetologia</i> , 2007 , 50, 510-5	10.3	64
436	Effect of continuous positive airway pressure therapy on cardiovascular risk factors in patients with type 2 diabetes and obstructive sleep apnea. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, 4212-8	5.6	62
435	Matrix biology of abdominal aortic aneurysms in diabetes: mechanisms underlying the negative association. <i>Connective Tissue Research</i> , 2007 , 48, 125-31	3.3	60
434	Effect of insulin therapy on quality of life in Type 2 diabetes mellitus: The Fremantle Diabetes Study. <i>Diabetes Research and Clinical Practice</i> , 2001 , 52, 63-71	7.4	60
433	Pharmacokinetics of chloroquine and monodesethylchloroquine in pregnancy. <i>Antimicrobial Agents and Chemotherapy</i> , 2010 , 54, 1186-92	5.9	59

432	The value of self-monitoring of blood glucose: a review of recent evidence. <i>Journal of Diabetes and Its Complications</i> , 2010 , 24, 129-41	3.2	59
431	A sub-microscopic gametocyte reservoir can sustain malaria transmission. <i>PLoS ONE</i> , 2011 , 6, e20805	3.7	57
430	A comprehensive investigation of variants in genes encoding adiponectin (ADIPOQ) and its receptors (ADIPOR1/R2), and their association with serum adiponectin, type 2 diabetes, insulin resistance and the metabolic syndrome. <i>BMC Medical Genetics</i> , 2013 , 14, 15	2.1	56
429	Features and prognosis of severe malaria caused by Plasmodium falciparum, Plasmodium vivax and mixed Plasmodium species in Papua New Guinean children. <i>PLoS ONE</i> , 2011 , 6, e29203	3.7	56
428	Oral bioavailability of dihydroartemisinin in Vietnamese volunteers and in patients with falciparum malaria. <i>British Journal of Clinical Pharmacology</i> , 2001 , 51, 541-6	3.8	56
427	A study of the factors affecting the metabolic clearance of quinine in malaria. <i>European Journal of Clinical Pharmacology</i> , 1997 , 52, 487-93	2.8	55
426	Erythrocyte survival in severe falciparum malaria. <i>Acta Tropica</i> , 1991 , 48, 263-70	3.2	55
425	Synthesis and antimalarial evaluation of novel isocryptolepine derivatives. <i>Bioorganic and Medicinal Chemistry</i> , 2011 , 19, 7519-25	3.4	54
424	T cells and CD14+ monocytes are predominant cellular sources of cytokines and chemokines associated with severe malaria. <i>Journal of Infectious Diseases</i> , 2014 , 210, 295-305	7	53
423	Pharmacokinetics and pharmacodynamics of gliclazide in Caucasians and Australian Aborigines with type 2 diabetes. <i>British Journal of Clinical Pharmacology</i> , 2000 , 49, 223-30	3.8	53
422	Glycaemic levels triggering intensification of therapy in type 2 diabetes in the community: the Fremantle Diabetes Study. <i>Medical Journal of Australia</i> , 2006 , 184, 325-8	4	51
421	Silent myocardial infarction and its prognosis in a community-based cohort of Type 2 diabetic patients: the Fremantle Diabetes Study. <i>Diabetologia</i> , 2004 , 47, 395-399	10.3	51
420	Arrhythmias and mortality after myocardial infarction in diabetic patients. Relationship to diabetes treatment. <i>Diabetes Care</i> , 1998 , 21, 637-40	14.6	51
419	Pyrvinium targets the unfolded protein response to hypoglycemia and its anti-tumor activity is enhanced by combination therapy. <i>PLoS ONE</i> , 2008 , 3, e3951	3.7	50
418	Metformin and lactic acidosis in an Australian community setting: the Fremantle Diabetes Study. <i>Medical Journal of Australia</i> , 2008 , 188, 446-9	4	50
417	A safe and effective consecutive-infusion regimen for rapid quinine loading in severe falciparum malaria. <i>Journal of Infectious Diseases</i> , 1990 , 161, 1305-8	7	50
416	Pharmacokinetic properties of sulfadoxine-pyrimethamine in pregnant women. <i>Antimicrobial Agents and Chemotherapy</i> , 2009 , 53, 4368-76	5.9	49
415	The effect of ciprofloxacin on theophylline pharmacokinetics in healthy subjects. <i>British Journal of Clinical Pharmacology</i> , 1995 , 39, 305-11	3.8	48

(2000-2011)

414	Desbutyl-lumefantrine is a metabolite of lumefantrine with potent in vitro antimalarial activity that may influence artemether-lumefantrine treatment outcome. <i>Antimicrobial Agents and Chemotherapy</i> , 2011 , 55, 1194-8	5.9	47
413	Hemodynamic effects of fenofibrate and coenzyme Q10 in type 2 diabetic subjects with left ventricular diastolic dysfunction. <i>Diabetes Care</i> , 2008 , 31, 1502-9	14.6	47
412	Measurement of piperaquine in plasma by liquid chromatography with ultraviolet absorbance detection. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2003 , 791, 93-101	3.2	47
411	The relationship between metformin therapy and the fasting plasma lactate in type 2 diabetes: The Fremantle Diabetes Study. <i>British Journal of Clinical Pharmacology</i> , 2001 , 52, 137-44	3.8	47
410	Incidence and predictors of hospitalization for bacterial infection in community-based patients with type 2 diabetes: the fremantle diabetes study. <i>PLoS ONE</i> , 2013 , 8, e60502	3.7	47
409	A five-year prospective study of bone mineral density in men and women with diabetes: the Fremantle Diabetes Study. <i>Acta Diabetologica</i> , 2012 , 49, 153-8	3.9	46
408	Population pharmacokinetics of artemether, lumefantrine, and their respective metabolites in Papua New Guinean children with uncomplicated malaria. <i>Antimicrobial Agents and Chemotherapy</i> , 2011 , 55, 5306-13	5.9	46
407	An Australian cardiovascular risk equation for type 2 diabetes: the Fremantle Diabetes Study. <i>Internal Medicine Journal</i> , 2010 , 40, 286-92	1.6	45
406	Reduced risk of Plasmodium vivax malaria in Papua New Guinean children with Southeast Asian ovalocytosis in two cohorts and a case-control study. <i>PLoS Medicine</i> , 2012 , 9, e1001305	11.6	45
405	Measures of capillary permeability in acute falciparum malaria: relation to severity of infection and treatment. <i>Clinical Infectious Diseases</i> , 1992 , 15, 256-66	11.6	45
404	Erythrocyte sequestration and anemia in severe falciparum malaria. Analysis of acute changes in venous hematocrit using a simple mathematical model. <i>Journal of Clinical Investigation</i> , 1990 , 86, 793-80	0 <mark>6</mark> 5.9	45
403	Serum uric acid does not predict cardiovascular or all-cause mortality in type 2 diabetes: the Fremantle Diabetes Study. <i>Diabetologia</i> , 2010 , 53, 1288-94	10.3	44
402	Clinical and parasitological response to oral chloroquine and primaquine in uncomplicated human Plasmodium knowlesi infections. <i>Malaria Journal</i> , 2010 , 9, 238	3.6	43
401	Magnetic susceptibility of iron in malaria-infected red blood cells. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2009 , 1792, 93-9	6.9	43
400	Ethnicity and long-term vascular outcomes in Type 2 diabetes: a prospective observational study (UKPDS 83). <i>Diabetic Medicine</i> , 2014 , 31, 200-7	3.5	42
399	A new blood glucose management algorithm for type 2 diabetes: a position statement of the Australian Diabetes Society. <i>Medical Journal of Australia</i> , 2014 , 201, 650-3	4	42
398	Disposition of artesunate and dihydroartemisinin after administration of artesunate suppositories in children from Papua New Guinea with uncomplicated malaria. <i>Antimicrobial Agents and Chemotherapy</i> , 2004 , 48, 2966-72	5.9	42
397	Glycemic control in older subjects with type 2 diabetes mellitus in the Fremantle Diabetes Study. Journal of the American Geriatrics Society, 2000, 48, 1449-53	5.6	42

396	The pharmacokinetic properties of intramuscular artesunate and rectal dihydroartemisinin in uncomplicated falciparum malaria. <i>British Journal of Clinical Pharmacology</i> , 2002 , 53, 23-30	3.8	41
395	Electrocardiographic monitoring in severe falciparum malaria. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 1996 , 90, 266-9	2	41
394	Glucose turnover in severe falciparum malaria. <i>Metabolism: Clinical and Experimental</i> , 1993 , 42, 334-40	12.7	41
393	Dipeptidyl peptidase-4 inhibitors: pharmacokinetics, efficacy, tolerability and safety in renal impairment. <i>Diabetes, Obesity and Metabolism</i> , 2014 , 16, 891-9	6.7	40
392	Utility of the metabolic syndrome and its components in the prediction of incident cardiovascular disease: a prospective cohort study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2009 , 16, 235-41		40
391	Penetration of dihydroartemisinin into cerebrospinal fluid after administration of intravenous artesunate in severe falciparum malaria. <i>Antimicrobial Agents and Chemotherapy</i> , 2003 , 47, 368-70	5.9	40
390	Serum procalcitonin concentrations in acute malaria. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 1994 , 88, 670-1	2	40
389	Identification of Novel Circulating Biomarkers Predicting Rapid Decline in Renal Function in Type 2 Diabetes: The Fremantle Diabetes Study Phase II. <i>Diabetes Care</i> , 2017 , 40, 1548-1555	14.6	39
388	Comparison of the Framingham and United Kingdom Prospective Diabetes Study cardiovascular risk equations in Australian patients with type 2 diabetes from the Fremantle Diabetes Study. <i>Medical Journal of Australia</i> , 2009 , 190, 180-184	4	39
387	Human candidate gene polymorphisms and risk of severe malaria in children in Kilifi, Kenya: a case-control association study. <i>Lancet Haematology,the</i> , 2018 , 5, e333-e345	14.6	38
386	Impact of metabolic syndrome and its components on cardiovascular disease event rates in 4900 patients with type 2 diabetes assigned to placebo in the FIELD randomised trial. <i>Cardiovascular Diabetology</i> , 2011 , 10, 102	8.7	38
385	Chronic complications and mortality in community-based patients with latent autoimmune diabetes in adults: the Fremantle Diabetes Study. <i>Diabetic Medicine</i> , 2008 , 25, 1245-50	3.5	38
384	Nurse-based evaluation of point-of-care assays for glycated haemoglobin. <i>Clinica Chimica Acta</i> , 2006 , 365, 257-63	6.2	38
383	Pharmacokinetic properties of azithromycin in pregnancy. <i>Antimicrobial Agents and Chemotherapy</i> , 2010 , 54, 360-6	5.9	37
382	Transfer of chloroquine and desethylchloroquine across the placenta and into milk in Melanesian mothers. <i>British Journal of Clinical Pharmacology</i> , 2008 , 65, 674-9	3.8	37
381	Neurological, cardiovascular and metabolic effects of mefloquine in healthy volunteers: a double-blind, placebo-controlled trial. <i>British Journal of Clinical Pharmacology</i> , 1996 , 42, 415-421	3.8	37
380	Personality traits, self-care behaviours and glycaemic control in type 2 diabetes: the Fremantle diabetes study phase II. <i>Diabetic Medicine</i> , 2014 , 31, 487-92	3.5	36
379	Continuing disparities in cardiovascular risk factors and complications between aboriginal and Anglo-Celt Australians with type 2 diabetes: the Fremantle Diabetes Study. <i>Diabetes Care</i> , 2012 , 35, 200	o 5 -4-6	36

(2016-1993)

378	Interactions among primaquine, malaria infection and other antimalarials in Thai subjects. <i>British Journal of Clinical Pharmacology</i> , 1993 , 35, 193-8	3.8	36
377	Dichloroacetate for lactic acidosis in severe malaria: a pharmacokinetic and pharmacodynamic assessment. <i>Metabolism: Clinical and Experimental</i> , 1994 , 43, 974-81	12.7	36
376	The relationship between hypomagnesemia, metformin therapy and cardiovascular disease complicating type 2 diabetes: the Fremantle Diabetes Study. <i>PLoS ONE</i> , 2013 , 8, e74355	3.7	36
375	Comparison of anthropometric measures as predictors of cancer incidence: A pooled collaborative analysis of 11 Australian cohorts. <i>International Journal of Cancer</i> , 2015 , 137, 1699-708	7.5	35
374	A randomised controlled trial of a pharmaceutical care programme in high-risk diabetic patients in an outpatient clinic. <i>International Journal of Pharmacy Practice</i> , 2011 , 10, 85-89	1.7	35
373	Artesunate suppositories versus intramuscular artemether for treatment of severe malaria in children in Papua New Guinea. <i>Antimicrobial Agents and Chemotherapy</i> , 2006 , 50, 968-74	5.9	35
372	Hepatic blood flow and metabolism in severe falciparum malaria: clearance of intravenously administered galactose. <i>Clinical Science</i> , 1992 , 82, 63-70	6.5	35
371	Tirzepatide versus insulin glargine in type 2 diabetes and increased cardiovascular risk (SURPASS-4): a randomised, open-label, parallel-group, multicentre, phase 3 trial. <i>Lancet, The</i> , 2021 , 398, 1811-1824	40	35
370	Incidence and predictors of hospitalization for tendon rupture in type 2 diabetes: the Fremantle diabetes study. <i>Diabetic Medicine</i> , 2014 , 31, 425-30	3.5	34
369	Prevalence and risk factor correlates of elevated C-reactive protein in an adult Australian population. <i>American Journal of Cardiology</i> , 2008 , 101, 193-8	3	34
368	Resistance of Plasmodium falciparum to antimalarial drugs in a highly endemic area of southern Viet Nam: a study in vivo and in vitro. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2001 , 95, 325-9	2	34
367	Dementia and its associations in type 2 diabetes mellitus: the Fremantle Diabetes Study. <i>Diabetes Research and Clinical Practice</i> , 2001 , 53, 165-72	7.4	34
366	HDL-C and HDL-C/ApoA-I predict long-term progression of glycemia in established type 2 diabetes. <i>Diabetes Care</i> , 2014 , 37, 2351-8	14.6	33
365	Aspirin is associated with reduced cardiovascular and all-cause mortality in type 2 diabetes in a primary prevention setting: the Fremantle Diabetes study. <i>Diabetes Care</i> , 2010 , 33, 317-21	14.6	33
364	Severe anemia in Papua New Guinean children from a malaria-endemic area: a case-control etiologic study. <i>PLoS Neglected Tropical Diseases</i> , 2012 , 6, e1972	4.8	33
363	The efficacy of benzimidazole drugs against Plasmodium falciparum in vitro. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 1997 , 91, 580-4	2	33
362	Rectal administration of artemisinin derivatives for the treatment of malaria. <i>JAMA - Journal of the American Medical Association</i> , 2007 , 297, 2381-90	27.4	33
361	Lifetime depression and anxiety increase prevalent psychological symptoms and worsen glycemic control in type 2 diabetes: The Fremantle Diabetes Study Phase II. <i>Diabetes Research and Clinical Practice</i> , 2016 , 122, 190-197	7.4	32

360	Artemisinin-naphthoquine combination therapy for uncomplicated pediatric malaria: a tolerability, safety, and preliminary efficacy study. <i>Antimicrobial Agents and Chemotherapy</i> , 2012 , 56, 2465-71	5.9	32
359	Artemisinin-naphthoquine combination therapy for uncomplicated pediatric malaria: a pharmacokinetic study. <i>Antimicrobial Agents and Chemotherapy</i> , 2012 , 56, 2472-84	5.9	32
358	Fenofibrate improves endothelial function in the brachial artery and forearm resistance arterioles of statin-treated Type 2 diabetic patients. <i>Clinical Science</i> , 2010 , 118, 607-15	6.5	32
357	Ethnic diversity in type 2 diabetes. <i>Diabetic Medicine</i> , 2008 , 25 Suppl 2, 52-6	3.5	32
356	The efficacy of a malarial antibody enzyme immunoassay for establishing the reinstatement status of blood donors potentially exposed to malaria. <i>Vox Sanguinis</i> , 2005 , 88, 98-106	3.1	32
355	Skeletal muscle involvement in falciparum malaria: biochemical and ultrastructural study. <i>Clinical Infectious Diseases</i> , 1999 , 29, 831-5	11.6	32
354	Role of P glycoprotein in absorption of novel antimalarial drugs. <i>Antimicrobial Agents and Chemotherapy</i> , 2006 , 50, 3504-6	5.9	31
353	Fear of falling is common in patients with type 2 diabetes and is associated with increased risk of falls. <i>Age and Ageing</i> , 2015 , 44, 687-90	3	30
352	Effect of fenofibrate on uric acid and gout in type 2 diabetes: a post-hoc analysis of the randomised, controlled FIELD study. <i>Lancet Diabetes and Endocrinology,the</i> , 2018 , 6, 310-318	18.1	30
351	Continuous infusions of meropenem in ambulatory care: clinical efficacy, safety and stability. <i>PLoS ONE</i> , 2014 , 9, e102023	3.7	30
350	A comparative study of a flow-cytometry-based assessment of in vitro Plasmodium falciparum drug sensitivity. <i>Malaria Journal</i> , 2009 , 8, 294	3.6	30
349	Prospective evaluation of carotid bruit as a predictor of first stroke in type 2 diabetes: the Fremantle Diabetes Study. <i>Stroke</i> , 2003 , 34, 2145-51	6.7	30
348	Serum vitamin A and E concentrations in acute falciparum malaria: modulators or markers of severity?. <i>Clinical Science</i> , 1994 , 87, 505-11	6.5	30
347	Glucose metabolism in quinine-treated patients with uncomplicated falciparum malaria. <i>Clinical Endocrinology</i> , 1990 , 33, 739-49	3.4	30
346	Glycemic control over 5 years in 4,900 people with type 2 diabetes: real-world diabetes therapy in a clinical trial cohort. <i>Diabetes Care</i> , 2012 , 35, 1165-70	14.6	29
345	A comparison of the sensitivities of detection of Plasmodium falciparum gametocytes by magnetic fractionation, thick blood film microscopy, and RT-PCR. <i>Malaria Journal</i> , 2009 , 8, 98	3.6	29
344	Prevalence and prognostic implications of the metabolic syndrome in community-based patients with type 1 diabetes: the Fremantle Diabetes Study. <i>Diabetes Research and Clinical Practice</i> , 2007 , 78, 412-7	7.4	29
343	Protein binding and alpha: beta anomer ratio of dihydroartemisinin in vivo. <i>British Journal of Clinical Pharmacology</i> , 2004 , 57, 529-33	3.8	29

(2015-2019)

342	A systematic review of risk factors for cataract in type 2 diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2019 , 35, e3073	7.5	29	
341	Artemether-lumefantrine dosing for malaria treatment in young children and pregnant women: A pharmacokinetic-pharmacodynamic meta-analysis. <i>PLoS Medicine</i> , 2018 , 15, e1002579	11.6	28	
340	Sulphonylurea-metformin combination therapy, cardiovascular disease and all-cause mortality: the Fremantle Diabetes Study. <i>Diabetes, Obesity and Metabolism</i> , 2010 , 12, 757-65	6.7	28	
339	Treatment of uncomplicated falciparum malaria in southern Vietnam: can chloroquine or sulfadoxine-pyrimethamine be reintroduced in combination with artesunate?. <i>Clinical Infectious Diseases</i> , 2003 , 37, 1461-6	11.6	28	
338	Feasibility of a multi-modal exercise program on cognition in older adults with Type 2 diabetes - a pilot randomised controlled trial. <i>BMC Geriatrics</i> , 2017 , 17, 237	4.1	27	
337	Characteristics and outcome of type 2 diabetes in urban Aboriginal people: the Fremantle Diabetes Study. <i>Internal Medicine Journal</i> , 2007 , 37, 59-63	1.6	27	
336	Vascular depression in older people with diabetes. <i>Diabetologia</i> , 2006 , 49, 2828-36	10.3	27	
335	A prospective clinical and bacteriologic study of inguinal buboes in Thai men. <i>Clinical Infectious Diseases</i> , 1996 , 22, 233-9	11.6	27	
334	Glycerol metabolism in severe falciparum malaria. Metabolism: Clinical and Experimental, 1994, 43, 887-	9 2 2.7	27	
333	Temporal changes in the prevalence and associates of diabetes-related lower extremity amputations in patients with type 2 diabetes: the Fremantle Diabetes Study. <i>Cardiovascular Diabetology</i> , 2015 , 14, 152	8.7	26	
332	Artemisinin-naphthoquine versus artemether-lumefantrine for uncomplicated malaria in Papua New Guinean children: an open-label randomized trial. <i>PLoS Medicine</i> , 2014 , 11, e1001773	11.6	26	
331	Prevalence of abdominal aortic aneurysms in men with diabetes. <i>Medical Journal of Australia</i> , 1997 , 166, 630-3	4	26	
330	Antiplasmodial and antioxidant isofuranonaphthoquinones from the roots of Bulbine capitata. <i>Planta Medica</i> , 2001 , 67, 340-4	3.1	26	
329	The diagonal ear lobe crease (Frank's sign) is not associated with coronary artery disease or retinopathy in type 2 diabetes: the Fremantle Diabetes Study. <i>Australian and New Zealand Journal of Medicine</i> , 2000 , 30, 573-7		26	
328	Determinants of ADP-induced platelet aggregation in diabetes mellitus. <i>Diabetologia</i> , 1986 , 29, 291-4	10.3	26	
327	Prognostic indicators in adults hospitalized with falciparum malaria in Western Thailand. <i>Malaria Journal</i> , 2013 , 12, 229	3.6	25	
326	Dementia onset, incidence and risk in type 2 diabetes: a matched cohort study with the Fremantle Diabetes Study Phase I. <i>Diabetologia</i> , 2017 , 60, 89-97	10.3	25	
325	Population pharmacokinetics, tolerability, and safety of dihydroartemisinin-piperaquine and sulfadoxine-pyrimethamine-piperaquine in pregnant and nonpregnant Papua New Guinean women. <i>Antimicrobial Agents and Chemotherapy</i> , 2015 , 59, 4260-71	5.9	25	

324	Mid-life predictors of cognitive impairment and dementia in type 2 diabetes mellitus: the Fremantle Diabetes Study. <i>Journal of Alzheimerls Disease</i> , 2014 , 42 Suppl 3, S63-70	4.3	25
323	Subacute sclerosing panencephalitis in papua new guinean children: the cost of continuing inadequate measles vaccine coverage. <i>PLoS Neglected Tropical Diseases</i> , 2011 , 5, e932	4.8	25
322	Synergistic in vitro antimalarial activity of omeprazole and quinine. <i>Antimicrobial Agents and Chemotherapy</i> , 1999 , 43, 1304-6	5.9	25
321	Plasma Plasmodium falciparum histidine-rich protein-2 concentrations do not reflect severity of malaria in Papua new guinean children. <i>Clinical Infectious Diseases</i> , 2011 , 52, 440-6	11.6	24
320	Pharmacokinetic comparison of two piperaquine-containing artemisinin combination therapies in Papua New Guinean children with uncomplicated malaria. <i>Antimicrobial Agents and Chemotherapy</i> , 2012 , 56, 3288-97	5.9	24
319	Relative bradycardia is not a feature of enteric fever in children. <i>Clinical Infectious Diseases</i> , 1999 , 28, 582-6	11.6	24
318	Validation and Application of a Dried Blood Spot Ceftriaxone Assay. <i>Antimicrobial Agents and Chemotherapy</i> , 2016 , 60, 14-23	5.9	23
317	Incidence and determinants of carpal tunnel decompression surgery in type 2 diabetes: the Fremantle Diabetes Study. <i>Diabetes Care</i> , 2008 , 31, 498-500	14.6	23
316	Prevalence and Predictors of Complementary Medicine Usage in Diabetes: Fremantle Diabetes Study. <i>Journal of Pharmacy Practice and Research</i> , 2003 , 33, 260-264	0.7	23
315	Determinants of diabetes-attributable non-blood glucose-lowering medication costs in type 2 diabetes: the Fremantle Diabetes Study. <i>Diabetes Care</i> , 2005 , 28, 329-36	14.6	23
314	Comprehensive mass spectrometry based biomarker discovery and validation platform as applied to diabetic kidney disease. <i>EuPA Open Proteomics</i> , 2017 , 14, 1-10	0.1	22
313	The metabolic syndrome and cancer: Is the metabolic syndrome useful for predicting cancer risk above and beyond its individual components?. <i>Diabetes and Metabolism</i> , 2015 , 41, 463-9	5.4	22
312	The hypothalamic-pituitary-adrenocortical axis in severe falciparum malaria: effects of cytokines. Journal of Clinical Endocrinology and Metabolism, 1997, 82, 3029-33	5.6	22
311	Glucose metabolism in severe malaria: minimal model analysis of the intravenous glucose tolerance test incorporating a stable glucose label. <i>Metabolism: Clinical and Experimental</i> , 1997 , 46, 1435-40	12.7	22
310	Asymptomatic bacteriuria as a predictor of subsequent hospitalisation with urinary tract infection in diabetic adults: The Fremantle Diabetes Study. <i>Diabetologia</i> , 2005 , 48, 1288-91	10.3	22
309	Multiple dose study of interactions between artesunate and artemisinin in healthy volunteers. <i>British Journal of Clinical Pharmacology</i> , 2001 , 52, 377-85	3.8	22
308	Abnormal circulatory control in falciparum malaria: the effects of antimalarial drugs. <i>European Journal of Clinical Pharmacology</i> , 1993 , 44, 325-9	2.8	22
307	Relative bioavailability of artesunate and dihydroartemisinin: investigations in the isolated perfused rat liver and in healthy Caucasian volunteers. <i>American Journal of Tropical Medicine and Hygiene</i> , 2002 , 66, 130-6	3.2	22

306	Dexfenfluramine in type II diabetes: effect on weight and diabetes control. <i>Medical Journal of Australia</i> , 1993 , 158, 167-9	4	22	
305	CAPTURE: a multinational, cross-sectional study of cardiovascular disease prevalence in adults with type 2 diabetes across 13 countries. <i>Cardiovascular Diabetology</i> , 2021 , 20, 154	8.7	22	
304	Comorbid Anxiety and Depression and Their Impact on Cardiovascular Disease in Type 2 Diabetes: The Fremantle Diabetes Study Phase II. <i>Depression and Anxiety</i> , 2016 , 33, 960-966	8.4	21	
303	Comparison of an assumed versus measured leucocyte count in parasite density calculations in Papua New Guinean children with uncomplicated malaria. <i>Malaria Journal</i> , 2014 , 13, 145	3.6	21	
302	Niacin improves small artery vasodilatory function and compliance in statin-treated type 2 diabetic patients. <i>Diabetes and Vascular Disease Research</i> , 2010 , 7, 296-9	3.3	21	
301	Comparison of the Framingham and United Kingdom Prospective Diabetes Study cardiovascular risk equations in Australian patients with type 2 diabetes from the Fremantle Diabetes Study. <i>Medical Journal of Australia</i> , 2009 , 190, 180-4	4	21	
300	Incidence and predictors of all-cause and site-specific cancer in type 2 diabetes: the Fremantle Diabetes Study. <i>European Journal of Endocrinology</i> , 2012 , 167, 589-99	6.5	21	
299	Mathematical modeling of malaria infection with innate and adaptive immunity in individuals and agent-based communities. <i>PLoS ONE</i> , 2012 , 7, e34040	3.7	21	
298	Clinical features and outcome in children with severe Plasmodium falciparum malaria: a meta-analysis. <i>PLoS ONE</i> , 2014 , 9, e86737	3.7	21	
297	Advanced Glycation End Products and esRAGE Are Associated With Bone Turnover and Incidence of Hip Fracture in Older Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 4224-4231	5.6	21	
296	A comparison of two methods of foot health education: the Fremantle Diabetes Study Phase II. <i>Primary Care Diabetes</i> , 2015 , 9, 155-62	2.4	20	
295	Economic impact of moderate weight loss in patients with Type 2 diabetes: the Fremantle Diabetes Study. <i>Diabetic Medicine</i> , 2011 , 28, 1131-5	3.5	20	
294	In vitro sensitivity of Plasmodium falciparum to conventional and novel antimalarial drugs in Papua New Guinea. <i>Tropical Medicine and International Health</i> , 2010 , 15, 342-9	2.3	20	
293	Molecular assessment of Plasmodium falciparum resistance to antimalarial drugs in Papua New Guinea using an extended ligase detection reaction fluorescent microsphere assay. <i>Antimicrobial Agents and Chemotherapy</i> , 2011 , 55, 798-805	5.9	20	
292	Assessment of the effect of malaria infection on hepatic clearance of dihydroartemisinin using rat liver perfusions and microsomes. <i>British Journal of Pharmacology</i> , 1998 , 125, 159-67	8.6	20	
291	In vitro interactions between piperaquine, dihydroartemisinin, and other conventional and novel antimalarial drugs. <i>Antimicrobial Agents and Chemotherapy</i> , 2006 , 50, 2883-5	5.9	20	
290	The obesity-driven rising costs of type 2 diabetes in Australia: projections from the Fremantle Diabetes Study. <i>Internal Medicine Journal</i> , 2006 , 36, 155-61	1.6	20	
289	Prevalence of diabetes in Australia: insights from the Fremantle Diabetes Study Phase II. <i>Internal Medicine Journal</i> , 2018 , 48, 803-809	1.6	19	

288	Effect of continuous positive airway pressure therapy on sexual function and serum testosterone in males with type 2 diabetes and obstructive sleep apnoea. <i>Clinical Endocrinology</i> , 2014 , 81, 254-8	3.4	19
287	Lumbar puncture in children from an area of malaria endemicity who present with a febrile seizure. <i>Clinical Infectious Diseases</i> , 2010 , 51, 534-40	11.6	19
286	Chloroquine and its derivatives exacerbate B19V-associated anemia by promoting viral replication. <i>PLoS Neglected Tropical Diseases</i> , 2010 , 4, e669	4.8	19
285	Prospects for the treatment of drug-resistant malaria parasites. <i>Future Microbiology</i> , 2006 , 1, 127-41	2.9	19
284	Parasites and biosecuritythe example of Australia. <i>Trends in Parasitology</i> , 2003 , 19, 410-6	6.4	19
283	Glucose turnover in pregnant women with acute malaria. <i>Clinical Science</i> , 1994 , 86, 83-90	6.5	19
282	Rapid antigen detection tests for malaria diagnosis in severely ill Papua New Guinean children: a comparative study using Bayesian latent class models. <i>PLoS ONE</i> , 2012 , 7, e48701	3.7	19
281	Anemia complicating type 2 diabetes: Prevalence, risk factors and prognosis. <i>Journal of Diabetes and Its Complications</i> , 2017 , 31, 1169-1174	3.2	18
280	Pharmacokinetics of Transfer of Azithromycin into the Breast Milk of African Mothers. <i>Antimicrobial Agents and Chemotherapy</i> , 2015 , 60, 1592-9	5.9	18
279	Characterization of treatment failure in efficacy trials of drugs against Plasmodium vivax by genotyping neutral and drug resistance-associated markers. <i>Antimicrobial Agents and Chemotherapy</i> , 2011 , 55, 4479-81	5.9	18
278	Calcium and phosphate metabolism in acute falciparum malaria. Clinical Science, 1991, 81, 297-304	6.5	18
277	Clinical impact of the temporal relationship between depression and type 2 diabetes: the Fremantle diabetes study phase II. <i>PLoS ONE</i> , 2013 , 8, e81254	3.7	18
276	Prevalence, risk factors and sequelae of Staphylococcus aureus carriage in diabetes: the Fremantle Diabetes Study Phase II. <i>Journal of Diabetes and Its Complications</i> , 2015 , 29, 1092-7	3.2	17
275	Apathy in older patients with type 2 diabetes. <i>American Journal of Geriatric Psychiatry</i> , 2015 , 23, 615-21	6.5	17
274	Effect of race on the glycaemic response to sitagliptin: Insights from the Trial Evaluating Cardiovascular Outcomes with Sitagliptin (TECOS). <i>Diabetes, Obesity and Metabolism</i> , 2018 , 20, 1427-14	347	17
273	A longitudinal study of foot ulceration and its risk factors in community-based patients with type 2 diabetes: the Fremantle Diabetes Study. <i>Diabetes Research and Clinical Practice</i> , 2014 , 106, 42-9	7.4	17
272	Simultaneous determination of primaquine and carboxyprimaquine in plasma using solid phase extraction and LC-MS assay. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2012 , 902, 142-6	3.2	17
271	Prevalence, incidence, and prognosis of hepatobiliary disease in community-based patients with type 2 diabetes: the Fremantle Diabetes Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, 1581-8	5.6	17

270	Antimalarial drugs and glucose metabolism. British Journal of Clinical Pharmacology, 1997, 44, 1-7	3.8	17
269	Retinopathy in latent autoimmune diabetes of adults: the Fremantle Diabetes Study. <i>Diabetic Medicine</i> , 2002 , 19, 602-5	3.5	17
268	Community-acquired infections in type 2 diabetic patients and their nondiabetic partners. The Fremantle Diabetes Study. <i>Journal of Diabetes and Its Complications</i> , 2005 , 19, 259-63	3.2	17
267	Notifications of imported malaria in Western Australia, 1990-2001: incidence, associated factors and chemoprophylaxis. <i>Medical Journal of Australia</i> , 2005 , 182, 164-7	4	17
266	Platelet-activating factor and lipid metabolism in acute malaria. <i>Journal of Infection</i> , 1993 , 26, 279-85	18.9	17
265	Serum ionized calcium, serum and intracellular phosphate, and serum parathormone concentrations in acute malaria. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 1993 , 87, 49-53	2	17
264	Plasma N-acetyl-beta, D-glucosaminidase activities and glycaemia in diabetes mellitus. <i>Diabetologia</i> , 1983 , 24, 433-6	10.3	17
263	Hyponatremia in severe malaria: evidence for an appropriate anti-diuretic hormone response to hypovolemia. <i>American Journal of Tropical Medicine and Hygiene</i> , 2009 , 80, 141-5	3.2	17
262	Comparison of artemether-lumefantrine with sulfadoxine-pyrimethamine for the treatment of uncomplicated falciparum malaria in eastern Nepal. <i>American Journal of Tropical Medicine and Hygiene</i> , 2007 , 77, 423-30	3.2	17
261	A histopathologic study of fatal paediatric cerebral malaria caused by mixed Plasmodium falciparum/Plasmodium vivax infections. <i>Malaria Journal</i> , 2012 , 11, 107	3.6	16
260	Maternal family history of diabetes is associated with a reduced risk of cardiovascular disease in women with type 2 diabetes: the Fremantle Diabetes Study. <i>Diabetes Care</i> , 2010 , 33, 1477-83	14.6	16
259	Cost-effectiveness of artemisinin combination therapy for uncomplicated malaria in children: data from Papua New Guinea. <i>Bulletin of the World Health Organization</i> , 2011 , 89, 211-20	8.2	16
258	Prevalence, characteristics, and prognostic significance of HFE gene mutations in type 2 diabetes: the Fremantle Diabetes Study. <i>Diabetes Care</i> , 2008 , 31, 1795-801	14.6	16
257	Safety and therapeutic efficacy of artesunate suppositories for treatment of malaria in children in Papua New Guinea. <i>Pediatric Infectious Disease Journal</i> , 2003 , 22, 251-6	3.4	16
256	In vitro antimalarial activity of retinoids and the influence of selective retinoic acid receptor antagonists. <i>Acta Tropica</i> , 2003 , 87, 345-53	3.2	16
255	Changes in the peripheral blood eosinophil count in falciparum malaria. <i>Acta Tropica</i> , 1991 , 48, 243-6	3.2	16
254	The effect of cholinergic blockade on the growth hormone response to galanin in humans. <i>Metabolism: Clinical and Experimental</i> , 1988 , 37, 1089-91	12.7	16
253	Temporal changes in Plasmodium falciparum anti-malarial drug sensitivity in vitro and resistance-associated genetic mutations in isolates from Papua New Guinea. <i>Malaria Journal</i> , 2015 , 14, 37	3.6	15

252	Temporal changes in the prevalence and associates of foot ulceration in type 2 diabetes: the Fremantle Diabetes Study. <i>Journal of Diabetes and Its Complications</i> , 2015 , 29, 356-61	3.2	15
251	Hippocampal atrophy, asymmetry, and cognition in type 2 diabetes mellitus. <i>Brain and Behavior</i> , 2018 , 8, e00741	3.4	15
250	The relationship between estimated glomerular filtration rate trajectory and all-cause mortality in type 2 diabetes: the Fremantle Diabetes Study. <i>European Journal of Endocrinology</i> , 2016 , 175, 273-85	6.5	15
249	Prevention of bacterial infections in the newborn by pre-delivery administration of azithromycin: Study protocol of a randomized efficacy trial. <i>BMC Pregnancy and Childbirth</i> , 2015 , 15, 302	3.2	15
248	Significant geographical differences in prevalence of mutations associated with Plasmodium falciparum and Plasmodium vivax drug resistance in two regions from Papua New Guinea. <i>Malaria Journal</i> , 2015 , 14, 399	3.6	15
247	Effect of coadministered fat on the tolerability, safety, and pharmacokinetic properties of dihydroartemisinin-piperaquine in Papua New Guinean children with uncomplicated malaria. <i>Antimicrobial Agents and Chemotherapy</i> , 2014 , 58, 5784-94	5.9	15
246	Pharmacokinetic properties of single-dose primaquine in Papua New Guinean children: feasibility of abbreviated high-dose regimens for radical cure of vivax malaria. <i>Antimicrobial Agents and Chemotherapy</i> , 2014 , 58, 432-9	5.9	15
245	Helicobacter pylori cytotoxin-associated gene-A antibodies do not predict complications or death in type 2 diabetes: the Fremantle Diabetes Study. <i>Atherosclerosis</i> , 2010 , 212, 321-6	3.1	15
244	Parasitic procrastination: late-presenting ovale malaria and schistosomiasis. <i>Medical Journal of Australia</i> , 2001 , 175, 146-8	4	15
243	The Hypothalamic-Pituitary-Adrenocortical Axis in Severe Falciparum Malaria: Effects of Cytokines. Journal of Clinical Endocrinology and Metabolism, 1997 , 82, 3029-3033	5.6	15
242	CAREGIVERSIACCEPTANCE OF USING ARTESUNATE SUPPOSITORIES FOR TREATING CHILDHOOD MALARIA IN PAPUA NEW GUINEA. <i>American Journal of Tropical Medicine and Hygiene</i> , 2007 , 76, 634-640	3.2	15
241	Neurological, cardiovascular and metabolic effects of mefloquine in healthy volunteers: a double-blind, placebo-controlled trial. <i>British Journal of Clinical Pharmacology</i> , 1996 , 42, 415-21	3.8	15
240	Safety, tolerability and pharmacokinetic properties of coadministered azithromycin and piperaquine in pregnant Papua New Guinean women. <i>British Journal of Clinical Pharmacology</i> , 2016 , 82, 199-212	3.8	15
239	The efficacy of dihydroartemisinin-piperaquine and artemether-lumefantrine with and without primaquine on Plasmodium vivax recurrence: A systematic review and individual patient data meta-analysis. <i>PLoS Medicine</i> , 2019 , 16, e1002928	11.6	14
238	Acquisition of Antibodies Against Endothelial Protein C Receptor-Binding Domains of Plasmodium falciparum Erythrocyte Membrane Protein 1 in Children with Severe Malaria. <i>Journal of Infectious Diseases</i> , 2019 , 219, 808-818	7	14
237	Clinical features and management of Plasmodium knowlesi infections in humans. <i>Parasitology</i> , 2018 , 145, 18-31	2.7	14
236	Comparison of three methods for detection of gametocytes in Melanesian children treated for uncomplicated malaria. <i>Malaria Journal</i> , 2014 , 13, 319	3.6	14
235	Quality of antimalarial drugs and antibiotics in Papua New Guinea: a survey of the health facility supply chain. <i>PLoS ONE</i> , 2014 , 9, e96810	3.7	14

(2020-2010)

234	Parameterization of high magnetic field gradient fractionation columns for applications with Plasmodium falciparum infected human erythrocytes. <i>Malaria Journal</i> , 2010 , 9, 116	3.6	14
233	Glucose and lactate turnover in adults with falciparum malaria: effect of complications and antimalarial therapy. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2002 , 96, 411-7	2	14
232	Predictors of first stroke in Type 1 diabetes: The Fremantle Diabetes Study. <i>Diabetic Medicine</i> , 2005 , 22, 551-3	3.5	14
231	Platelet sensitivity in vitro to adenosine-5'-diphosphate and prostacyclin and diabetic retinopathy. <i>Diabetologia</i> , 1985 , 28, 274-6	10.3	14
230	A 10-Year Prospective Study of Bone Mineral Density and Bone Turnover in Males and Females With Type 1 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 3531-3539	5.6	14
229	Lifetime depression history and depression risk in type 2 diabetes: A case-control study. <i>Journal of Diabetes and Its Complications</i> , 2016 , 30, 38-42	3.2	13
228	Gametocyte Clearance Kinetics Determined by Quantitative Magnetic Fractionation in Melanesian Children with Uncomplicated Malaria Treated with Artemisinin Combination Therapy. <i>Antimicrobial Agents and Chemotherapy</i> , 2015 , 59, 4489-96	5.9	13
227	Prevalence of depression and its associations with cardio-metabolic control in Aboriginal and Anglo-Celt patients with type 2 diabetes: the Fremantle Diabetes Study Phase II. <i>Diabetes Research and Clinical Practice</i> , 2015 , 107, 384-91	7.4	13
226	Intensification of medication and glycaemic control among patients with type 2 diabetes Ithe ADVANCE trial. <i>Diabetes, Obesity and Metabolism</i> , 2014 , 16, 426-32	6.7	13
225	Prevention and treatment of malaria in pregnancy. Future Microbiology, 2010, 5, 1599-613	2.9	13
224	Statins as potential antimalarial drugs: low relative potency and lack of synergy with conventional antimalarial drugs. <i>Antimicrobial Agents and Chemotherapy</i> , 2009 , 53, 2212-4	5.9	13
223	Pharmacokinetic properties of conventional and double-dose sulfadoxine-pyrimethamine given as intermittent preventive treatment in infancy. <i>Antimicrobial Agents and Chemotherapy</i> , 2011 , 55, 1693-70	ე <u>წ</u> ∙9	13
222	Meningeal inflammation increases artemether concentrations in cerebrospinal fluid in Papua New Guinean children treated with intramuscular artemether. <i>Antimicrobial Agents and Chemotherapy</i> , 2011 , 55, 5027-33	5.9	13
221	Reference intervals for common laboratory tests in Melanesian children. <i>American Journal of Tropical Medicine and Hygiene</i> , 2011 , 85, 50-4	3.2	13
220	Serum carboxymethyllysine concentrations are reduced in diabetic men with abdominal aortic aneurysms: Health In Men Study. <i>Journal of Vascular Surgery</i> , 2009 , 50, 626-31	3.5	13
219	Severe falciparum malaria with hyperparasitaemia treated with intravenous artesunate. <i>Medical Journal of Australia</i> , 1997 , 166, 416-8	4	13
218	The pituitary-thyroid axis in severe falciparum malaria: evidence for depressed thyrotroph and thyroid gland function. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 1990 , 84, 330-	.52	13
217	A physician-initiated double-blind, randomised, placebo-controlled, phase 2 study evaluating the efficacy and safety of inhibition of NADPH oxidase with the first-in-class Nox-1/4 inhibitor, GKT137831, in adults with type 1 diabetes and persistently elevated urinary albumin excretion:	2.3	13

216	Antibody Targets on the Surface of Plasmodium falciparum-Infected Erythrocytes That Are Associated With Immunity to Severe Malaria in Young Children. <i>Journal of Infectious Diseases</i> , 2019 , 219, 819-828	7	13
215	Proton Pump Inhibitors, Nephropathy, and Cardiovascular Disease in Type 2 Diabetes: The Fremantle Diabetes Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017 , 102, 2985-2993	5.6	12
214	Risk and associates of incident hip fracture in type 1 diabetes: The Fremantle Diabetes Study. Diabetes Research and Clinical Practice, 2017 , 134, 153-160	7.4	12
213	Population pharmacokinetics of intravenous artesunate: a pooled analysis of individual data from patients with severe malaria. <i>CPT: Pharmacometrics and Systems Pharmacology</i> , 2014 , 3, e145	4.5	12
212	Optimal antimalarial dose regimens for chloroquine in pregnancy based on population pharmacokinetic modelling. <i>International Journal of Antimicrobial Agents</i> , 2017 , 50, 542-551	14.3	12
211	Cardiovascular Effects of Glucose-lowering Therapies for Type 2 Diabetes: New Drugs in Perspective. <i>Clinical Therapeutics</i> , 2017 , 39, 1012-1025	3.5	12
210	Antiplatelet therapy, Helicobacter pylori infection and complicated peptic ulcer disease in diabetes: the Fremantle Diabetes Study. <i>Diabetic Medicine</i> , 2009 , 26, 70-5	3.5	12
209	Assessment of the effect of mefloquine on artesunate pharmacokinetics in healthy male volunteers. <i>Antimicrobial Agents and Chemotherapy</i> , 2007 , 51, 1099-101	5.9	12
208	Prevalence and prognosis of a low serum testosterone in men with type 2 diabetes: the Fremantle Diabetes Study Phase II. <i>Clinical Endocrinology</i> , 2016 , 85, 444-52	3.4	12
207	The prevalence of monogenic diabetes in Australia: the Fremantle Diabetes Study Phase II. <i>Medical Journal of Australia</i> , 2017 , 207, 344-347	4	11
206	Metabolic memory and all-cause death in community-based patients with type 2 diabetes: the Fremantle Diabetes Study. <i>Diabetes, Obesity and Metabolism,</i> 2016 , 18, 598-606	6.7	11
205	Investigation of volatile organic biomarkers derived from Plasmodium falciparum in vitro. <i>Malaria Journal</i> , 2012 , 11, 314	3.6	11
204	Nuclear magnetic resonance: a tool for malaria diagnosis?. <i>American Journal of Tropical Medicine and Hygiene</i> , 2011 , 85, 815-7	3.2	11
203	Development of a pharmacodynamic model of murine malaria and antimalarial treatment with dihydroartemisinin. <i>International Journal for Parasitology</i> , 2007 , 37, 1569-76	4.3	11
202	Comparative effects of quinine and quinidine on glucose metabolism in healthy volunteers. <i>British Journal of Clinical Pharmacology</i> , 1990 , 30, 397-403	3.8	11
201	Naphthoquine: An Emerging Candidate for Artemisinin Combination Therapy. <i>Drugs</i> , 2016 , 76, 789-804	12.1	11
200	Depression symptoms are persistent in Type 2 diabetes: risk factors and outcomes of 5-year depression trajectories using latent class growth analysis. <i>Diabetic Medicine</i> , 2017 , 34, 1108-1115	3.5	10
199	Temporal Trends in Cardiovascular Complications in People With or Without Type 2 Diabetes: The Fremantle Diabetes Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	10

198	Application of a multi-faceted approach for the assessment of treatment response in falciparum malaria: a study from Malaysian Borneo. <i>International Journal for Parasitology</i> , 2003 , 33, 1545-52	4.3	10
197	The risk of Plasmodium vivax parasitaemia after P. falciparum malaria: An individual patient data meta-analysis from the WorldWide Antimalarial Resistance Network. <i>PLoS Medicine</i> , 2020 , 17, e1003393	3 ^{11.6}	10
196	Pharmacokinetics of a novel sublingual spray formulation of the antimalarial drug artemether in African children with malaria. <i>Antimicrobial Agents and Chemotherapy</i> , 2015 , 59, 3208-15	5.9	9
195	A Toll-like receptor-1 variant and its characteristic cellular phenotype is associated with severe malaria in Papua New Guinean children. <i>Genes and Immunity</i> , 2016 , 17, 52-9	4.4	9
194	Self-awareness of foot health status in patients with Type 2 diabetes: the Fremantle Diabetes Study Phase II. <i>Diabetic Medicine</i> , 2014 , 31, 1439-45	3.5	9
193	Cryptococcal meningitis in immunocompetent Papua New Guinean children. <i>Tropical Doctor</i> , 2010 , 40, 61-3	0.9	9
192	Angiotensin-converting enzyme insertion/deletion polymorphism and severe hypoglycemia complicating type 2 diabetes: the Fremantle Diabetes Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011 , 96, E696-700	5.6	9
191	Predictors of acute bacterial meningitis in children from a malaria-endemic area of Papua New Guinea. <i>American Journal of Tropical Medicine and Hygiene</i> , 2012 , 86, 240-5	3.2	9
190	Investigation of reproductive toxicity of piperaquine in mice. Reproductive Toxicology, 2010, 29, 206-13	3.4	9
189	Toxicology and pharmacokinetics of piperaquine in mice. <i>Toxicology</i> , 2008 , 249, 55-61	4.4	9
188	Progression of skeletal muscle damage during treatment of severe falciparum malaria. <i>Acta Tropica</i> , 2000 , 76, 271-6	3.2	9
187	CYP2D6 and CYP2C19 in Papua New Guinea: High frequency of previously uncharacterized CYP2D6 alleles and heterozygote excess. <i>International Journal of Molecular Epidemiology and Genetics</i> , 2010 , 1, 310-9	0.9	9
186	Longevity of antibody responses to a Salmonella typhi-specific outer membrane protein: interpretation of a dot enzyme immunosorbent assay in an area of high typhoid fever endemicity. <i>American Journal of Tropical Medicine and Hygiene</i> , 1997 , 57, 656-9	3.2	9
185	Temporal Trends in Incident Hospitalization for Diabetes-Related Foot Ulcer in Type 2 Diabetes: The Fremantle Diabetes Study. <i>Diabetes Care</i> , 2021 , 44, 722-730	14.6	9
184	A population-based study of the association between dysglycaemia and hearing loss in middle age. <i>Diabetic Medicine</i> , 2017 , 34, 683-690	3.5	8
183	Plasma Amyloid-IPeptides in Type 2 Diabetes: A Matched Case-Control Study. <i>Journal of Alzheimerls Disease</i> , 2017 , 56, 1127-1133	4.3	8
182	Penicillin Dried Blood Spot Assay for Use in Patients Receiving Intramuscular Benzathine Penicillin G and Other Penicillin Preparations To Prevent Rheumatic Fever. <i>Antimicrobial Agents and Chemotherapy</i> , 2017 , 61,	5.9	8
181	Pharmacokinetic considerations for use of artemisinin-based combination therapies against falciparum malaria in different ethnic populations. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2017 , 13, 1115-1133	5.5	8

180	Validation of a protein biomarker test for predicting renal decline in type 2 diabetes: The Fremantle Diabetes Study Phase II. <i>Journal of Diabetes and Its Complications</i> , 2019 , 33, 107406	3.2	8
179	Ultrasonographic assessment of joint pathology in type 2 diabetes and hyperuricemia: The Fremantle Diabetes Study Phase II. <i>Journal of Diabetes and Its Complications</i> , 2018 , 32, 400-405	3.2	8
178	Ultrasonographic assessment of splenic volume at presentation and after anti-malarial therapy in children with malarial anaemia. <i>Malaria Journal</i> , 2015 , 14, 219	3.6	8
177	Risk of suicide in Australian adults with diabetes: the Fremantle Diabetes Study. <i>Internal Medicine Journal</i> , 2015 , 45, 976-80	1.6	8
176	Pharmacokinetics of piperaquine transfer into the breast milk of Melanesian mothers. <i>Antimicrobial Agents and Chemotherapy</i> , 2015 , 59, 4272-8	5.9	8
175	Diagnostic criteria for depression in type 2 diabetes: a data-driven approach. <i>PLoS ONE</i> , 2014 , 9, e11204	1 9 .7	8
174	Increasing chloramphenicol resistance in Streptococcus pneumoniae isolates from Papua New Guinean children with acute bacterial meningitis. <i>Antimicrobial Agents and Chemotherapy</i> , 2011 , 55, 445	4 ⁵ 6	8
173	Clearance of young parasite forms following treatment of falciparum malaria in humans: comparison of three simple mathematical models. <i>Epidemiology and Infection</i> , 1997 , 119, 61-9	4.3	8
172	Cardiovascular risk factors in pre-pubertal Malays: effects of diabetic parentage. <i>Diabetes Research and Clinical Practice</i> , 2007 , 76, 119-25	7.4	8
171	Characterization of the effect of retinol on Plasmodium falciparum in vitro. <i>Experimental Parasitology</i> , 2004 , 107, 136-44	2.1	8
170	Possible neuroleptic malignant syndrome associated with olanzapine. <i>Annals of Pharmacotherapy</i> , 2000 , 34, 667	2.9	8
169	Efficacy of Intermittently Scanned Continuous Glucose Monitoring in the Prevention of Recurrent Severe Hypoglycemia. <i>Diabetes Technology and Therapeutics</i> , 2020 , 22, 367-373	8.1	8
168	Risk factors for Plasmodium falciparum and Plasmodium vivax gametocyte carriage in Papua New Guinean children with uncomplicated malaria. <i>Acta Tropica</i> , 2016 , 160, 1-8	3.2	8
167	Pharmacokinetics of dihydroartemisinin in a murine malaria model. <i>American Journal of Tropical Medicine and Hygiene</i> , 2008 , 78, 641-2	3.2	8
166	Influence of Renin-Angiotensin System Inhibitors on Lower-Respiratory Tract Infections in Type 2 Diabetes: The Fremantle Diabetes Study Phase II. <i>Diabetes Care</i> , 2020 , 43, 2113-2120	14.6	7
165	Treatment regimens for pregnant women with falciparum malaria. <i>Expert Review of Anti-Infective Therapy</i> , 2016 , 14, 691-704	5.5	7
164	Validation and Application of a Dried Blood Spot Assay for Biofilm-Active Antibiotics Commonly Used for Treatment of Prosthetic Implant Infections. <i>Antimicrobial Agents and Chemotherapy</i> , 2016 , 60, 4940-55	5.9	7
163	Glycaemic control and mortality in older people with type 2 diabetes: The Fremantle Diabetes Study Phase II. <i>Diabetes, Obesity and Metabolism</i> , 2018 , 20, 2852-2859	6.7	7

(2010-2014)

162	Accuracy of cerebrospinal leucocyte count, protein and culture for the diagnosis of acute bacterial meningitis: a comparative study using Bayesian latent class analysis. <i>Tropical Medicine and International Health</i> , 2014 , 19, 1520-4	2.3	7
161	Plasmodium falciparum and Plasmodium vivax genotypes and efficacy of intermittent preventive treatment in Papua New Guinea. <i>Antimicrobial Agents and Chemotherapy</i> , 2014 , 58, 6958-61	5.9	7
160	Greater use of insulin by southern European compared with Anglo-Celt patients with type 2 diabetes: the Fremantle Diabetes Study. <i>European Journal of Endocrinology</i> , 2004 , 151, 579-86	6.5	7
159	Autoantibodies to the islet cell antigen SOX-13 are associated with duration but not type of diabetes. <i>Diabetic Medicine</i> , 2003 , 20, 198-204	3.5	7
158	Comparison of bioassay and high performance liquid chromatographic assay of artesunate and dihydroartemisinin in plasma. <i>Acta Tropica</i> , 2003 , 87, 371-5	3.2	7
157	Glucose tolerance in rural diabetic Thais, first-degree relatives and non-diabetic controls. <i>Diabetes Research and Clinical Practice</i> , 1995 , 27, 171-80	7.4	7
156	Serum bicarbonate concentration and the risk of cardiovascular disease and death in type 2 diabetes: the Fremantle Diabetes Study. <i>Cardiovascular Diabetology</i> , 2016 , 15, 143	8.7	7
155	Community-based management of complex type 2 diabetes: adaptation of an integrated model of care in a general practice setting. <i>Internal Medicine Journal</i> , 2021 , 51, 62-68	1.6	7
154	Caregivers' acceptance of using artesunate suppositories for treating childhood malaria in Papua New Guinea. <i>American Journal of Tropical Medicine and Hygiene</i> , 2007 , 76, 634-40	3.2	7
153	Dementia complicating type 2 diabetes and the influence of premature mortality: the Fremantle Diabetes Study. <i>Acta Diabetologica</i> , 2019 , 56, 767-776	3.9	6
152	Artemether-lumefantrine versus artemisinin-naphthoquine in Papua New Guinean children with uncomplicated malaria: a six months post-treatment follow-up study. <i>Malaria Journal</i> , 2015 , 14, 121	3.6	6
151	Pharmacokinetics of a novel sublingual spray formulation of the antimalarial drug artemether in healthy adults. <i>Antimicrobial Agents and Chemotherapy</i> , 2015 , 59, 3197-207	5.9	6
150	Clinical risk factors for depressive syndrome in Type 2 diabetes: the Fremantle Diabetes Study. <i>Diabetic Medicine</i> , 2018 , 35, 903-910	3.5	6
149	A Randomized Open-Label Evaluation of the Antimalarial Prophylactic Efficacy of Azithromycin-Piperaquine versus Sulfadoxine-Pyrimethamine in Pregnant Papua New Guinean Women. <i>Antimicrobial Agents and Chemotherapy</i> , 2019 , 63,	5.9	6
148	Influence of Premature Mortality on the Link Between Type 2 Diabetes and Hip Fracture: The Fremantle Diabetes Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017 , 102, 551-559	5.6	6
147	Viral pathogens in children hospitalized with features of central nervous system infection in a malaria-endemic region of Papua New Guinea. <i>BMC Infectious Diseases</i> , 2014 , 14, 630	4	6
146	The mechanistic, diagnostic and prognostic utility of biomarkers in severe malaria. <i>Biomarkers in Medicine</i> , 2013 , 7, 363-80	2.3	6
145	Cardiovascular risk prediction in adults with type 1 diabetes: the Fremantle Diabetes Study. <i>Diabetes Research and Clinical Practice</i> , 2010 , 90, e75-8	7.4	6

144	Short report: Quantification of Plasmodium falciparum gametocytes by magnetic fractionation. <i>American Journal of Tropical Medicine and Hygiene</i> , 2011 , 84, 158-60	3.2	6
143	Toxicity related to chloroquine treatment of resistant vivax malaria. <i>Annals of Pharmacotherapy</i> , 2003 , 37, 526-9	2.9	6
142	Pharmacokinetics of retinyl palmitate and retinol after intramuscular retinyl palmitate administration in severe malaria. <i>Clinical Science</i> , 2000 , 99, 433-441	6.5	6
141	The metabolism of platelet-activating factor in severe and cerebral malaria. <i>Journal of Infection</i> , 1995 , 31, 181-8	18.9	6
140	Insulin sensitivity and beta-cell function assessed by C-peptide in young adults with cystic fibrosis. <i>European Journal of Clinical Investigation</i> , 1987 , 17, 12-5	4.6	6
139	Advances in type 2 diabetes therapy: a focus on cardiovascular and renal outcomes. <i>Medical Journal of Australia</i> , 2020 , 212, 133-139	4	6
138	A comparison of obesity indices in relation to mortality in type 2 diabetes: the Fremantle Diabetes Study. <i>Diabetologia</i> , 2020 , 63, 528-536	10.3	6
137	Development and Validation of a Simple Hip Fracture Risk Prediction Tool for Type 2 Diabetes: The Fremantle Diabetes Study Phase I. <i>Diabetes Care</i> , 2019 , 42, 102-109	14.6	6
136	Retinopathy predicts stroke but not myocardial infarction in type 2 diabetes: the Fremantle Diabetes Study Phase II. <i>Cardiovascular Diabetology</i> , 2020 , 19, 43	8.7	6
135	Circulating osteocalcin is unrelated to glucose homoeostasis in adults with type 1 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2017 , 31, 948-951	3.2	5
134	The relationship between carotid disease and retinopathy in diabetes: a systematic review. <i>Cardiovascular Diabetology</i> , 2020 , 19, 54	8.7	5
133	Artemisinin Therapy for Malaria in Hemoglobinopathies: A Systematic Review. <i>Clinical Infectious Diseases</i> , 2018 , 66, 799-804	11.6	5
132	Changes in characteristics and management of Asian and Anglo-Celts with type 2 diabetes over a 15-year period in an urban Australian community: The Fremantle Diabetes Study. <i>Journal of Diabetes</i> , 2016 , 8, 139-47	3.8	5
131	Validation of a Dried Blood Spot Ceftriaxone Assay in Papua New Guinean Children with Severe Bacterial Infections. <i>Antimicrobial Agents and Chemotherapy</i> , 2018 , 62,	5.9	5
130	The relationship between intensification of blood glucose-lowering therapies, health status and quality of life in type 2 diabetes: The Fremantle Diabetes Study Phase II. <i>Diabetes Research and Clinical Practice</i> , 2018 , 142, 294-302	7.4	5
129	The relationship between self-monitoring of blood glucose results and glycated haemoglobin in type 2 diabetes: the fremantle diabetes study. <i>Diabetes Research and Clinical Practice</i> , 2011 , 94, 371-6	7.4	5
128	Accuracy, determinants, and consequences of body weight self-perception in type 2 diabetes: the Fremantle Diabetes Study. <i>Journal of Diabetes and Its Complications</i> , 2011 , 25, 1-6	3.2	5
127	The epidemiology and characteristics of type 2 diabetes in urban, community-based young people. Internal Medicine Journal, 2010, 40, 850-4	1.6	5

(2010-2007)

126	Retinol supplementation in murine Plasmodium berghei malaria: effects on tissue levels, parasitaemia and lipid peroxidation. <i>International Journal for Parasitology</i> , 2007 , 37, 525-37	4.3	5	
125	An assessment of eligibility for inhaled insulin (Exubera): the Fremantle Diabetes Study. <i>Diabetes Care</i> , 2007 , 30, 360-1	14.6	5	
124	Treatment of falciparum malaria in Vietnamese children: the need for combination therapy and optimized dosage regimens. <i>Annals of Tropical Paediatrics</i> , 2001 , 21, 307-12		5	
123	A comprehensive patient-held record for diabetes. Part one: initial development of the Diabetes Databank. <i>Practical Diabetes International: the International Journal for Diabetes Care Teams Worldwide</i> , 2001 , 18, 241-245		5	
122	A comprehensive patient-held record for diabetes. Part two: Large-scale assessment of the Diabetes Databank by patients and health care workers. <i>Practical Diabetes International: the International Journal for Diabetes Care Teams Worldwide</i> , 2001 , 18, 311-314		5	
121	In-vivo Platelet Activation and Anomalous Thrombospondin Levels in Severe Falciparum Malaria. <i>Platelets</i> , 1992 , 3, 195-200	3.6	5	
120	Compliance in diabetes mellitus: A self-assessment study. <i>Practical Diabetes International: the International Journal for Diabetes Care Teams Worldwide</i> , 1988 , 5, 170-172		5	
119	CIGMA assessment of insulin resistance and pancreatic beta cell function in the elderly. <i>Age and Ageing</i> , 1985 , 14, 220-4	3	5	
118	Incidence and Determinants of Intraocular Lens Implantation in Type 2 Diabetes: The Fremantle Diabetes Study Phase II. <i>Diabetes Care</i> , 2019 , 42, 288-296	14.6	5	
117	Ertapenem for osteoarticular infections in obese patients: a pharmacokinetic study of plasma and bone concentrations. <i>European Journal of Clinical Pharmacology</i> , 2019 , 75, 511-517	2.8	5	
116	The relationship between circulating adiponectin, ADIPOQ variants and incident cardiovascular disease in type 2 diabetes: The Fremantle Diabetes Study. <i>Diabetes Research and Clinical Practice</i> , 2018 , 143, 62-70	7.4	5	
115	Low serum HDL-cholesterol concentrations in mid-life predict late-life cognitive impairment in type 2 diabetes: The Fremantle diabetes study. <i>Journal of Diabetes and Its Complications</i> , 2017 , 31, 945-947	3.2	4	
114	Optimal Antimalarial Dose Regimens for Sulfadoxine-Pyrimethamine with or without Azithromycin in Pregnancy Based on Population Pharmacokinetic Modeling. <i>Antimicrobial Agents and Chemotherapy</i> , 2017 , 61,	5.9	4	
113	Prevalence and predictors of abnormal arterial function in statin-treated type 2 diabetes mellitus patients. <i>Metabolism: Clinical and Experimental</i> , 2012 , 61, 349-57	12.7	4	
112	Characteristics and prognosis of Asian patients with type 2 diabetes from a multi-racial Australian community: the Fremantle Diabetes Study. <i>Internal Medicine Journal</i> , 2013 , 43, 1125-32	1.6	4	
111	Accuracy of initial clinical diagnosis of acute bacterial meningitis in children from a malaria-endemic area of Papua New Guinea. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2014 , 108, 444-8	2	4	
110	Prevalence and implications of cerebrospinal fluid leukocytosis in Papua New Guinean children hospitalized with severe malaria. <i>American Journal of Tropical Medicine and Hygiene</i> , 2013 , 89, 866-8	3.2	4	
109	Apolipoprotein E genotype and mortality in Southern European and Anglo-Celt patients with type 2 diabetes: the Fremantle Diabetes Study. <i>European Journal of Endocrinology</i> , 2010 , 163, 559-64	6.5	4	

108	Non-radioisotopic glucose turnover in children with falciparum malaria and enteric fever. Transactions of the Royal Society of Tropical Medicine and Hygiene, 1998 , 92, 532-7	2	4
107	A cardiac magnetic resonance imaging study of electrocardiographic Q waves in type 2 diabetes: the Fremantle Diabetes Study. <i>Diabetes Research and Clinical Practice</i> , 2008 , 82, 87-92	7.4	4
106	Evidence for undetected malaria infection in non-immune Australian travellers not taking chemoprophylaxis. <i>Acta Tropica</i> , 2006 , 99, 62-6	3.2	4
105	Subclinical hypothyroidism and mortality in women with type 2 diabetes. <i>Clinical Endocrinology</i> , 2006 , 64, 476-7	3.4	4
104	Pharmacokinetics of retinyl palmitate and retinol after intramuscular retinyl palmitate administration in severe malaria. <i>Clinical Science</i> , 2000 , 99, 433	6.5	4
103	Serum lipid profiles in Malay mothers and neonates: a cross-sectional study. <i>Journal of Paediatrics and Child Health</i> , 1996 , 32, 428-32	1.3	4
102	Glucose tolerance in pregnant patients with acute falciparum malaria. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 1993 , 87, 666-7	2	4
101	A regular meal and insulin infusion regimen: its use in the treatment of acute-onset ketotic diabetes and in stabilization of poorly controlled established diabetic subjects. <i>Diabetes Care</i> , 1982 , 5, 492-6	14.6	4
100	Population Pharmacokinetic Study of Ceftriaxone in Elderly Patients, Using Cystatin C-Based Estimates of Renal Function To Account for Frailty. <i>Antimicrobial Agents and Chemotherapy</i> , 2020 , 64,	5.9	4
99	Efficacy and Safety of Ertugliflozin in Patients with Type \(\mathbb{Z}\) Diabetes Inadequately Controlled by Metformin and Sulfonylurea: A Sub-Study of VERTIS CV. <i>Diabetes Therapy</i> , 2021 , 12, 1279-1297	3.6	4
98	Dose-response relationship between statin therapy and glycaemia in community-based patients with type 2 diabetes: the Fremantle Diabetes Study. <i>Diabetes, Obesity and Metabolism</i> , 2016 , 18, 1143-1	f476	4
97	Incidence and associates of diabetic ketoacidosis in a community-based cohort: the Fremantle Diabetes Study Phase II. <i>BMJ Open Diabetes Research and Care</i> , 2020 , 8,	4.5	3
96	Use of quantitative pharmacology tools to improve malaria treatments. <i>Expert Review of Clinical Pharmacology</i> , 2016 , 9, 303-16	3.8	3
95	Apoptosis inhibitor of macrophage and diabetic kidney disease. <i>Cellular and Molecular Immunology</i> , 2019 , 16, 521	15.4	3
94	Determinants and costs of community nursing in patients with type 2 diabetes from a community-based observational study: the Fremantle Diabetes Study. <i>International Journal of Nursing Studies</i> , 2013 , 50, 1166-71	5.8	3
93	Two-year audit of outcomes of pituitary surgery at an Australian teaching hospital. <i>Internal Medicine Journal</i> , 2017 , 47, 1248-1255	1.6	3
92	Regarding "Lactation Status and Studies of Pyrimethamine Pharmacokinetics in Pregnancy". <i>CPT: Pharmacometrics and Systems Pharmacology</i> , 2017 , 6, 730	4.5	3
91	Dipeptidyl peptidase-4 inhibitors and cardiovascular safety. <i>Medical Journal of Australia</i> , 2014 , 200, 450	-14	3

90	Incidence and precipitants of hospitalization for pancreatitis in people with diabetes: the Fremantle Diabetes Study. <i>Diabetic Medicine</i> , 2014 , 31, 913-9	3.5	3	
89	In vitro antimalarial activity and drug interactions of fenofibric acid. <i>Antimicrobial Agents and Chemotherapy</i> , 2012 , 56, 2814-8	5.9	3	
88	Successful Withdrawal of Insulin Therapy After Post-Treatment Clearance of Hepatitis C Virus in a Man with Type 2 Diabetes. <i>American Journal of Case Reports</i> , 2017 , 18, 414-417	1.3	3	
87	Carotid Disease and Retinal Optical Coherence Tomography Angiography Parameters in Type 2 Diabetes: The Fremantle Diabetes Study Phase II. <i>Diabetes Care</i> , 2020 , 43, 3034-3041	14.6	3	
86	PromarkerD Predicts Renal Function Decline in Type 2 Diabetes in the Canagliflozin Cardiovascular Assessment Study (CANVAS). <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	3	
85	Updated pharmacokinetic considerations for the use of antimalarial drugs in pregnant women. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2020 , 16, 741-758	5.5	3	
84	Temporal changes in the incidence and predictors of severe hypoglycaemia in type 2 diabetes: The Fremantle Diabetes Study. <i>Diabetes, Obesity and Metabolism</i> , 2019 , 21, 648-657	6.7	3	
83	Complementary medicine use and its cost in Australians with type 2 diabetes: the Fremantle Diabetes Study Phase II. <i>Internal Medicine Journal</i> , 2020 , 50, 944-950	1.6	3	
82	Incidence and predictors of idiopathic pulmonary fibrosis complicating Type 2 diabetes: the Fremantle Diabetes Study Phase I. <i>Internal Medicine Journal</i> , 2021 , 51, 276-279	1.6	3	
81	Pharmacotherapy for the prevention of malaria in pregnant women: currently available drugs and challenges. <i>Expert Opinion on Pharmacotherapy</i> , 2018 , 19, 1779-1796	4	3	
80	Prevalence and patterns of multimorbidity in Australian baby boomers: the Busselton healthy ageing study. <i>BMC Public Health</i> , 2021 , 21, 1539	4.1	3	
79	Pneumococcal vaccination and incident hospitalisation for pneumonia in type 2 diabetes: the Fremantle Diabetes Study Phase II. <i>Internal Medicine Journal</i> , 2017 , 47, 1206-1210	1.6	2	
78	Subjective memory complaints are not increased in type 2 diabetes: A matched cohort study. <i>Journal of Diabetes and Its Complications</i> , 2019 , 33, 424-426	3.2	2	
77	Contemporary Cardiovascular Risk Assessment for Type 2 Diabetes Including Heart Failure as an Outcome: The Fremantle Diabetes Study Phase II. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	2	
76	Risk factors and outcomes of anxiety symptom trajectories in type 2 diabetes: the Fremantle Diabetes Study Phase II. <i>Diabetic Medicine</i> , 2020 , 37, 1688-1695	3.5	2	
75	Prevalence and incidence of thyroid dysfunction in type 1 diabetes, type 2 diabetes and latent autoimmune diabetes of adults: The Fremantle Diabetes Study Phase II. <i>Clinical Endocrinology</i> , 2020 , 92, 373-382	3.4	2	
74	Adapting and validating diabetes simulation models across settings: accounting for mortality differences using administrative data. <i>Journal of Diabetes and Its Complications</i> , 2013 , 27, 351-6	3.2	2	
73	Carotid artery ultrasonographic assessment in patients from the Fremantle Diabetes Study Phase II with carotid bruits detected by electronic auscultation. <i>Diabetes Technology and Therapeutics</i> , 2014 , 16, 604-10	8.1	2	

72	Lung function, diabetes and the metabolic syndrome. <i>Practical Diabetes</i> , 2014 , 31, 184-185	0.7	2
71	Renin-angiotensin-aldosterone system blockade and urinary albumin excretion in community-based patients with Type 2 diabetes: the Fremantle Diabetes Study. <i>Diabetic Medicine</i> , 2011 , 28, 849-55	3.5	2
7°	Manufacture and Testing of a High Field Gradient Magnetic Fractionation System for Quantitative Detection of Plasmodium falciparum Gametocytes 2010 ,		2
69	Evidence for continued two-brood replication of Plasmodium falciparum in vivo during quinine treatment. <i>Acta Tropica</i> , 2003 , 89, 41-5	3.2	2
68	Comparative Pharmacokinetics of Intramuscular Artesunate and Artemether in Patients with Severe Falciparum Malaria. <i>Antimicrobial Agents and Chemotherapy</i> , 2005 , 49, 871-871	5.9	2
67	Plasmodium falciparum: isolate-specific radiosensitivity. <i>Experimental Parasitology</i> , 2001 , 99, 108-10	2.1	2
66	Adverse effects of antimalarial prophylactic drugs: an important consideration in the risk-benefit equation. <i>Annals of Pharmacotherapy</i> , 1998 , 32, 1104-6	2.9	2
65	Effect of an intensive education programme on clinical management of diabetic inpatients. Practical Diabetes International: the International Journal for Diabetes Care Teams Worldwide, 1996 , 13, 110-114		2
64	An unusual cause of deep venous thrombosis. <i>Medical Journal of Australia</i> , 1993 , 158, 648	4	2
63	Artemisinins 2010 , 2090-2104		2
62	Bradycardia and Hypothermia Complicating Azithromycin Treatment. <i>American Journal of Case Reports</i> , 2017 , 18, 883-886	1.3	2
62		1.3 3.7	2
	Reports, 2017, 18, 883-886 The utility of the Diabetes Anxiety Depression Scale in Type 2 diabetes mellitus: The Fremantle		
61	Reports, 2017, 18, 883-886 The utility of the Diabetes Anxiety Depression Scale in Type 2 diabetes mellitus: The Fremantle Diabetes Study Phase II. PLoS ONE, 2018, 13, e0194417 Re: Essential service standards for equitable national cardiovascular care for Aboriginal and Torres	3.7	2
60	Reports, 2017, 18, 883-886 The utility of the Diabetes Anxiety Depression Scale in Type 2 diabetes mellitus: The Fremantle Diabetes Study Phase II. PLoS ONE, 2018, 13, e0194417 Re: Essential service standards for equitable national cardiovascular care for Aboriginal and Torres Strait Islander people. Heart Lung and Circulation, 2015, 24, 626 The interactive effects of type 2 diabetes mellitus and schizophrenia on all-cause mortality: The	3.7	1
61 60 59	The utility of the Diabetes Anxiety Depression Scale in Type 2 diabetes mellitus: The Fremantle Diabetes Study Phase II. <i>PLoS ONE</i> , 2018 , 13, e0194417 Re: Essential service standards for equitable national cardiovascular care for Aboriginal and Torres Strait Islander people. <i>Heart Lung and Circulation</i> , 2015 , 24, 626 The interactive effects of type 2 diabetes mellitus and schizophrenia on all-cause mortality: The Fremantle Diabetes Study. <i>Journal of Diabetes and Its Complications</i> , 2015 , 29, 1320-2 Changes in the Epidemiology of Hepatobiliary Disease Complicating Type 2 Diabetes over 25 Years:	3.7 1.8 3.2	1
61 60 59 58	Reports, 2017, 18, 883-886 The utility of the Diabetes Anxiety Depression Scale in Type 2 diabetes mellitus: The Fremantle Diabetes Study Phase II. PLoS ONE, 2018, 13, e0194417 Re: Essential service standards for equitable national cardiovascular care for Aboriginal and Torres Strait Islander people. Heart Lung and Circulation, 2015, 24, 626 The interactive effects of type 2 diabetes mellitus and schizophrenia on all-cause mortality: The Fremantle Diabetes Study. Journal of Diabetes and Its Complications, 2015, 29, 1320-2 Changes in the Epidemiology of Hepatobiliary Disease Complicating Type 2 Diabetes over 25 Years: The Fremantle Diabetes Study. Journal of Clinical Medicine, 2020, 9,	3.7 1.8 3.2 5.1	2 1 1

Hypertriglyceridaemia in statin-treated type 2 diabetic patients. <i>Practical Diabetes International: the International Journal for Diabetes Care Teams Worldwide</i> , 2011 , 28, 257-260		1	
Dynamic assessment of parathyroid function in acute malaria. <i>Journal of Internal Medicine</i> , 1998 , 243, 349-54	10.8	1	
Inhaled human insulin (Exubera([])): its pharmacologic profile, efficacy and safety in the treatment of adults with diabetes mellitus. <i>Expert Review of Clinical Pharmacology</i> , 2008 , 1, 13-25	3.8	1	
Should aspirin be used for the primary prevention of cardiovascular disease in people with diabetes?. <i>Medical Journal of Australia</i> , 2009 , 191, 356; author reply 356-7	4	1	
Multisystem Schistosoma haematobium infection in an Australian tourist. <i>Journal of Travel Medicine</i> , 2001 , 8, 325-8	12.9	1	
. Pediatric Infectious Disease Journal, 2003 , 22, 251-255	3.4	1	
Recognition and management of falciparum malaria. <i>EMA - Emergency Medicine Australasia</i> , 2000 , 12, 276-284	1.5	1	
Atovaquone 2010 , 2073-2081		1	
Fenofibrate and Impaired Taste Perception in Type 2 Diabetes. <i>American Journal of Case Reports</i> , 2020 , 21, e927647	1.3	1	
A comparison of the clinical, laboratory and epidemiological features of two divergent subpopulations of Plasmodium knowlesi. <i>Scientific Reports</i> , 2021 , 11, 20117	4.9	1	
Proguanil and Chloroproguanil 2010 , 2082-2089		1	
Defining the combined benefit of intermittent preventive malaria treatment in pregnancy. <i>The Lancet Global Health</i> , 2020 , 8, e871-e872	13.6	1	
Complementary and alternative medicine beliefs in type 2 diabetes: The Fremantle Diabetes Study Phase II. <i>Diabetes Research and Clinical Practice</i> , 2020 , 166, 108311	7.4	1	
Assessment of biomarkers associated with rapid renal decline in the detection of retinopathy and its progression in type 2 diabetes: The Fremantle Diabetes Study Phase II. <i>Journal of Diabetes and Its Complications</i> , 2021 , 35, 107853	3.2	1	
Knowledge of ocular complications of diabetes in community-based people with type 2 diabetes: The Fremantle Diabetes Study II. <i>Primary Care Diabetes</i> , 2021 , 15, 554-560	2.4	1	
The association between carotid disease, arterial stiffness and diabetic retinopathy in type 2 diabetes: the Fremantle Diabetes Study Phase II. <i>Diabetic Medicine</i> , 2021 , 38, e14407	3.5	1	
Diabetes and metabolic dysfunction-associated fatty liver disease. <i>Metabolism: Clinical and Experimental</i> , 2021 , 123, 154868	12.7	1	
Prevalence and predictors of Helicobacter pylori infection in children and adults from the Penan ethnic minority of Malaysian Borneo. <i>American Journal of Tropical Medicine and Hygiene</i> , 2004 , 71, 444-	5છે ^{.2}	1	
	International Journal for Diabetes Care Teams Worldwide, 2011, 28, 257-260 Dynamic assessment of parathyroid function in acute malaria. Journal of Internal Medicine, 1998, 243, 349-54 Inhaled human insulin (Exubera(I)): its pharmacologic profile, efficacy and safety in the treatment of adults with diabetes mellitus. Expert Review of Clinical Pharmacology, 2008, 1, 13-25 Should aspirin be used for the primary prevention of cardiovascular disease in people with diabetes?. Medical Journal of Australia, 2009, 191, 356; author reply 356-7 Multisystem Schistosoma haematobium infection in an Australian tourist. Journal of Travel Medicine, 2001, 8, 325-8 Pediatric Infectious Disease Journal, 2003, 22, 251-255 Recognition and management of falciparum malaria. EMA - Emergency Medicine Australasia, 2000, 12, 276-284 Atovaquone 2010, 2073-2081 Fenofibrate and Impaired Taste Perception in Type 2 Diabetes. American Journal of Case Reports, 2020, 21, e927647 A comparison of the clinical, laboratory and epidemiological features of two divergent subpopulations of Plasmodium knowlesi. Scientific Reports, 2021, 11, 20117 Proguanil and Chloroproguanil 2010, 2082-2089 Defining the combined benefit of intermittent preventive malaria treatment in pregnancy. The Lancet Global Health, 2020, 8, e871-e872 Complementary and alternative medicine beliefs in type 2 diabetes: The Fremantle Diabetes Study Phase II. Diabetes Research and Clinical Practice, 2020, 166, 108311 Assessment of biomarkers associated with rapid renal decline in the detection of retinopathy and its progression in type 2 diabetes: The Fremantle Diabetes Study Phase II. Journal of Diabetes and Its Complications, 2021, 35, 107853 Knowledge of ocular complications of diabetes in community-based people with type 2 diabetes: The Fremantle Diabetes Study II. Primary Care Diabetes, 2021, 15, 554-560 The association between carotid disease, arterial stiffers and diabetic retinopathy in type 2 diabetes: the Fremantle Diabetes Study Phase II. Diabetes and metabolic	Dynamic assessment of parathyroid function in acute malaria. Journal of Internal Medicine, 1998, 243, 349-54 Inhaled human insulin (Exubera(I)): its pharmacologic profile, efficacy and safety in the treatment of adults with diabetes mellitus. Expert Review of Clinical Pharmacology, 2008, 1, 13-25 Should aspirin be used for the primary prevention of cardiovascular disease in people with diabetes?. Medical Journal of Australia, 2009, 191, 356; author reply 356-7 Multisystem Schistosoma haematobium infection in an Australian tourist. Journal of Travel Medicine, 2001, 8, 325-8 Pediatric Infectious Disease Journal, 2003, 22, 251-255 34 Recognition and management of falciparum malaria. EMA - Emergency Medicine Australasia, 2000, 12, 276-284 Atovaquone 2010, 2073-2081 Fenofibrate and Impaired Taste Perception in Type 2 Diabetes. American Journal of Case Reports, 2020, 21, e927647 A comparison of the clinical, laboratory and epidemiological features of two divergent subpopulations of Plasmodium knowlesi. Scientific Reports, 2021, 11, 20117 Proguanil and Chloroproguanil 2010, 2082-2089 Defining the combined benefit of intermittent preventive malaria treatment in pregnancy. The Lancet Global Health, 2020, 8, e871-e872 Complementary and alternative medicine beliefs in type 2 diabetes: The Fremantle Diabetes Study Phase II. Jouent of Diabetes and Its progression in type 2 diabetes: The Fremantle Diabetes Study Phase II. Journal of Diabetes and Its Complications, 2021, 35, 107853 Knowledge of ocular complications of diabetes in community-based people with type 2 diabetes: The Fremantle Diabetes Study II. Primary Care Diabetes, 2021, 15, 554-560 The association between carotid disease, arterial stiffness and diabetic retinopathy in type 2 diabetes: The Fremantle Diabetes Study Phase II. Diabetes American Diabetes Study Phase II. Diabetes American Diabetes Study Phase II. Diabetes Fremantle Diabetes Study Phase II. Diabetic Medicine, 2021, 38, 614407 35	Dynamic assessment of parathyroid function in acute malaria. Journal of Internal Medicine, 1998, 243, 349-54 Inhaled human insulin (Exubera(II)): its pharmacologic profile, efficacy and safety in the treatment of adults with diabetes mellitus. Expert Review of Clinical Pharmacology, 2008, 1, 13-25 Should aspirin be used for the primary prevention of cardiovascular disease in people with diabetes. Medical Journal of Australia, 2009, 191, 356; author reply 356-7 Multisystem Schistosoma haematobium infection in an Australian tourist. Journal of Travel Medicine, 2001, 8, 325-8 Pediatric Infectious Disease Journal, 2003, 22, 251-255 Penofibrate and Impaired Taste Perception in Type 2 Diabetes. American Journal of Case Reports, 2020, 21, e927647 Acomparison of the clinical, laboratory and epidemiological features of two divergent subpopulations of Plasmodium knowlesi. Scientific Reports, 2021, 11, 20117 Proguanil and Chloroproguanil 2010, 2082-2089 Defining the combined benefit of intermittent preventive malaria treatment in pregnancy. The Lancet Global Health, 2020, 8, e871-e872 Complementary and alternative medicine beliefs in type 2 diabetes: The Fremantle Diabetes Study Phase III. Journal of Diabetes Assearch and Clinical Practice, 2020, 166, 108311 Assessment of biomarkers associated with rapid renal decline in the detection of retinopathy and its progression in type 2 diabetes: The Fremantle Diabetes Study III. Primary Care Diabetes, 2021, 15, 545-60 The association between carotid disease, arterial stiffness and disbetic retinopathy in type 2 diabetes: The Fremantle Diabetes Study III. Primary Care Diabetes, 2021, 15, 545-60 Prevalence and metabolic dysfunction-associated fatty liver disease. Metabolism: Clinical and Experimental, 2021, 133, 154868 Prevalence and oredictors of Helicobacter pylori infection in children and adults

36	Incidence and predictors of vision loss complicating type 2 diabetes: The Fremantle Diabetes Study Phase II. <i>Journal of Diabetes and Its Complications</i> , 2020 , 34, 107560	3.2	О
35	Updated prevalence of monogenic diabetes in Australia: Fremantle Diabetes Study Phase 2. <i>Medical Journal of Australia</i> , 2019 , 211, 189-189.e1	4	O
34	Confirming cerebral malaria deaths in resource-limited settings. <i>American Journal of Tropical Medicine and Hygiene</i> , 2014 , 90, 192	3.2	О
33	A clinical screening tool identifies autoimmune diabetes in adults: response to Fourlanos et al. <i>Diabetes Care</i> , 2006 , 29, 2560; author reply 2560-1	14.6	O
32	The pharmacokinetic properties of the antimalarial combination therapy artemether-lumefantrine in normal weight, overweight and obese healthy male adults. <i>International Journal of Antimicrobial Agents</i> , 2021 , 106482	14.3	О
31	A prospective six-month audit of inpatient hypoglycemia in step-down general medical and geriatric wards. <i>International Journal of Medical Sciences</i> , 2021 , 18, 3744-3747	3.7	O
30	High risk of early sub-therapeutic penicillin concentrations after intramuscular benzathine penicillin G injections in Ethiopian children and adults with rheumatic heart disease. <i>PLoS Neglected Tropical Diseases</i> , 2021 , 15, e0009399	4.8	О
29	Relative incidence and predictors of pulmonary arterial hypertension complicating type 2 diabetes: The Fremantle Diabetes Study Phase I. <i>Journal of Diabetes and Its Complications</i> , 2021 , 35, 107773	3.2	Ο
28	Haematological consequences of acute uncomplicated falciparum malaria: a WorldWide Antimalarial Resistance Network pooled analysis of individual patient data <i>BMC Medicine</i> , 2022 , 20, 85	11.4	0
27	Response to Letter to the Editor: "Advanced Glycation End Products and esRAGE Are Associated With Bone Turnover and Incidence of Hip Fracture in Older Men". <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 684-685	5.6	
26	Response to Comment on Davis et al. Development and Validation of a Simple Hip Fracture Risk Prediction Tool for Type 2 Diabetes: the Fremantle Diabetes Study Phase I. Diabetes Care 2018;42:102-109. <i>Diabetes Care</i> , 2019 , 42, e101	14.6	
25	The LEADER trial in type 2 diabetes: Were the characteristics and outcomes of the participants representative?. <i>Journal of Diabetes and Its Complications</i> , 2019 , 33, 427-433	3.2	
24	Hearing Loss in Adults. New England Journal of Medicine, 2018, 378, 970	59.2	
23	Temporal changes in glycaemic thresholds for treatment intensification in type 2 diabetes in an urban Australian setting: the Fremantle Diabetes Study. <i>Internal Medicine Journal</i> , 2018 , 48, 1215-1221	1.6	
22	Author reply. Internal Medicine Journal, 2018, 48, 367-368	1.6	
21	Re: Subclinical thyroid dysfunction and mortality in type 2 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2017 , 31, 1474	3.2	
20	Use of non-prescription therapies, including complementary medicines, in type 2 diabetes: the Fremantle diabetes study. <i>International Journal of Pharmacy Practice</i> , 2011 , 10, R19-R19	1.7	
19	Response to Wang and Kao. <i>American Journal of Gastroenterology</i> , 2010 , 105, 224-225	0.7	

18	Fenofibrate and diabetic retinopathy [Authors' reply. Lancet, The, 2008, 371, 722	40
17	Addition of artesunate to standard antimalarial drugs reduces treatment failure. <i>Evidence-Based Healthcare and Public Health</i> , 2004 , 8, 156-158	
16	Are ear lobe creases a reliable predictor of CHD?. <i>Practical Diabetes International: the International Journal for Diabetes Care Teams Worldwide</i> , 2003 , 20, 170-170	
15	Models of parasite clearance following treatment of falciparum malaria in humans. <i>Environmetrics</i> , 1995 , 6, 529-534	1.3
14	High mean platelet volume after myocardial infarction. British Medical Journal, 1985, 290, 238-9	
13	Contribution of Malaria to Inhospital Mortality in Papua New Guinean Children from a Malaria-Endemic Area: A Prospective Observational Study. <i>American Journal of Tropical Medicine and Hygiene</i> , 2019 , 100, 835-841	3.2
12	AIDS in Thailand. <i>Medical Journal of Australia</i> , 1991 , 154, 706	4
11	Correlation between density of malaria parasitaemia and clinical symptoms. <i>Medical Journal of Australia</i> , 1995 , 162, 670	4
10	PHARMACOKINETIC STUDY OF INTRAMUSCULAR ARTESUNATE IN VIETNAMESE PATIENTS WITH FALCIPARUM MALARIA <i>Therapeutic Drug Monitoring</i> , 1999 , 21, 453	3.2
9	Diabetes in the coronary care unit 2011 , 606-610	
8	Cerebral Malaria: Pathophysiology of Clinical Features 2014 , 1-10	
7	Tesaglitazar. IDrugs: the Investigational Drugs Journal, 2005 , 8, 927-35	
7 6	Tesaglitazar. <i>IDrugs: the Investigational Drugs Journal</i> , 2005 , 8, 927-35 The risk of Plasmodium vivax parasitaemia after P. falciparum malaria: An individual patient data meta-analysis from the WorldWide Antimalarial Resistance Network 2020 , 17, e1003393	
	The risk of Plasmodium vivax parasitaemia after P. falciparum malaria: An individual patient data	
6	The risk of Plasmodium vivax parasitaemia after P. falciparum malaria: An individual patient data meta-analysis from the WorldWide Antimalarial Resistance Network 2020 , 17, e1003393 The risk of Plasmodium vivax parasitaemia after P. falciparum malaria: An individual patient data	
6	The risk of Plasmodium vivax parasitaemia after P. falciparum malaria: An individual patient data meta-analysis from the WorldWide Antimalarial Resistance Network 2020 , 17, e1003393 The risk of Plasmodium vivax parasitaemia after P. falciparum malaria: An individual patient data meta-analysis from the WorldWide Antimalarial Resistance Network 2020 , 17, e1003393 The risk of Plasmodium vivax parasitaemia after P. falciparum malaria: An individual patient data	
6 5 4	The risk of Plasmodium vivax parasitaemia after P. falciparum malaria: An individual patient data meta-analysis from the WorldWide Antimalarial Resistance Network 2020, 17, e1003393 The risk of Plasmodium vivax parasitaemia after P. falciparum malaria: An individual patient data meta-analysis from the WorldWide Antimalarial Resistance Network 2020, 17, e1003393 The risk of Plasmodium vivax parasitaemia after P. falciparum malaria: An individual patient data meta-analysis from the WorldWide Antimalarial Resistance Network 2020, 17, e1003393 The risk of Plasmodium vivax parasitaemia after P. falciparum malaria: An individual patient data	