

Juan V Luciano

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7539887/juan-v-luciano-publications-by-year.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

98
papers

2,526
citations

31
h-index

46
g-index

107
ext. papers

3,272
ext. citations

4.6
avg, IF

4.92
L-index

#	Paper	IF	Citations
98	Study protocol for a randomised, double-blinded, placebo-controlled phase III trial examining the add-on efficacy, cost-utility and neurobiological effects of low-dose naltrexone (LDN) in patients with fibromyalgia (INNOVA study).. <i>BMJ Open</i> , 2022 , 12, e055351	3	1
97	Differential Brain Perfusion Changes Following Two Mind-Body Interventions for Fibromyalgia Patients: an Arterial Spin Labelling fMRI Study.. <i>Mindfulness</i> , 2022 , 13, 449-461	2.9	1
96	Assessing mindfulness and self-compassion facets as mediators of change in patients with depressive, anxious and adjustment disorders: Secondary data analysis of a randomized controlled trial. <i>Journal of Contextual Behavioral Science</i> , 2022 , 24, 171-178	4.4	1
95	Do humor styles predict clinical response to the MINDSET (MINDfulneSs & EducaTion) program? A pilot study in patients with fibromyalgia. <i>Reumatología Clínica (English Edition)</i> , 2021 , 17, 137-140	0.1	
94	Do humor styles predict clinical response to the MINDSET (MINDfulneSs & EducaTion) program? A pilot study in patients with fibromyalgia. <i>Reumatología Clínica</i> , 2021 , 17, 137-140	0.9	1
93	Impact of mindfulness and self-compassion on anxiety and depression: The mediating role of resilience. <i>International Journal of Clinical and Health Psychology</i> , 2021 , 21, 100229	5.1	9
92	Psychometric Properties of the 15-Item Five Facet Mindfulness Questionnaire in a Large Sample of Spanish Pilgrims. <i>Mindfulness</i> , 2021 , 12, 852-862	2.9	3
91	Effectiveness of a Multicomponent Treatment Based on Pain Neuroscience Education, Therapeutic Exercise, Cognitive Behavioral Therapy, and Mindfulness in Patients with Fibromyalgia (FIBROWALK Study): A Randomized Controlled Trial. <i>Physical Therapy</i> , 2021 ,	3.3	3
90	Efficacy of the FIBROWALK Multicomponent Program Moved to a Virtual Setting for Patients with Fibromyalgia during the COVID-19 Pandemic: A Proof-of-Concept RCT Performed Alongside the State of Alarm in Spain. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	2
89	Impact of COVID-19 Lockdown Measures on Spanish People with Chronic Pain: An Online Study Survey. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	17
88	Cost-Utility of Attachment-Based Compassion Therapy (ABCT) for Fibromyalgia Compared to Relaxation: A Pilot Randomized Controlled Trial. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	4
87	The Bed Nucleus of the Stria Terminalis as a Brain Correlate of Psychological Inflexibility in Fibromyalgia. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	1
86	Efficacy of a Multicomponent Intervention for Fibromyalgia Based on Pain Neuroscience Education, Exercise Therapy, Psychological Support, and Nature Exposure (NAT-FM): Study Protocol of a Randomized Controlled Trial. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	6
85	The Cross-cultural Validity of the Five-Facet Mindfulness Questionnaire Across 16 Countries. <i>Mindfulness</i> , 2020 , 11, 1226-1237	2.9	16
84	Patients With Fibromyalgia Reporting Severe Pain but Low Impact of the Syndrome: Clinical and Pain-Related Cognitive Features. <i>Pain Practice</i> , 2020 , 20, 255-261	3	16
83	Attachment-Based Compassion Therapy for Ameliorating Fibromyalgia: Mediating Role of Mindfulness and Self-Compassion. <i>Mindfulness</i> , 2020 , 11, 816-828	2.9	11
82	Peripheral immune aberrations in fibromyalgia: A systematic review, meta-analysis and meta-regression. <i>Brain, Behavior, and Immunity</i> , 2020 , 87, 881-889	16.6	20

81	Adaptation and validation of a scale of self-efficacy and social support for physical activity in Spanish patients with severe mental disorders. <i>Brain and Behavior</i> , 2020 , 10, e01510	3.4	1
80	Testing the Intermediary Role of Perceived Stress in the Relationship between Mindfulness and Burnout Subtypes in a Large Sample of Spanish University Students. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	3
79	Effectiveness of a Multicomponent Treatment for Fibromyalgia Based on Pain Neuroscience Education, Exercise Therapy, Psychological Support, and Nature Exposure (NAT-FM): A Pragmatic Randomized Controlled Trial. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	10
78	Mindfulness-Based Program Plus Amygdala and Insula Retraining (MAIR) for the Treatment of Women with Fibromyalgia: A Pilot Randomized Controlled Trial. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	2
77	The pros and cons of bifactor models for testing dimensionality and psychopathological models: A commentary on the manuscript A systematic review and meta-analytic factor analysis of the depression anxiety stress scales <i>Clinical Psychology: Science and Practice</i> , 2020 , 27,	3.7	1
76	Establishing Central Sensitization-Related Symptom Severity Subgroups: A Multicountry Study Using the Central Sensitization Inventory. <i>Pain Medicine</i> , 2020 , 21, 2430-2440	2.8	5
75	Efficacy, cost-utility and physiological effects of Acceptance and Commitment Therapy (ACT) and Behavioural Activation Treatment for Depression (BATD) in patients with chronic low back pain and depression: study protocol of a randomised, controlled trial including mobile-technology-based ecological momentary assessment (IMPACT study). <i>BMJ Open</i> , 2020 , 10, e038107	3	2
74	Machine Learning to Understand the Immune-Inflammatory Pathways in Fibromyalgia. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	12
73	Fifteen Years Controlling Unwanted Thoughts: A Systematic Review of the Thought Control Ability Questionnaire (TCAQ). <i>Frontiers in Psychology</i> , 2019 , 10, 1446	3.4	3
72	Cost-effectiveness of antidepressants versus active monitoring for mild-to-moderate major depressive disorder: a multisite non-randomized-controlled trial in primary care (INFAP study). <i>European Journal of Health Economics</i> , 2019 , 20, 703-713	3.6	5
71	Cost-Utility of Mindfulness-Based Stress Reduction for Fibromyalgia versus a Multicomponent Intervention and Usual Care: A 12-Month Randomized Controlled Trial (EUDAIMON Study). <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	10
70	Effects of attachment-based compassion therapy (ABCT) on brain-derived neurotrophic factor and low-grade inflammation among fibromyalgia patients: A randomized controlled trial. <i>Scientific Reports</i> , 2019 , 9, 15639	4.9	6
69	Immune-inflammatory pathways and clinical changes in fibromyalgia patients treated with Mindfulness-Based Stress Reduction (MBSR): A randomized, controlled clinical trial. <i>Brain, Behavior, and Immunity</i> , 2019 , 80, 109-119	16.6	29
68	Clustering a large Spanish sample of patients with fibromyalgia using the Fibromyalgia Impact Questionnaire-Revised: differences in clinical outcomes, economic costs, inflammatory markers, and gray matter volumes. <i>Pain</i> , 2019 , 160, 908-921	8	17
67	A randomized controlled efficacy trial of mindfulness-based stress reduction compared with an active control group and usual care for fibromyalgia: the EUDAIMON study. <i>Pain</i> , 2019 , 160, 2508-2523	8	33
66	Laughing away the pain: A narrative review of humour, sense of humour and pain. <i>European Journal of Pain</i> , 2019 , 23, 220-233	3.7	19
65	Economic Impact of Third-Wave Cognitive Behavioral Therapies: A Systematic Review and Quality Assessment of Economic Evaluations in Randomized Controlled Trials. <i>Behavior Therapy</i> , 2018 , 49, 124-147	4.8	31
64	Digging into the construct of fibrofog: Psychometric properties of the Spanish version of the Multidimensional Inventory of Subjective Cognitive Impairment in patients with fibromyalgia. <i>Journal of Applied Biobehavioral Research</i> , 2018 , 23, e12134	1.7	6

63	Dimensionality and Reliability of the Central Sensitization Inventory in a Pooled Multicountry Sample. <i>Journal of Pain</i> , 2018 , 19, 317-329	5.2	42
62	Current status of acceptance and commitment therapy for chronic pain: a narrative review. <i>Journal of Pain Research</i> , 2018 , 11, 2145-2159	2.9	62
61	Cost-Utility of Group Acceptance and Commitment Therapy for Fibromyalgia Versus Recommended Drugs: An Economic Analysis Alongside a 6-Month Randomized Controlled Trial Conducted in Spain (EFFIGACT Study). <i>Journal of Pain</i> , 2017 , 18, 868-880	5.2	27
60	Efficacy of "Attachment-Based Compassion Therapy" in the Treatment of Fibromyalgia: A Randomized Controlled Trial. <i>Frontiers in Psychiatry</i> , 2017 , 8, 307	5	32
59	Effectiveness of Psychological and/or Educational Interventions in the Prevention of Anxiety: A Systematic Review, Meta-analysis, and Meta-regression. <i>JAMA Psychiatry</i> , 2017 , 74, 1021-1029	14.5	41
58	World Health Organization disability assessment schedule 2.0: An international systematic review. <i>Disability and Rehabilitation</i> , 2017 , 39, 2347-2380	2.4	149
57	Description and narrative review of well-established and promising psychological treatments for fibromyalgia. <i>Mindfulness & Compassion</i> , 2017 , 2, 112-129		10
56	Effectiveness of the "What's Up!" Intervention to Reduce Stigma and Psychometric Properties of the Youth Program Questionnaire (YPQ): Results from a Cluster Non-randomized Controlled Trial Conducted in Catalan High Schools. <i>Frontiers in Psychology</i> , 2017 , 8, 1608	3.4	4
55	Psychometric Properties of the Cognitive Emotion Regulation Questionnaire (CERQ) in Patients with Fibromyalgia Syndrome. <i>Frontiers in Psychology</i> , 2017 , 8, 2075	3.4	12
54	Economic evaluation of a guided and unguided internet-based CBT intervention for major depression: Results from a multi-center, three-armed randomized controlled trial conducted in primary care. <i>PLoS ONE</i> , 2017 , 12, e0172741	3.7	29
53	Functional Status, Quality of Life, and Costs Associated With Fibromyalgia Subgroups: A Latent Profile Analysis. <i>Clinical Journal of Pain</i> , 2016 , 32, 829-40	3.5	29
52	Impact of the mass media OBERTAMENT campaign on the levels of stigma among the population of Catalonia, Spain. <i>European Psychiatry</i> , 2016 , 31, 44-51	6	9
51	Attitudes and intended behaviour to mental disorders and associated factors in catalan population, Spain: cross-sectional population-based survey. <i>BMC Public Health</i> , 2016 , 16, 127	4.1	9
50	Impact of IPDE-SQ personality disorders on the healthcare and societal costs of fibromyalgia patients: a cross-sectional study. <i>BMC Family Practice</i> , 2016 , 17, 61	2.6	4
49	Psychometric Properties of the Spanish Version of the Nonattachment Scale (NAS) and Its Relationship with Mindfulness, Decentering, and Mental Health. <i>Mindfulness</i> , 2016 , 7, 1156-1169	2.9	18
48	Cost-utility and biological underpinnings of Mindfulness-Based Stress Reduction (MBSR) versus a psychoeducational programme (FibroQoL) for fibromyalgia: a 12-month randomised controlled trial (EUDAIMON study). <i>BMC Complementary and Alternative Medicine</i> , 2016 , 16, 81	4.7	25
47	Health service use and costs associated with aggressiveness or agitation and containment in adult psychiatric care: a systematic review of the evidence. <i>BMC Psychiatry</i> , 2015 , 15, 35	4.2	36
46	Cost-effectiveness of active monitoring versus antidepressants for major depression in primary health care: a 12-month non-randomized controlled trial (INFAP study). <i>BMC Psychiatry</i> , 2015 , 15, 63	4.2	9

45	Fibromyalgia. <i>Nature Reviews Disease Primers</i> , 2015 , 1, 15022	51.1	182
44	Bifactor analysis and construct validity of the five facet mindfulness questionnaire (FFMQ) in non-clinical Spanish samples. <i>Frontiers in Psychology</i> , 2015 , 6, 404	3.4	65
43	Is there a case for mental health promotion in the primary care setting? A systematic review. <i>Preventive Medicine</i> , 2015 , 76 Suppl, S5-11	4.3	7
42	Bifactor analysis and construct validity of the HADS: a cross-sectional and longitudinal study in fibromyalgia patients. <i>Psychological Assessment</i> , 2014 , 26, 395-406	5.3	38
41	Cost-utility of cognitive behavioral therapy versus U.S. Food and Drug Administration recommended drugs and usual care in the treatment of patients with fibromyalgia: an economic evaluation alongside a 6-month randomized controlled trial. <i>Arthritis Research and Therapy</i> , 2014 , 16, 451	5.7	30
40	Effectiveness of group acceptance and commitment therapy for fibromyalgia: a 6-month randomized controlled trial (EFFIGACT study). <i>Pain</i> , 2014 , 155, 693-702	8	99
39	The mechanical and inflammatory low back pain (MIL) index: development and validation. <i>BMC Musculoskeletal Disorders</i> , 2014 , 15, 12	2.8	5
38	Validation of a Spanish version of the psychological inflexibility in pain scale (PIPS) and an evaluation of its relation with acceptance of pain and mindfulness in sample of persons with fibromyalgia. <i>Health and Quality of Life Outcomes</i> , 2013 , 11, 62	3	17
37	Expectations, experiences and attitudes of patients and primary care health professionals regarding online psychotherapeutic interventions for depression: protocol for a qualitative study. <i>BMC Psychiatry</i> , 2013 , 13, 64	4.2	14
36	Low intensity vs. self-guided internet-delivered psychotherapy for major depression: a multicenter, controlled, randomized study. <i>BMC Psychiatry</i> , 2013 , 13, 21	4.2	17
35	Clinical dimensions of fibromyalgia symptoms and development of a combined index of severity: the CODI index. <i>Quality of Life Research</i> , 2013 , 22, 153-60	3.7	8
34	Prevalence and incidence of workplace bullying among Spanish employees working with people with intellectual disability. <i>Disability and Health Journal</i> , 2013 , 6, 405-9	4.2	9
33	Psychometric properties of the Spanish version of the Mindful Attention Awareness Scale (MAAS) in patients with fibromyalgia. <i>Health and Quality of Life Outcomes</i> , 2013 , 11, 6	3	21
32	Cost-utility of a psychoeducational intervention in fibromyalgia patients compared with usual care: an economic evaluation alongside a 12-month randomized controlled trial. <i>Clinical Journal of Pain</i> , 2013 , 29, 702-11	3.5	35
31	Dimensionality, reliability, and validity of the revised fibromyalgia impact questionnaire in two Spanish samples. <i>Arthritis Care and Research</i> , 2013 , 65, 1682-9	4.7	18
30	Perceived injustice in fibromyalgia: psychometric characteristics of the Injustice Experience Questionnaire and relationship with pain catastrophising and pain acceptance. <i>Journal of Psychosomatic Research</i> , 2012 , 73, 86-91	4.1	78
29	Recognition of anxiety disorders by the general practitioner: results from the DASMAPP study. <i>General Hospital Psychiatry</i> , 2012 , 34, 227-33	5.6	22
28	Psychotropic prescribing in Catalonia: results from an epidemiological study. <i>Family Practice</i> , 2012 , 29, 154-62	1.9	17

27	Examining the factor structure and discriminant validity of the 12-item General Health Questionnaire (GHQ-12) among Spanish postpartum women. <i>Assessment</i> , 2012 , 19, 517-25	3.7	28
26	Adjustment disorders in primary care: prevalence, recognition and use of services. <i>British Journal of Psychiatry</i> , 2012 , 201, 137-42	5.4	50
25	Correlational analysis and predictive validity of psychological constructs related with pain in fibromyalgia. <i>BMC Musculoskeletal Disorders</i> , 2011 , 12, 4	2.8	4
24	Effectiveness of cognitive behaviour therapy for the treatment of catastrophisation in patients with fibromyalgia: a randomised controlled trial. <i>Arthritis Research and Therapy</i> , 2011 , 13, R173	5.7	41
23	Effectiveness of a psychoeducational treatment program implemented in general practice for fibromyalgia patients: a randomized controlled trial. <i>Clinical Journal of Pain</i> , 2011 , 27, 383-91	3.5	43
22	Mental disorders among frequent attenders in primary care: a comparison with routine attenders. <i>Journal of Nervous and Mental Disease</i> , 2011 , 199, 744-9	1.8	39
21	Psychometric properties of the IDS-SR30 for the assessment of depressive symptoms in Spanish population. <i>BMC Medical Research Methodology</i> , 2011 , 11, 131	4.7	6
20	Relationship between behavioural coping strategies and acceptance in patients with fibromyalgia syndrome: elucidating targets of interventions. <i>BMC Musculoskeletal Disorders</i> , 2011 , 12, 143	2.8	32
19	Factor structure, internal consistency and construct validity of the Sheehan Disability Scale in a Spanish primary care sample. <i>Journal of Evaluation in Clinical Practice</i> , 2010 , 16, 895-901	2.5	47
18	Frequent attendance in primary care: comparison and implications of different definitions. <i>British Journal of General Practice</i> , 2010 , 60, 49-55	1.6	35
17	Localized 1H-NMR spectroscopy in patients with fibromyalgia: a controlled study of changes in cerebral glutamate/glutamine, inositol, choline, and N-acetylaspartate. <i>Arthritis Research and Therapy</i> , 2010 , 12, R134	5.7	75
16	Dysfunctional belief domains related to obsessive-compulsive disorder: a further examination of their dimensionality and specificity. <i>Spanish Journal of Psychology</i> , 2010 , 13, 376-88	1	36
15	Burden of chronic physical conditions and mental disorders in primary care. <i>British Journal of Psychiatry</i> , 2010 , 196, 302-9	5.4	44
14	Prevalence of mental disorders in primary care: results from the diagnosis and treatment of mental disorders in primary care study (DASMAP). <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010 , 45, 201-105	10.5	98
13	Utility of the twelve-item World Health Organization Disability Assessment Schedule II (WHO-DAS II) for discriminating depression "caseness" and severity in Spanish primary care patients. <i>Quality of Life Research</i> , 2010 , 19, 97-101	3.7	24
12	The 12-item World Health Organization Disability Assessment Schedule II (WHO-DAS II): a nonparametric item response analysis. <i>BMC Medical Research Methodology</i> , 2010 , 10, 45	4.7	53
11	Validation of a Spanish language version of the pain self-perception scale in patients with fibromyalgia. <i>BMC Musculoskeletal Disorders</i> , 2010 , 11, 255	2.8	23
10	Validation of the Spanish version of the Chronic Pain Acceptance Questionnaire (CPAQ) for the assessment of acceptance in fibromyalgia. <i>Health and Quality of Life Outcomes</i> , 2010 , 8, 37	3	46

9	Is major depression adequately diagnosed and treated by general practitioners? Results from an epidemiological study. <i>General Hospital Psychiatry</i> , 2010 , 32, 201-9	5.6	57
8	Psychometric properties of the twelve item World Health Organization Disability Assessment Schedule II (WHO-DAS II) in Spanish primary care patients with a first major depressive episode. <i>Journal of Affective Disorders</i> , 2010 , 121, 52-8	6.6	68
7	Impact of mental disorders and chronic physical conditions in health-related quality of life among primary care patients: results from an epidemiological study. <i>Quality of Life Research</i> , 2009 , 18, 1011-8	3.7	18
6	Effectiveness of the psychological and pharmacological treatment of catastrophization in patients with fibromyalgia: a randomized controlled trial. <i>Trials</i> , 2009 , 10, 24	2.8	21
5	Effectiveness of a psycho-educational program for improving quality of life of fibromyalgia patients. <i>BMC Musculoskeletal Disorders</i> , 2008 , 9,	2.8	5
4	Thought Suppression Confronting a Reminder Stimulus: An Effective Strategy for the Management of Intrusive Thoughts?. <i>Cognitive Therapy and Research</i> , 2008 , 32, 11-22	2.7	1
3	Confirmatory Factor Analysis of the White Bear Suppression Inventory and the Thought Control Questionnaire. <i>European Journal of Psychological Assessment</i> , 2006 , 22, 250-258	2.2	31
2	Individual differences in self-reported thought control: the role of the repressive coping sytle. <i>Psicothema</i> , 2006 , 18, 228-31	2	4
1	Development and validation of the thought control ability questionnaire. <i>Personality and Individual Differences</i> , 2005 , 38, 997-1008	3.3	47