

Ignazio Stanganelli

List of Publications by Citations

Source: <https://exaly.com/author-pdf/754021/ignazio-stanganelli-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

115
papers

3,153
citations

25
h-index

53
g-index

126
ext. papers

3,610
ext. citations

3.6
avg, IF

4.23
L-index

#	Paper	IF	Citations
115	Dermoscopy of pigmented skin lesions: results of a consensus meeting via the Internet. <i>Journal of the American Academy of Dermatology</i> , 2003 , 48, 679-93	4.5	882
114	Dermoscopic evaluation of amelanotic and hypomelanotic melanoma. <i>Archives of Dermatology</i> , 2008 , 144, 1120-7		193
113	Amelanotic/hypomelanotic melanoma: clinical and dermoscopic features. <i>British Journal of Dermatology</i> , 2004 , 150, 1117-24	4	171
112	Accuracy in melanoma detection: a 10-year multicenter survey. <i>Journal of the American Academy of Dermatology</i> , 2012 , 67, 54-9	4.5	131
111	Dermatologist detection and skin self-examination are associated with thinner melanomas: results from a survey of the Italian Multidisciplinary Group on Melanoma. <i>Archives of Dermatology</i> , 2003 , 139, 607-12		124
110	Slow-growing melanoma: a dermoscopy follow-up study. <i>British Journal of Dermatology</i> , 2010 , 162, 267-73		81
109	Dermoscopic evaluation of nodular melanoma. <i>JAMA Dermatology</i> , 2013 , 149, 699-709	5.1	79
108	Skin Cancer Diagnosis With Reflectance Confocal Microscopy: Reproducibility of Feature Recognition and Accuracy of Diagnosis. <i>JAMA Dermatology</i> , 2015 , 151, 1075-80	5.1	73
107	Vitamin D and melanoma and non-melanoma skin cancer risk and prognosis: a comprehensive review and meta-analysis. <i>European Journal of Cancer</i> , 2014 , 50, 2649-58	7.5	69
106	Anti-hypertensive drugs and skin cancer risk: a review of the literature and meta-analysis. <i>Critical Reviews in Oncology/Hematology</i> , 2018 , 122, 1-9	7	61
105	Integration of reflectance confocal microscopy in sequential dermoscopy follow-up improves melanoma detection accuracy. <i>British Journal of Dermatology</i> , 2015 , 172, 365-71	4	52
104	Dermoscopy for early detection of facial lentigo maligna. <i>British Journal of Dermatology</i> , 2005 , 152, 361-4		46
103	Intraobserver agreement in interpretation of digital epiluminescence microscopy. <i>Journal of the American Academy of Dermatology</i> , 1995 , 33, 584-9	4.5	45
102	A cancer-registry-assisted evaluation of the accuracy of digital epiluminescence microscopy associated with clinical examination of pigmented skin lesions. <i>Dermatology</i> , 2000 , 200, 11-6	4.4	43
101	Dermoscopy and reflectance confocal microscopy of pigmented actinic keratoses: a morphological study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015 , 29, 307-314	4.6	39
100	Negative pigment network: an additional dermoscopic feature for the diagnosis of melanoma. <i>Journal of the American Academy of Dermatology</i> , 2013 , 68, 552-559	4.5	39
99	Seasonal prevalence of digital epiluminescence microscopy patterns in acquired melanocytic nevi. <i>Journal of the American Academy of Dermatology</i> , 1996 , 34, 460-4	4.5	39

98	Confocal microscopy of recurrent naevi and recurrent melanomas: a retrospective morphological study. <i>British Journal of Dermatology</i> , 2011 , 165, 61-8	4	36
97	Changes observed in slow-growing melanomas during long-term dermoscopic monitoring. <i>British Journal of Dermatology</i> , 2012 , 166, 1213-20	4	33
96	Role of key-regulator genes in melanoma susceptibility and pathogenesis among patients from South Italy. <i>BMC Cancer</i> , 2009 , 9, 352	4.8	33
95	The role of ultrasound of sentinel nodes in the pre- and post-operative evaluation of stage I melanoma patients. <i>Melanoma Research</i> , 2005 , 15, 191-8	3.3	31
94	Heterogeneous distribution of BRAF/NRAS mutations among Italian patients with advanced melanoma. <i>Journal of Translational Medicine</i> , 2013 , 11, 202	8.5	28
93	Coffee, tea and caffeine intake and the risk of non-melanoma skin cancer: a review of the literature and meta-analysis. <i>European Journal of Nutrition</i> , 2017 , 56, 1-12		26
92	Pigmented nodular melanoma: the predictive value of dermoscopic features using multivariate analysis. <i>British Journal of Dermatology</i> , 2015 , 173, 106-14	4	26
91	Patterns of detection of superficial spreading and nodular-type melanoma: a multicenter Italian study. <i>Dermatologic Surgery</i> , 2004 , 30, 1371-5; discussion 1375-6	1.7	26
90	Vitamin D status and risk for malignant cutaneous melanoma: recent advances. <i>European Journal of Cancer Prevention</i> , 2017 , 26, 532-541	2	25
89	Dermoscopic features of difficult melanoma. <i>Dermatologic Surgery</i> , 2007 , 33, 91-9	1.7	24
88	Computer-aided diagnosis of melanocytic lesions. <i>Anticancer Research</i> , 2005 , 25, 4577-82	2.3	23
87	Critical Effects of Intense Sun Exposure on the Expression of Epiluminescence Microscopy Features of Acquired Melanocytic Nevi. <i>Archives of Dermatology</i> , 1997 , 133, 979		22
86	Discrepant alterations in main candidate genes among multiple primary melanomas. <i>Journal of Translational Medicine</i> , 2014 , 12, 117	8.5	21
85	Surgical treatment of melanoma: a survey of Italian hospitals. <i>Dermatology</i> , 2013 , 226 Suppl 1, 28-31	4.4	21
84	Dermoscopy, confocal laser microscopy, and hi-tech evaluation of vascular skin lesions: diagnostic and therapeutic perspectives. <i>Dermatologic Therapy</i> , 2012 , 25, 297-303	2.2	18
83	Dermoscopy of scalp tumours: a multi-centre study conducted by the international dermoscopy society. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2012 , 26, 953-63	4.6	18
82	Folliculotropism in pigmented facial macules: Differential diagnosis with reflectance confocal microscopy. <i>Experimental Dermatology</i> , 2018 , 27, 227-232	4	17
81	Atopic dermatitis, naevi count and skin cancer risk: A meta-analysis. <i>Journal of Dermatological Science</i> , 2016 , 84, 137-143	4.3	17

80	Germline and somatic mutations in patients with multiple primary melanomas: a next generation sequencing study. <i>BMC Cancer</i> , 2019 , 19, 772	4.8	17
79	Dermoscopy of acral melanoma: a multicenter study on behalf of the international dermoscopy society. <i>Dermatology</i> , 2013 , 227, 373-80	4.4	17
78	Melanoma Task Force (META) Project in Italy: methodology. <i>Dermatology</i> , 2013 , 226 Suppl 1, 1-2	4.4	17
77	Epiluminescence microscopy versus clinical evaluation of pigmented skin lesions: effects of OperatorB training on reproducibility and accuracy. <i>Dermatology and Venereology Society of the Canton of Ticino. Dermatology</i> , 1998 , 196, 199-203	4.4	17
76	Melanoma attributable to sunbed use and tan seeking behaviours: an Italian survey. <i>European Journal of Dermatology</i> , 2014 , 24, 35-40	0.8	16
75	Melanoma epidemic across the millennium: time trends of cutaneous melanoma in Emilia-Romagna (Italy) from 1997 to 2004. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2008 , 22, 213-8	4.6	16
74	Sunbed use among subjects at high risk of melanoma: an Italian survey after the ban. <i>British Journal of Dermatology</i> , 2013 , 169, 351-7	4	15
73	Mometasone furoate in the treatment of atopic dermatitis in children. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2006 , 2, 225-230	4.6	15
72	Diagnosis of pigmented skin lesions by epiluminescence microscopy determinants of accuracy improvement in a nationwide training programme for practical dermatologists. <i>Public Health</i> , 1999 , 113, 237-242	4	15
71	Lesions Mimicking Melanoma at Dermoscopy Confirmed Basal Cell Carcinoma: Evaluation with Reflectance Confocal Microscopy. <i>Dermatology</i> , 2019 , 235, 35-44	4.4	15
70	New paradigm for stage III melanoma: from surgery to adjuvant treatment. <i>Journal of Translational Medicine</i> , 2019 , 17, 266	8.5	14
69	Clinical evidence of abscopal effect in cutaneous squamous cell carcinoma treated with diffusing alpha emitters radiation therapy: a case report. <i>Journal of Contemporary Brachytherapy</i> , 2019 , 11, 449-457 ⁹		14
68	Morphological features of naevoid melanoma: results of a multicentre study of the International Dermoscopy Society. <i>British Journal of Dermatology</i> , 2015 , 172, 961-7	4	13
67	Baseline factors influencing decisions on digital follow-up of melanocytic lesions in daily practice: an Italian multicenter survey. <i>Journal of the American Academy of Dermatology</i> , 2006 , 55, 256-62	4.5	13
66	Patterns of Detection of Superficial Spreading and Nodular-Type Melanoma. <i>Dermatologic Surgery</i> , 2004 , 30, 1371-1375	1.7	13
65	Accuracy of Epiluminescence Microscopy among Practical Dermatologists: A Study from the Emilia-Romagna Region of Italy. <i>Tumori</i> , 1998 , 84, 701-705	1.7	13
64	Activating PIK3CA mutations coexist with BRAF or NRAS mutations in a limited fraction of melanomas. <i>Journal of Translational Medicine</i> , 2015 , 13, 37	8.5	12
63	Size functions for the morphological analysis of melanocytic lesions. <i>International Journal of Biomedical Imaging</i> , 2010 , 2010, 621357	5.2	12

62	Diagnosis of melanoma in the elderly and surgical implications. <i>Surgical Oncology</i> , 2004 , 13, 211-21	2.5	12
61	Contact dermatitis from usnic acid in vaginal ovules. <i>Contact Dermatitis</i> , 1995 , 33, 271-2	2.7	12
60	Low Levels of Genetic Heterogeneity in Matched Lymph Node Metastases from Patients with Melanoma. <i>Journal of Investigative Dermatology</i> , 2016 , 136, 1917-1920	4.3	11
59	Prognostic impact of regression in patients with primary cutaneous melanoma >1mm in thickness. <i>Journal of the American Academy of Dermatology</i> , 2019 , 80, 99-105.e5	4.5	11
58	Parental Use and Educational Campaigns on Sunbed Use Among Teenagers and Adolescents. <i>Medicine (United States)</i> , 2016 , 95, e3034	1.8	10
57	Physician-patient communication and patient-reported outcomes in the actinic keratosis treatment adherence initiative (AK-TRAIN): a multicenter, prospective, real-life study of treatment satisfaction, quality of life and adherence to topical field-directed therapy for the treatment of actinic keratosis in the United Kingdom. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019 , 33, 100-106	4.6	10
56	Insights into Genetic Susceptibility to Melanoma by Gene Panel Testing: Potential Pathogenic Variants in ACD, and. <i>Cancers</i> , 2020 , 12,	6.6	9
55	Follow-up of melanoma: a survey of Italian hospitals. <i>Dermatology</i> , 2013 , 226 Suppl 1, 32-8	4.4	9
54	Vitiligo-like lesions in a patient treated with nivolumab for renal cell carcinoma. <i>Medicine (United States)</i> , 2018 , 97, e13810	1.8	9
53	MC1R variants in childhood and adolescent melanoma: a retrospective pooled analysis of a multicentre cohort. <i>The Lancet Child and Adolescent Health</i> , 2019 , 3, 332-342	14.5	8
52	Clinicopathological predictors of recurrence in nodular and superficial spreading cutaneous melanoma: a multivariate analysis of 214 cases. <i>Journal of Translational Medicine</i> , 2017 , 15, 227	8.5	8
51	On the Generation of Point Cloud Data Sets: Step One in the Knowledge Discovery Process. <i>Lecture Notes in Computer Science</i> , 2014 , 57-80	0.9	8
50	The association between pesticide use and cutaneous melanoma: a systematic review and meta-analysis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34, 691-708	4.6	8
49	Dietary compounds and cutaneous malignant melanoma: recent advances from a biological perspective. <i>Nutrition and Metabolism</i> , 2019 , 16, 33	4.6	7
48	Correlation of Stomatitis and Cutaneous Toxicity With Clinical Outcome in Patients With Metastatic Renal-Cell Carcinoma Treated With Everolimus. <i>Clinical Genitourinary Cancer</i> , 2016 , 14, 426-431	3.3	7
47	Mutations in ERBB4 may have a minor role in melanoma pathogenesis. <i>Journal of Investigative Dermatology</i> , 2013 , 133, 1685-7	4.3	7
46	CDKN2A mutations could influence the dermoscopic pattern of presentation of multiple primary melanoma: a clinical dermoscopic genetic study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015 , 29, 574-80	4.6	6
45	A Feasibility Study for a Persistent Homology-Based k-Nearest Neighbor Search Algorithm in Melanoma Detection. <i>Journal of Mathematical Imaging and Vision</i> , 2017 , 57, 324-339	1.6	6

44	Role of the EGF +61A>G polymorphism in melanoma pathogenesis: an experience on a large series of Italian cases and controls. <i>BMC Dermatology</i> , 2009 , 9, 7	2.1	6
43	Early diagnosis of malignant melanoma: Proposal of a working formulation for the management of cutaneous pigmented lesions from the Melanoma Cooperative Group 2003 , 22, 1209		6
42	Improving sun protection behaviour in children: study design and baseline results of a randomized trial in Italian elementary schools. The Sole Si Sole No GISEDProject. <i>Dermatology</i> , 2003 , 207, 291-7	4.4	6
41	Analysis of Breslow Tumor Thickness Distribution of Skin Melanoma in the Italian Region of Romagna, 1986-1991. <i>Tumori</i> , 1994 , 80, 416-421	1.7	6
40	Clinical and dermoscopic criteria related to melanoma sentinel lymph node positivity. <i>Anticancer Research</i> , 2007 , 27, 2939-44	2.3	6
39	Digital Dermoscopy Monitoring: Is it Time to Define a Quality Standard?. <i>Acta Dermato-Venereologica</i> , 2017 , 97, 864-865	2.2	5
38	A Pinkish-Blue Exophytic Nodule on the Arm of an Elderly Man: A Quiz. Melanocytic matricoma. <i>Acta Dermato-Venereologica</i> , 2017 , 97, 1261-1262	2.2	5
37	Natural history of atypical and equivocal melanocytic lesions in children: an observational study of 19 cases. <i>Pediatric Dermatology</i> , 2014 , 31, 331-6	1.9	5
36	Dermoscopy and confocal microscopy for metachronous multiple melanomas: morphological, clinical, and molecular correlations. <i>European Journal of Dermatology</i> , 2018 , 28, 149-156	0.8	4
35	Management of small and intermediate congenital nevi: a nationwide survey in Italy. <i>Dermatology</i> , 2013 , 226 Suppl 1, 7-12	4.4	4
34	Diagnostic and therapeutic approaches in Italian hospitals: adjuvant and metastatic therapy in melanoma. <i>Dermatology</i> , 2013 , 226 Suppl 1, 22-7	4.4	4
33	Epiluminescence microscopy features of melanoma in relation to tumor thickness. Current concepts and clinical examples. <i>Dermatologic Clinics</i> , 2001 , 19, 285-97	4.2	4
32	Time trends and age-period-cohort analysis of cutaneous malignant melanoma incidence rates in the Romagna Region (northern Italy), 1986-2014. <i>Melanoma Research</i> , 2020 , 30, 198-205	3.3	4
31	Nipple and areola lesions: Dermoscopy and reflectance confocal microscopy features. <i>Journal of the American Academy of Dermatology</i> , 2019 , 81, 610-613	4.5	3
30	Atypical pigmented lesion of the nipple. <i>Journal of the American Academy of Dermatology</i> , 2014 , 71, e183-5	4.5	3
29	Epidemiological and genetic factors underlying melanoma development in Italy. <i>Melanoma Management</i> , 2015 , 2, 149-163	2.1	3
28	Evaluation of the agreement between TNM 7th and 8th in a population-based series of cutaneous melanoma. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019 , 33, 521-524	4.6	3
27	Mid-term trends and recent birth-cohort-dependent changes in incidence rates of cutaneous malignant melanoma in Italy. <i>International Journal of Cancer</i> , 2021 , 148, 835-844	7.5	3

26	Impact of mole mapping in the Italian health system. <i>Dermatology</i> , 2013 , 226 Suppl 1, 13-7	4.4	2
25	Diagnostic services for melanoma in Italy. <i>Dermatology</i> , 2013 , 226 Suppl 1, 3-6	4.4	2
24	Epidemiology of digital epiluminescence microscopy features of acquired melanocytic naevi. <i>Melanoma Research</i> , 2001 , 11, 483-9	3.3	2
23	Correlation between the histopathology and the epiluminescence microscopy features of malignant blue nevus. <i>Dermatologic Surgery</i> , 1996 , 22, 846-8	1.7	2
22	Lesion presenting with a "blue amber" pattern. <i>World Journal of Clinical Cases</i> , 2016 , 4, 333-335	1.6	2
21	Immune checkpoint inhibitors in adjuvant setting after radical resection of melanoma: a meta-analysis of the pivotal trials. <i>Human Vaccines and Immunotherapeutics</i> , 2021 , 1-6	4.4	2
20	Morphological classification of melanoma metastasis with reflectance confocal microscopy. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019 , 33, 676-685	4.6	2
19	A meta-analysis of melanoma risk in industrial workers. <i>Melanoma Research</i> , 2020 , 30, 286-296	3.3	2
18	Folliculotropism in head and neck lentigo maligna and lentigo maligna melanoma. <i>JDDG - Journal of the German Society of Dermatology</i> , 2021 , 19, 223-229	1.2	2
17	Topical Diphencyprone Immunotherapy for Painful Nodular Acral Recurrence of Kaposi Sarcoma. <i>JAMA Dermatology</i> , 2017 , 153, 234-235	5.1	1
16	Sunburn-related variables, secular trends of improved sun protection and short-term impact on sun attitude behavior in Italian primary schoolchildren: Analysis of the educational campaign "Il Sole Amico" ("The sun as a friend"). <i>Medicine (United States)</i> , 2020 , 99, e18078	1.8	1
15	Sex Differences in Axial and Limb Distribution of Melanocytic Naevi. <i>Acta Dermato-Venereologica</i> , 2017 , 97, 266-267	2.2	1
14	Not a simple plantar wart: a case of tungiasis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018 , 32, e113-e114	4.6	1
13	Epidemiological features and prognostic parameters of multiple primary melanomas in CDKN2A-mutations patients. <i>Pigment Cell and Melanoma Research</i> , 2015 , 28, 747-51	4.5	1
12	Surgical management of suspicious melanocytic lesions in Italy. <i>Dermatology</i> , 2013 , 226 Suppl 1, 18-21	4.4	1
11	Exogenous sex hormones, menstrual and reproductive history, and risk of non-melanoma skin cancer among women: a systematic literature review and meta-analysis. <i>Scientific Reports</i> , 2021 , 11, 8524	4.9	1
10	Blue nevus of the nail: A case report and review. <i>Dermatologic Therapy</i> , 2020 , 33, e13763	2.2	0
9	Analysis of Sentinel Node Biopsy and Clinicopathologic Features as Prognostic Factors in Patients With Atypical Melanocytic Tumors. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2020 , 18, 1327-1336	7.3	0

8	Long-term vemurafenib therapy in advanced melanoma patients: cutaneous toxicity and prognostic implications. <i>Journal of Dermatological Treatment</i> , 2020 , 1-8	2.8	o
7	Germline MC1R variants and frequency of somatic BRAF, NRAS, and TERT mutations in melanoma: Literature review and meta-analysis. <i>Molecular Carcinogenesis</i> , 2021 , 60, 167-171	5	o
6	Dermoscopic Features of Difficult Melanoma. <i>Dermatologic Surgery</i> , 2007 , 33, 91-99	1.7	
5	Melanoma likelihood and relationship with nevi distribution: a case-control study among Italian patients.. <i>International Journal of Dermatology</i> , 2022 ,	1.7	
4	Total Body Photography and Sequential Digital Dermoscopy for Melanoma Diagnosis 2020 , 121-126		
3	A lesion of the nipple in a previously mastectomized patient. <i>Italian Journal of Dermatology and Venereology</i> , 2018 , 153, 585-586	1.2	
2	A Nodular Pink Lesion with an Uncommon Diagnosis: A Quiz. <i>Acta Dermato-Venereologica</i> , 2020 , 100, adv00236	2.2	
1	Multiple acquired pigmented lesions in a patient affected by melanoma. <i>JDDG - Journal of the German Society of Dermatology</i> , 2018 , 16, 791-793	1.2	