

Amar Abderrahmani

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7540792/amar-abderrahmani-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

61
papers

3,096
citations

28
h-index

55
g-index

72
ext. papers

3,480
ext. citations

8
avg. IF

4.5
L-index

#	Paper	IF	Citations
61	Innovative transdermal delivery of insulin using gelatin methacrylate-based microneedle patches in mice and mini-pigs.. <i>Nanoscale Horizons</i> , 2022 ,	10.8	2
60	Sortilin-derived peptides promote pancreatic beta-cell survival through CREB signaling pathway. <i>Pharmacological Research</i> , 2021 , 167, 105539	10.2	2
59	The Map3k12 (Dlk)/JNK3 signaling pathway is required for pancreatic beta-cell proliferation during postnatal development. <i>Cellular and Molecular Life Sciences</i> , 2021 , 78, 287-298	10.3	5
58	The impact of chemical engineering and technological advances on managing diabetes: present and future concepts. <i>Chemical Society Reviews</i> , 2021 , 50, 2102-2146	58.5	12
57	Carbon quantum dots as a dual platform for the inhibition and light-based destruction of collagen fibers: implications for the treatment of eye floaters. <i>Nanoscale Horizons</i> , 2021 , 6, 449-461	10.8	2
56	Histone deacetylase 9 promoter hypomethylation associated with adipocyte dysfunction is a statin-related metabolic effect. <i>Clinical Epigenetics</i> , 2020 , 12, 68	7.7	6
55	Electrothermal patches driving the transdermal delivery of insulin. <i>Nanoscale Horizons</i> , 2020 , 5, 663-670	10.8	14
54	Near-infrared light activatable hydrogels for metformin delivery. <i>Nanoscale</i> , 2019 , 11, 15810-15820	7.7	17
53	Loss-of-function mutations in ADCY3 cause monogenic severe obesity. <i>Nature Genetics</i> , 2018 , 50, 175-179	36.3	74
52	Increased Hepatic PDGF-AA Signaling Mediates Liver Insulin Resistance in Obesity-Associated Type 2 Diabetes. <i>Diabetes</i> , 2018 , 67, 1310-1321	0.9	42
51	Physiopathologie du diabète. <i>Revue Francophone Des Laboratoires</i> , 2018 , 2018, 26-32	0	3
50	Expression and functional assessment of candidate type 2 diabetes susceptibility genes identify four new genes contributing to human insulin secretion. <i>Molecular Metabolism</i> , 2017 , 6, 459-470	8.8	32
49	Transdermal skin patch based on reduced graphene oxide: A new approach for photothermal triggered permeation of ondansetron across porcine skin. <i>Journal of Controlled Release</i> , 2017 , 245, 137-146	11.7	52
48	Photothermally triggered on-demand insulin release from reduced graphene oxide modified hydrogels. <i>Journal of Controlled Release</i> , 2017 , 246, 164-173	11.7	58
47	Endoplasmic Reticulum Stress Links Oxidative Stress to Impaired Pancreatic Beta-Cell Function Caused by Human Oxidized LDL. <i>PLoS ONE</i> , 2016 , 11, e0163046	3.7	60
46	Potential of Calcium Influx and Insulin Secretion in Pancreatic Beta Cell by the Specific TREK-1 Blocker Spadin. <i>Journal of Diabetes Research</i> , 2016 , 2016, 3142175	3.9	11
45	Islet Brain 1 Protects Insulin Producing Cells against Lipotoxicity. <i>Journal of Diabetes Research</i> , 2016 , 2016, 9158562	3.9	2

44	Insulin impregnated reduced graphene oxide/Ni(OH) ₂ thin films for electrochemical insulin release and glucose sensing. <i>Sensors and Actuators B: Chemical</i> , 2016 , 237, 693-701	8.5	21
43	KAT2B Is Required for Pancreatic Beta Cell Adaptation to Metabolic Stress by Controlling the Unfolded Protein Response. <i>Cell Reports</i> , 2016 , 15, 1051-1061	10.6	10
42	Impaired histone deacetylases 5 and 6 expression mimics the effects of obesity and hypoxia on adipocyte function. <i>Molecular Metabolism</i> , 2016 , 5, 1200-1207	8.8	21
41	Electrochemically triggered release of human insulin from an insulin-impregnated reduced graphene oxide modified electrode. <i>Chemical Communications</i> , 2015 , 51, 14167-70	5.8	24
40	Inhibition of the glucose transporter SGLT2 with dapagliflozin in pancreatic alpha cells triggers glucagon secretion. <i>Nature Medicine</i> , 2015 , 21, 512-7	50.5	440
39	Placental antiangiogenic prolactin fragments are increased in human and rat maternal diabetes. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2014 , 1842, 1783-93	6.9	8
38	The class I histone deacetylase inhibitor MS-275 prevents pancreatic beta cell death induced by palmitate. <i>Journal of Diabetes Research</i> , 2014 , 2014, 195739	3.9	20
37	JNK3 is required for the cytoprotective effect of exendin 4. <i>Journal of Diabetes Research</i> , 2014 , 2014, 814854	3.9	13
36	Role of microRNAs in islet beta-cell compensation and failure during diabetes. <i>Journal of Diabetes Research</i> , 2014 , 2014, 618652	3.9	41
35	Decompensation of βcells in diabetes: when pancreatic βcells are on ICE(R). <i>Journal of Diabetes Research</i> , 2014 , 2014, 768024	3.9	2
34	Reduction of connexin36 content by ICER-1 contributes to insulin-secreting cells apoptosis induced by oxidized LDL particles. <i>PLoS ONE</i> , 2013 , 8, e55198	3.7	14
33	Evidence for tuning adipocytes ICER levels for obesity care. <i>Adipocyte</i> , 2012 , 1, 157-160	3.2	3
32	MicroRNAs contribute to compensatory βcell expansion during pregnancy and obesity. <i>Journal of Clinical Investigation</i> , 2012 , 122, 3541-51	15.9	122
31	LEDGF/p75 TATA-less promoter is driven by the transcription factor Sp1. <i>Journal of Molecular Biology</i> , 2011 , 414, 177-93	6.5	12
30	Role for inducible cAMP early repressor in promoting pancreatic beta cell dysfunction evoked by oxidative stress in human and rat islets. <i>Diabetologia</i> , 2011 , 54, 2337-46	10.3	24
29	Impaired expression of the inducible cAMP early repressor accounts for sustained adipose CREB activity in obesity. <i>Diabetes</i> , 2011 , 60, 3169-74	0.9	17
28	Neurotensin is a regulator of insulin secretion in pancreatic beta-cells. <i>International Journal of Biochemistry and Cell Biology</i> , 2010 , 42, 1681-8	5.6	24
27	Involvement of microRNAs in the cytotoxic effects exerted by proinflammatory cytokines on pancreatic beta-cells. <i>Diabetes</i> , 2010 , 59, 978-86	0.9	253

26	Risk prediction of prevalent diabetes in a Swiss population using a weighted genetic score--the CoLaus Study. <i>Diabetologia</i> , 2009 , 52, 600-8	10.3	95
25	JNK3 is abundant in insulin-secreting cells and protects against cytokine-induced apoptosis. <i>Diabetologia</i> , 2009 , 52, 1871-80	10.3	34
24	Role of the JNK-interacting protein 1/islet brain 1 in cell degeneration in Alzheimer disease and diabetes. <i>Brain Research Bulletin</i> , 2009 , 80, 274-81	3.9	33
23	Role of the transcriptional factor C/EBPbeta in free fatty acid-elicited beta-cell failure. <i>Molecular and Cellular Endocrinology</i> , 2009 , 305, 47-55	4.4	21
22	Exendin-4 protects beta-cells from interleukin-1 beta-induced apoptosis by interfering with the c-Jun NH2-terminal kinase pathway. <i>Diabetes</i> , 2008 , 57, 1205-15	0.9	125
21	ICER-1gamma overexpression drives palmitate-mediated connexin36 down-regulation in insulin-secreting cells. <i>Journal of Biological Chemistry</i> , 2008 , 283, 5226-34	5.4	40
20	Alterations in microRNA expression contribute to fatty acid-induced pancreatic beta-cell dysfunction. <i>Diabetes</i> , 2008 , 57, 2728-36	0.9	286
19	Functional significance of repressor element 1 silencing transcription factor (REST) target genes in pancreatic beta cells. <i>Diabetologia</i> , 2008 , 51, 1429-39	10.3	39
18	Human high-density lipoprotein particles prevent activation of the JNK pathway induced by human oxidised low-density lipoprotein particles in pancreatic beta cells. <i>Diabetologia</i> , 2007 , 50, 1304-14	10.3	115
17	The c-Jun N-terminal kinase JNK participates in cytokine- and isolation stress-induced rat pancreatic islet apoptosis. <i>Diabetologia</i> , 2007 , 50, 1660-9	10.3	47
16	MicroRNA-9 controls the expression of Granuphilin/Slp4 and the secretory response of insulin-producing cells. <i>Journal of Biological Chemistry</i> , 2006 , 281, 26932-42	5.4	283
15	Mechanisms controlling the expression of the components of the exocytotic apparatus under physiological and pathological conditions. <i>Biochemical Society Transactions</i> , 2006 , 34, 696-700	5.1	22
14	A unique set of SH3-SH3 interactions controls IB1 homodimerization. <i>EMBO Journal</i> , 2006 , 25, 785-97	13	35
13	ICER induced by hyperglycemia represses the expression of genes essential for insulin exocytosis. <i>EMBO Journal</i> , 2006 , 25, 977-86	13	55
12	The hairy and enhancer of split 1 is a negative regulator of the repressor element silencer transcription factor. <i>FEBS Letters</i> , 2005 , 579, 6199-204	3.8	6
11	IB1/JIP-1 controls JNK activation and increased during prostatic LNCaP cells neuroendocrine differentiation. <i>Cellular Signalling</i> , 2005 , 17, 929-39	4.9	24
10	The repressor element silencing transcription factor (REST)-mediated transcriptional repression requires the inhibition of Sp1. <i>Journal of Biological Chemistry</i> , 2005 , 280, 401-7	5.4	31
9	Expression of an uncleavable N-terminal RasGAP fragment in insulin-secreting cells increases their resistance toward apoptotic stimuli without affecting their glucose-induced insulin secretion. <i>Journal of Biological Chemistry</i> , 2005 , 280, 32835-42	5.4	18

8	Complexin I regulates glucose-induced secretion in pancreatic beta-cells. <i>Journal of Cell Science</i> , 2004 , 117, 2239-47	5.3	59
7	Neuronal traits are required for glucose-induced insulin secretion. <i>FEBS Letters</i> , 2004 , 565, 133-8	3.8	27
6	Critical role of the transcriptional repressor neuron-restrictive silencer factor in the specific control of connexin36 in insulin-producing cell lines. <i>Journal of Biological Chemistry</i> , 2003 , 278, 53082-9	5.4	55
5	The mif gene is transcriptionally regulated by glucose in insulin-secreting cells. <i>Biochemical and Biophysical Research Communications</i> , 2002 , 295, 174-81	3.4	15
4	The transcriptional repressor REST determines the cell-specific expression of the human MAPK8IP1 gene encoding IB1 (JIP-1). <i>Molecular and Cellular Biology</i> , 2001 , 21, 7256-67	4.8	42
3	Identification of seven novel nucleotide variants in the hepatocyte nuclear factor-1alpha (TCF1) promoter region in MODY patients. <i>Human Mutation</i> , 2000 , 15, 173-80	4.7	34
2	Genetic variation in the hepatocyte nuclear factor-3beta gene (HNF3B) does not contribute to maturity-onset diabetes of the young in French Caucasians. <i>Diabetes</i> , 2000 , 49, 306-8	0.9	7
1	Anatomy of a homeoprotein revealed by the analysis of human MODY3 mutations. <i>Journal of Biological Chemistry</i> , 1999 , 274, 35639-46	5.4	75