
## **Christoph Ihle**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7540841/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Work intensity and quality of life can be restored following double-level osteotomy in varus knee osteoarthritis. Knee Surgery, Sports Traumatology, Arthroscopy, 2023, 31, 1546-1555.	2.3	4
2	Overweight patients benefit from high tibial osteotomy to the same extent as patients with normal weights but show inferior mid-term results. Knee Surgery, Sports Traumatology, Arthroscopy, 2022, 30, 907-917.	2.3	12
3	Increased tibial tubercle-trochlear groove and patellar height indicate a higher risk of recurrent patellar dislocation following medial reefing. Knee Surgery, Sports Traumatology, Arthroscopy, 2022, 30, 1404-1413.	2.3	16
4	Influence of axial limb rotation on radiographic lower limb alignment: a systematic review. Archives of Orthopaedic and Trauma Surgery, 2022, 142, 3349-3366.	1.3	25
5	Cortical bone thickness predicts the quantitative bone mineral density of the proximal humerus. Archives of Osteoporosis, 2021, 16, 33.	1.0	5
6	Health-Related Quality of Life – an Underestimated Factor to Evaluate the Treatment Success after Open Wedge HTO Surgery: Prospective 6-Years Follow-Up. Zeitschrift Fur Orthopadie Und Unfallchirurgie, 2021, 159, 288-297.	0.4	6
7	Correction of Torsional Deformity Following Nail Osteosynthesis of a Subtrochanteric Fracture. Zeitschrift Fur Orthopadie Und Unfallchirurgie, 2021, 159, 98-100.	0.4	2
8	Cortical bone thickness of the distal radius predicts the local bone mineral density. Bone and Joint Research, 2021, 10, 820-829.	1.3	8
9	Torsional Osteotomy. Journal of Knee Surgery, 2020, 33, 486-495.	0.9	16
10	Preoperative Ascorbic Acid Levels in Proximal Femur Fracture Patients Have No Postoperative Clinical Impact, While Ascorbic Acid Levels upon Discharge Have a Major Effect on Postoperative Outcome. Journal of Clinical Medicine, 2020, 9, 66.	1.0	12
11	Risk of malnutrition in orthopedic trauma patients with surgical site infections is associated with increased morbidity and mortality – a 3-year follow-up study. Injury, 2020, 51, 2219-2229.	0.7	15
12	Assessment of the Influence of Diabetes mellitus and Malnutrition on the Postoperative Complication Rate and Quality of Life of Patients in a Clinic Focused on Trauma Surgery. Zeitschrift Fur Orthopadie Und Unfallchirurgie, 2019, 157, 173-182.	0.4	4
13	Evaluation of the Constant score: which is the method to assess the objective strength?. BMC Musculoskeletal Disorders, 2019, 20, 403.	0.8	18
14	Smoking Dependent Alterations in Bone Formation and Inflammation Represent Major Risk Factors for Complications Following Total Joint Arthroplasty. Journal of Clinical Medicine, 2019, 8, 406.	1.0	28
15	The continuous downgrading of malnutrition in the German DRG system: possible effects on the treatment of patients at risk for malnutrition. EXCLI Journal, 2019, 18, 370-381.	0.5	3
16	Adverse Events in the Treatment of Periprosthetic Fractures Around the Knee – a Clinical and Radiological Outcome Analysis. Zeitschrift Fur Orthopadie Und Unfallchirurgie, 2018, 156, 287-297.	0.4	9
17	Interview based malnutrition assessment can predict adverse events within 6Âmonths after primary and revision arthroplasty – a prospective observational study of 351 patients. BMC Musculoskeletal Disorders, 2018, 19, 83.	0.8	13
18	Health-related quality of life after open-wedge high tibial osteotomy. Knee Surgery, Sports Traumatology, Arthroscopy, 2017, 25, 934-942.	2.3	41

CHRISTOPH IHLE

#	Article	IF	CITATIONS
19	Age-dependent risk factors for malnutrition in traumatology andÂorthopedic patients. Nutrition, 2017, 37, 60-67.	1.1	15
20	Computer assisted evaluation of plate osteosynthesis of diaphyseal femur fracture considering interfragmentary movement: a finite element study. Biomedizinische Technik, 2017, 62, 245-255.	0.9	1
21	Malnutrition – An underestimated factor in the inpatient treatment of traumatology and orthopedic patients. Injury, 2017, 48, 628-636.	0.7	48
22	Lower Limb Deformity Analysis and the Planning of an Osteotomy. Journal of Knee Surgery, 2017, 30, 393-408.	0.9	42
23	Crucial Role of Vitamin D in the Musculoskeletal System. Nutrients, 2016, 8, 319.	1.7	148
24	Health-related quality of life and clinical outcomes following medial open wedge high tibial osteotomy: a prospective study. BMC Musculoskeletal Disorders, 2016, 17, 215.	0.8	23
25	Factors circulating in the blood of type 2 diabetes mellitus patients affect osteoblast maturation – Description of a novel in vitro model. Experimental Cell Research, 2015, 332, 247-258.	1.2	38
26	Occupational consequences after isolated reconstruction of the insufficient posterior cruciate ligament. BMC Research Notes, 2014, 7, 201.	0.6	8