

Elvar Theodorsson

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7543050/elvar-theodorsson-publications-by-year.pdf>
Version: 2024-04-04

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

309 papers	9,023 citations	51 h-index	78 g-index
323 ext. papers	9,836 ext. citations	3.9 avg, IF	5.85 L-index

#	Paper	IF	Citations
309	Measurement uncertainty for practical use.. <i>Clinica Chimica Acta</i> , 2022 , 531, 352-360	6.2	2
308	Standard Modifiable Cardiovascular Risk Factors Mediate the Association Between Elevated Hair Cortisol Concentrations and Coronary Artery Disease.. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 765000	5.4	0
307	Management of diastasis of the rectus abdominis muscles: recommendations for swedish national guidelines. <i>Scandinavian Journal of Surgery</i> , 2021 , 110, 452-459	3.1	7
306	Long-term stress in dogs is related to the human-dog relationship and personality traits. <i>Scientific Reports</i> , 2021 , 11, 8612	4.9	3
305	Disorganization and degeneration of liver sympathetic innervations in nonalcoholic fatty liver disease revealed by 3D imaging. <i>Science Advances</i> , 2021 , 7,	14.3	2
304	Associations of hair cortisol concentrations with paediatric appendicitis. <i>Scientific Reports</i> , 2021 , 11, 152819	4.9	0
303	Markers of tissue damage and inflammation after robotic and abdominal hysterectomy in early endometrial cancer: a randomised controlled trial. <i>Scientific Reports</i> , 2020 , 10, 7226	4.9	4
302	Response to Dr. Sadler's comments. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2020 , 80, 448-449	2	
301	Repeatability imprecision from analysis of duplicates of patient samples and control materials. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2020 , 80, 210-214	2	4
300	Measurement repeatability profiles of eight frequently requested measurands in clinical chemistry determined by duplicate measurements of patient samples. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2020 , 80, 202-209	2	5
299	An experimental study of methods for the analysis of variance components in the inference of laboratory information. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2020 , 80, 73-80	2	3
298	Elevated levels of cortisol in hair precede acute myocardial infarction. <i>Scientific Reports</i> , 2020 , 10, 224564.9	4.9	7
297	Self-reported mental health and cortisol activity at 27-28 years of age in individuals born with very low birthweight. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2020 , 109, 948-958	3.1	1
296	Pre-traumatic conditions can influence cortisol levels before and after a brain injury. <i>Acta Neurologica Scandinavica</i> , 2020 , 141, 342-350	3.8	4
295	Stress and perceived health among primary care visitors in two corners of Europe: Scandinavia and Greece. <i>International Journal of Health Geographics</i> , 2020 , 19, 55	3.5	0
294	The ethical dilemma of granulocyte transfusions. <i>Clinical Ethics</i> , 2020 , 15, 156-161	1	
293	Expression of Stress-Mediating Genes is Increased in Term Placentas of Women with Chronic Self-Perceived Anxiety and Depression. <i>Genes</i> , 2020 , 11,	4.2	1

292	Hair cortisol in horses (<i>Equus caballus</i>) in relation to management regimes, personality, and breed. <i>Journal of Veterinary Behavior: Clinical Applications and Research</i> , 2020 , 37, 1-7	1.9	4
291	Long-term stress levels are synchronized in dogs and their owners. <i>Scientific Reports</i> , 2019 , 9, 7391	4.9	37
290	Women born with very low birth weight have similar menstrual cycle pattern, pregnancy rates and hormone profiles compared with women born at term. <i>BMC Women's Health</i> , 2019 , 19, 56	2.9	1
289	Evaluation of commercial, wireless dermal thermometers for surrogate measurements of core temperature. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2019 , 79, 1-6	2	9
288	Cardiac troponin T concentrations and patient-specific risk of myocardial infarction using the novel PALfx parameter. <i>Clinical Biochemistry</i> , 2019 , 66, 21-28	3.5	0
287	Skin-to-skin contact during eye examination did not reduce pain compared to standard care with parental support in preterm infants. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2019 , 108, 1434-1440 ⁵	2.1	1440 ⁵
286	CGRP Is Critical for Hot Flushes in Ovariectomized Mice. <i>Frontiers in Pharmacology</i> , 2018 , 9, 1452	5.6	4
285	Enterochromaffin 5-HT cells - A major target for GLP-1 and gut microbial metabolites. <i>Molecular Metabolism</i> , 2018 , 11, 70-83	8.8	100
284	A long-term follow-up study of men born with very low birth weight and their reproductive hormone profile. <i>Systems Biology in Reproductive Medicine</i> , 2018 , 64, 207-215	2.9	2
283	Male Testosterone Does Not Adapt to the Partner's Menstrual Cycle. <i>Journal of Sexual Medicine</i> , 2018 , 15, 1103-1110	1.1	0
282	Substance P Antagonist Aprepitant Shows no Additive Effect Compared with Standardized Topical Treatment Alone in Patients with Atopic Dermatitis. <i>Acta Dermato-Venereologica</i> , 2018 , 98, 324-328	2.2	21
281	Effect of laser Doppler flowmetry and occlusion time on outcome variability and mortality in rat middle cerebral artery occlusion: inconclusive results. <i>BMC Neuroscience</i> , 2018 , 19, 24	3.2	5
280	Sexual function and combined oral contraceptives - a randomised, placebo-controlled trial. <i>Endocrine Connections</i> , 2018 ,	3.5	6
279	The use of error and uncertainty methods in the medical laboratory. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018 , 56, 209-219	5.9	48
278	Neuropeptide and Small Transmitter Coexistence: Fundamental Studies and Relevance to Mental Illness. <i>Frontiers in Neural Circuits</i> , 2018 , 12, 106	3.5	53
277	A Clinical Trial of the Accuracy and Treatment Experience of the Flash Glucose Monitor FreeStyle Libre in Adults with Type 1 Diabetes. <i>Diabetes Technology and Therapeutics</i> , 2017 , 19, 164-172	8.1	104
276	The microINR portable coagulometer: analytical quality and user-friendliness of a PT (INR) point-of-care instrument. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2017 , 77, 115-121 ²		1
275	Short N-terminal galanin fragments are occurring naturally in vivo. <i>Neuropeptides</i> , 2017 , 63, 1-13	3.3	2

274	Cortisol levels in hair are altered in irritable bowel syndrome - A case control study in primary care. <i>Journal of Psychosomatic Research</i> , 2017 , 93, 69-75	4.1	4
273	Uncertainty in Measurement and Total Error: Tools for Coping with Diagnostic Uncertainty. <i>Clinics in Laboratory Medicine</i> , 2017 , 37, 15-34	2.1	40
272	Full method validation in clinical chemistry. <i>Accreditation and Quality Assurance</i> , 2017 , 22, 235-246	0.7	5
271	Testosterone-like immunoreactivity in hair measured in minute sample amounts - a competitive radioimmunoassay with an adequate limit of detection. <i>Scientific Reports</i> , 2017 , 7, 17636	4.9	7
270	Patient benefit of dog-assisted interventions in health care: a systematic review. <i>BMC Complementary and Alternative Medicine</i> , 2017 , 17, 358	4.7	51
269	Salivary cortisol circadian rhythm in infants at psychosocial risk showed more variations than previous studies of healthy full-term infants. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2017 , 106, 2060-2061	3.1	2
268	Comparisons between commercial salivary testosterone enzyme-linked immunosorbent assay kits. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2017 , 77, 582-586	2	4
267	Risk of myocardial infarction at specific troponin T levels using the parameter predictive value among lookalikes (PAL). <i>Clinical Biochemistry</i> , 2017 , 50, 6-10	3.5	5
266	Development of salivary cortisol circadian rhythm in preterm infants. <i>PLoS ONE</i> , 2017 , 12, e0182685	3.7	16
265	Depression-like behavior in rat: Involvement of galanin receptor subtype 1 in the ventral periaqueductal gray. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, E4726-35	11.5	31
264	Hair cortisol varies with season and lifestyle and relates to human interactions in German shepherd dogs. <i>Scientific Reports</i> , 2016 , 6, 19631	4.9	27
263	Quality Assurance in Clinical Chemistry: A Touch of Statistics and A Lot of Common Sense. <i>Journal of Medical Biochemistry</i> , 2016 , 35, 103-112	1.9	26
262	Method parameters' impact on mortality and variability in mouse stroke experiments: a meta-analysis. <i>Scientific Reports</i> , 2016 , 6, 21086	4.9	14
261	OC09 - Early maternal contact has an impact on preterm infants' brain systems that manage stress. <i>Nursing Children and Young People</i> , 2016 , 28, 62-3	0.3	1
260	Assessing the Accuracy of Continuous Glucose Monitoring (CGM) Calibrated With Capillary Values Using Capillary or Venous Glucose Levels as a Reference. <i>Journal of Diabetes Science and Technology</i> , 2016 , 10, 876-84	4.1	19
259	Measurement uncertainty as a tool for evaluating the grey zone to reduce the false negatives in immunochemical screening of blood donors for infectious diseases. <i>Accreditation and Quality Assurance</i> , 2016 , 21, 25-32	0.7	8
258	Total error vs. measurement uncertainty: revolution or evolution?. <i>Clinical Chemistry and Laboratory Medicine</i> , 2016 , 54, 235-9	5.9	29
257	Alterations in the neuropeptide galanin system in major depressive disorder involve levels of transcripts, methylation, and peptide. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, E8472-E8481	11.5	34

256	Effects of high and low 17 β -estradiol doses on focal cerebral ischemia in rats. <i>Scientific Reports</i> , 2016 , 6, 20228	4.9	6
255	Expression of galanin and its receptors are perturbed in a rodent model of mild, blast-induced traumatic brain injury. <i>Experimental Neurology</i> , 2016 , 279, 159-167	5.7	13
254	Is laboratory medicine ready for the era of personalized medicine? A survey addressed to laboratory directors of hospitals/academic schools of medicine in Europe. <i>Drug Metabolism and Personalized Therapy</i> , 2015 , 30, 121-8	2	3
253	Colour coding for blood collection tube closures - a call for harmonisation. <i>Clinical Chemistry and Laboratory Medicine</i> , 2015 , 53, 371-6	5.9	19
252	Early psychosocial exposures, hair cortisol levels, and disease risk. <i>Pediatrics</i> , 2015 , 135, e1450-7	7.4	60
251	DNA Methylation Inhibitor Zebularine Confers Stroke Protection in Ischemic Rats. <i>Translational Stroke Research</i> , 2015 , 6, 296-300	7.8	33
250	Clinical use of conventional reference intervals in the frail elderly. <i>Journal of Evaluation in Clinical Practice</i> , 2015 , 21, 229-35	2.5	8
249	Elevated body swing test after focal cerebral ischemia in rodents: methodological considerations. <i>BMC Neuroscience</i> , 2015 , 16, 50	3.2	10
248	European views on patients directly obtaining their laboratory test results. <i>Clinical Chemistry and Laboratory Medicine</i> , 2015 , 53, 1961-6	5.9	13
247	Vasoactive Peptide Levels after Change of Dialysis Mode. <i>Nephron Extra</i> , 2015 , 5, 67-78		1
246	Insulin-like growth factor I in cats: validation of an enzyme-linked immunosorbent assay and determination of biologic variation. <i>Veterinary Clinical Pathology</i> , 2015 , 44, 542-51	1	7
245	Resampling methods in Microsoft Excel [®] for estimating reference intervals. <i>Biochemia Medica</i> , 2015 , 25, 311-9	2.5	3
244	Is laboratory medicine ready for the era of personalized medicine? A survey addressed to laboratory directors of hospitals/academic schools of medicine in Europe. <i>Clinical Chemistry and Laboratory Medicine</i> , 2015 , 53, 981-8	5.9	13
243	How to assess the quality of your analytical method?. <i>Clinical Chemistry and Laboratory Medicine</i> , 2015 , 53, 1707-18	5.9	34
242	A randomised trial of continuous skin-to-skin contact after preterm birth and the effects on salivary cortisol, parental stress, depression, and breastfeeding. <i>Early Human Development</i> , 2015 , 91, 63-70	2.2	112
241	Development of Salivary Cortisol Circadian Rhythm and Reference Intervals in Full-Term Infants. <i>PLoS ONE</i> , 2015 , 10, e0129502	3.7	42
240	Higher perceived stress and poorer health reflected in elevated cortisol concentrations measured in extracts of hair from middle-aged healthy women. <i>BMC Psychology</i> , 2014 , 2,	2.8	10
239	Response: platelets do not generate activated factor XII--how inappropriate experimental models have led to misleading conclusions. <i>Blood</i> , 2014 , 124, 1692-4	2.2	6

238	Bias in clinical chemistry. <i>Bioanalysis</i> , 2014 , 6, 2855-75	2.1	43
237	Correlation between the effects of local and intracerebroventricular infusions of galanin on 5-HT release studied by microdialysis, and distribution of galanin and galanin receptors in prefrontal cortex, ventral hippocampus, amygdala, hypothalamus, and striatum of awake rats. <i>Synapse</i> , 2014 , 68, 179-93	2.4	11
236	Substance P alterations in skin and brain of chronically stressed atopic-like mice. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2013 , 27, 199-205	4.6	8
235	Method parameters' impact on mortality and variability in rat stroke experiments: a meta-analysis. <i>BMC Neuroscience</i> , 2013 , 14, 41	3.2	35
234	Chronic mild stress modulates 5-HT1A and 5-HT2A receptor expression in the cerebellar cortex of NC/Nga atopic-like mice. <i>Archives of Dermatological Research</i> , 2013 , 305, 407-13	3.3	4
233	Leptin and adiponectin in cord blood from children of normal weight, overweight and obese mothers. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2013 , 102, 620-4	3.1	12
232	Putting polyphosphates to the test: evidence against platelet-induced activation of factor XII. <i>Blood</i> , 2013 , 122, 3818-24	2.2	43
231	The type 2 CCK/gastrin receptor antagonist YF476 acutely prevents NSAID-induced gastric ulceration while increasing iNOS expression. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2013 , 386, 41-9	3.4	5
230	Effects of 17 β -estradiol on galanin(1-29)- and galanin(1-16)-like immunoreactivities. <i>Peptides</i> , 2013 , 43, 1-7	3.8	7
229	Sample volume matters when sampling saliva in paediatric clinical analysis. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2013 , 102, e389	3.1	2
228	Maternal influence on child HPA axis: a prospective study of cortisol levels in hair. <i>Pediatrics</i> , 2013 , 132, e1333-40	7.4	93
227	Effects of high and low 17 β -estradiol doses on focal cerebral ischemia: negative results. <i>Scientific Reports</i> , 2013 , 3, 3111	4.9	12
226	Higher perceived stress but lower cortisol levels found among young Greek adults living in a stressful social environment in comparison with Swedish young adults. <i>PLoS ONE</i> , 2013 , 8, e73828	3.7	43
225	Changes in galanin and GalR1 gene expression in discrete brain regions after transient occlusion of the middle cerebral artery in female rats. <i>Neuropeptides</i> , 2012 , 46, 19-27	3.3	8
224	Methods for long-term 17 β -estradiol administration to mice. <i>General and Comparative Endocrinology</i> , 2012 , 175, 188-93	3	76
223	The female menstrual cycle does not influence testosterone concentrations in male partners. <i>Journal of Negative Results in BioMedicine</i> , 2012 , 11, 1		5
222	Validation and verification of measurement methods in clinical chemistry. <i>Bioanalysis</i> , 2012 , 4, 305-20	2.1	39
221	Hot flushes in healthy aging men differ from those in men with prostate cancer and in menopausal women. <i>Gynecological Endocrinology</i> , 2012 , 28, 72-5	2.4	2

220	Ovariectomy and 17 β -estradiol replacement in rats and mice: a visual demonstration. <i>Journal of Visualized Experiments</i> , 2012 , e4013	1.6	55
219	Routine internal- and external-quality control data in clinical laboratories for estimating measurement and diagnostic uncertainty using GUM principles. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2012 , 72, 212-20	2	14
218	The anorectic response to growth hormone in obese rats is associated with an increased rate of lipid oxidation and decreased hypothalamic galanin. <i>Physiology and Behavior</i> , 2011 , 102, 459-65	3.5	8
217	Galanin receptor 2 overexpressing mice display an antidepressive-like phenotype: possible involvement of the subiculum. <i>Neuroscience</i> , 2011 , 190, 270-88	3.9	25
216	Methods for 17 β -estradiol administration to rats. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2011 , 71, 583-92	2	23
215	Expression of tachykinins and their receptors in plaque psoriasis with pruritus. <i>British Journal of Dermatology</i> , 2011 , 164, 1023-9	4	33
214	Effects of intracerebroventricular galanin or a galanin receptor 2/3 agonist on the lesion induced by transient occlusion of the middle cerebral artery in female rats. <i>Neuropeptides</i> , 2011 , 45, 17-23	3.3	7
213	Effect of chronic mild stress on serotonergic markers in the skin and brain of the NC/Nga atopic-like mouse strain. <i>Archives of Dermatological Research</i> , 2011 , 303, 625-33	3.3	9
212	Salivary cortisol in pregnant women suffering from blood and injection phobia. <i>Archives of Women's Mental Health</i> , 2011 , 14, 405-11	5	8
211	Cortisol in hair measured in young adults - a biomarker of major life stressors?. <i>BMC Clinical Pathology</i> , 2011 , 11, 12	3	114
210	Molecular fingerprint of neuropeptide S-producing neurons in the mouse brain. <i>Journal of Comparative Neurology</i> , 2011 , 519, 1847-66	3.4	45
209	Change in testosterone concentrations over time is a better predictor than the actual concentrations for symptoms of late onset hypogonadism. <i>Aging Male</i> , 2011 , 14, 249-56	2.1	11
208	Hormesis and Female Sex Hormones. <i>Pharmaceuticals</i> , 2011 , 4, 726-740	5.2	11
207	Mechanisms of estrogens' dose-dependent neuroprotective and neurodamaging effects in experimental models of cerebral ischemia. <i>International Journal of Molecular Sciences</i> , 2011 , 12, 1533-62	6.3	52
206	Blood chemistry markers for evaluation of inflammatory activity in Crohn's disease during infliximab therapy. <i>Scandinavian Journal of Gastroenterology</i> , 2011 , 46, 420-7	2.4	25
205	Multiple different laminar velocity profiles in separate veins in the microvascular network of brain cortex in rats. <i>International Journal of Clinical and Experimental Medicine</i> , 2011 , 4, 10-6		2
204	Decreased innervation of eczematous skin in NC/Nga atopic mice during chronic mild stress. <i>Immunopharmacology and Immunotoxicology</i> , 2010 , 32, 147-52	3.2	4
203	Activation of VPAC1 receptors aggravates early atherosclerosis in hypercholesterolemic apolipoprotein E-deficient mice. <i>Biochemical and Biophysical Research Communications</i> , 2010 , 402, 471-6	3.4	3

202	Cholecystokinin in plasma and cerebrospinal fluid--a study in healthy young women. <i>Peptides</i> , 2010 , 31, 1625-8	3.8	2
201	Different methods for administering 17beta-estradiol to ovariectomized rats result in opposite effects on ischemic brain damage. <i>BMC Neuroscience</i> , 2010 , 11, 39	3.2	47
200	Rapid change of neuropeptide Y levels and gene-expression in the brain of ovariectomized mice after administration of 17beta-estradiol. <i>Neuropeptides</i> , 2009 , 43, 327-32	3.3	8
199	Non-parametric estimation of reference intervals in small non-Gaussian sample sets. <i>Accreditation and Quality Assurance</i> , 2009 , 14, 185-192	0.7	6
198	Dose-related neuroprotective versus neurodamaging effects of estrogens in rat cerebral ischemia: a systematic analysis. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2009 , 29, 1359-72	7.3	73
197	Stress at three-month immunization: parents' and infants' salivary cortisol response in relation to the use of pacifier and oral glucose. <i>European Journal of Pain</i> , 2009 , 13, 202-8	3.7	31
196	The roles of nerve growth factor and cholecystokinin in the enhancement of morphine analgesia in a rodent model of central nervous system inflammation. <i>Neuropharmacology</i> , 2009 , 56, 684-91	5.5	8
195	Release of regulatory gut peptides somatostatin, neurotensin and vasoactive intestinal peptide by acid and hyperosmolal solutions in the intestine in conscious rats. <i>Regulatory Peptides</i> , 2009 , 152, 8-12		26
194	Alteration of neuropeptides in the lung tissue correlates brain death-induced neurogenic edema. <i>Journal of Heart and Lung Transplantation</i> , 2009 , 28, 725-32	5.8	6
193	The Acupuncture on Hot Flushes Among Menopausal Women (ACUFLASH) study, a randomized controlled trial. <i>Menopause</i> , 2009 , 16, 484-93	2.5	97
192	GLP-1 suppresses gastrointestinal motility and inhibits the migrating motor complex in healthy subjects and patients with irritable bowel syndrome. <i>Neurogastroenterology and Motility</i> , 2008 , 20, 649-59	4	90
191	Hypothermia-induced increase in galanin concentrations and ischemic neuroprotection in the rat brain. <i>Neuropeptides</i> , 2008 , 42, 79-87	3.3	10
190	Order of magnitude differences between methods for maintaining physiological 17beta-oestradiol concentrations in ovariectomized rats. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2008 , 68, 814-22	2	53
189	Substantial discrepancies in 17beta-oestradiol concentrations obtained with three different commercial direct radioimmunoassay kits in rat sera. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2008 , 68, 806-13	2	26
188	Bravo capsule system optimizes intragastric pH monitoring over prolonged time: effects of ghrelin on gastric acid and hormone secretion in the rat. <i>World Journal of Gastroenterology</i> , 2008 , 14, 6180-7	5.6	6
187	Epidemiology of haemoglobin disorders in Europe: an overview. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2007 , 67, 39-69	2	108
186	Inherited, non-spherocytic haemolysis due to deficiency of glucose-6-phosphate dehydrogenase. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2007 , 67, 105-11	2	17
185	Cholecystokinin levels in the rat brain during the estrous cycle. <i>Brain Research</i> , 2007 , 1144, 70-3	3.7	11

184	Testosterone correlated to symptoms of partial androgen deficiency in aging men (PADAM) in an elderly Swedish population. <i>Menopause</i> , 2007 , 14, 999-1005	2.5	19
183	beta-Alanine and gamma-aminobutyric acid in chronic fatigue syndrome. <i>Clinica Chimica Acta</i> , 2007 , 376, 23-9	6.2	5
182	Haemoglobinopathies and glucose-6-phosphate dehydrogenase deficiency in a Scandinavian perspective. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2007 , 67, 3-10	2	6
181	Saliva collection using cotton buds with wooden sticks: a note of caution. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2006 , 66, 15-8	2	17
180	Deletion of the neuropeptide Y Y1 receptor affects pain sensitivity, neuropeptide transport and expression, and dorsal root ganglion neuron numbers. <i>Neuroscience</i> , 2006 , 140, 293-304	3.9	35
179	Circulating ghrelin levels after food intake during different phases of the migrating motor complex in man. <i>European Journal of Clinical Investigation</i> , 2006 , 36, 503-8	4.6	11
178	A short estrogen-responsive N-terminal galanin homologue found in rat brain and gut with antiserum raised against rat galanin(1-16). <i>Neurochemical Research</i> , 2006 , 31, 177-88	4.6	4
177	Modern anesthesia and peroperative monitoring methods reduce per- and postoperative mortality during transient occlusion of the middle cerebral artery in rats. <i>Brain Research Protocols</i> , 2005 , 14, 181-90		14
176	Estradiol increases brain lesions in the cortex and lateral striatum after transient occlusion of the middle cerebral artery in rats: no effect of ischemia on galanin in the stroke area but decreased levels in the hippocampus. <i>Peptides</i> , 2005 , 26, 2257-64	3.8	35
175	Generation and phenotypic characterization of a galanin overexpressing mouse. <i>Neuroscience</i> , 2005 , 133, 59-77	3.9	49
174	Position statement: training programme in immunology of the European Board of UEMS Medical Biopathology. <i>Immunology Letters</i> , 2005 , 96, 305-10	4.1	3
173	Estrogen induces a rapid increase in galanin levels in female rat hippocampal formation--possibly a nongenomic/indirect effect. <i>European Journal of Neuroscience</i> , 2005 , 21, 2089-99	3.5	20
172	Galanin in the hippocampal formation of female rats--effects of 17beta-estradiol. <i>Neuropeptides</i> , 2005 , 39, 253-7	3.3	3
171	Distribution of galanin in the brain of a galanin-overexpressing transgenic mouse. <i>Neuropeptides</i> , 2005 , 39, 293-8	3.3	8
170	Neurokinin a is a main constituent of sensory neurons innervating the anterior segment of the eye. <i>Investigative Ophthalmology and Visual Science</i> , 2005 , 46, 268-74		22
169	Salivary cortisol and mood and pain profiles during skin-to-skin care for an unselected group of mothers and infants in neonatal intensive care. <i>Pediatrics</i> , 2005 , 116, 1105-13	7.4	123
168	Serum concentrations of 17beta-estradiol in ovariectomized rats during two times six weeks crossover treatment by daily injections in comparison with slow-release pellets. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2005 , 65, 699-705	2	21
167	Calcitonin gene-related peptide during sweating in young healthy women. <i>Gynecologic and Obstetric Investigation</i> , 2005 , 60, 149-53	2.5	6

166	Galanin expression in a murine model of allergic contact dermatitis. <i>Acta Dermato-Venereologica</i> , 2004 , 84, 428-32	2.2	9
165	Salivary cortisol and administration of concentrated oral glucose in newborn infants: improved detection limit and smaller sample volumes without glucose interference. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2004 , 64, 113-8	2	55
164	Pharmacokinetic profile of orexin A and effects on plasma insulin and glucagon in the rat. <i>Regulatory Peptides</i> , 2004 , 119, 209-12		30
163	Distribution of galanin and galanin transcript in the brain of a galanin-overexpressing transgenic mouse. <i>Journal of Chemical Neuroanatomy</i> , 2004 , 28, 185-216	3.2	29
162	Neuropeptide-Y and atrial natriuretic peptide as prognostic markers in patients on hemodialysis. <i>ASAIO Journal</i> , 2003 , 49, 74-80	3.6	14
161	NGF modulates CGRP synthesis in human B-lymphocytes: a possible anti-inflammatory action of NGF?. <i>Journal of Neuroimmunology</i> , 2002 , 123, 58-65	3.5	63
160	A novel tachykinin NK2 receptor antagonist prevents motility-stimulating effects of neurokinin A in small intestine. <i>British Journal of Pharmacology</i> , 2001 , 134, 215-23	8.6	59
159	Neonatal salivary cortisol in response to heelstick: method modifications enable analysis of low concentrations and small sample volumes. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2001 , 61, 287-91	2	31
158	Suppressed kindling epileptogenesis in mice with ectopic overexpression of galanin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001 , 98, 14006-11	11.5	97
157	MOMENTARY INCREASE IN PLASMA CALCITONIN GENE-RELATED PEPTIDE IS INVOLVED IN HOT FLASHES IN MEN TREATED WITH CASTRATION FOR CARCINOMA OF THE PROSTATE. <i>Journal of Urology</i> , 2001 , 166, 1720-1723	2.5	30
156	Progesterone and norethisterone have different effects on tachykinin-like immunoreactivity in rat cortex and striatum. <i>Regulatory Peptides</i> , 2001 , 101, 87-91		5
155	Gastric myoelectrical activity and gut hormone secretion in myotonic dystrophy. <i>European Journal of Gastroenterology and Hepatology</i> , 2001 , 13, 825-31	2.2	14
154	MOMENTARY INCREASE IN PLASMA CALCITONIN GENE-RELATED PEPTIDE IS INVOLVED IN HOT FLASHES IN MEN TREATED WITH CASTRATION FOR CARCINOMA OF THE PROSTATE. <i>Journal of Urology</i> , 2001 , 1720-1723	2.5	1
153	Effects of long-term infusion of anorexic concentrations of islet amyloid polypeptide on neurotransmitters and neuropeptides in rat brain. <i>Brain Research</i> , 2000 , 887, 391-8	3.7	15
152	Increased intestinal non-substance P tachykinin concentrations in malignant midgut carcinoid disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 1999 , 14, 500-7	4	8
151	Exercise and variations in neuropeptide concentrations in rheumatoid arthritis. <i>Neuropeptides</i> , 1999 , 33, 260-4	3.3	6
150	Sensory stimulation (acupuncture) increases the release of calcitonin gene-related peptide in the saliva of xerostomia sufferers. <i>Neuropeptides</i> , 1999 , 33, 244-50	3.3	52
149	Synovial fluid sampling from the temporomandibular joint: sample quality criteria and levels of interleukin-1 beta and serotonin. <i>Acta Odontologica Scandinavica</i> , 1999 , 57, 16-22	2.2	45

148	Altered levels of neuropeptides characterize the brain of lupus prone mice. <i>Neuroscience Letters</i> , 1999 , 275, 57-60	3.3	24
147	Altered influence of CCK-B/gastrin receptors on HDC expression in ECL cells after neoplastic transformation. <i>Regulatory Peptides</i> , 1999 , 85, 115-23		3
146	Sex differences in neuropeptide distribution in the rat brain. <i>Peptides</i> , 1999 , 20, 81-6	3.8	40
145	Effects of estradiol, progesterone, and norethisterone on regional concentrations of galanin in the rat brain. <i>Peptides</i> , 1999 , 20, 743-8	3.8	10
144	Distal small bowel hormones: correlation with fasting antroduodenal motility and gastric emptying. <i>Digestive Diseases and Sciences</i> , 1998 , 43, 945-52	4	95
143	An experimental model of tennis elbow in rats: a study of the contribution of the nervous system. <i>Inflammation</i> , 1998 , 22, 435-44	5.1	9
142	Importance of small bowel peptides for the improved glucose metabolism 20 years after jejunoileal bypass for obesity. <i>Obesity Surgery</i> , 1998 , 8, 253-60	3.7	123
141	Unilateral injection of calcitonin gene-related peptide (CGRP) induces bilateral oedema formation and release of CGRP-like immunoreactivity in the rat hindpaw. <i>British Journal of Pharmacology</i> , 1998 , 125, 1304-12	8.6	28
140	Opioids modulate the calcitonin gene-related peptide8-37-mediated hindpaw withdrawal latency increase in thermally injured rats. <i>Neuropeptides</i> , 1998 , 32, 173-7	3.3	2
139	Increased concentrations of calcitonin gene-related peptide-like immunoreactivity in rat brain and peripheral tissue after ischaemia: correlation to flap survival. <i>Neuropeptides</i> , 1998 , 32, 179-83	3.3	7
138	Sensory stimulation (acupuncture) increases the release of vasoactive intestinal polypeptide in the saliva of xerostomia sufferers. <i>Neuropeptides</i> , 1998 , 32, 543-8	3.3	51
137	Intraduodenal neuropeptide levels, but not plasma levels, vary in a cyclic fashion with the migrating motor complex. <i>Acta Physiologica Scandinavica</i> , 1998 , 164, 317-23		9
136	Effects of physical activity and acupuncture on calcitonin gene-related peptide immunoreactivity in different parts of the rat brain and in cerebrospinal fluid, serum and urine. <i>Acta Physiologica Scandinavica</i> , 1998 , 162, 517-22		15
135	Postmenopausal women with vasomotor symptoms have increased urinary excretion of calcitonin gene-related peptide. <i>Maturitas</i> , 1998 , 30, 289-94	5	38
134	Neuropeptide Y, neurokinin A and neurotensin in brain regions of Fawn Hooded "depressed", Wistar, and Sprague Dawley rats. Effects of electroconvulsive stimuli. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 1998 , 22, 529-46	5.5	69
133	Changes in dietary fatty acids alter phospholipid fatty acid composition in selected regions of rat brain. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 1998 , 22, 1007-21	5.5	43
132	Decreased concentrations of CGRP in Leishmania major murine cutaneous leishmaniasis. <i>Neuroscience Letters</i> , 1998 , 246, 149-52	3.3	7
131	Development of systemic lupus erythematosus in mice is associated with alteration of neuropeptide concentrations in inflamed kidneys and immunoregulatory organs. <i>Neuroscience Letters</i> , 1998 , 248, 97-100	3.3	23

130	Contribution of the sensory and sympathetic nervous system to scalding-induced edema in the rat paw. <i>Burns</i> , 1998 , 24, 188-95	2.3	5
129	The influence of sensory stimulation (acupuncture) on the release of neuropeptides in the saliva of healthy subjects. <i>Life Sciences</i> , 1998 , 63, 659-74	6.8	50
128	Sensory Stimulation (Electro-Acupuncture) and Physical Exercise, Effects on Blood Pressure, and Nociception. <i>International Journal of Neuroscience</i> , 1998 , 94, 239-249	2	1
127	Intracerebroventricular infusion of nerve growth factor in three patients with Alzheimer's disease. <i>Dementia and Geriatric Cognitive Disorders</i> , 1998 , 9, 246-57	2.6	363
126	Neuropeptide Y concentrations in experimental Leishmania major cutaneous leishmaniasis. <i>NeuroReport</i> , 1998 , 9, 3271-7	1.7	4
125	Nociceptive inhibition of migrating myoelectric complex by nitric oxide and monoaminergic pathways in the rat. <i>American Journal of Physiology - Renal Physiology</i> , 1998 , 274, G480-6	5.1	1
124	Carcinoid tumors: analysis of prognostic factors and survival in 301 patients from a referral center. <i>Annals of Oncology</i> , 1997 , 8, 685-90	10.3	309
123	Indomethacin influences regulatory peptides and increases DNA synthesis in the gastrointestinal tract of the rat. <i>European Journal of Gastroenterology and Hepatology</i> , 1997 , 9, 665-73	2.2	4
122	Atrial Natriuretic Peptide and Vasoactive Hormones During Preeclampsia Compared to Normal Pregnancy. <i>Hypertension in Pregnancy</i> , 1997 , 16, 19-34	2	1
121	Effects of histamine on neuropeptide release into the knee joint perfusate and cerebrospinal fluid in rats. <i>Neuroscience Letters</i> , 1997 , 226, 9-12	3.3	5
120	Prostaglandin E2 modulates serotonin- and gastrin/CCK-immunoreactive cells in the duodenal mucosa of the rat. <i>Digestion</i> , 1997 , 58, 249-57	3.6	3
119	Effects of capsaicin in temporomandibular joint arthritis in rats. <i>Archives of Oral Biology</i> , 1997 , 42, 869-76.8	6.8	15
118	Intrathecal CGRP(8-37) results in a bilateral increase in hindpaw withdrawal latency in rats with a unilateral thermal injury. <i>Neuropeptides</i> , 1997 , 31, 601-7	3.3	21
117	An experimental study of the neurogenic and the immunological contribution to "tennis elbow" in rats. <i>Inflammation</i> , 1997 , 21, 35-44	5.1	2
116	Tachykinins influence interdigestive rhythm and contractile strength of human small intestine. <i>Digestive Diseases and Sciences</i> , 1997 , 42, 1940-9	4	35
115	Endotoxin actions on myoelectric activity, transit, and neuropeptides in the gut. Role of nitric oxide. <i>Digestive Diseases and Sciences</i> , 1997 , 42, 1640-51	4	41
114	Neuropeptides in the saliva of healthy subjects. <i>Life Sciences</i> , 1997 , 60, 269-78	6.8	38
113	Intrathecal CGRP8-37-induced bilateral increase in hindpaw withdrawal latency in rats with unilateral inflammation. <i>British Journal of Pharmacology</i> , 1996 , 117, 43-50	8.6	62

112	Modification of lymphoid and brain nerve growth factor levels in systemic lupus erythematosus mice. <i>Neuroscience Letters</i> , 1996 , 204, 13-6	3.3	16
111	Functional, biochemical and anatomical changes in the rat urinary bladder induced by periganglionic injection of colchicine. <i>Neuroscience</i> , 1996 , 71, 285-96	3.9	5
110	The effect of vagotomy on enterochromaffin-like cells in <i>Mastomys natalensis</i> . <i>Journal of the Autonomic Nervous System</i> , 1996 , 59, 133-9		5
109	A model for experimental induction of acute temporomandibular joint inflammation in rats: effects of substance P (SP) on neuropeptide-like immunoreactivity. <i>Life Sciences</i> , 1996 , 59, 1193-201	6.8	16
108	Nerve growth factor stimulates production of neuropeptide Y in human lymphocytes. <i>NeuroReport</i> , 1996 , 7, 485-8	1.7	35
107	Calcitonin gene-related peptide in experimental ischemia. Implication of an endogenous anti-ischemic effect. <i>Annals of Plastic Surgery</i> , 1996 , 36, 616-20	1.7	11
106	Effects of adjuvant on neuropeptide-like immunoreactivity in experimentally induced temporomandibular arthritis in rats. <i>Archives of Oral Biology</i> , 1996 , 41, 705-12	2.8	21
105	Is the pretreatment effect of low dose Freund's adjuvant on adjuvant arthritis due to an activation of the nervous system?. <i>Neuropeptides</i> , 1996 , 30, 405-11	3.3	5
104	A model for experimentally induced temporomandibular joint arthritis in rats: effects of carrageenan on neuropeptide-like immunoreactivity. <i>Neuropeptides</i> , 1996 , 30, 37-41	3.3	24
103	Effects of repeated sensory stimulation (electro-acupuncture) and physical exercise (running) on open-field behaviour and concentrations of neuropeptides in the hippocampus in WKY and SHR rats. <i>European Journal of Neuroscience</i> , 1996 , 8, 382-7	3.5	53
102	The effect on joint fluid concentration of neuropeptide Y by intra-articular injection of glucocorticoid in temporomandibular joint arthritis. <i>Acta Odontologica Scandinavica</i> , 1996 , 54, 1-7	2.2	27
101	Immunohistochemical localization of interleukin-6-like immunoreactivity to peripheral nerve-like structures in normal and inflamed human skin 1996 , 288, 431		2
100	Neuropeptide Y- and vasoactive intestinal polypeptide-like immunoreactivity in adjuvant arthritis: effects of capsaicin treatment. <i>Neuropeptides</i> , 1995 , 29, 33-43	3.3	19
99	Co-variation of neuropeptide Y, calcitonin gene-related peptide, substance P and neurokinin A in joint fluid from patients with temporomandibular joint arthritis. <i>Archives of Oral Biology</i> , 1995 , 40, 127-35	3.8	52
98	Concurrent analysis of neuropeptides and biogenic amines in brain tissue of rats treated with electroconvulsive stimuli. <i>Brain Research</i> , 1995 , 698, 39-45	3.7	22
97	Significant changes in neuropeptide concentrations in the brain of normotensive (WKY) and spontaneously hypertensive (SHR) rats following knee joint monoarthritis. <i>Brain Research</i> , 1995 , 704, 71-8	3.7	7
96	Immunoreactive tachykinins in 24-h collections of urine from patients with carcinoid tumours: characterization and correlation with plasma concentrations. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 1995 , 55, 679-89	2	3
95	Ambulatory 24-hour blood pressure and peptide balance in hemodialysis patients. <i>Scandinavian Journal of Urology and Nephrology</i> , 1995 , 29, 259-63		8

94	Pancreastatin immunoreactivity in favourable childhood neuroblastoma and ganglioneuroma. <i>European Journal of Cancer</i> , 1995 , 31A, 557-60	7.5	13
93	Somatostatin and vasoactive intestinal peptide (VIP) in neuroblastoma and ganglioneuroma: chromatographic characterisation and release during surgery. <i>European Journal of Cancer</i> , 1995 , 31A, 481-5	7.5	14
92	Effects of neuropeptides on growth of cultivated rat molar pulp fibroblasts. <i>Regulatory Peptides</i> , 1995 , 60, 91-8		28
91	Effects of surgical denervation on substance P and calcitonin gene-related peptide in adjuvant arthritis. <i>Peptides</i> , 1995 , 16, 569-79	3.8	17
90	Changes of neuropeptide concentrations in the brain following experimentally induced mononeuropathy in Wistar Kyoto and spontaneously hypertensive rats. <i>Neuroscience Letters</i> , 1995 , 192, 93-6	3.3	10
89	Capsaicin effects on substance P and CGRP in rat adjuvant arthritis. <i>Regulatory Peptides</i> , 1995 , 55, 85-102		45
88	Are enterochromaffinlike cell tumours reversible? An experimental study on gastric carcinoids induced in <i>Mastomys</i> by histamine ₂ -receptor blockade. <i>Regulatory Peptides</i> , 1995 , 56, 19-33		17
87	Determination of temporomandibular joint fluid concentrations using vitamin B12 as an internal standard. <i>European Journal of Oral Sciences</i> , 1995 , 103, 214-8	2.3	36
86	Monosodium glutamate increases NGF and NPY concentrations in rat hypothalamus and pituitary. <i>NeuroReport</i> , 1995 , 6, 2450-2	1.7	7
85	Haemodynamic and hormonal responses to cardiac pacing in humans: influence of different stimulation sequences and rates. <i>Clinical Science</i> , 1995 , 88, 165-72	6.5	5
84	Chromatographic and immunochemical characterization of rat brain neuropeptide Y-like immunoreactivity (NPY-LI) following repeated electroconvulsive stimuli. <i>Journal of Neuroscience Research</i> , 1995 , 41, 206-12	4.4	14
83	Increased levels of substance P and calcitonin gene-related peptide in rat adjuvant arthritis. A combined immunohistochemical and radioimmunoassay analysis. <i>Arthritis and Rheumatism</i> , 1995 , 38, 699-709		82
82	Effects of electro-acupuncture and physical exercise on regional concentrations of neuropeptides in rat brain. <i>Brain Research</i> , 1994 , 666, 128-32	3.7	44
81	HCl-stimulated duodenal HCO ₃ ⁻ secretion in conscious rat. Interactions among VIP, nicotinic receptor mechanisms, and prostaglandins. <i>Digestive Diseases and Sciences</i> , 1994 , 39, 2134-42	4	8
80	Glutamine supplementation does not prevent small bowel mucosal atrophy after total parenteral nutrition in the rat. <i>Clinical Nutrition</i> , 1994 , 13, 79-84	5.9	20
79	Multiple molecular forms of tachykinins in rat spinal cord: a study comparing different extraction methods. <i>Regulatory Peptides</i> , 1994 , 52, 97-110		9
78	Transforming growth factor-alpha and epidermal growth factor inhibit gastric acid secretion and stimulate release of somatostatin and neurotensin in the conscious rat. <i>Regulatory Peptides</i> , 1994 , 52, 111-8		8
77	Extraction and quantitation of neuropeptides in bone by radioimmunoassay. <i>Regulatory Peptides</i> , 1994 , 51, 179-88		45

76	VIP-antiserum inhibits fluid secretion by the inflamed gallbladder mucosa. <i>Regulatory Peptides</i> , 1994 , 49, 179-84		10
75	The effect of a single intraperitoneal dose of hRL-1 alpha on substance P-, neurokinin A-, calcitonin gene-related peptide- and neuropeptide Y-like immunoreactivity in cerebrospinal fluid, plasma and knee joint synovial fluid in the rat. <i>Regulatory Peptides</i> , 1994 , 53, 71-6		14
74	Extraction of neuropeptides from joint tissue for quantitation by radioimmunoassay. A study in the rat. <i>Peptides</i> , 1994 , 15, 317-22	3.8	32
73	Repeated electroconvulsive stimuli: changes in neuropeptide Y, neurotensin and tachykinin concentrations in time. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 1994 , 18, 201-9	5.5	29
72	Microflora modulates endocrine cells in the gastrointestinal mucosa of the rat. <i>Gastroenterology</i> , 1994 , 107, 1259-69	13.3	142
71	Increased concentration of calcitonin gene-related peptide in cerebrospinal fluid of depressed patients. A possible trait marker of major depressive disorder. <i>Neuroscience Letters</i> , 1994 , 182, 138-42	3.3	43
70	Substance P-, neurokinin A-, calcitonin gene-related peptide- and neuropeptide Y-like immunoreactivity (-LI) in rat knee joint synovial fluid during acute monoarthritis is not correlated with concentrations of neuropeptide-LI in cerebrospinal fluid and plasma. <i>Neuroscience Letters</i> , 1994 , 167, 145-8	3.3	29
69	Polyamines regulate human medullary thyroid carcinoma TT-cell proliferation and secretion of calcitonin and calcitonin gene-related peptide. <i>Molecular and Cellular Endocrinology</i> , 1994 , 103, 89-94	4.4	7
68	Plasma neuropeptide Y in healthy children: influence of age, anaesthesia and the establishment of an age-adjusted reference interval. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1994 , 83, 423-7	3.1	24
67	Increased basal concentrations of plasma endothelin in borderline hypertension. <i>Journal of Hypertension</i> , 1994 , 12, 1069-1074	1.9	22
66	Bilateral changes of substance P-, neurokinin A-, calcitonin gene-related peptide- and neuropeptide Y-like immunoreactivity in rat knee joint synovial fluid during acute monoarthritis. <i>Neuroscience Letters</i> , 1993 , 153, 37-40	3.3	82
65	Endothelin concentrations in respiration-related structures of the medulla during the perinatal period of the rat. <i>Developmental Brain Research</i> , 1993 , 74, 117-21		5
64	Relation between intra-articular temperature of the arthritic temporomandibular joint and presence of calcitonin gene-related peptide in the joint fluid. A clinical study. <i>Acta Odontologica Scandinavica</i> , 1993 , 51, 285-91	2.2	16
63	Plasma concentrations and urinary excretion of regulatory peptides in patients with urticaria pigmentosa. <i>Uppsala Journal of Medical Sciences</i> , 1993 , 98, 169-78	2.8	4
62	Pancreaticobiliary juice releases motilin during phase I of the migrating motor complex in man. <i>Scandinavian Journal of Gastroenterology</i> , 1993 , 28, 80-4	2.4	25
61	Relation between the intra-articular temperature of the temporomandibular joint and the presence of neuropeptide Y-like immunoreactivity in the joint fluid. A clinical study. <i>Acta Odontologica Scandinavica</i> , 1993 , 51, 1-8	2.2	19
60	An epithelial-dependent contracting factor induced by calcium influx in guinea-pig trachea. <i>Pulmonary Pharmacology</i> , 1993 , 6, 69-76		4
59	Neuropeptide Y in neuroblastoma: increased concentration in metastasis, release during surgery, and characterization of plasma and tumor extracts. <i>Medical and Pediatric Oncology</i> , 1993 , 21, 317-22		26

58	Substance P in the guinea-pig hearing organ. <i>Acta Physiologica Scandinavica</i> , 1993 , 148, 357-8		4
57	Development of gastric carcinoids in mastomys during histamine ₂ -receptor blockade. <i>Agents and Actions</i> , 1993 , 38, C161-C164		
56	Tachykinin antagonists inhibit nerve-mediated contractions in the circular muscle of the human ileum. Involvement of neurokinin-2 receptors. <i>Gastroenterology</i> , 1992 , 102, 88-96	13.3	74
55	Cysteamine induced-duodenal ulcers are associated with a selective depletion in gastric and duodenal calcitonin gene-related peptide-like immunoreactivity in rats. <i>Regulatory Peptides</i> , 1992 , 39, 19-28		19
54	Plasma concentrations of regulatory peptides in obesity following modified sham feeding (MSF) and a liquid test meal. <i>Regulatory Peptides</i> , 1992 , 39, 43-54		75
53	Capsaicin releases calcitonin gene-related peptide from the human iris and ciliary body in vitro. <i>Regulatory Peptides</i> , 1992 , 41, 83-92		18
52	Vascular control of the pig nasal mucosa: distribution and effect of somatostatin in relation to noradrenaline and neuropeptide Y. <i>Regulatory Peptides</i> , 1992 , 40, 373-87		16
51	Brain neuropeptides: changes by treatment with the convulsants pentylenetetrazole and bicuculline. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 1992 , 16, 747-53	5.5	7
50	Tachykinins and calcitonin gene-related peptide as co-transmitters in local motor responses produced by sensory nerve activation in the guinea-pig isolated renal pelvis. <i>Neuroscience</i> , 1992 , 46, 549-59	3.9	54
49	The contribution of epinephrine to experimentally induced urethral inflammation in the rat. <i>Neuroscience Letters</i> , 1992 , 139, 169-72	3.3	12
48	Calcitonin gene-related peptide in the regulation of urinary tract motility. <i>Annals of the New York Academy of Sciences</i> , 1992 , 657, 328-43	6.5	26
47	NPY-like immunoreactivity in sensory nerve fibers in rat sciatic neuroma. <i>Brain Research</i> , 1992 , 577, 142-6	6.7	49
46	Electroconvulsive stimuli and brain peptides: effect of modification of seizure duration on neuropeptide Y, neurokinin A, substance P and neurotensin. <i>Brain Research</i> , 1992 , 596, 251-8	3.7	42
45	The role of sensory nerves in catheter-induced urethral inflammation. <i>European Urology</i> , 1992 , 21, 75-8	10.2	6
44	Role of the autonomic nervous system in catheter-induced urethral inflammation. <i>European Urology</i> , 1992 , 21, 328-31	10.2	1
43	Presence of IGF-I in human midgut carcinoid tumours--an autocrine regulator of carcinoid tumour growth?. <i>International Journal of Cancer</i> , 1992 , 51, 195-203	7.5	74
42	Neuropeptides in temporomandibular joints with rheumatoid arthritis: a clinical study. <i>European Journal of Oral Sciences</i> , 1991 , 99, 519-21	2.3	6
41	Occurrence, release, and effects of multiple tachykinins in cat colonic tissues and nerves. <i>Gastroenterology</i> , 1991 , 100, 431-40	13.3	46

40	Enzyme immunoassay for tachykinin-like immunoreactivity in the guinea pig spinal cord. <i>Journal of Neurochemistry</i> , 1991 , 56, 281-6	6	4
39	Comparison of 30 microgram and 120 microgram gentamicin disks for the prediction of gentamicin resistance in <i>Enterococcus faecalis</i> . <i>Apmis</i> , 1991 , 99, 887-92	3.4	11
38	Potent anti-inflammatory action of calcitonin gene-related peptide. <i>Biochemical and Biophysical Research Communications</i> , 1991 , 180, 1429-35	3.4	87
37	Plasma concentrations of calcitonin gene-related peptide in fluid overload. <i>Lancet, The</i> , 1991 , 338, 411-24	40	27
36	Neuroimmunomodulatory effects of acupuncture in mice. <i>Neuroscience Letters</i> , 1991 , 128, 161-4	3.3	26
35	Concentration of substance P, neurokinin A, calcitonin gene-related peptide, neuropeptide Y and vasoactive intestinal polypeptide in synovial fluid from knee joints in patients suffering from rheumatoid arthritis. <i>Scandinavian Journal of Rheumatology</i> , 1991 , 20, 326-35	1.9	113
34	Further studies on galanin-, substance P-, and CGRP-like immunoreactivities in primary sensory neurons and spinal cord: effects of dorsal rhizotomies and sciatic nerve lesions. <i>Experimental Neurology</i> , 1991 , 112, 29-39	5.7	140
33	A new assay for beta-thromboglobulin in urine. <i>Thrombosis Research</i> , 1991 , 64, 33-43	8.2	22
32	Concentrations of neuropeptides substance P, neurokinin A, calcitonin gene-related peptide, neuropeptide Y and vasoactive intestinal polypeptide in synovial fluid of the human temporomandibular joint. A correlation with symptoms, signs and arthroscopic findings. <i>International Journal of Oral and Maxillofacial Surgery</i> , 1991 , 20, 228-31	2.9	80
31	Vasoactive intestinal polypeptide (VIP) and the specific motor response to capsaicin of the human isolated ileum. <i>Advances in Experimental Medicine and Biology</i> , 1991 , 298, 213-7	3.6	1
30	Role of VIP in local control of secretion. <i>Journal of Internal Medicine</i> , 1990 , 732, 133-6	10.8	2
29	Statistical guidelines for contributors to Scandinavian Journal of Gastroenterology. <i>Scandinavian Journal of Gastroenterology</i> , 1990 , 25, 545-7	2.4	1
28	Tachykinins and calcitonin gene-related peptide in oxazolone-induced allergic contact dermatitis in mice. <i>Journal of Investigative Dermatology</i> , 1990 , 94, 761-3	4.3	30
27	Evidence for the involvement of calcitonin gene-related peptide in the epithelium-dependent contraction of guinea-pig trachea in response to capsaicin. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1990 , 342, 177-81	3.4	19
26	Somatostatin analogue and tissue cultures in the study of a human malignant glucagonoma. <i>Journal of Surgical Oncology</i> , 1990 , 44, 191-9	2.8	1
25	Effect of lithium on tachykinins, calcitonin gene-related peptide, and neuropeptide Y in rat brain. <i>Journal of Neuroscience Research</i> , 1990 , 26, 233-7	4.4	60
24	Motor response of the human isolated colon to capsaicin and its relationship to release of vasoactive intestinal polypeptide. <i>Neuroscience</i> , 1990 , 39, 833-41	3.9	32
23	Brain neuropeptides: tachykinins, neuropeptide Y, neurotensin and vasoactive intestinal polypeptide in the rat brain: modifications by ECT and indomethacin. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 1990 , 14, 387-407	5.5	15

22	Is the CCK-8 induced relaxation of the feline sphincter of Oddi mediated by VIP neurons?. <i>Journal of the Autonomic Nervous System</i> , 1990 , 31, 75-84		19
21	Microwave irradiation increases recovery of neuropeptides from brain tissues. <i>Peptides</i> , 1990 , 11, 1191-7	3.8	81
20	Direct evidence for the involvement of vasoactive intestinal polypeptide in the motor response of the human isolated ileum to capsaicin. <i>European Journal of Pharmacology</i> , 1990 , 185, 169-78	5.3	24
19	Neuropeptides in brain: effects of microwave irradiation and decapitation. <i>Life Sciences</i> , 1990 , 46, 287-93	3.8	67
18	Plasma atrial natriuretic peptide in carcinoid heart disease. <i>American Journal of Cardiology</i> , 1989 , 63, 969-72	3	15
17	Presence of nerve growth factor-like immunoreactivity in carcinoid tumour cells and induction of a neuronal phenotype in long-term culture. <i>International Journal of Cancer</i> , 1989 , 43, 949-55	7.5	31
16	Effect of repeated electroconvulsive treatment on regional concentrations of tachykinins, neurotensin, vasoactive intestinal polypeptide, neuropeptide Y, and galanin in rat brain. <i>Journal of Neuroscience Research</i> , 1989 , 24, 445-50	4.4	77
15	Combined retrograde tracing and enzyme/immunohistochemistry of trigeminal ganglion cell bodies innervating tooth pulps in the rat. <i>Neuroscience</i> , 1989 , 33, 101-9	3.9	85
14	Neuropeptide expression in rat dorsal root ganglion cells and spinal cord after peripheral nerve injury with special reference to galanin. <i>Neuroscience</i> , 1989 , 33, 587-604	3.9	433
13	Effects of cholera toxin, Escherichia coli heat stable toxin and sodium deoxycholate on neurotensin release from the ileum in vivo. <i>Regulatory Peptides</i> , 1989 , 26, 241-52		14
12	Intraocular transplants of a human gastrinoma in immuno-suppressed rats: morphological, chromatographic and functional studies. <i>Regulatory Peptides</i> , 1989 , 24, 97-110		8
11	Substance P-, CGRP- and NPY-immunoreactive nerve fibers in rat sciatic nerve-end neuromas. <i>Regulatory Peptides</i> , 1989 , 25, 11-24		26
10	Immunoreactive tachykinins, calcitonin gene-related peptide and neuropeptide Y in human synovial fluid from inflamed knee joints. <i>Neuroscience Letters</i> , 1989 , 100, 326-30	3.3	53
9	Calcitonin gene-related peptide in the rat kidney: occurrence, sensitivity to capsaicin, and stimulation of adenylate cyclase. <i>Neuroscience</i> , 1989 , 30, 503-13	3.9	30
8	Expression of gastrointestinal endocrine tumours in culture systems. <i>Archives of Histology and Cytology</i> , 1989 , 52 Suppl, 233-40		3
7	Regulatory peptides as tumour markers. <i>Acta Oncologica</i> , 1989 , 28, 319-24	3.2	6
6	BASIC computer program to summarize data using nonparametric and parametric statistics including Anderson-Darling test for normality. <i>Computer Methods and Programs in Biomedicine</i> , 1988 , 26, 207-13	6.9	27
5	The contribution of capsaicin-sensitive sensory nerves to xylene-induced visceral pain in conscious, freely moving rats. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1988 , 337, 545-51	3.4	63

4	Several neuropeptides determine the visceromotor response to capsaicin in the guinea-pig isolated ileal longitudinal muscle. <i>European Journal of Pharmacology</i> , 1988 , 148, 43-9	5·3	32
3	Distribution of calcitonin gene-related peptide-like immunoreactivity in various rat tissues: correlation with substance P and other tachykinins and sensitivity to capsaicin. <i>Regulatory Peptides</i> , 1988 , 23, 289-98		115
2	Tachykinin-like immunoreactivity in the mammalian urinary bladder: correlation with the functions of the capsaicin-sensitive sensory nerves. <i>Neuroscience</i> , 1988 , 26, 233-42	3·9	50
1	Release of calcitonin gene-related peptide-like immunoreactivity (CGRP-LI) from organs of the genitourinary tract in rats. <i>Neuroscience Letters</i> , 1988 , 92, 197-201	3·3	46