

Kathryn Schnippel

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7543365/publications.pdf>

Version: 2024-02-01

47
papers

1,744
citations

430874

18
h-index

276875

41
g-index

48
all docs

48
docs citations

48
times ranked

2221
citing authors

#	ARTICLE	IF	CITATIONS
1	Treatment correlates of successful outcomes in pulmonary multidrug-resistant tuberculosis: an individual patient data meta-analysis. <i>Lancet, The</i> , 2018, 392, 821-834.	13.7	452
2	Effect of bedaquiline on mortality in South African patients with drug-resistant tuberculosis: a retrospective cohort study. <i>Lancet Respiratory Medicine, the</i> , 2018, 6, 699-706.	10.7	189
3	Treatment of drug-resistant tuberculosis with bedaquiline in a high HIV prevalence setting: an interim cohort analysis. <i>International Journal of Tuberculosis and Lung Disease</i> , 2015, 19, 979-985.	1.2	129
4	The Impact and Cost of Scaling up GeneXpert MTB/RIF in South Africa. <i>PLoS ONE</i> , 2012, 7, e36966.	2.5	126
5	High treatment success rate for multidrug-resistant and extensively drug-resistant tuberculosis using a bedaquiline-containing treatment regimen. <i>European Respiratory Journal</i> , 2018, 52, 1801528.	6.7	92
6	Rapid Point-of-Care CD4 Testing at Mobile HIV Testing Sites to Increase Linkage to Care. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2012, 61, e13-e17.	2.1	88
7	Scaling up Xpert MTB/RIF technology: the costs of laboratory vs. clinic-based roll-out in South Africa. <i>Tropical Medicine and International Health</i> , 2012, 17, 1142-1151.	2.3	54
8	How to Estimate the Cost of Point-of-Care CD4 Testing in Program Settings: An Example Using the Alere Pima, a Analyzer in South Africa. <i>PLoS ONE</i> , 2012, 7, e35444.	2.5	48
9	Adverse drug reactions during drug-resistant TB treatment in high HIV prevalence settings: a systematic review and meta-analysis. <i>Journal of Antimicrobial Chemotherapy</i> , 2017, 72, 1871-1879.	3.0	41
10	Costs of inpatient treatment for multi-drug-resistant tuberculosis in South Africa. <i>Tropical Medicine and International Health</i> , 2013, 18, 109-116.	2.3	40
11	Point-of-care Xpert® MTB/RIF for smear-negative tuberculosis suspects at a primary care clinic in South Africa. <i>International Journal of Tuberculosis and Lung Disease</i> , 2013, 17, 368-372.	1.2	32
12	Predictors of mortality and treatment success during treatment for rifampicin-resistant tuberculosis within the South African National TB Programme, 2009 to 2011: a cohort analysis of the national case register. <i>International Journal of Infectious Diseases</i> , 2015, 39, 89-94.	3.3	31
13	Same-Day CD4 Testing to Improve Uptake of HIV Care and Treatment in South Africa: Point-of-Care Is Not Enough. <i>AIDS Research and Treatment</i> , 2013, 2013, 1-7.	0.7	30
14	Diagnosing Xpert MTB/RIF negative TB: Impact and cost of alternative algorithms for South Africa. <i>South African Medical Journal</i> , 2013, 103, 101.	0.6	27
15	Impact of Xpert MTB/RIF and decentralized care on linkage to care and drug-resistant tuberculosis treatment outcomes in Johannesburg, South Africa. <i>BMC Health Services Research</i> , 2018, 18, 973.	2.2	26
16	Estimating Implementation and Operational Costs of an Integrated Tiered CD4 Service including Laboratory and Point of Care Testing in a Remote Health District in South Africa. <i>PLoS ONE</i> , 2014, 9, e115420.	2.5	25
17	Severe adverse events during second-line tuberculosis treatment in the context of high HIV Co-infection in South Africa: a retrospective cohort study. <i>BMC Infectious Diseases</i> , 2016, 16, 593.	2.9	23
18	Delays, interruptions, and losses from prevention of mother-to-child transmission of HIV services during antenatal care in Johannesburg, South Africa: a cohort analysis. <i>BMC Infectious Diseases</i> , 2015, 15, 46.	2.9	21

#	ARTICLE	IF	CITATIONS
19	The impact of adverse events on health-related quality of life among patients receiving treatment for drug-resistant tuberculosis in Johannesburg, South Africa. <i>Health and Quality of Life Outcomes</i> , 2019, 17, 94.	2.4	20
20	Incremental Cost Effectiveness of Bedaquiline for the Treatment of Rifampicin-Resistant Tuberculosis in South Africa: Model-Based Analysis. <i>Applied Health Economics and Health Policy</i> , 2018, 16, 43-54.	2.1	17
21	Cost Evaluation of Reproductive and Primary Health Care Mobile Service Delivery for Women in Two Rural Districts in South Africa. <i>PLoS ONE</i> , 2015, 10, e0119236.	2.5	16
22	Persistently high early mortality despite rapid diagnostics for drug-resistant tuberculosis cases in South Africa. <i>International Journal of Tuberculosis and Lung Disease</i> , 2017, 21, 1106-1111.	1.2	14
23	Delay to diagnosis and breast cancer stage in an urban South African breast clinic. <i>South African Medical Journal</i> , 2019, 109, 159.	0.6	14
24	Nonfatal Firearm Injuries by Intent in the United States: 2016-2018 Hospital Discharge Records from the Healthcare Cost and Utilization Project. <i>Western Journal of Emergency Medicine</i> , 2021, 22, 462-470.	1.1	14
25	Male Breast Cancer Has Limited Effect on Survivor's Perceptions of Their Own Masculinity. <i>American Journal of Men's Health</i> , 2017, 11, 246-252.	1.6	13
26	Choropleth Mapping of Cervical Cancer Screening in South Africa Using Healthcare Facility-level Data from the National Laboratory Network. <i>AIMS Public Health</i> , 2016, 3, 849-862.	2.6	13
27	Early Outcomes Of Decentralized Care for Rifampicin-Resistant Tuberculosis in Johannesburg, South Africa: An Observational Cohort Study. <i>PLoS ONE</i> , 2016, 11, e0164974.	2.5	12
28	Outcomes of treatment of drug-susceptible tuberculosis at public sector primary healthcare clinics in Johannesburg, South Africa: A retrospective cohort study. <i>South African Medical Journal</i> , 2016, 106, 1002.	0.6	11
29	Establishing a cost-per-result of laboratory-based, reflex Cryptococcal antigenaemia screening (CrAg) in HIV+ patients with CD4 counts less than 100 cells/ μ l using a Lateral Flow Assay (LFA) at a typical busy CD4 laboratory in South Africa. <i>PLoS ONE</i> , 2017, 12, e0171675.	2.5	11
30	Discordant rifampicin susceptibility results are associated with Xpert [®] MTB/RIF probe B and probe binding delay. <i>International Journal of Tuberculosis and Lung Disease</i> , 2019, 23, 358-362.	1.2	11
31	Incident tuberculosis in HIV-positive children, adolescents and adults on antiretroviral therapy in South Africa. <i>International Journal of Tuberculosis and Lung Disease</i> , 2016, 20, 1040-1045.	1.2	10
32	Fear of Treatments Surpasses Demographic and Socioeconomic Factors in Affecting Patients With Breast Cancer in Urban South Africa. <i>Journal of Global Oncology</i> , 2017, 3, 125-134.	0.5	10
33	Impact of adverse drug reactions on the incremental cost-effectiveness of bedaquiline for drug-resistant tuberculosis. <i>International Journal of Tuberculosis and Lung Disease</i> , 2018, 22, 918-925.	1.2	10
34	Direct costs of managing adverse drug reactions during rifampicin-resistant tuberculosis treatment in South Africa. <i>International Journal of Tuberculosis and Lung Disease</i> , 2018, 22, 393-398.	1.2	10
35	Prospective One Year Follow Up of HIV Infected Women Screened for Cervical Cancer Using Visual Inspection with Acetic Acid, Cytology and Human Papillomavirus Testing in Johannesburg South Africa. <i>PLoS ONE</i> , 2016, 11, e0144905.	2.5	9
36	Cost-effectiveness of using the Cervex-Brush (broom) compared to the elongated spatula for collection of conventional cervical cytology samples within a high-burden HIV setting: a model-based analysis. <i>BMC Health Services Research</i> , 2015, 15, 499.	2.2	8

#	ARTICLE	IF	CITATIONS
37	Treatment initiation among persons diagnosed with drug resistant tuberculosis in Johannesburg, South Africa. PLoS ONE, 2017, 12, e0181238.	2.5	7
38	Missed appointments among rifampicin-resistant tuberculosis (RR-TB) patients at a decentralised RR-TB outpatient clinic in Johannesburg, South Africa. South African Medical Journal, 2016, 106, 912.	0.6	6
39	A call to action: Addressing the reproductive health needs of women with drug-resistant tuberculosis. South African Medical Journal, 2016, 106, 333.	0.6	6
40	Estimating the cost-per-result of a national reflexed Cryptococcal antigenaemia screening program: Forecasting the impact of potential HIV guideline changes and treatment goals. PLoS ONE, 2017, 12, e0182154.	2.5	5
41	Age Differences by Sex in Antiretroviral-Naïve Participants: Pooled Analysis from Randomized Clinical Trials. Journal of the Association of Nurses in AIDS Care, 2018, 29, 371-382.	1.0	5
42	The Effect of Access to Information on Beliefs Surrounding Breast Cancer in South Africa. Journal of Cancer Education, 2018, 33, 806-813.	1.3	5
43	A Data-Driven Evaluation of the Stop TB Global Partnership Strategy of Targeting Key Populations at Greater Risk for Tuberculosis. PLoS ONE, 2016, 11, e0163083.	2.5	5
44	Unraveling the South African Breast Cancer Story: The Relationship of Patients, Delay to Diagnosis, and Tumor Biology With Stage at Presentation in an Urban Setting. Journal of Surgical Research, 2019, 235, 181-189.	1.6	3
45	Impact and cost of algorithms for the diagnosis of adults with pulmonary tuberculosis in South Africa. South African Medical Journal, 2013, 103, 436.	0.6	2
46	Compliance to HIV treatment monitoring guidelines can reduce laboratory costs. Southern African Journal of HIV Medicine, 2016, 17, 449.	0.9	2
47	Breast abnormalities in adolescents receiving antiretroviral therapy. Southern African Journal of HIV Medicine, 2019, 20, 1017.	0.9	1