

Filippo Capolino

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7543926/filippo-capolino-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

197
papers

4,412
citations

33
h-index

57
g-index

297
ext. papers

5,544
ext. citations

3.5
avg, IF

5.94
L-index

#	Paper	IF	Citations
197	Millimeter-wave massive MIMO: the next wireless revolution? <i>2014</i> , 52, 56-62		458
196	Graphene-based tunable hyperbolic metamaterials and enhanced near-field absorption. <i>Optics Express</i> , 2013 , 21, 7614-32	3.3	217
195	Theory and Phenomena of Metamaterials		202
194	. <i>IEEE Transactions on Antennas and Propagation</i> , 2006 , 54, 1979-1990	4.9	174
193	Low Profile Fully Planar Folded Dipole Antenna on a High Impedance Surface. <i>IEEE Transactions on Antennas and Propagation</i> , 2012 , 60, 51-62	4.9	105
192	Complex modes and near-zero permittivity in 3D arrays of plasmonic nanoshells: loss compensation using gain [Invited]. <i>Optical Materials Express</i> , 2011 , 1, 1077	2.6	83
191	Hyperbolic metamaterial as super absorber for scattered fields generated at its surface. <i>Physical Review B</i> , 2012 , 86,	3.3	82
190	Graphene-dielectric composite metamaterials: evolution from elliptic to hyperbolic wavevector dispersion and the transverse epsilon-near-zero condition. <i>Journal of Nanophotonics</i> , 2013 , 7, 073089	1.1	80
189	The Fundamental Physics of Directive Beaming at Microwave and Optical Frequencies and the Role of Leaky Waves. <i>Proceedings of the IEEE</i> , 2011 , 99, 1780-1805	14.3	78
188	Strong coupling in the sub-wavelength limit using metamaterial nanocavities. <i>Nature Communications</i> , 2013 , 4, 2882	17.4	74
187	Electric field enhancement in e-near-zero slabs under TM-polarized oblique incidence. <i>Physical Review B</i> , 2013 , 87,	3.3	74
186	Applications of Metamaterials		74
185	Enhanced Magnetic and Electric Fields via Fano Resonances in Metasurfaces of Circular Clusters of Plasmonic Nanoparticles. <i>ACS Photonics</i> , 2014 , 1, 254-260	6.3	65
184	Non-lithographic SERS substrates: tailoring surface chemistry for Au nanoparticle cluster assembly. <i>Small</i> , 2012 , 8, 2239-49	11	61
183	Low-damping epsilon-near-zero slabs: Nonlinear and nonlocal optical properties. <i>Physical Review B</i> , 2013 , 87,	3.3	59
182	Gain Enhancement of a V-Band Antenna Using a Fabry-Pérot Cavity With a Self-Sustained All-Metal Cap With FSS. <i>IEEE Transactions on Antennas and Propagation</i> , 2015 , 63, 909-921	4.9	57
181	Directive Leaky-Wave Radiation From a Dipole Source in a Wire-Medium Slab. <i>IEEE Transactions on Antennas and Propagation</i> , 2008 , 56, 1329-1339	4.9	55

180	Collective electric and magnetic plasmonic resonances in spherical nanoclusters. <i>Optics Express</i> , 2011 , 19, 2754-72	3.3	54
179	Design of a CMOS On-Chip Slot Antenna With Extremely Flat Cavity at 140 GHz. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2011 , 10, 827-830	3.8	51
178	Silicon-based optical leaky wave antenna with narrow beam radiation. <i>Optics Express</i> , 2011 , 19, 8735-49	3.3	49
177	Second harmonic generation from metamaterials strongly coupled to intersubband transitions in quantum wells. <i>Applied Physics Letters</i> , 2014 , 104, 131104	3.4	48
176	Thin anisotropic metasurfaces for simultaneous light focusing and polarization manipulation. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2015 , 32, 318	1.7	46
175	Comparison of Methods for Calculating the Field Excited by a Dipole Near a 2-D Periodic Material. <i>IEEE Transactions on Antennas and Propagation</i> , 2007 , 55, 1644-1655	4.9	45
174	Localized modes in photonic quasicrystals with Penrose-type lattice. <i>Optics Express</i> , 2006 , 14, 10021-7	3.3	45
173	Phase-gradient gap-plasmon metasurface based blazed grating for real time dispersive imaging. <i>Applied Physics Letters</i> , 2014 , 104, 161106	3.4	41
172	Giant Circular Dichroism at Visible Frequencies Enabled by Plasmonic Ramp-Shaped Nanostructures. <i>ACS Photonics</i> , 2019 , 6, 924-931	6.3	40
171	Vortex beams with strong longitudinally polarized magnetic field and their generation by using metasurfaces. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2015 , 32, 345	1.7	40
170	Complex bound and leaky modes in chains of plasmonic nanospheres. <i>Optics Express</i> , 2011 , 19, 18345-63	3.3	40
169	Giant gain enhancement in photonic crystals with a degenerate band edge. <i>Physical Review B</i> , 2016 , 93,	3.3	38
168	Longitudinal Monitoring of Biofilm Formation via Robust Surface-Enhanced Raman Scattering Quantification of <i>Pseudomonas aeruginosa</i> -Produced Metabolites. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 12364-12373	9.5	36
167	Theory of coupled resonator optical waveguides exhibiting high-order exceptional points of degeneracy. <i>Physical Review B</i> , 2017 , 96,	3.3	36
166	Second-harmonic double-resonance cones in dispersive hyperbolic metamaterials. <i>Physical Review B</i> , 2014 , 89,	3.3	35
165	Revisiting Orbital Angular Momentum Beams: Fundamentals, Reflectarray Generation, and Novel Antenna Applications. <i>IEEE Antennas and Propagation Magazine</i> , 2018 , 60, 68-81	1.7	34
164	Effective model and investigation of the near-field enhancement and subwavelength imaging properties of multilayer arrays of plasmonic nanospheres. <i>Physical Review E</i> , 2011 , 84, 016607	2.4	33
163	Characterization of complex plasmonic modes in two-dimensional periodic arrays of metal nanospheres. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2011 , 28, 1446	1.7	32

162	Highly Polarized, Directive Radiation From a Fabry-Pérot Cavity Leaky-Wave Antenna Based on a Metal Strip Grating. <i>IEEE Transactions on Antennas and Propagation</i> , 2010 , 58, 3873-3883	4.9	31
161	Photoinduced Magnetic Nanoprobe Excited by an Azimuthally Polarized Vector Beam. <i>ACS Photonics</i> , 2016 , 3, 2049-2058	6.3	30
160	Sub-micron silicon nitride waveguide fabrication using conventional optical lithography. <i>Optics Express</i> , 2015 , 23, 6780-6	3.3	29
159	Theory and New Amplification Regime in Periodic Multimodal Slow Wave Structures With Degeneracy Interacting With an Electron Beam. <i>IEEE Transactions on Plasma Science</i> , 2016 , 44, 594-611	1.3	29
158	Design and Analysis of a W-band 9-Element Imaging Array Receiver Using Spatial-Overlapping Super-Pixels in Silicon. <i>IEEE Journal of Solid-State Circuits</i> , 2014 , 49, 1317-1332	5.5	29
157	Low Starting Electron Beam Current in Degenerate Band Edge Oscillators. <i>IEEE Transactions on Plasma Science</i> , 2016 , 44, 918-929	1.3	28
156	Gain-assisted harmonic generation in near-zero permittivity metamaterials made of plasmonic nanoshells. <i>New Journal of Physics</i> , 2012 , 14, 103016	2.9	28
155	Giant amplification in degenerate band edge slow-wave structures interacting with an electron beam. <i>Physics of Plasmas</i> , 2016 , 23, 033112	2.1	28
154	Composite material made of plasmonic nanoshells with quantum dot cores: loss-compensation and near-zero physical properties. <i>Nanotechnology</i> , 2012 , 23, 235703	3.4	27
153	A 94-GHz Extremely Thin Metasurface-Based BiCMOS On-Chip Antenna. <i>IEEE Transactions on Antennas and Propagation</i> , 2014 , 62, 4439-4451	4.9	26
152	Ewald method for 3D periodic dyadic Green's functions and complex modes in composite materials made of spherical particles under the dual dipole approximation. <i>Radio Science</i> , 2012 , 47, n/a-n/a	1.4	26
151	Complex modes and effective refractive index in 3D periodic arrays of plasmonic nanospheres. <i>Optics Express</i> , 2011 , 19, 26027-43	3.3	26
150	Choosing splitting parameters and summation limits in the numerical evaluation of 1-D and 2-D periodic Green's functions using the Ewald method. <i>Radio Science</i> , 2008 , 43, n/a-n/a	1.4	26
149	Demonstration of a Degenerate Band Edge in Periodically-Loaded Circular Waveguides. <i>IEEE Microwave and Wireless Components Letters</i> , 2015 , 25, 700-702	2.6	25
148	Theory of Exceptional Points of Degeneracy in Uniform Coupled Waveguides and Balance of Gain and Loss. <i>IEEE Transactions on Antennas and Propagation</i> , 2017 , 65, 5289-5302	4.9	25
147	Degenerate band edge laser. <i>Physical Review B</i> , 2018 , 97,	3.3	24
146	Radiative emission enhancement using nano-antennas made of hyperbolic metamaterial resonators. <i>Applied Physics Letters</i> , 2014 , 105, 123101	3.4	24
145	Extension of the Pierce Model to Multiple Transmission Lines Interacting With an Electron Beam. <i>IEEE Transactions on Plasma Science</i> , 2014 , 42, 899-910	1.3	24

144	An optical leaky wave antenna with Si perturbations inside a resonator for enhanced optical control of the radiation. <i>Optics Express</i> , 2012 , 20, 21305-17	3.3	24
143	Leaky-Wave Analysis of Wideband Planar Fabry-Pérot Cavity Antennas Formed by a Thick PRS. <i>IEEE Transactions on Antennas and Propagation</i> , 2019 , 67, 5163-5175	4.9	22
142	Modal Propagation and Excitation on a Wire-Medium Slab. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2008 , 56, 1112-1124	4.1	22
141	Elimination of Scan Blindness in Phased Array Antennas Using a Grounded-Dielectric EBG Material. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2007 , 6, 106-109	3.8	22
140	Focused azimuthally polarized vector beam and spatial magnetic resolution below the diffraction limit. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2016 , 33, 2265	1.7	22
139	Electrodynamic modeling of strong coupling between a metasurface and intersubband transitions in quantum wells. <i>Physical Review B</i> , 2014 , 89,	3.3	21
138	Directing cluster formation of Au nanoparticles from colloidal solution. <i>Langmuir</i> , 2013 , 29, 4242-51	4	21
137	Comparison of electric field enhancements: linear and triangular oligomers versus hexagonal arrays of plasmonic nanospheres. <i>Optics Express</i> , 2013 , 21, 7957-73	3.3	21
136	Exceptional Points of Degeneracy Induced by Linear Time-Periodic Variation. <i>Physical Review Applied</i> , 2019 , 11,	4.3	21
135	Sharply Focused Azimuthally Polarized Beams with Magnetic Dominance: Near-Field Characterization at Nanoscale by Photoinduced Force Microscopy. <i>ACS Photonics</i> , 2018 , 5, 390-397	6.3	20
134	Magnetic Nanoantennas Made of Plasmonic Nanoclusters for Photoinduced Magnetic Field Enhancement. <i>Physical Review Applied</i> , 2017 , 8,	4.3	20
133	. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2017 , 65, 4037-4045	4.1	20
132	. <i>IEEE Transactions on Antennas and Propagation</i> , 2019 , 67, 6909-6923	4.9	19
131	Equivalent Transmission Line Model With a Lumped X-Circuit for a Metalayer Made of Pairs of Planar Conductors. <i>IEEE Transactions on Antennas and Propagation</i> , 2013 , 61, 852-861	4.9	19
130	High directivity in low-permittivity metamaterial slabs: Ray-optic vs. leaky-wave models. <i>Microwave and Optical Technology Letters</i> , 2006 , 48, 2542-2548	1.2	19
129	Driving Chemical Reactions in Plasmonic Nanogaps with Electrohydrodynamic Flow. <i>ACS Nano</i> , 2017 , 11, 11317-11329	16.7	18
128	Giant field enhancement in longitudinal epsilon-near-zero films. <i>Physical Review B</i> , 2017 , 95,	3.3	18
127	Enantiospecific Detection of Chiral Nanosamples Using Photoinduced Force. <i>Physical Review Applied</i> , 2017 , 8,	4.3	18

126	. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2013 , 12, 706-709	3.8	18
125	Exclusive Magnetic Excitation Enabled by Structured Light Illumination in a Nanoscale Mie Resonator. <i>ACS Nano</i> , 2018 , 12, 12159-12168	16.7	18
124	Fano collective resonance as complex mode in a two-dimensional planar metasurface of plasmonic nanoparticles. <i>Applied Physics Letters</i> , 2014 , 105, 191107	3.4	17
123	ASM ϵ DTD: A Technique for Calculating the Field of a Finite Source in the Presence of an Infinite Periodic Artificial Material. <i>IEEE Microwave and Wireless Components Letters</i> , 2007 , 17, 271-273	2.6	17
122	Electric field enhancement with plasmonic colloidal nanoantennas excited by a silicon nitride waveguide. <i>Optics Express</i> , 2016 , 24, 28337-28352	3.3	17
121	Artificial magnetism at terahertz frequencies from three-dimensional lattices of TiO ₂ microspheres accounting for spatial dispersion and magnetoelectric coupling. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2014 , 31, 1078	1.7	16
120	Wideband Planar Transmission Line Hyperbolic Metamaterial for Subwavelength Focusing and Resolution. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2013 , 61, 4110-4117	4.1	16
119	Exceptional points of degeneracy and PT symmetry in photonic coupled chains of scatterers. <i>Physical Review B</i> , 2017 , 95,	3.3	16
118	Direct Use of the High Impedance Surface as an Antenna Without Dipole on Top. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2011 , 10, 1536-1539	3.8	16
117	Directive emission from defect-free dodecagonal photonic quasicrystals: A leaky wave characterization. <i>Physical Review B</i> , 2009 , 79,	3.3	16
116	A 60 GHz simple-to-fabricate single-layer planar Fabry-Pérot cavity antenna. <i>IET Microwaves, Antennas and Propagation</i> , 2015 , 9, 313-318	1.6	15
115	Theory of a Directive Optical Leaky Wave Antenna Integrated into a Resonator and Enhancement of Radiation Control. <i>Journal of Lightwave Technology</i> , 2014 , 32, 1741-1749	4	15
114	Photoinduced magnetic force between nanostructures. <i>Physical Review B</i> , 2015 , 92,	3.3	15
113	Q-BAND SINGLE-LAYER PLANAR FABRY-PEROT CAVITY ANTENNA WITH SINGLE INTEGRATED-FEED. <i>Progress in Electromagnetics Research C</i> , 2014 , 52, 135-144	0.9	15
112	Fano resonances in metasurfaces made of linear trimers of plasmonic nanoparticles. <i>Optics Letters</i> , 2013 , 38, 5216-9	3	15
111	Cooperative plasmon-mediated effects and loss compensation by gain dyes near a metal nanoparticle. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2015 , 32, 188	1.7	14
110	Theory of Double Ladder Lumped Circuits With Degenerate Band Edge. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2018 , 65, 3-13	3.9	14
109	Effective medium representation and complex modes in 3D periodic metamaterials made of cubic resonators with large permittivity at mid-infrared frequencies. <i>Photonics and Nanostructures - Fundamentals and Applications</i> , 2013 , 11, 423-435	2.6	14

108	Exceptional Points of Degeneracy and Branch Points for Coupled Transmission Lines—Linear-Algebra and Bifurcation Theory Perspectives. <i>IEEE Transactions on Antennas and Propagation</i> , 2019 , 67, 1025-1034	4.9	14
107	. <i>Journal of Lightwave Technology</i> , 2018 , 36, 3030-3039	4	14
106	Electron-Beam-Driven Devices With Synchronous Multiple Degenerate Eigenmodes. <i>IEEE Transactions on Plasma Science</i> , 2018 , 46, 3126-3138	1.3	13
105	Effect of irregularities of nanosatellites position and size on collective electric and magnetic plasmonic resonances in spherical nanoclusters. <i>Optics Express</i> , 2013 , 21, 7667-85	3.3	13
104	Wave dynamics by a plane wave on a half-space metamaterial made of plasmonic nanospheres: a discrete Wiener-Hopf formulation. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2011 , 28, 2174	1.7	13
103	Experimental Demonstration of Directive Si ₃ N ₄ Optical Leaky Wave Antennas With Semiconductor Perturbations. <i>Journal of Lightwave Technology</i> , 2016 , 34, 4864-4871	4	13
102	Unscrambling Structured Chirality with Structured Light at the Nanoscale Using Photoinduced Force. <i>ACS Photonics</i> , 2018 , 5, 4360-4370	6.3	13
101	Concept for Pulse Compression Device Using Structured Spatial Energy Distribution. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2016 , 1-14	4.1	12
100	Magnetoinductive Waves and Complex Modes in Two-Dimensional Periodic Arrays of Split Ring Resonators. <i>IEEE Transactions on Antennas and Propagation</i> , 2013 , 61, 3554-3563	4.9	12
99	Design Formulas for Planar Fabry-Pérot Cavity Antennas Formed by Thick Partially Reflective Surfaces. <i>IEEE Transactions on Antennas and Propagation</i> , 2016 , 64, 5487-5491	4.9	12
98	Improved Bandwidth Formulas for Fabry-Pérot Cavity Antennas Formed by Using a Thin Partially-Reflective Surface. <i>IEEE Transactions on Antennas and Propagation</i> , 2014 , 62, 2361-2367	4.9	11
97	Design of a single-feed all-metal 63 GHz Fabry-Perot cavity antenna using a TL and a wideband circuit model. <i>Digest / IEEE Antennas and Propagation Society International Symposium</i> , 2009 ,		11
96	Complex modes and artificial magnetism in three-dimensional periodic arrays of titanium dioxide microspheres at millimeter waves. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2012 , 29, 1697	1.7	11
95	Radiation Properties of a 2-D Periodic Leaky-Wave Antenna. <i>IEEE Transactions on Antennas and Propagation</i> , 2019 , 67, 3560-3573	4.9	10
94	. <i>IEEE Transactions on Plasma Science</i> , 2018 , 46, 43-56	1.3	10
93	Reflective metasurface lens with an elongated needle-shaped focus. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2017 , 34, 374	1.7	10
92	Experimental Testing of a 3-D-Printed Metamaterial Slow Wave Structure for High-Power Microwave Generation. <i>IEEE Transactions on Plasma Science</i> , 2020 , 48, 4356-4364	1.3	10
91	New oscillator concept based on band edge degeneracy in lumped double-ladder circuits. <i>IET Circuits, Devices and Systems</i> , 2019 , 13, 950-957	1.1	10

90	Floquet wave-based analysis of transient scattering from doubly periodic, discretely planar, perfectly conducting structures. <i>Radio Science</i> , 2005 , 40, n/a-n/a	1.4	9
89	Illusion mechanisms with cylindrical metasurfaces: A general synthesis approach. <i>Physical Review B</i> , 2019 , 100,	3.3	8
88	Simultaneous Perfect Bending and Polarization Rotation of Electromagnetic Wavefront Using Chiral Gradient Metasurfaces. <i>Physical Review Applied</i> , 2020 , 13,	4.3	8
87	Frequency dependent steering with backward leaky waves via photonic crystal interface layer. <i>Optics Express</i> , 2009 , 17, 9879-90	3.3	8
86	Optimally Chiral Light: Upper Bound of Helicity Density of Structured Light for Chirality Detection of Matter at Nanoscale. <i>ACS Photonics</i> , 2020 , 7, 2682-2691	6.3	8
85	Ultra-Sensitive Radio Frequency Biosensor at an Exceptional Point of Degeneracy Induced by Time Modulation. <i>IEEE Sensors Journal</i> , 2021 , 21, 7250-7259	4	8
84	Diffraction by a truncated planar array of dipoles: A Wiener-Hopf approach. <i>Wave Motion</i> , 2019 , 89, 28-42	1.8	7
83	Helicity maximization in a planar array of achiral high-density dielectric nanoparticles. <i>Journal of Applied Physics</i> , 2020 , 127, 093104	2.5	7
82	Array of dipoles near a hyperbolic metamaterial: Evanescent-to-propagating Floquet wave transformation. <i>Physical Review B</i> , 2014 , 89,	3.3	7
81	Tightly coupled tripole conductor pairs as constituents for a planar 2D-isotropic negative refractive index metamaterial. <i>Optics Express</i> , 2009 , 17, 15216-27	3.3	7
80	High-gain omnidirectional radiation patterns from a metal strip grating leaky-wave antenna 2007 ,		7
79	EIGER—An open-source frequency-domain electromagnetics code 2007 ,		7
78	Bandwidth analysis of highly-directive planar radiators based on partially-reflecting surfaces 2006 ,		7
77	Short-pulse radiation by a sequentially excited semi-infinite periodic planar array of dipoles. <i>Radio Science</i> , 2003 , 38, n/a-n/a	1.4	7
76	Electromagnetic coupling and array packing induce exchange of dominance on complex modes in 3D periodic arrays of spheres with large permittivity. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2016 , 33, 261	1.7	6
75	Theory of Optical Leaky-Wave Antenna Integrated in a Ring Resonator for Radiation Control. <i>Journal of Lightwave Technology</i> , 2017 , 35, 10-18	4	6
74	Generalized Lorentz-Lorenz homogenization formulas for binary lattice metamaterials. <i>Physical Review B</i> , 2015 , 91,	3.3	6
73	Leaky-wave explanation of gain-bandwidth-enhanced Fabry-Pérot Cavity antennas formed by a thick multilayer partially-reflective surface 2015 ,		6

72	A 93-to-113GHz BiCMOS 9-element imaging array receiver utilizing spatial-overlapping pixels with wideband phase and amplitude control 2013 ,		6
71	Simulations and Measurements of Dual-Band 2-D Periodic Leaky Wave Antenna 2007 ,		6
70	Optical magnetic field enhancement at nanoscale: a nanoantenna comparative study. <i>Optics Letters</i> , 2019 , 44, 4957-4960	3	6
69	Exceptional Point of Degeneracy in a Backward-Wave Oscillator with Distributed Power Extraction. <i>Physical Review Applied</i> , 2020 , 14,	4.3	6
68	Frozen Mode in Three-Way Periodic Microstrip Coupled Waveguide. <i>IEEE Microwave and Wireless Components Letters</i> , 2021 , 31, 229-232	2.6	6
67	Plasmon optical trapping using silicon nitride trench waveguides. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2016 , 33, 1182	1.7	6
66	Distributed Degenerate Band Edge Oscillator. <i>IEEE Transactions on Antennas and Propagation</i> , 2021 , 69, 1821-1824	4.9	6
65	Critical excitation-rate enhancement of a dipolar scatterer close to a plasmonic nanosphere and importance of multipolar self-coupling. <i>Physical Review B</i> , 2014 , 90,	3.3	5
64	A highly-efficient single-feed planar Fabry-Pérot cavity antenna for 60 GHz technology 2012 ,		5
63	High impedance surface as an antenna without a dipole on top 2011 ,		5
62	Design of a single-feed 60 GHz planar metallic Fabry-Perot cavity antenna with 20 dB gain 2009 ,		5
61	Metamaterials Based on Pairs of Tightly Coupled Scatterers 2009 ,		5
60	Exceptional Points of Degeneracy Directly Induced by SpaceTime Modulation of a Single Transmission Line. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2020 , 19, 1906-1910	3.8	5
59	In pursuit of photo-induced magnetic and chiral microscopy. <i>EPJ Applied Metamaterials</i> , 2018 , 5, 7	0.8	5
58	Large magnetic to electric field contrast in azimuthally polarized vortex beams generated by a metasurface (Presentation Recording) 2015 ,		4
57	General Conditions to Realize Exceptional Points of Degeneracy in Two Uniform Coupled Transmission Lines. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2020 , 68, 3342-3354	4.1	4
56	Time-Domain UTD Vertex Diffraction Coefficient for the Scattering by Perfectly Conducting Faceted Structures. <i>IEEE Transactions on Antennas and Propagation</i> , 2013 , 61, 4204-4213	4.9	4
55	Gain-bandwidth enhancement of 60GHz single-layer Fabry-Pérot cavity antennas using sparse-array 2014 ,		4

54	Designs of fully on-chip antennas in (Bi)CMOS technology 2012 ,		4
53	Artificial Magnetism via Nanoantennas under Azimuthally Polarized Vector Beam Illumination 2016 ,		4
52	A Cross-Shaped 2-D Periodic Leaky-Wave Antenna. <i>IEEE Transactions on Antennas and Propagation</i> , 2020 , 68, 1289-1301	4.9	4
51	Helicity maximization below the diffraction limit. <i>Physical Review B</i> , 2020 , 102,	3.3	4
50	Backward-Wave Oscillator with Distributed Power Extraction Based on Exceptional Point of Degeneracy and Gain and Radiation-Loss Balance 2019 ,		3
49	Single-feed highly-directive Fabry-Perot Cavity antenna for 60 GHz wireless systems: Design and fabrication 2010 ,		3
48	Characterization of the optical modes in 3D-periodic arrays of metallic nanospheres 2011 ,		3
47	An optical leaky wave antenna with silicon perturbations for electronic control 2011 ,		3
46	Closed form formulas and tunability of resonances in pairs of gold-dielectric nanoshells 2010 ,		3
45	Exceptional point of sixth-order degeneracy in a modified coupled-resonator optical waveguide. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2020 , 37, 2319	1.7	3
44	A Combined Floquet- Wave FDTD Algorithm for the Modeling of Transient Radiation from Infinite Periodic Structures. <i>Springer Proceedings in Physics</i> , 2004 , 249-257	0.2	3
43	Exceptional degeneracies in traveling wave tubes with dispersive slow-wave structure including space-charge effect. <i>Applied Physics Letters</i> , 2021 , 118, 263506	3.4	3
42	Analyze and Design of Thin Planar High Impedance Surface as an Antenna 2018 ,		3
41	Two-Scale Structure for Giant Field Enhancement: Combination of Rayleigh Anomaly and Colloidal Plasmonic Resonance. <i>Physical Review Applied</i> , 2019 , 11,	4.3	2
40	Surface enhanced Raman scattering for detection of <i>Pseudomonas aeruginosa</i> sensing compounds 2015 ,		2
39	1-D Periodic Green's Function for Leaky and Complex Waves Using the Ewald Method. <i>IEEE Transactions on Antennas and Propagation</i> , 2016 , 64, 4703-4712	4.9	2
38	2019 ,		2
37	Functional metasurfaces: Do we need normal polarizations? 2017 ,		2

36	Description and characterization of the complex modes in a linear chain of gold nanospheres 2011 ,		2
35	Dual polarized near-field focusing plate for near-field optical focusing in two dimensions. <i>Optics Express</i> , 2011 , 19, 24483-98	3.3	2
34	Aperiodic-Tiling-Based Mushroom-Type High-Impedance Surfaces. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2008 , 7, 54-57	3.8	2
33	Network Oriented Dyadic Time Domain Green's Function for a Sequentially Excited Infinite Planar Array of Dipoles in Free Space. <i>IEEE Transactions on Antennas and Propagation</i> , 2007 , 55, 2228-2238	4.9	2
32	Empowering structured light to enhance chirality detection and characterization at nanoscale 2019 ,		2
31	Optical Leaky Wave Antenna Experiment Demonstration and Electronic Modulation Investigation 2015 ,		2
30	High-Power X-Band Relativistic Backward-Wave Oscillator with Exceptional Synchronous Regime Operating at an Exceptional Point. <i>Physical Review Applied</i> , 2021 , 15,	4.3	2
29	2016 ,		2
28	High-Power Backward-Wave Oscillator Using Folded Waveguide With Distributed Power Extraction Operating at an Exceptional Point. <i>IEEE Transactions on Electron Devices</i> , 2021 , 1-8	2.9	2
27	Experimental demonstration of directive Si3N4 optical leaky wave antennas with semiconductor perturbations at near infrared frequencies 2015 ,		1
26	Hyperbolic Metamaterials at Microwaves With Stacked Inductive Coiled-Wire Arrays. <i>IEEE Transactions on Antennas and Propagation</i> , 2019 , 67, 6494-6507	4.9	1
25	Third order modal degeneracy in waveguides: Features and application in amplifiers 2017 ,		1
24	Sub-micron silicon nitride waveguide fabrication using conventional optical lithography 2014 ,		1
23	Magnetoinductive waves in 2D periodic arrays of split ring resonators 2012 ,		1
22	A dual polarized near-field focusing plate at microwave frequencies providing sub-wavelength focusing in two dimensions 2011 ,		1
21	An on-chip W-band bowtie slot antenna in silicon 2012 ,		1
20	Possible feeds of the HIS antenna without dipole on top 2012 ,		1
19	Leaky Modes on a Grounded Wire-Medium Slab. <i>IEEE MTT-S International Microwave Symposium Digest IEEE MTT-S International Microwave Symposium</i> , 2007 ,		1

18	The array scanning method (ASM)-FDTD algorithm and its application to the excitation of two-dimensional EBG materials and waveguides 2007 ,		1
17	Templated electrokinetic directed chemical assembly for the fabrication of close-packed plasmonic metamolecules 2017 ,		1
16	Electromagnetic Metamaterials as Artificial Composite Structures. <i>The Electrical Engineering Handbook</i> , 2012 , 595-682		1
15	Review of Recent Advances in the Leaky-Wave Analysis of 2-D Leaky-Wave Antennas 2020 ,		1
14	Degenerate band edge electron beam oscillators: Low starting current 2016 ,		1
13	Applications and Potentials of Reciprocal Bianisotropic Metasurfaces 2019 ,		1
12	Low Phase Noise Oscillator Design Using Degenerate Band Edge Ladder Architectures. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , 2021 , 1-1	3.5	1
11	Exceptional point in a degenerate system made of a gyrator and two unstable resonators. <i>Physical Review A</i> , 2022 , 105,	2.6	1
10	Traveling Wave Tube Eigenmode Solution for Beam-Loaded Slow Wave Structure Based on Particle-in-Cell Simulations. <i>IEEE Transactions on Plasma Science</i> , 2022 , 50, 635-648	1.3	1
9	Frozen Mode in an Asymmetric Serpentine Optical Waveguide. <i>Advanced Photonics Research</i> , 2021 , 2100377	1.9	1
8	LINEAR AND PLANAR PERIODIC ARRAYS OF METALLIC NANOSPHERES: FABRICATION, OPTICAL PROPERTIES AND APPLICATIONS 2011 , 141-194		0
7	Asymmetric surface wave excitation through metasurface-edge diffraction. <i>Optics Letters</i> , 2020 , 45, 5420-5423		0
6	Exceptional degeneracy in a waveguide periodically loaded with discrete gain and radiation loss elements. <i>Applied Physics Letters</i> , 2021 , 118, 224102	3.4	0
5	Triple Ladder Lumped Circuit With Sixth Order Modal Exceptional Degeneracy. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2022 , 1-9	3.9	0
4	Experimental demonstration of exceptional points of degeneracy in linear time periodic systems and exceptional sensitivity. <i>Journal of Applied Physics</i> , 2022 , 131, 144502	2.5	0
3	Theory of Vector Beams for Chirality and Magnetism Detection of Subwavelength Particles 2021 , 401-421		0
2	Multitransmission Line Model for Slow Wave Structures Interacting with Electron Beams and Multimode Synchronization 2021 , 17-56		0
1	Cylindrical to rectangular coordinate transformation for planar phase front synthesis. <i>IET Microwaves, Antennas and Propagation</i> , 2018 , 12, 814-819	1.6	0

