

# Jeroen de Bresser

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7544497/publications.pdf>

Version: 2024-02-01

92  
papers

3,035  
citations

186209

28  
h-index

175177

52  
g-index

100  
all docs

100  
docs citations

100  
times ranked

4641  
citing authors

#	ARTICLE	IF	CITATIONS
1	Circulating angiopoietin-2 and angiogenic microRNAs associate with cerebral small vessel disease and cognitive decline in older patients reaching end-stage renal disease. <i>Nephrology Dialysis Transplantation</i> , 2022, 37, 498-506.	0.4	11
2	A cluster of blood-based protein biomarkers reflecting coagulation relates to the burden of cerebral small vessel disease. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2022, 42, 1282-1293.	2.4	7
3	MRI-Based Classification of Neuropsychiatric Systemic Lupus Erythematosus Patients With Self-Supervised Contrastive Learning. <i>Frontiers in Neuroscience</i> , 2022, 16, 695888.	1.4	3
4	Microinfarcts in the Deep Gray Matter on 7T MRI: Risk Factors, MRI Correlates, and Relation to Cognitive Functioningâ€”The SMART-MR Study. <i>American Journal of Neuroradiology</i> , 2022, 43, 829-836.	1.2	1
5	Mapping the multicausality of Alzheimerâ€™s disease through group model building. <i>GeroScience</i> , 2021, 43, 829-843.	2.1	26
6	Hypertensive Exposure Markers by MRI in Relation to Cerebral Small Vessel Disease and Cognitive Impairment. <i>JACC: Cardiovascular Imaging</i> , 2021, 14, 176-185.	2.3	18
7	Reduced parenchymal cerebral blood flow is associated with greater progression of brain atrophy: The SMART-MR study. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2021, 41, 1229-1239.	2.4	11
8	Preoperative brain MRI features and occurrence of postoperative delirium. <i>Journal of Psychosomatic Research</i> , 2021, 140, 110301.	1.2	10
9	The association between intraoperative hyperglycemia and cerebrovascular markers. <i>International Journal of Medical Sciences</i> , 2021, 18, 1332-1338.	1.1	1
10	Association of White Matter Hyperintensity Markers on MRI and Long-term Risk of Mortality and Ischemic Stroke. <i>Neurology</i> , 2021, 96, e2172-e2183.	1.5	23
11	Cerebral cortical microinfarcts in patients with internal carotid artery occlusion. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2021, 41, 2690-2698.	2.4	5
12	Different phenotypes of neuropsychiatric systemic lupus erythematosus are related to a distinct pattern of structural changes on brain MRI. <i>European Radiology</i> , 2021, 31, 8208-8217.	2.3	13
13	Preoperative MRI brain phenotypes are related to postoperative delirium in older individuals. <i>Neurobiology of Aging</i> , 2021, 101, 247-255.	1.5	8
14	Intracranial Atherosclerotic Burden and Cerebral Parenchymal Changes at 7T MRI in Patients With Transient Ischemic Attack or Ischemic Stroke. <i>Frontiers in Neurology</i> , 2021, 12, 637556.	1.1	4
15	Cortical cerebral microinfarcts on 7T MRI: Risk factors, neuroimaging correlates and cognitive functioning â€” The Medea-7T study. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2021, 41, 3127-3138.	2.4	7
16	White matter hyperintensities associate with cognitive slowing in patients with systemic lupus erythematosus and neuropsychiatric symptoms. <i>RMD Open</i> , 2021, 7, e001650.	1.8	4
17	Sex and Cardiovascular Function in Relation to Vascular Brain Injury in Patients with Cognitive Complaints. <i>Journal of Alzheimer's Disease</i> , 2021, 84, 261-271.	1.2	2
18	Determining preoperative brain MRI features and occurrence of postoperative delirium. <i>Journal of Psychosomatic Research</i> , 2021, 148, 110568.	1.2	1

#	ARTICLE	IF	CITATIONS
19	Neuropsychiatric systemic lupus erythematosus is associated with a distinct type and shape of cerebral white matter hyperintensities. <i>Rheumatology</i> , 2021, , .	0.9	0
20	Longitudinal changes in cerebral white matter microstructure in newly diagnosed systemic lupus erythematosus patients. <i>Rheumatology</i> , 2021, 60, 2678-2687.	0.9	3
21	Dependency of R <sup>2</sup> and R <sup>2</sup> * relaxation on Gd-DTPA concentration in arterial blood: Influence of hematocrit and magnetic field strength. <i>NMR in Biomedicine</i> , 2021, , e4653.	1.6	3
22	MRI phenotypes of the brain are related to future stroke and mortality in patients with manifest arterial disease: The SMART-MR study. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2020, 40, 354-364.	2.4	6
23	Cerebral Perfusion and the Burden of Small Vessel Disease in Patients Referred to a Memory Clinic. <i>Cerebrovascular Diseases</i> , 2020, 49, 481-486.	0.8	3
24	fMRI network correlates of predisposing risk factors for delirium: A cross-sectional study. <i>NeuroImage: Clinical</i> , 2020, 27, 102347.	1.4	4
25	CSF enhancement on post-contrast fluid-attenuated inversion recovery images; a systematic review. <i>NeuroImage: Clinical</i> , 2020, 28, 102456.	1.4	12
26	Small vessel disease lesion type and brain atrophy: The role of co-occurring amyloid. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2020, 12, e12060.	1.2	7
27	Prediction of poor clinical outcome in vascular cognitive impairment: TRACE-VCI study. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2020, 12, e12077.	1.2	5
28	P39-Longitudinal changes of cerebral white matter tissue microstructure in early-onset systemic lupus erythematosus. , 2020, , .		0
29	Gray matter atrophy, but not vascular brain injury is related to cognitive impairment in patients with heart failure. <i>Alzheimer's and Dementia</i> , 2020, 16, e042892.	0.4	0
30	The association between white matter hyperintensity shape and cognitive functioning: The SMART-MR study. <i>Alzheimer's and Dementia</i> , 2020, 16, e044784.	0.4	0
31	ExploreASL: An image processing pipeline for multi-center ASL perfusion MRI studies. <i>NeuroImage</i> , 2020, 219, 117031.	2.1	80
32	Myelin water imaging from multi-echo MR relaxometry data using a joint sparsity constraint. <i>NeuroImage</i> , 2020, 219, 117014.	2.1	18
33	Patterns and characteristics of cognitive functioning in older patients approaching end stage kidney disease, the COPE-study. <i>BMC Nephrology</i> , 2020, 21, 126.	0.8	6
34	Cerebral cortical microinfarcts: A novel MRI marker of vascular brain injury in patients with heart failure. <i>International Journal of Cardiology</i> , 2020, 310, 96-102.	0.8	11
35	Arterial CO <sub>2</sub> pressure changes during hypercapnia are associated with changes in brain parenchymal volume. <i>European Radiology Experimental</i> , 2020, 4, 17.	1.7	8
36	Association of cardiovascular structure and function with cerebrovascular changes and cognitive function in older patients with end-stage renal disease. <i>Aging</i> , 2020, 12, 1496-1511.	1.4	10

#	ARTICLE	IF	CITATIONS
37	Suspected Transverse Myelitis with Normal MRI and CSF Findings in a Patient with Lupus: What to Do? A Case Series and Systematic Review. <i>Neuropsychiatric Disease and Treatment</i> , 2020, Volume 16, 3173-3186.	1.0	4
38	The association between frailty and MRI features of cerebral small vessel disease. <i>Scientific Reports</i> , 2019, 9, 11343.	1.6	38
39	Cerebral amyloid burden is associated with white matter hyperintensity location in specific posterior white matter regions. <i>Neurobiology of Aging</i> , 2019, 84, 225-234.	1.5	42
40	Nonfocal Transient Neurological Attacks Are Associated With Cerebral Small Vessel Disease. <i>Stroke</i> , 2019, 50, 3540-3544.	1.0	6
41	Cortical Microinfarcts and White Matter Connectivity in Memory Clinic Patients. <i>Frontiers in Neurology</i> , 2019, 10, 571.	1.1	8
42	Physical Performance in Memory Clinic Patients: The Potential Role of the White Matter Network. <i>Journal of the American Geriatrics Society</i> , 2019, 67, 1880-1887.	1.3	4
43	Cerebral microbleeds are not associated with postoperative delirium and postoperative cognitive dysfunction in older individuals. <i>PLoS ONE</i> , 2019, 14, e0218411.	1.1	8
44	How Do Different Forms of Vascular Brain Injury Relate to Cognition in a Memory Clinic Population: The TRACE-VCI Study. <i>Journal of Alzheimer's Disease</i> , 2019, 68, 1273-1286.	1.2	4
45	Standardized Assessment of Automatic Segmentation of White Matter Hyperintensities and Results of the WMH Segmentation Challenge. <i>IEEE Transactions on Medical Imaging</i> , 2019, 38, 2556-2568.	5.4	165
46	Clinical relevance of acute cerebral microinfarcts in vascular cognitive impairment. <i>Neurology</i> , 2019, 92, e1558-e1566.	1.5	24
47	The Clinical Phenotype of Vascular Cognitive Impairment in Patients with Type 2 Diabetes Mellitus. <i>Journal of Alzheimer's Disease</i> , 2019, 68, 311-322.	1.2	16
48	Performance of five automated white matter hyperintensity segmentation methods in a multicenter dataset. <i>Scientific Reports</i> , 2019, 9, 16742.	1.6	38
49	The association between lacunes and white matter hyperintensity features on MRI: The SMART-MR study. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2019, 39, 2486-2496.	2.4	34
50	Are serum autoantibodies associated with brain changes in systemic lupus erythematosus? MRI data from the Leiden NP-SLE cohort. <i>Lupus</i> , 2019, 28, 94-103.	0.8	22
51	Impact of white matter hyperintensity location on depressive symptoms in memory-clinic patients: a lesion-symptom mapping study. <i>Journal of Psychiatry and Neuroscience</i> , 2019, 44, E1-E10.	1.4	9
52	White matter hyperintensity shape and location feature analysis on brain MRI; proof of principle study in patients with diabetes. <i>Scientific Reports</i> , 2018, 8, 1893.	1.6	39
53	Detection and characterization of small infarcts in the caudate nucleus on 7 Tesla MRI: The SMART-MR study. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2018, 38, 1609-1617.	2.4	6
54	Evaluation of a deep learning approach for the segmentation of brain tissues and white matter hyperintensities of presumed vascular origin in MRI. <i>NeuroImage: Clinical</i> , 2018, 17, 251-262.	1.4	88

#	ARTICLE	IF	CITATIONS
55	Cognitive functioning and structural brain abnormalities in people with Type 2 diabetes mellitus. <i>Diabetic Medicine</i> , 2018, 35, 1663-1670.	1.2	34
56	Fast CSF MRI for brain segmentation; Cross-validation by comparison with 3D T1-based brain segmentation methods. <i>PLoS ONE</i> , 2018, 13, e0196119.	1.1	8
57	Parietal Involvement in Constructional Apraxia as Measured Using the Pentagon Copying Task. <i>Dementia and Geriatric Cognitive Disorders</i> , 2018, 46, 50-59.	0.7	16
58	The cumulative effect of small vessel disease lesions is reflected in structural brain networks of memory clinic patients. <i>NeuroImage: Clinical</i> , 2018, 19, 963-969.	1.4	30
59	The association between brain volume, cortical brain infarcts, and physical frailty. <i>Neurobiology of Aging</i> , 2018, 70, 247-253.	1.5	44
60	A Role for New Brain Magnetic Resonance Imaging Modalities in Daily Clinical Practice: Protocol of the Prediction of Cognitive Recovery After Stroke (PROCRAS) Study. <i>JMIR Research Protocols</i> , 2018, 7, e127.	0.5	16
61	MRI Markers of Neurodegenerative and Neurovascular Changes in Relation to Postoperative Delirium and Postoperative Cognitive Decline. <i>American Journal of Geriatric Psychiatry</i> , 2017, 25, 1048-1061.	0.6	38
62	[P2â€“423]: SIDEDNESS OF CAROTID ARTERY STENOSIS AND BRAIN VOLUME LOSS IN THE LEFT AND RIGHT HEMISPHERE: THE SMARTâ€“MR STUDY. <i>Alzheimer's and Dementia</i> , 2017, 13, P797.	0.4	0
63	[P1â€“424]: DETECTION OF SMALL INFARCTS IN THE CAUDATE NUCLEUS ON 7 TESLA MRI: THE SMARTâ€“MR STUDY. <i>Alzheimer's and Dementia</i> , 2017, 13, P441.	0.4	0
64	Vascular Cognitive Impairment in a Memory Clinic Population: Rationale and Design of the â€œUtrecht-Amsterdam Clinical Features and Prognosis in Vascular Cognitive Impairmentâ€“(TRACE-VCI) Study. <i>JMIR Research Protocols</i> , 2017, 6, e60.	0.5	29
65	Robustness of Automated Methods for Brain Volume Measurements across Different MRI Field Strengths. <i>PLoS ONE</i> , 2016, 11, e0165719.	1.1	83
66	Supervised novelty detection in brain tissue classification with an application to white matter hyperintensities. , 2016, , .		1
67	Hippocampal Disconnection in Early Alzheimer's Disease: A 7 Tesla MRI Study. <i>Journal of Alzheimer's Disease</i> , 2015, 45, 1247-1256.	1.2	37
68	High frequency oscillations in the intra-operative ECoG to guide epilepsy surgery (â€œThe HFO Trialâ€“): study protocol for a randomized controlled trial. <i>Trials</i> , 2015, 16, 422.	0.7	68
69	MRBrainS Challenge: Online Evaluation Framework for Brain Image Segmentation in 3T MRI Scans. <i>Computational Intelligence and Neuroscience</i> , 2015, 2015, 1-16.	1.1	179
70	Quantification of structural cerebral abnormalities on MRI 18Âmonths after aneurysmal subarachnoid hemorrhage in patients who received endovascular treatment. <i>Neuroradiology</i> , 2015, 57, 269-274.	1.1	8
71	Global brain atrophy but not hippocampal atrophy is related to type 2 diabetes. <i>Journal of the Neurological Sciences</i> , 2014, 344, 32-36.	0.3	36
72	The Added Value of Diffusion Tensor Imaging for Automated White Matter Hyperintensity Segmentation. <i>Mathematics and Visualization</i> , 2014, , 45-53.	0.4	5

#	ARTICLE	IF	CITATIONS
73	Microstructural White Matter Abnormalities and Cognitive Functioning in Type 2 Diabetes. <i>Diabetes Care</i> , 2013, 36, 137-144.	4.3	206
74	Visual Cerebral Microbleed Detection on 7T MR Imaging: Reliability and Effects of Image Processing. <i>American Journal of Neuroradiology</i> , 2013, 34, E61-E64.	1.2	28
75	Observer performance in semi-automated microbleed detection. , 2013, , .		0
76	Semi-Automated Detection of Cerebral Microbleeds on 3.0 T MR Images. <i>PLoS ONE</i> , 2013, 8, e66610.	1.1	32
77	Cerebral Microinfarcts: A Systematic Review of Neuropathological Studies. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2012, 32, 425-436.	2.4	227
78	Quantification of Cerebral Volumes on MRI 6 Months After Aneurysmal Subarachnoid Hemorrhage. <i>Stroke</i> , 2012, 43, 2782-2784.	1.0	17
79	Efficient detection of cerebral microbleeds on 7.0T MR images using the radial symmetry transform. <i>NeuroImage</i> , 2012, 59, 2266-2273.	2.1	84
80	High prevalence of cerebral microbleeds at 7T MRI in patients with early Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2012, 8, P614.	0.4	0
81	High Prevalence of Cerebral Microbleeds at 7Tesla MRI in Patients with Early Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2012, 31, 259-263.	1.2	78
82	Cerebral haemodynamics, cognition and brain volumes in patients with type 2 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2012, 26, 205-209.	1.2	56
83	A comparison of MR based segmentation methods for measuring brain atrophy progression. <i>NeuroImage</i> , 2011, 54, 760-768.	2.1	50
84	Accelerated cognitive decline in patients with type 2 diabetes: MRI correlates and risk factors. <i>Diabetes/Metabolism Research and Reviews</i> , 2011, 27, 195-202.	1.7	78
85	Detecting cerebral microbleeds in 7.0 T MR images using the radial symmetry transform. , 2011, , .		4
86	A 4 year follow-up study of cognitive functioning in patients with type 2 diabetes mellitus. <i>Diabetologia</i> , 2010, 53, 58-65.	2.9	209
87	Microvascular Determinants of Cognitive Decline and Brain Volume Change in Elderly Patients with Type 2 Diabetes. <i>Dementia and Geriatric Cognitive Disorders</i> , 2010, 30, 381-386.	0.7	53
88	Progression of Cerebral Atrophy and White Matter Hyperintensities in Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2010, 33, 1309-1314.	4.3	155
89	Cerebral cortical thickness in patients with type 2 diabetes. <i>Journal of the Neurological Sciences</i> , 2010, 299, 126-130.	0.3	121
90	Breast MRI in clinically and mammographically occult breast cancer presenting with an axillary metastasis: A systematic review. <i>European Journal of Surgical Oncology</i> , 2010, 36, 114-119.	0.5	118

#	ARTICLE	IF	CITATIONS
91	Neuroimaging Biomarkers for Huntingtonâ€™s Disease. , 0, , .		1
92	Prevalence, risk factors, and long-term outcomes of cerebral ischemia in hospitalized COVID-19 patients â€“ study rationale and protocol of the CORONIS study: A multicentre prospective cohort study. European Stroke Journal, 0, , 239698732210925.	2.7	2