

Takeshi Tsubata

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7544616/publications.pdf>

Version: 2024-02-01

127
papers

10,724
citations

87723

38
h-index

30848

102
g-index

207
all docs

207
docs citations

207
times ranked

17649
citing authors

#	ARTICLE	IF	CITATIONS
1	Glia maturation factor- β is involved in S1P-induced marginal zone B-cell chemotaxis and optimal IgM production to type II T-independent antigen. <i>International Immunology</i> , 2022, 34, 35-43.	1.8	3
2	Role of inhibitory B cell co-receptors in B cell self-tolerance to non-protein antigens*. <i>Immunological Reviews</i> , 2022, .	2.8	4
3	The inhibitory coreceptor CD22 restores B cell signaling by developmentally regulating Cd45 immunodeficient B cells. <i>Science Signaling</i> , 2022, 15, eabf9570.	1.6	6
4	A Guillain-Barré syndrome-associated SIGLEC10 rare variant impairs its recognition of gangliosides. <i>Journal of Autoimmunity</i> , 2021, 116, 102571.	3.0	10
5	CEACAM1 specifically suppresses B cell receptor signaling-mediated activation. <i>Biochemical and Biophysical Research Communications</i> , 2021, 535, 99-105.	1.0	3
6	A CD22-Shp1 phosphatase axis controls integrin β 7 display and B cell function in mucosal immunity. <i>Nature Immunology</i> , 2021, 22, 381-390.	7.0	19
7	A CD22-Shp1 phosphatase axis controls integrin β 7 display and B cell function in mucosal immunity. <i>FASEB Journal</i> , 2021, 35, .	0.2	0
8	The Protein Tyrosine Phosphatase SHP-1 (PTPN6) but Not CD45 (PTPRC) Is Essential for the Ligand-Mediated Regulation of CD22 in BCR-Ligated B Cells. <i>Journal of Immunology</i> , 2021, 206, 2544-2551.	0.4	9
9	Protein antigen conjugated with cholesteryl amino-pullulan nanogel shows delayed degradation in dendritic cells and augmented immunogenicity. <i>Vaccine</i> , 2021, 39, 7526-7526.	1.7	1
10	Distinct roles of BCNP1 in B-cell development and activation. <i>International Immunology</i> , 2020, 32, 17-26.	1.8	1
11	Involvement of Reactive Oxygen Species (ROS) in BCR Signaling as a Second Messenger. <i>Advances in Experimental Medicine and Biology</i> , 2020, 1254, 37-46.	0.8	17
12	Identification of Siglec Cis-Ligands by Proximity Labeling. <i>Methods in Molecular Biology</i> , 2020, 2132, 75-83.	0.4	1
13	Inhibitory B cell co-receptors and autoimmune diseases. <i>Immunological Medicine</i> , 2019, 42, 108-116.	1.4	15
14	MZB1 promotes the secretion of J-chain-containing dimeric IgA and is critical for the suppression of gut inflammation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 13480-13489.	3.3	50
15	The B cell novel protein 1 (BCNP1) regulates BCR signaling and B cell apoptosis. <i>European Journal of Immunology</i> , 2019, 49, 911-917.	1.6	3
16	CD72 is a Negative Regulator of B Cell Responses to Nuclear Lupus Self-antigens and Development of Systemic Lupus Erythematosus. <i>Immune Network</i> , 2019, 19, e1.	1.6	22
17	Essential Role of NADPH Oxidase-Dependent Production of Reactive Oxygen Species in Maintenance of Sustained B Cell Receptor Signaling and B Cell Proliferation. <i>Journal of Immunology</i> , 2019, 202, 2546-2557.	0.4	41
18	Proximity labeling of cis-ligands of CD22/Siglec-2 reveals stepwise \pm 2,6 sialic acid-dependent and -independent interactions. <i>Biochemical and Biophysical Research Communications</i> , 2018, 495, 854-859.	1.0	26

#	ARTICLE	IF	CITATIONS
19	Ligand Recognition Determines the Role of Inhibitory B Cell Co-receptors in the Regulation of B Cell Homeostasis and Autoimmunity. <i>Frontiers in Immunology</i> , 2018, 9, 2276.	2.2	28
20	Negative regulation of B cell responses and self-tolerance to RNA-related lupus self-antigen. <i>Proceedings of the Japan Academy Series B: Physical and Biological Sciences</i> , 2018, 94, 35-44.	1.6	4
21	Kelch-like protein 14 promotes B-1a but suppresses B-1b cell development. <i>International Immunology</i> , 2018, 30, 311-318.	1.8	10
22	FcγR Receptor Promotes the Survival and Activation of Marginal Zone B Cells and Protects Mice against Bacterial Sepsis. <i>Frontiers in Immunology</i> , 2018, 9, 160.	2.2	13
23	CD22-Binding Synthetic Sialosides Regulate B Lymphocyte Proliferation Through CD22 Ligand-Dependent and Independent Pathways, and Enhance Antibody Production in Mice. <i>Frontiers in Immunology</i> , 2018, 9, 820.	2.2	25
24	LAG-3 Inhibitory Receptor Expression Identifies Immunosuppressive Natural Regulatory Plasma Cells. <i>Immunity</i> , 2018, 49, 120-133.e9.	6.6	190
25	CD22 and CD72 are inhibitory receptors dominantly expressed in B lymphocytes and regulate systemic autoimmune diseases. <i>Zeitschrift Fur Rheumatologie</i> , 2017, 76, 10-13.	0.5	4
26	Efficient Induction of Ig Gene Hypermutation in Ex Vivo Activated Primary B Cells. <i>Journal of Immunology</i> , 2017, 199, 3023-3030.	0.4	11
27	B-cell tolerance and autoimmunity. <i>F1000Research</i> , 2017, 6, 391.	0.8	45
28	EAF2 mediates germinal centre B-cell apoptosis to suppress excessive immune responses and prevent autoimmunity. <i>Nature Communications</i> , 2016, 7, 10836.	5.8	23
29	CD72 negatively regulates B lymphocyte responses to the lupus-related endogenous toll-like receptor 7 ligand Sm/RNP. <i>Journal of Experimental Medicine</i> , 2016, 213, 2691-2706.	4.2	42
30	FcγR4 Interacts and Cooperates with the B Cell Receptor To Promote B Cell Survival. <i>Journal of Immunology</i> , 2015, 194, 3096-3101.	0.4	25
31	The Ras GTPase-Activating Protein Rasal3 Supports Survival of Naive T Cells. <i>PLoS ONE</i> , 2015, 10, e0119898.	1.1	34
32	Siglecs and B Cell Regulation. , 2015, , 609-615.		0
33	LAPTM5 promotes lysosomal degradation of intracellular CD317 but not of cell surface CD317. <i>Immunology and Cell Biology</i> , 2014, 92, 527-534.	1.0	21
34	Functional Evaluation of Activation-dependent Alterations in the Sialoglycan Composition of T Cells. <i>Journal of Biological Chemistry</i> , 2014, 289, 1564-1579.	1.6	27
35	Siglecs and B Cell Regulation. , 2014, , 1-7.		0
36	Cd72c Is a Modifier Gene that Regulates FasLp-Induced Autoimmune Disease. <i>Journal of Immunology</i> , 2013, 190, 5436-5445.	0.4	37

#	ARTICLE	IF	CITATIONS
37	Constitutively CD40-Activated B Cells Regulate CD8 T Cell Inflammatory Response by IL-10 Induction. <i>Journal of Immunology</i> , 2013, 190, 3189-3196.	0.4	8
38	1P010 Towards the structure analysis of CD72(01A. Protein:Structure,Poster). <i>Seibutsu Butsuri</i> , 2013, 53, S107.	0.0	0
39	Excess CD40L does not rescue anti-DNA B cells from clonal anergy. <i>F1000Research</i> , 2013, 2, 218.	0.8	1
40	Excess CD40L does not rescue anti-DNA B cells from clonal anergy. <i>F1000Research</i> , 2013, 2, 218.	0.8	1
41	Apoptotic marginal zone deletion of anti-Sm/ribonucleoprotein B cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 7811-7816.	3.3	21
42	Guidelines for the use and interpretation of assays for monitoring autophagy. <i>Autophagy</i> , 2012, 8, 445-544.	4.3	3,122
43	Human CD72 splicing isoform responsible for resistance to systemic lupus erythematosus regulates serum immunoglobulin level and is localized in endoplasmic reticulum. <i>BMC Immunology</i> , 2012, 13, 72.	0.9	13
44	Apoptotic Volume Decrease (AVD) Is Independent of Mitochondrial Dysfunction and Initiator Caspase Activation. <i>Cells</i> , 2012, 1, 1156-1167.	1.8	18
45	Role of Inhibitory BCR Co-Receptors in Immunity. <i>Infectious Disorders - Drug Targets</i> , 2012, 12, 181-190.	0.4	50
46	Amplified B Lymphocyte CD40 Signaling Drives Regulatory B10 Cell Expansion in Mice. <i>PLoS ONE</i> , 2011, 6, e22464.	1.1	62
47	The use of cationic nanogels to deliver proteins to myeloma cells and primary T lymphocytes that poorly express heparan sulfate. <i>Biomaterials</i> , 2011, 32, 5900-5905.	5.7	23
48	CD22-Antagonists with nanomolar potency: The synergistic effect of hydrophobic groups at C-2 and C-9 of sialic acid scaffold. <i>Bioorganic and Medicinal Chemistry</i> , 2011, 19, 1966-1971.	1.4	37
49	High-Affinity Ligands of Siglec Receptors and their Therapeutic Potentials. <i>Current Medicinal Chemistry</i> , 2011, 18, 3537-3550.	1.2	34
50	Design and Synthesis of a Multivalent Heterobifunctional CD22 Ligand as a Potential Immunomodulator. <i>Synthesis</i> , 2011, 2011, 2968-2974.	1.2	4
51	Differential phosphorylation of functional tyrosines in CD19 modulates B-lymphocyte activation. <i>European Journal of Immunology</i> , 2010, 40, 1192-1204.	1.6	18
52	Augmented Antibody Response with Premature Germinal Center Regression in CD40L Transgenic Mice. <i>Journal of Immunology</i> , 2010, 185, 211-219.	0.4	30
53	Correction: Constitutive CD40L Expression on B Cells Prematurely Terminates Germinal Center Response and Leads to Augmented Plasma Cell Production in T Cell Areas. <i>Journal of Immunology</i> , 2010, 185, 2631-2631.	0.4	0
54	Constitutive CD40L Expression on B Cells Prematurely Terminates Germinal Center Response and Leads to Augmented Plasma Cell Production in T Cell Areas. <i>Journal of Immunology</i> , 2010, 185, 220-230.	0.4	38

#	ARTICLE	IF	CITATIONS
55	Augmented B Lymphocyte Response to Antigen in the Absence of Antigen-Induced B Lymphocyte Signaling in an IgG-Transgenic Mouse Line. <i>PLoS ONE</i> , 2010, 5, e8815.	1.1	9
56	Autophagy connects antigen receptor signaling to costimulatory signaling in B lymphocytes. <i>Autophagy</i> , 2009, 5, 108-110.	4.3	30
57	Recruitment of the cytoplasmic adaptor Grb2 to surface IgG and IgE provides antigen receptorâ€™intrinsic costimulation to class-switched B cells. <i>Nature Immunology</i> , 2009, 10, 1018-1025.	7.0	144
58	Synthesis of biotinylated sialoside to probe CD22â€™ligand interactions. <i>Tetrahedron Letters</i> , 2009, 50, 4488-4491.	0.7	9
59	Potent small molecule mouse CD22-inhibitors: Exploring the interaction of the residue at C-2 of sialic acid scaffold. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2009, 19, 5573-5575.	1.0	19
60	The Development and Function of Regulatory B Cells Expressing IL-10 (B10 Cells) Requires Antigen Receptor Diversity and TLR Signals. <i>Journal of Immunology</i> , 2009, 182, 7459-7472.	0.4	443
61	Centromeric interval of chromosome 4 derived from C57BL/6 mice accelerates type 1 diabetes in NOD.CD72b congenic mice. <i>Biochemical and Biophysical Research Communications</i> , 2009, 380, 193-197.	1.0	2
62	Ligation of tumour-produced mucins to CD22 dramatically impairs splenic marginal zone B-cells. <i>Biochemical Journal</i> , 2009, 417, 673-683.	1.7	18
63	Molecular components of the B-cell antigen receptor complex of the IgM class. 1990. <i>Journal of Immunology</i> , 2009, 183, 1505-7.	0.4	1
64	Apoptosis of marginal zone B-cells in unimmunized mice. <i>Journal of Medical and Dental Sciences</i> , 2009, 56, 49-54.	0.4	0
65	Design, Synthesis, and Structureâ€™Affinity Relationships of Novel Series of Sialosides as CD22-Specific Inhibitors. <i>Journal of Medicinal Chemistry</i> , 2008, 51, 6665-6681.	2.9	31
66	ER stress is involved in B cell antigen receptor ligation-induced apoptosis. <i>Biochemical and Biophysical Research Communications</i> , 2008, 365, 143-148.	1.0	13
67	FRET-based Ca ²⁺ measurement in B lymphocyte by flow cytometry and confocal microscopy. <i>Biochemical and Biophysical Research Communications</i> , 2008, 367, 377-382.	1.0	11
68	Induction of autophagy by B cell antigen receptor stimulation and its inhibition by costimulation. <i>Biochemical and Biophysical Research Communications</i> , 2008, 374, 274-281.	1.0	43
69	Novel Binding Site for Src Homology 2-containing Protein-tyrosine Phosphatase-1 in CD22 Activated by B Lymphocyte Stimulation with Antigen. <i>Journal of Biological Chemistry</i> , 2008, 283, 1653-1659.	1.6	12
70	CD22 Regulates Time Course of Both B Cell Division and Antibody Response. <i>Journal of Immunology</i> , 2008, 180, 907-913.	0.4	39
71	Siglec-2 Is a Key Molecule for Immune Response. , 2008, , 167-170.		1
72	Distinctive tyrosine phosphorylation pattern of CD19 during BCR and CD40 signaling. <i>FASEB Journal</i> , 2008, 22, 662.14.	0.2	0

#	ARTICLE	IF	CITATIONS
73	Self and Nonself Recognition by Coreceptors on B Lymphocytes: Regulation of B Lymphocytes by CD19, CD21, CD22, and CD72. , 2008, , 199-220.		0
74	Augmentation of Signaling through BCR Containing IgE but not That Containing IgA Due to Lack of CD22-Mediated Signal Regulation. Journal of Immunology, 2007, 178, 2901-2907.	0.4	22
75	Synthetic glycan ligand excludes CD22 from antigen receptor-containing lipid rafts. Biochemical and Biophysical Research Communications, 2007, 360, 759-764.	1.0	24
76	Interdomain A is crucial for ITAM-dependent and -independent regulation of Syk. Biochemical and Biophysical Research Communications, 2007, 364, 111-117.	1.0	9
77	The tumor suppressor p53 is not required for antigen receptor-mediated apoptosis of B lymphocytes. Signal Transduction, 2006, 6, 54-61.	0.7	0
78	B-cell abnormality and systemic lupus erythematosus. APLAR Journal of Rheumatology, 2006, 9, 372-376.	0.2	1
79	Bispecific Abs against modified protein and DNA with oxidized lipids. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 6160-6165.	3.3	29
80	B cell abnormality and autoimmune disorders. Autoimmunity, 2005, 38, 331-337.	1.2	23
81	Ectopic CD40 Ligand Expression on B Cells Triggers Intestinal Inflammation. Journal of Immunology, 2004, 172, 6388-6397.	0.4	31
82	Involvement of cell cycle progression in survival signaling through CD40 in the B-lymphocyte line WEHI-231. Cell Death and Differentiation, 2004, 11, 261-269.	5.0	15
83	Molecular interactions regulate BCR signal inhibition by CD22 and CD72. Trends in Immunology, 2004, 25, 543-550.	2.9	84
84	Ectopic CD40 ligand expression on B cells trigger intestinal inflammation. Gastroenterology, 2003, 124, A35.	0.6	0
85	Critical Roles of Pten in B Cell Homeostasis and Immunoglobulin Class Switch Recombination. Journal of Experimental Medicine, 2003, 197, 657-667.	4.2	214
86	Inhibitory Coreceptors Activated by Antigens But Not by Anti-Ig Heavy Chain Antibodies Install Requirement of Costimulation Through CD40 for Survival and Proliferation of B Cells. Journal of Immunology, 2003, 171, 1835-1843.	0.4	47
87	A Distinct Signaling Pathway Used by the IgG-Containing B Cell Antigen Receptor. Science, 2002, 298, 2392-2395.	6.0	161
88	Cutting Edge: Ectopic Expression of CD40 Ligand on B Cells Induces Lupus-Like Autoimmune Disease. Journal of Immunology, 2002, 168, 9-12.	0.4	146
89	T Cell-Specific Loss of Pten Leads to Defects in Central and Peripheral Tolerance. Immunity, 2001, 14, 523-534.	6.6	524
90	Molecular Mechanisms for Apoptosis Induced by Signaling Through the B Cell Antigen Receptor. International Reviews of Immunology, 2001, 20, 791-803.	1.5	9

#	ARTICLE	IF	CITATIONS
91	SHP-1 Requires Inhibitory Co-receptors to Down-modulate B Cell Antigen Receptor-mediated Phosphorylation of Cellular Substrates. <i>Journal of Biological Chemistry</i> , 2001, 276, 26648-26655.	1.6	67
92	Introduction. <i>International Reviews of Immunology</i> , 2001, 20, 675-678.	1.5	25
93	Regulation of B-cell antigen receptor signaling by CD72. , 2001, , 123-128.		0
94	CD72 Negatively Regulates Signaling Through the Antigen Receptor of B Cells. <i>Journal of Immunology</i> , 2000, 164, 1223-1229.	0.4	105
95	Rapid B cell apoptosis induced by antigen receptor ligation does not require Fas (CD95/APO-1), the adaptor protein FADD/MORT1 or CrmA-sensitive caspases but is defective in both MRL+/- and MRL-lpr/lpr mice. <i>International Immunology</i> , 2000, 12, 517-526.	1.8	38
96	Ras Mediates Effector Pathways Responsible for Pre-B Cell Survival, Which Is Essential for the Developmental Progression to the Late Pre-B Cell Stage. <i>Journal of Experimental Medicine</i> , 2000, 192, 171-182.	4.2	49
97	B cell tolerance and autoimmunity. <i>Reviews in Immunogenetics</i> , 2000, 2, 18-25.	0.7	8
98	Apoptosis of Mature B Cells. <i>International Reviews of Immunology</i> , 1999, 18, 347-365.	1.5	9
99	Co-receptors on B lymphocytes. <i>Current Opinion in Immunology</i> , 1999, 11, 249-255.	2.4	70
100	Signaling through the antigen receptor of B lymphocytes activates a p53-independent pathway of c-Myc-induced apoptosis. <i>Oncogene</i> , 1999, 18, 4091-4098.	2.6	23
101	Antigen Receptor Cross-linking by Anti-immunoglobulin Antibodies Coupled to Cell Surface Membrane Induces Rapid Apoptosis of Normal Spleen B cells. <i>Scandinavian Journal of Immunology</i> , 1998, 47, 541-547.	1.3	13
102	Differential modulation of cyclin-dependent kinase inhibitor p27Kip1 by negative signaling via the antigen receptor of B cells and positive signaling via CD40. <i>European Journal of Immunology</i> , 1996, 26, 2425-2432.	1.6	20
103	Autoimmune disease of exocrine organs in immunodeficient alymphoplasia mice: a spontaneous model for Sjögren's syndrome. <i>European Journal of Immunology</i> , 1996, 26, 2742-2748.	1.6	86
104	Antigen receptor-mediated B cell death is blocked by signaling via CD72 or treatment with dextran sulfate and is defective in autoimmunity-prone mice. <i>International Immunology</i> , 1996, 8, 867-875.	1.8	62
105	Expression of the PD-1 antigen on the surface of stimulated mouse T and B lymphocytes. <i>International Immunology</i> , 1996, 8, 765-772.	1.8	1,316
106	Defects of somatic hypermutation and class switching in alymphoplasia (aly) mutant mice. <i>International Immunology</i> , 1996, 8, 1067-1075.	1.8	57
107	Administration of interleukin -5 or -10 activates peritoneal B-1 cells and induces autoimmune hemolytic anemia in anti-erythrocyte autoantibody-transgenic mice. <i>European Journal of Immunology</i> , 1995, 25, 3047-3052.	1.6	88
108	Prevention of autoimmune symptoms in autoimmune-prone mice by elimination of B-1 cells. <i>International Immunology</i> , 1995, 7, 877-882.	1.8	134

#	ARTICLE	IF	CITATIONS
109	Isolation of Epstein-Barr-Virus-Transformed Lymphocytes Producing IgG Class Monoclonal Antibodies Using a Magnetic Cell Separator (MACS): Preparation of Thyroid-Stimulating IgG Antibodies from Patients with Graves' Disease. <i>Biochemical and Biophysical Research Communications</i> , 1995, 207, 985-993.	1.0	26
110	Molecular mechanisms for B lymphocyte selection: induction and regulation of antigen-receptor-mediated apoptosis of mature B cells in normal mice and their defect in autoimmunity-prone mice. , 1995, , 61-65.		0
111	Oral administration of lipopolysaccharides activates B-1 cells in the peritoneal cavity and lamina propria of the gut and induces autoimmune symptoms in an autoantibody transgenic mouse.. <i>Journal of Experimental Medicine</i> , 1994, 180, 111-121.	4.2	168
112	Lineage marker-negative lymphocyte precursors derived from embryonic stem cells in vitro differentiate into mature lymphocytes in vivo. <i>International Immunology</i> , 1994, 6, 909-916.	1.8	23
113	Antigen-receptor cross-linking induces peritoneal B-cell apoptosis in normal but not autoimmunity-prone mice. <i>Current Biology</i> , 1994, 4, 8-17.	1.8	67
114	B-cell apoptosis induced by antigen receptor crosslinking is blocked by a T-cell signal through CD40. <i>Nature</i> , 1993, 364, 645-648.	13.7	387
115	The bcl-2 gene product inhibits clonal deletion of self-reactive B lymphocytes in the periphery but not in the bone marrow.. <i>Journal of Experimental Medicine</i> , 1993, 178, 1247-1254.	4.2	117
116	Crosslinking of the cell surface immunoglobulin (Î¼-surrogate light chains complex) on pre-B cells induces activation of V gene rearrangements at the immunoglobulin I ^g locus. <i>International Immunology</i> , 1992, 4, 637-641.	1.8	81
117	A transgenic model of autoimmune hemolytic anemia.. <i>Journal of Experimental Medicine</i> , 1992, 175, 71-79.	4.2	230
118	Antigen-induced apoptotic death of Ly-1 B cells responsible for autoimmune disease in transgenic mice. <i>Nature</i> , 1992, 357, 77-80.	13.7	280
119	Molecular and cellular aspects of early B-cell development. <i>Current Opinion in Immunology</i> , 1991, 3, 186-192.	2.4	17
120	Cell surface expression of the short immunoglobulin Î¼ chain (DÎ¼ protein) in murine pre-B cells is differently regulated from that of the intact I ^g chain. <i>European Journal of Immunology</i> , 1991, 21, 1359-1363.	1.6	55
121	Identification of Components of the B Cell Antigen Receptor Complex. <i>Advances in Experimental Medicine and Biology</i> , 1991, 292, 207-214.	0.8	9
122	Molecular components of the B-cell antigen receptor complex of the IgM class. <i>Nature</i> , 1990, 343, 760-762.	13.7	397
123	The products of pre-B cell-specific genes (lambda 5 and VpreB) and the immunoglobulin mu chain form a complex that is transported onto the cell surface.. <i>Journal of Experimental Medicine</i> , 1990, 172, 973-976.	4.2	216
124	A case of Behcet's disease with mononeuritis multiplex due to vasculitis.. <i>Japanese Journal of Clinical Immunology</i> , 1989, 12, 135-141.	0.0	3
125	Differentiation of a Precursor Cell with the Germline Context of Immunoglobulin Gene into Immunoglobulin-Producing Cells in Vitro. <i>Annals of the New York Academy of Sciences</i> , 1988, 546, 1-8.	1.8	2
126	Differentiation of an interleukin 3-dependent precursor B-cell clone into immunoglobulin-producing cells in vitro.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1988, 85, 4473-4477.	3.3	60

#	ARTICLE	IF	CITATIONS
127	Systemic lupus erythematosus and pregnancy. Japanese Journal of Clinical Immunology, 1986, 9, 450-460.	0.0	0