

Robert A Schoevers

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7545032/robert-a-schoevers-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

188 papers	6,753 citations	37 h-index	79 g-index
199 ext. papers	9,116 ext. citations	6.3 avg, IF	6.05 L-index

#	Paper	IF	Citations
188	Genome-wide association analyses identify 44 risk variants and refine the genetic architecture of major depression. <i>Nature Genetics</i> , 2018 , 50, 668-681	36.3	1301
187	Analysis of shared heritability in common disorders of the brain. <i>Science</i> , 2018 , 360,	33.3	666
186	Mental disorders as networks of problems: a review of recent insights. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017 , 52, 1-10	4.5	380
185	Association of Symptom Network Structure With the Course of [corrected] Depression. <i>JAMA Psychiatry</i> , 2015 , 72, 1219-26	14.5	328
184	A new method for constructing networks from binary data. <i>Scientific Reports</i> , 2014 , 4, 5918	4.9	230
183	Data-driven subtypes of major depressive disorder: a systematic review. <i>BMC Medicine</i> , 2012 , 10, 156	11.4	176
182	Mood disorders in everyday life: a systematic review of experience sampling and ecological momentary assessment studies. <i>Clinical Psychology Review</i> , 2012 , 32, 510-23	10.8	175
181	Neuroinflammation in bipolar disorder - A [(11)C]-(R)-PK11195 positron emission tomography study. <i>Brain, Behavior, and Immunity</i> , 2014 , 40, 219-25	16.6	147
180	Measuring depression over time . . . Or not? Lack of unidimensionality and longitudinal measurement invariance in four common rating scales of depression. <i>Psychological Assessment</i> , 2016 , 28, 1354-1367	5.3	145
179	CHRONOTYPE ASSOCIATIONS WITH DEPRESSION AND ANXIETY DISORDERS IN A LARGE COHORT STUDY. <i>Depression and Anxiety</i> , 2016 , 33, 75-83	8.4	133
178	The Network Structure of Symptoms of the Diagnostic and Statistical Manual of Mental Disorders. <i>PLoS ONE</i> , 2015 , 10, e0137621	3.7	130
177	Variability in the prevalence of adult ADHD in treatment seeking substance use disorder patients: results from an international multi-center study exploring DSM-IV and DSM-5 criteria. <i>Drug and Alcohol Dependence</i> , 2014 , 134, 158-166	4.9	123
176	The obsessive compulsive spectrum in schizophrenia, a meta-analysis and meta-regression exploring prevalence rates. <i>Schizophrenia Research</i> , 2014 , 152, 458-68	3.6	116
175	Influence of personality on the outcome of treatment in depression: systematic review and meta-analysis. <i>Journal of Personality Disorders</i> , 2014 , 28, 577-93	2.6	113
174	The facts about sexual (Dys)function in schizophrenia: an overview of clinically relevant findings. <i>Schizophrenia Bulletin</i> , 2015 , 41, 674-86	1.3	97
173	Inflammatory and metabolic dysregulation and the 2-year course of depressive disorders in antidepressant users. <i>Neuropsychopharmacology</i> , 2014 , 39, 1624-34	8.7	80
172	Reporting Bias in Clinical Trials Investigating the Efficacy of Second-Generation Antidepressants in the Treatment of Anxiety Disorders: A Report of 2 Meta-analyses. <i>JAMA Psychiatry</i> , 2015 , 72, 500-10	14.5	72

171	Longitudinal Association Between Depression and Inflammatory Markers: Results From the Netherlands Study of Depression and Anxiety. <i>Biological Psychiatry</i> , 2019 , 85, 829-837	7.9	72
170	Differential associations of specific depressive and anxiety disorders with somatic symptoms. <i>Journal of Psychosomatic Research</i> , 2015 , 78, 116-22	4.1	64
169	Data-driven biological subtypes of depression: systematic review of biological approaches to depression subtyping. <i>Molecular Psychiatry</i> , 2019 , 24, 888-900	15.1	63
168	Risk assessment and shared care planning in out-patient forensic psychiatry: cluster randomised controlled trial. <i>British Journal of Psychiatry</i> , 2013 , 202, 365-71	5.4	60
167	Associations between chronotypes and psychological vulnerability factors of depression. <i>Chronobiology International</i> , 2017 , 34, 1125-1135	3.6	56
166	Sleep, circadian rhythm, and physical activity patterns in depressive and anxiety disorders: A 2-week ambulatory assessment study. <i>Depression and Anxiety</i> , 2019 , 36, 975-986	8.4	53
165	Predicting the naturalistic course of depression from a wide range of clinical, psychological, and biological data: a machine learning approach. <i>Translational Psychiatry</i> , 2018 , 8, 241	8.6	52
164	Risk Factors for Depression: Differential Across Age?. <i>American Journal of Geriatric Psychiatry</i> , 2017 , 25, 966-977	6.5	49
163	The network structure of psychopathology in a community sample of preadolescents. <i>Journal of Abnormal Psychology</i> , 2016 , 125, 599-606	7	47
162	Reconsidering the prognosis of major depressive disorder across diagnostic boundaries: full recovery is the exception rather than the rule. <i>BMC Medicine</i> , 2017 , 15, 215	11.4	45
161	Depression profilers and immuno-metabolic dysregulation: Longitudinal results from the NESDA study. <i>Brain, Behavior, and Immunity</i> , 2020 , 88, 174-183	16.6	41
160	Oral ketamine for the treatment of pain and treatment-resistant depression. <i>British Journal of Psychiatry</i> , 2016 , 208, 108-13	5.4	41
159	Inflammatory markers and treatment outcome in treatment resistant depression: A systematic review. <i>Journal of Affective Disorders</i> , 2019 , 257, 640-649	6.6	41
158	Experience sampling and ecological momentary assessment studies in psychopharmacology: A systematic review. <i>European Neuropsychopharmacology</i> , 2015 , 25, 1853-64	1.2	41
157	Personalized Feedback on Symptom Dynamics of Psychopathology: A Proof-of-Principle Study. <i>Journal for Person-Oriented Research</i> , 2017 , 3, 1-10	1	41
156	The symptom-specific efficacy of antidepressant medication vs. cognitive behavioral therapy in the treatment of depression: results from an individual patient data meta-analysis. <i>World Psychiatry</i> , 2019 , 18, 183-191	14.4	40
155	Longitudinal Predictive Validity of the DSM-5 Anxious Distress Specifier for Clinical Outcomes in a Large Cohort of Patients With Major Depressive Disorder. <i>Journal of Clinical Psychiatry</i> , 2017 , 78, 207-213	13.6	40
154	Anxious distress predicts subsequent treatment outcome and side effects in depressed patients starting antidepressant treatment. <i>Journal of Psychiatric Research</i> , 2017 , 84, 41-48	5.2	39

153	Diagnostic instability of recurrence and the impact on recurrence rates in depressive and anxiety disorders. <i>Journal of Affective Disorders</i> , 2016 , 195, 185-90	6.6	39
152	Bridging the gap between complexity science and clinical practice by formalizing idiographic theories: a computational model of functional analysis. <i>BMC Medicine</i> , 2020 , 18, 99	11.4	37
151	Prediction of 6-yr symptom course trajectories of anxiety disorders by diagnostic, clinical and psychological variables. <i>Journal of Anxiety Disorders</i> , 2016 , 44, 92-101	10.9	36
150	Psychedelic Treatments for Psychiatric Disorders: A Systematic Review and Thematic Synthesis of Patient Experiences in Qualitative Studies. <i>CNS Drugs</i> , 2020 , 34, 925-946	6.7	36
149	Depression: more treatment but no drop in prevalence: how effective is treatment? And can we do better?. <i>Current Opinion in Psychiatry</i> , 2019 , 32, 348-354	4.9	34
148	The impact of somatic symptoms on the course of major depressive disorder. <i>Journal of Affective Disorders</i> , 2016 , 205, 112-118	6.6	33
147	Doomed for Disorder? High Incidence of Mood and Anxiety Disorders in Offspring of Depressed and Anxious Patients: A Prospective Cohort Study. <i>Journal of Clinical Psychiatry</i> , 2017 , 78, e8-e17	4.6	32
146	The role of anxious distress in immune dysregulation in patients with major depressive disorder. <i>Translational Psychiatry</i> , 2017 , 7, 1268	8.6	31
145	Clinical staging of major depressive disorder: an empirical exploration. <i>Journal of Clinical Psychiatry</i> , 2015 , 76, 1200-8	4.6	31
144	Association of Use of Oral Contraceptives With Depressive Symptoms Among Adolescents and Young Women. <i>JAMA Psychiatry</i> , 2020 , 77, 52-59	14.5	31
143	Social jetlag and depression status: Results obtained from the Netherlands Study of Depression and Anxiety. <i>Chronobiology International</i> , 2018 , 35, 1-7	3.6	29
142	Differential associations of locus of control with anxiety, depression and life-events: A five-wave, nine-year study to test stability and change. <i>Journal of Affective Disorders</i> , 2019 , 253, 26-34	6.6	26
141	Low stability of diagnostic classifications of anxiety disorders over time: A six-year follow-up of the NESDA study. <i>Journal of Affective Disorders</i> , 2016 , 190, 310-315	6.6	25
140	Individual variation in temporal relationships between stress and functional somatic symptoms. <i>Journal of Psychosomatic Research</i> , 2014 , 77, 34-9	4.1	24
139	Association between exposure to HSV1 and cognitive functioning in a general population of adolescents. The TRAILS study. <i>PLoS ONE</i> , 2014 , 9, e101549	3.7	24
138	The impact of lifestyle factors on the 2-year course of depressive and/or anxiety disorders. <i>Journal of Affective Disorders</i> , 2014 , 159, 73-9	6.6	22
137	Disturbances in Hypothalamic-Pituitary-Adrenal Axis and Immunological Activity Differentiating between Unipolar and Bipolar Depressive Episodes. <i>PLoS ONE</i> , 2015 , 10, e0133898	3.7	22
136	Interleukin, tumor necrosis factor- α and C-reactive protein profiles in melancholic and non-melancholic depression: A systematic review. <i>Journal of Psychosomatic Research</i> , 2018 , 111, 58-68	4.1	22

135	Associations Between Daily Affective Instability and Connectomics in Functional Subnetworks in Remitted Patients with Recurrent Major Depressive Disorder. <i>Neuropsychopharmacology</i> , 2017 , 42, 2583-2592	8.7	21
134	Integrated cognitive behavioral therapy for ADHD in adult substance use disorder patients: Results of a randomized clinical trial. <i>Drug and Alcohol Dependence</i> , 2019 , 197, 28-36	4.9	21
133	The circulating levels of CD4+ t helper cells are higher in bipolar disorder as compared to major depressive disorder. <i>Journal of Neuroimmunology</i> , 2018 , 319, 28-36	3.5	21
132	Childhood trauma exposure in substance use disorder patients with and without ADHD. <i>Addictive Behaviors</i> , 2017 , 65, 118-124	4.2	21
131	Basal and LPS-stimulated inflammatory markers and the course of individual symptoms of depression. <i>Translational Psychiatry</i> , 2020 , 10, 235	8.6	21
130	Commentary: "Consistent Superiority of Selective Serotonin Reuptake Inhibitors Over Placebo in Reducing Depressed Mood in Patients with Major Depression". <i>Frontiers in Psychiatry</i> , 2015 , 6, 117	5	18
129	Sex dependent risk factors for mortality after myocardial infarction: individual patient data meta-analysis. <i>BMC Medicine</i> , 2014 , 12, 242	11.4	18
128	Comparing network structures on three aspects: A permutation test.. <i>Psychological Methods</i> , 2022 ,	7.1	18
127	The characteristics of psychotic features in bipolar disorder. <i>Psychological Medicine</i> , 2019 , 49, 2036-2048	6.9	17
126	The importance of personality and life-events in anxious depression: from trait to state anxiety. <i>Aging and Mental Health</i> , 2017 , 21, 1177-1183	3.5	16
125	Apathy in early and late-life depression. <i>Journal of Affective Disorders</i> , 2017 , 223, 76-81	6.6	16
124	Symptom-Specific Effects of Psychotherapy versus Combined Therapy in the Treatment of Mild to Moderate Depression: A Network Approach. <i>Psychotherapy and Psychosomatics</i> , 2018 , 87, 121-123	9.4	15
123	N-acetylcysteine as add-on to antidepressant medication in therapy refractory major depressive disorder patients with increased inflammatory activity: study protocol of a double-blind randomized placebo-controlled trial. <i>BMC Psychiatry</i> , 2018 , 18, 279	4.2	15
122	Anxiety sensitivity, its stability and longitudinal association with severity of anxiety symptoms. <i>Scientific Reports</i> , 2019 , 9, 4314	4.9	14
121	Experienced Burden of and Adherence to Smartphone-Based Ecological Momentary Assessment in Persons with Affective Disorders. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	14
120	Diagnosing ADHD during active substance use: Feasible or flawed?. <i>Drug and Alcohol Dependence</i> , 2017 , 180, 371-375	4.9	14
119	Risk of Criminal Victimization in Outpatients with Common Mental Health Disorders. <i>PLoS ONE</i> , 2015 , 10, e0128508	3.7	14
118	Self-monitoring and personalized feedback based on the experiencing sampling method as a tool to boost depression treatment: a protocol of a pragmatic randomized controlled trial (ZELF-i). <i>BMC Psychiatry</i> , 2018 , 18, 276	4.2	14

117	Body image in patients with mental disorders: Characteristics, associations with diagnosis and treatment outcome. <i>Comprehensive Psychiatry</i> , 2017 , 74, 53-60	7.3	13
116	Changing the obesogenic environment to improve cardiometabolic health in residential patients with a severe mental illness: cluster randomised controlled trial. <i>British Journal of Psychiatry</i> , 2017 , 211, 296-303	5.4	13
115	Mental health stigma and mental health knowledge in Chinese population: a cross-sectional study. <i>BMC Psychiatry</i> , 2020 , 20, 323	4.2	13
114	Group-Level Symptom Networks in Depression-Reply. <i>JAMA Psychiatry</i> , 2016 , 73, 411-2	14.5	13
113	Negative body experience in women with early childhood trauma: associations with trauma severity and dissociation. <i>Høgre Utbildning</i> , 2017 , 8, 1322892	5	13
112	Integrated cognitive behavioral therapy for patients with substance use disorder and comorbid ADHD: two case presentations. <i>Addictive Behaviors</i> , 2015 , 45, 214-7	4.2	13
111	Predictors of the onset of manic symptoms and a (hypo)manic episode in patients with major depressive disorder. <i>PLoS ONE</i> , 2014 , 9, e106871	3.7	13
110	Effectiveness and cost-effectiveness of cognitive adaptation training as a nursing intervention in long-term residential patients with severe mental illness: study protocol for a randomized controlled trial. <i>Trials</i> , 2015 , 16, 49	2.8	12
109	Stability of chronotype over a 7-year follow-up period and its association with severity of depressive and anxiety symptoms. <i>Depression and Anxiety</i> , 2020 , 37, 466-474	8.4	12
108	Social exclusion and psychopathology in an online cohort of Moroccan-Dutch migrants: Results of the MEDINA-study. <i>PLoS ONE</i> , 2017 , 12, e0179827	3.7	12
107	Effects of a lifestyle intervention on psychosocial well-being of severe mentally ill residential patients: ELIPS, a cluster randomized controlled pragmatic trial. <i>Schizophrenia Research</i> , 2018 , 199, 407-413	2.6	12
106	Symptom Dimensions of Depression and 3-Year Incidence of Dementia: Results From the Amsterdam Study of the Elderly. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2016 , 29, 99-107	3.8	12
105	Biomarker-based subtyping of depression and anxiety disorders using Latent Class Analysis. A NESDA study. <i>Psychological Medicine</i> , 2019 , 49, 617-627	6.9	12
104	Design of the Lifestyle Interventions for severe mentally ill Outpatients in the Netherlands (LION) trial; a cluster randomised controlled study of a multidimensional web tool intervention to improve cardiometabolic health in patients with severe mental illness. <i>BMC Psychiatry</i> , 2017 , 17, 107	4.2	12
103	The Tianjin Mental Health Survey (TJMHS): study rationale, design and methods. <i>International Journal of Methods in Psychiatric Research</i> , 2017 , 26,	4.3	12
102	Waist circumference and neutrophil gelatinase-associated lipocalin in late-life depression. <i>Brain, Behavior, and Immunity</i> , 2014 , 37, 231-9	16.6	12
101	Depressive and anxiety disorders in concert-A synthesis of findings on comorbidity in the NESDA study. <i>Journal of Affective Disorders</i> , 2021 , 284, 85-97	6.6	12
100	Risk assessment by client and case manager for shared decision making in outpatient forensic psychiatry. <i>BMC Psychiatry</i> , 2015 , 15, 120	4.2	11

99	The Impact of Depressive Disorder Symptoms and Subtypes on 6-Year Incidence of Somatic Diseases. <i>Psychotherapy and Psychosomatics</i> , 2018 , 87, 308-310	9.4	11
98	Defining anxious depression in later life: a scaring heterogeneity in results. <i>American Journal of Geriatric Psychiatry</i> , 2014 , 22, 1375-8	6.5	10
97	An actigraphy study investigating sleep in bipolar I patients, unaffected siblings and controls. <i>Journal of Affective Disorders</i> , 2017 , 208, 248-254	6.6	10
96	Psychometric properties of the Dresden Body Image Questionnaire: A multiple-group confirmatory factor analysis across sex and age in a Dutch non-clinical sample. <i>PLoS ONE</i> , 2017 , 12, e0181908	3.7	10
95	Help-seeking behaviors among Chinese people with mental disorders: a cross-sectional study. <i>BMC Psychiatry</i> , 2019 , 19, 373	4.2	10
94	Daily symptom ratings for studying premenstrual dysphoric disorder: A review. <i>Journal of Affective Disorders</i> , 2016 , 189, 43-53	6.6	9
93	Subtypes of Late-Life Depression: A Data-Driven Approach on Cognitive Domains and Physical Frailty. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021 , 76, 141-150	6.4	9
92	Using person-specific networks in psychotherapy: challenges, limitations, and how we could use them anyway. <i>BMC Medicine</i> , 2020 , 18, 345	11.4	9
91	Cohort profile of the longitudinal Netherlands Study of Depression and Anxiety (NESDA) on etiology, course and consequences of depressive and anxiety disorders. <i>Journal of Affective Disorders</i> , 2021 , 287, 69-77	6.6	9
90	PSYCHIATRIC COMORBIDITY DOES NOT ONLY DEPEND ON DIAGNOSTIC THRESHOLDS: AN ILLUSTRATION WITH MAJOR DEPRESSIVE DISORDER AND GENERALIZED ANXIETY DISORDER. <i>Depression and Anxiety</i> , 2016 , 33, 143-52	8.4	9
89	Multimodal lifestyle intervention using a web-based tool to improve cardiometabolic health in patients with serious mental illness: results of a cluster randomized controlled trial (LION). <i>BMC Psychiatry</i> , 2019 , 19, 339	4.2	9
88	Comparative responsiveness of generic versus disorder-specific instruments for depression: An assessment in three longitudinal datasets. <i>Depression and Anxiety</i> , 2019 , 36, 93-102	8.4	9
87	The relationship between depression and executive function and the impact of vascular disease burden in younger and older adults. <i>Age and Ageing</i> , 2017 , 46, 697-701	3	8
86	Does obesity along with major depression or anxiety lead to higher use of health care and costs? A 6-year follow-up study. <i>European Journal of Public Health</i> , 2017 , 27, 965-971	2.1	8
85	Validity of the Maudsley Staging Method in Predicting Treatment-Resistant Depression Outcome Using the Netherlands Study of Depression and Anxiety. <i>Journal of Clinical Psychiatry</i> , 2018 , 79,	4.6	8
84	Level and timing of physical activity during normal daily life in depressed and non-depressed individuals. <i>Translational Psychiatry</i> , 2020 , 10, 259	8.6	8
83	Does CRP predict outcome in bipolar disorder in regular outpatient care?. <i>International Journal of Bipolar Disorders</i> , 2016 , 4, 14	5.4	8
82	The association between plasma tryptophan catabolites and depression: The role of symptom profiles and inflammation. <i>Brain, Behavior, and Immunity</i> , 2021 , 97, 167-175	16.6	8

81	Personality and coping in first episode psychosis linked to mental health care use. <i>Psychiatry Research</i> , 2016 , 238, 218-224	9.9	7
80	Depression in context of low neuroticism is a risk factor for stroke: a 9-year cohort study. <i>Neurology</i> , 2014 , 83, 1692-8	6.5	7
79	The Effects of Tryptophan on Everyday Interpersonal Encounters and Social Cognitions in Individuals with a Family History of Depression. <i>International Journal of Neuropsychopharmacology</i> , 2015 , 18,	5.8	7
78	Evidence for a Shared Etiological Mechanism of Psychotic Symptoms and Obsessive-Compulsive Symptoms in Patients with Psychotic Disorders and Their Siblings. <i>PLoS ONE</i> , 2015 , 10, e0125103	3.7	7
77	Prediction of drop-out and outcome in integrated cognitive behavioral therapy for ADHD and SUD: Results from a randomized clinical trial. <i>Addictive Behaviors</i> , 2020 , 103, 106228	4.2	7
76	Oral esketamine for treatment-resistant depression: rationale and design of a randomized controlled trial. <i>BMC Psychiatry</i> , 2019 , 19, 375	4.2	7
75	Mobile Mental Health Apps in China: Systematic App Store Search. <i>Journal of Medical Internet Research</i> , 2020 , 22, e14915	7.6	6
74	Characteristics of patients expressing an interest in ketamine treatment: results of an online survey. <i>BJPsych Open</i> , 2018 , 4, 389-392	5	6
73	Availability of CYP2D6 genotyping results in general practitioner and community pharmacy medical records. <i>Pharmacogenomics</i> , 2017 , 18, 843-851	2.6	5
72	Changes in winter depression phenotype correlate with white blood cell gene expression profiles: a combined metagene and gene ontology approach. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2015 , 58, 8-14	5.5	5
71	Patients and clinicians perspectives on relevant treatment outcomes in depression: qualitative study. <i>BJPsych Open</i> , 2020 , 6, e44	5	5
70	Atherosclerosis decreases the impact of neuroticism in late-life depression: hypothesis of vascular apathy. <i>American Journal of Geriatric Psychiatry</i> , 2014 , 22, 801-10	6.5	5
69	The association between herpes virus infections and functional somatic symptoms in a general population of adolescents. The TRAILS study. <i>PLoS ONE</i> , 2017 , 12, e0185608	3.7	5
68	Medication Discrepancies at Outpatient Departments for Mood and Anxiety Disorders in the Netherlands: Risks and Clinical Relevance. <i>Journal of Clinical Psychiatry</i> , 2016 , 77, 1511-1518	4.6	5
67	Efficacy of early warning signals and spectral periodicity for predicting transitions in bipolar patients: An actigraphy study. <i>Translational Psychiatry</i> , 2021 , 11, 350	8.6	5
66	Metabolic Syndrome at an Outpatient Clinic for Bipolar Disorders: A Case for Systematic Somatic Monitoring. <i>Psychiatric Services</i> , 2019 , 70, 143-146	3.3	5
65	Is ketamine an appropriate alternative to ECT for patients with treatment resistant depression? A systematic review. <i>Journal of Affective Disorders</i> , 2021 , 281, 82-89	6.6	5
64	Oral S-ketamine effective after deep brain stimulation in severe treatment-resistant depression and extensive comorbidities. <i>BMJ Case Reports</i> , 2021 , 14,	0.9	5

63	Prevention programmes for children of parents with a mood/anxiety disorder: Systematic review of existing programmes and meta-analysis of their efficacy. <i>British Journal of Clinical Psychology</i> , 2021 , 60, 212-251	3.6	5
62	Mental health and perceived impact during the first Covid-19 pandemic year: A longitudinal study in Dutch case-control cohorts of persons with and without depressive, anxiety, and obsessive-compulsive disorders.. <i>Journal of Affective Disorders</i> , 2022 , 305, 85-93	6.6	5
61	Study design of the Routine Outcome Monitoring for Geriatric Psychiatry & Science (ROM-GPS) project; a cohort study of older patients with affective disorders referred for specialised geriatric mental health care. <i>BMC Psychiatry</i> , 2019 , 19, 182	4.2	4
60	Design and methods of the @nitoring outcomes of psychiatric pharmacotherapyQ(MOPHAR) monitoring program - a study protocol. <i>BMC Health Services Research</i> , 2019 , 19, 125	2.9	4
59	Predicting the naturalistic course in anxiety disorders using clinical and biological markers: a machine learning approach. <i>Psychological Medicine</i> , 2020 , 1-11	6.9	4
58	Fractal biomarker of activity in patients with bipolar disorder. <i>Psychological Medicine</i> , 2021 , 51, 1562-1569	6.9	4
57	Involving relatives in emergency psychiatry: an observational patient-control study in a crisis resolution and home treatment team. <i>Journal of Family Therapy</i> , 2018 , 40, 584-601	2.9	4
56	Major depressive disorder is associated with changes in a cluster of serum and urine biomarkers. <i>Journal of Psychosomatic Research</i> , 2019 , 125, 109796	4.1	4
55	Depression and anxiety in patients with and without same-sex attraction: differences in clinical expression, lifestyle factors, and vulnerability indicators. <i>Brain and Behavior</i> , 2015 , 5, e00363	3.4	4
54	Development of Grip self-help: An online patient-tailored self-help intervention for functional somatic symptoms in primary care. <i>Internet Interventions</i> , 2020 , 19, 100297	4.4	4
53	Metabolomic profiles discriminating anxiety from depression. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 144, 178-193	6.5	4
52	Plasma androgens and the presence and course of depression in a large cohort of women. <i>Translational Psychiatry</i> , 2021 , 11, 124	8.6	4
51	Predicting Initial Specialist Mental Health Care Use in Adolescence Using Self-, Parent-, and Teacher-Reported Problem Behavior: A Prospective Community-Based Record-Linkage Study. <i>Journal of Clinical Psychiatry</i> , 2018 , 79,	4.6	3
50	The clinical effectiveness of an algorithm-guided treatment program for depression in specialized mental healthcare: A comparison with efficacy trials. <i>Journal of Affective Disorders</i> , 2020 , 275, 216-223	6.6	3
49	Effectiveness of Emotional Memory Reactivation vs Control Memory Reactivation Before Electroconvulsive Therapy in Adult Patients With Depressive Disorder: A Randomized Clinical Trial. <i>JAMA Network Open</i> , 2020 , 3, e2012389	10.4	3
48	Pharmacodynamic Interactions Between Ketamine and Psychiatric Medications Used in the Treatment of Depression: A Systematic Review. <i>International Journal of Neuropsychopharmacology</i> , 2021 , 24, 808-831	5.8	3
47	Predictors of persistence of anxiety disorders across the lifespan: a systematic review. <i>Lancet Psychiatry</i> , 2021 , 8, 428-443	23.3	3
46	Sociodemographic, Health and Lifestyle, Sampling, and Mental Health Determinants of 24-Hour Motor Activity Patterns: Observational Study. <i>Journal of Medical Internet Research</i> , 2021 , 23, e20700	7.6	3

45	Monitoring of somatic parameters at outpatient departments for mood and anxiety disorders. <i>PLoS ONE</i> , 2018 , 13, e0200520	3.7	3
44	Common and specific determinants of 9-year depression and anxiety course-trajectories: A machine-learning investigation in the Netherlands Study of Depression and Anxiety (NESDA). <i>Journal of Affective Disorders</i> , 2021 , 293, 295-304	6.6	3
43	The 9-year clinical course of depressive and anxiety disorders: New NESDA findings. <i>Journal of Affective Disorders</i> , 2021 , 295, 1269-1279	6.6	3
42	"End How Are the Kids?" Psychoeducation for Adult Patients With Depressive and/or Anxiety Disorders: A Pilot Study. <i>Frontiers in Psychiatry</i> , 2019 , 10, 4	5	2
41	Early developmental, temperamental and educational problems in substance use disorder patients with and without ADHD. Does ADHD make a difference?. <i>Addictive Behaviors Reports</i> , 2015 , 2, 13-18	3.7	2
40	Validity of the ADHD module of the Mini International Neuropsychiatric Interview PLUS for screening of adult ADHD in treatment seeking substance use disorder patients: ADHD screening with MINI-Plus. <i>Revista De Psiquiatria Y Salud Mental</i> , 2020 ,	2.7	2
39	Gender Differences in Developing Biomarker-Based Major Depressive Disorder Diagnostics. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	2
38	Paternal and maternal depression and offspring risk: additive effects or worse?. <i>Lancet Psychiatry</i> , 2018 , 5, 107-108	23.3	2
37	Group Cognitive Behavioural Analysis System of Psychotherapy (CBASP) for persistently depressed outpatients: a retrospective chart review. <i>British Journal of Clinical Psychology</i> , 2020 , 59, 552-564	3.6	2
36	Design of a health-economic Markov model to assess cost-effectiveness and budget impact of the prevention and treatment of depressive disorder. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2021 , 21, 1031-1042	2.2	2
35	Investigating data-driven biological subtypes of psychiatric disorders using specification-curve analysis. <i>Psychological Medicine</i> , 2020 , 1-12	6.9	2
34	Real-World Treatment Costs and Care Utilization in Patients with Major Depressive Disorder With and Without Psychiatric Comorbidities in Specialist Mental Healthcare. <i>Pharmacoeconomics</i> , 2021 , 39, 721-730	4.4	2
33	The Anaesthetic Biobank of Cerebrospinal fluid: a unique repository for neuroscientific biomarker research. <i>Annals of Translational Medicine</i> , 2021 , 9, 455	3.2	2
32	Associations between testosterone and metabolic syndrome in depressed and non-depressed older men and women. <i>International Journal of Geriatric Psychiatry</i> , 2019 , 34, 463-471	3.9	2
31	Offspring of depressed and anxious patients: Help-seeking after first onset of a mood and/or anxiety disorder. <i>Journal of Affective Disorders</i> , 2018 , 227, 618-626	6.6	2
30	Efficacy of combined oral contraceptives for depressive symptoms and overall symptomatology in premenstrual syndrome: pairwise and network meta-analysis of randomized trials. <i>American Journal of Obstetrics and Gynecology</i> , 2021 , 225, 624-633	6.4	2
29	Psychosocial factors and cancer incidence (PSY-CA): Protocol for individual participant data meta-analyses. <i>Brain and Behavior</i> , 2021 , 11, e2340	3.4	2
28	Repeated, low-dose oral esketamine in patients with treatment-resistant depression: pilot study. <i>BJPsych Open</i> , 2021 , 8, e4	5	2

27	The effects of acute tryptophan depletion on speech and behavioural mimicry in individuals at familial risk for depression. <i>Journal of Psychopharmacology</i> , 2016 , 30, 303-11	4.6	1
26	Coping with a life event in bipolar disorder: ambulatory measurement, signalling and early treatment. <i>BMJ Case Reports</i> , 2016 , 2016,	0.9	1
25	Trapped: rigidity in psychiatric disorders. <i>Lancet Psychiatry</i> , 2021 , 8, 1022-1024	23.3	1
24	Practical Barriers and Facilitators Experienced by Patients, Pharmacists and Physicians to the Implementation of Pharmacogenomic Screening in Dutch Outpatient Hospital Care-An Explorative Pilot Study. <i>Journal of Personalized Medicine</i> , 2020 , 10,	3.6	1
23	Reduction in Suicidal Ideation Following Repeated Doses of Intravenous Ketamine?. <i>Journal of Clinical Psychiatry</i> , 2017 , 78, e71	4.6	1
22	Commentary Letter to the Editor on the Study of Mangino et al.: Euthanasia and Assisted Suicide of Persons with Dementia. <i>American Journal of Geriatric Psychiatry</i> , 2020 , 28, 1229-1230	6.5	1
21	Investigating the relationships between unfavourable habitual sleep and metabolomic traits: evidence from multi-cohort multivariable regression and Mendelian randomization analyses. <i>BMC Medicine</i> , 2021 , 19, 69	11.4	1
20	Hormonal contraceptive use and depressive symptoms: systematic review and network meta-analysis of randomised trials. <i>BJPsych Open</i> , 2021 , 7, e110	5	1
19	More than cost-effectiveness? Applying a second-stage filter to improve policy decision making. <i>Health Expectations</i> , 2021 , 24, 1413-1423	3.7	1
18	Aspirin for recurrence prevention in bipolar disorder-Promising, yet clinically understudied?. <i>Bipolar Disorders</i> , 2019 , 21, 13-15	3.8	1
17	Individual and common patterns in the order of symptom improvement during outpatient treatment for major depression. <i>Journal of Affective Disorders</i> , 2021 , 290, 81-88	6.6	1
16	Identifying mismatch and match between clinical needs and mental healthcare use trajectories in people with anxiety and depression: Results of a longitudinal study. <i>Journal of Affective Disorders</i> , 2022 , 297, 657-670	6.6	1
15	Basal and LPS-stimulated inflammatory markers and the course of anxiety symptoms. <i>Brain, Behavior, and Immunity</i> , 2021 , 98, 378-387	16.6	1
14	Prevalence of internalizing disorders, symptoms, and traits across age using advanced nonlinear models. <i>Psychological Medicine</i> , 2021 , 1-10	6.9	0
13	Anxiety in Late-Life Depression: Determinants of the Course of Anxiety and Complete Remission. <i>American Journal of Geriatric Psychiatry</i> , 2021 , 29, 336-347	6.5	0
12	Toxoplasma gondii seropositivity in patients with depressive and anxiety disorders. <i>Brain, Behavior, & Immunity - Health</i> , 2021 , 11, 100197	5.1	0
11	Brain Changes Associated With Long-Term Ketamine Abuse, A Systematic Review.. <i>Frontiers in Neuroanatomy</i> , 2022 , 16, 795231	3.6	0
10	Statistical power in clinical trials of interventions for mood, anxiety, and psychotic disorders.. <i>Psychological Medicine</i> , 2022 , 1-8	6.9	0

- 9 The antidepressant effect and safety of non-intranasal esketamine: A systematic review.. *Journal of Psychopharmacology*, **2022**, 36, 531-544 4.6 o
- 8 Methodological differences as an explanation for the divergent results of studies on sexual dysfunction related to the use of vortioxetine. *Journal of Psychopharmacology*, **2017**, 31, 389-390 4.6
- 7 Authors'Reply. *British Journal of Psychiatry*, **2016**, 209, 435-436 5.4
- 6 Lack of analgesic effects of transcranial pulsed electromagnetic field stimulation in neuropathic pain patients: A randomized double-blind crossover trial. *Neuroscience Letters*, **2019**, 699, 212-216 3.3
- 5 No evidence for decreased D2/3 receptor availability and frontal hypoperfusion in subjects with compulsive pornography use. *Psychiatry Research - Neuroimaging*, **2021**, 311, 111284 2.9
- 4 Episode detection based on personalized intensity of care thresholds: a schizophrenia case study. *Social Science and Medicine*, **2021**, 270, 113507 5.1
- 3 Investigating Data-driven Biological Subtypes of Psychiatric Disorders Using Specification-Curve Analysis - ERRATUM. *Psychological Medicine*, **2021**, 1 6.9
- 2 No antidepressant effects of low intensity transcranial pulsed electromagnetic fields for treatment resistant depression. *Journal of Affective Disorders*, **2021**, 294, 679-685 6.6
- 1 Negative cognitive schema modification as mediator of symptom improvement after electroconvulsive therapy in major depressive disorder.. *Journal of Affective Disorders*, **2022**, 310, 156-161 6.6