

Lutz Nuhn

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7545097/publications.pdf>

Version: 2024-02-01

86
papers

2,710
citations

168829

31
h-index

232693

48
g-index

93
all docs

93
docs citations

93
times ranked

3891
citing authors

#	ARTICLE	IF	CITATIONS
1	Combinatorial synthesis of chemically diverse core-shell nanoparticles for intracellular delivery. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 12996-13001.	3.3	178
2	pH-degradable imidazoquinoline-ligated nanogels for lymph node-focused immune activation. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 8098-8103.	3.3	164
3	Nanoparticle-€Conjugate TLR7/8 Agonist Localized Immunotherapy Provokes Safe Antitumoral Responses. Advanced Materials, 2018, 30, e1803397.	11.1	120
4	Transiently thermoresponsive polymers and their applications in biomedicine. Chemical Society Reviews, 2017, 46, 1193-1239.	18.7	117
5	Cationic Nanohydrogel Particles as Potential siRNA Carriers for Cellular Delivery. ACS Nano, 2012, 6, 2198-2214.	7.3	111
6	Water-€Soluble Polymers Coupled with Glycopeptide Antigens and T-Cell Epitopes as Potential Antitumor Vaccines. Angewandte Chemie - International Edition, 2013, 52, 10652-10656.	7.2	83
7	pH-Degradable Mannosylated Nanogels for Dendritic Cell Targeting. Biomacromolecules, 2016, 17, 2479-2488.	2.6	66
8	The Protein Corona as a Confounding Variable of Nanoparticle-Mediated Targeted Vaccine Delivery. Frontiers in Immunology, 2018, 9, 1760.	2.2	63
9	Aggregation Behavior of Cationic Nanohydrogel Particles in Human Blood Serum. Biomacromolecules, 2014, 15, 1526-1533.	2.6	60
10	Size-Dependent Knockdown Potential of siRNA-Loaded Cationic Nanohydrogel Particles. Biomacromolecules, 2014, 15, 4111-4121.	2.6	59
11	New Perspectives of HPMA-€based Copolymers Derived by Post-€Polymerization Modification. Macromolecular Bioscience, 2014, 14, 607-618.	2.1	55
12	Well-€Defined Polymer-€Paclitaxel Prodrugs by a Grafting-€from-€Drug Approach. Angewandte Chemie - International Edition, 2016, 55, 11791-11796.	7.2	55
13	SiRNA-mediated in vivo gene knockdown by acid-degradable cationic nanohydrogel particles. Journal of Controlled Release, 2017, 248, 10-23.	4.8	51
14	Targeting Protumoral Tumor-Associated Macrophages with Nanobody-Functionalized Nanogels through Strain Promoted Azide Alkyne Cycloaddition Ligation. Bioconjugate Chemistry, 2018, 29, 2394-2405.	1.8	51
15	Lymph-Node-Targeted Immune Activation by Engineered Block Copolymer Amphiphiles-€TLR7/8 Agonist Conjugates. Journal of the American Chemical Society, 2018, 140, 14300-14307.	6.6	50
16	Supramolecular Linear- <i>g</i> -Hyperbranched Graft Polymers: Topology and Binding Strength of Hyperbranched Side Chains. Macromolecules, 2013, 46, 9544-9553.	2.2	49
17	Potent anti-viral vaccine adjuvant based on pH-degradable nanogels with covalently linked small molecule imidazoquinoline TLR7/8 agonist. Biomaterials, 2018, 178, 643-651.	5.7	49
18	CpG-€Loaded Multifunctional Cationic Nanohydrogel Particles as Self-€Adjuvanting Glycopeptide Antitumor Vaccines. Advanced Healthcare Materials, 2015, 4, 522-527.	3.9	46

#	ARTICLE	IF	CITATIONS
19	DNA-Induced Polymer Nanostructures by RAFT Polymerization and Polymerization-Induced Self-Assembly. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 15474-15479.	7.2	46
20	Sterilizing Immunity against SARS-CoV-2 Infection in Mice by a Single Shot and Lipid Amphiphile Imidazoquinoline TLR7/8 Agonist-Adjuvanted Recombinant Spike Protein Vaccine**. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 9467-9473.	7.2	45
21	FRET Monitoring of Intracellular Ketal Hydrolysis in Synthetic Nanoparticles. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 10760-10764.	7.2	43
22	Potent Lymphatic Translocation and Spatial Control Over Innate Immune Activation by Polymer-Lipid Amphiphile Conjugates of Small Molecule TLR7/8 Agonists. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 15390-15395.	7.2	43
23	A Fully Synthetic Glycopeptide Antitumor Vaccine Based on Multiple Antigen Presentation on a Hyperbranched Polymer. <i>Chemistry - A European Journal</i> , 2014, 20, 4232-4236.	1.7	41
24	Linear-Hyperbranched Graft-Copolymers via Grafting-to Strategy Based on Hyperbranched Dendron Analogues and Reactive Ester Polymers. <i>Macromolecules</i> , 2012, 45, 5901-5910.	2.2	39
25	In Vivo Gene Silencing in Fibrotic Liver by siRNA-Loaded Cationic Nanohydrogel Particles. <i>Advanced Healthcare Materials</i> , 2015, 4, 2809-2815.	3.9	39
26	A Synthetic, Transiently Thermoresponsive Homopolymer with UCST Behaviour within a Physiologically Relevant Window. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 7866-7872.	7.2	38
27	Targeted Repolarization of Tumor-Associated Macrophages via Imidazoquinoline-Linked Nanobodies. <i>Advanced Science</i> , 2021, 8, 2004574.	5.6	38
28	Degradable Cationic Nanohydrogel Particles for Stimuli-Responsive Release of siRNA. <i>Macromolecular Rapid Communications</i> , 2014, 35, 2057-2064.	2.0	36
29	Reductive Decationizable Block Copolymers for Stimuli-Responsive mRNA Delivery. <i>Macromolecular Rapid Communications</i> , 2016, 37, 924-933.	2.0	36
30	In Vivo siRNA Delivery to Immunosuppressive Liver Macrophages by α -Mannosyl-Functionalized Cationic Nanohydrogel Particles. <i>Cells</i> , 2020, 9, 1905.	1.8	36
31	Squaric Ester-Based, pH-Degradable Nanogels: Modular Nanocarriers for Safe, Systemic Administration of Toll-like Receptor 7/8 Agonistic Immune Modulators. <i>Journal of the American Chemical Society</i> , 2021, 143, 9872-9883.	6.6	36
32	Systemically Administered TLR7/8 Agonist and Antigen-Conjugated Nanogels Govern Immune Responses against Tumors. <i>ACS Nano</i> , 2022, 16, 4426-4443.	7.3	33
33	Density of Conjugated Antibody Determines the Extent of Fc Receptor Dependent Capture of Nanoparticles by Liver Sinusoidal Endothelial Cells. <i>ACS Nano</i> , 2021, 15, 15191-15209.	7.3	32
34	Immunoengineering through cancer vaccines - A personalized and multi-step vaccine approach towards precise cancer immunity. <i>Journal of Controlled Release</i> , 2018, 289, 125-145.	4.8	31
35	Cancer Cell Lysate Entrapment in CaCO ₃ Engineered with Polymeric TLR-Agonists: Immune-Modulating Microparticles in View of Personalized Antitumor Vaccination. <i>Chemistry of Materials</i> , 2017, 29, 4209-4217.	3.2	30
36	Combining Ring-Opening Multibranching and RAFT Polymerization: Multifunctional Linear-Hyperbranched Block Copolymers via Hyperbranched Macro-Chain-Transfer Agents. <i>Macromolecules</i> , 2013, 46, 2892-2904.	2.2	29

#	ARTICLE	IF	CITATIONS
37	Micellar Paclitaxel-Initiated RAFT Polymer Conjugates with Acid-Sensitive Behavior. ACS Macro Letters, 2017, 6, 272-276.	2.3	29
38	Thermoplastic polyurethane-based intravaginal rings for prophylaxis and treatment of (recurrent) bacterial vaginosis. International Journal of Pharmaceutics, 2017, 529, 218-226.	2.6	29
39	Cationic Nanohydrogel Particles for Therapeutic Oligonucleotide Delivery. Macromolecular Bioscience, 2017, 17, 1700092.	2.1	28
40	pH-Sensitive Hydrazone-Linked Doxorubicin Nanogels via Polymeric-Activated Ester Scaffolds: Synthesis, Assembly, and In Vitro and In Vivo Evaluation in Tumor-Bearing Zebrafish. Chemistry of Materials, 2018, 30, 8587-8596.	3.2	28
41	Novel Opportunities for Cathepsin S Inhibitors in Cancer Immunotherapy by Nanocarrier-Mediated Delivery. Cells, 2020, 9, 2021.	1.8	26
42	RAFT-polymerized poly(hexafluoroisopropyl methacrylate)s as precursors for functional water-soluble polymers. Polymer Chemistry, 2014, 5, 2484.	1.9	24
43	Synthetic Rhamnose Glycopolymer Cell-Surface Receptor for Endogenous Antibody Recruitment. Biomacromolecules, 2020, 21, 793-802.	2.6	24
44	Not just for tumor targeting: unmet medical needs and opportunities for nanomedicine. Nanomedicine, 2015, 10, 3147-3166.	1.7	23
45	Amphiphilic poly(esteracetal)s as dual pH- and enzyme-responsive micellar immunodrug delivery systems. Polymer Chemistry, 2020, 11, 2441-2456.	1.9	22
46	Control over Imidazoquinoline Immune Stimulation by pH-Degradable Poly(norbornene) Nanogels. Biomacromolecules, 2020, 21, 2246-2257.	2.6	21
47	Transiently Responsive Block Copolymer Micelles Based on <i>N</i> -(2-Hydroxypropyl)methacrylamide Engineered with Hydrolyzable Ethylcarbonate Side Chains. Biomacromolecules, 2016, 17, 119-127.	2.6	20
48	Downstream processing from hot-melt extrusion towards tablets: A quality by design approach. International Journal of Pharmaceutics, 2017, 531, 235-245.	2.6	20
49	Transiently Thermoresponsive Acetal Polymers for Safe and Effective Administration of Amphotericin B as a Vaccine Adjuvant. Bioconjugate Chemistry, 2018, 29, 748-760.	1.8	20
50	Core/shell protein-reactive nanogels via a combination of RAFT polymerization and vinyl sulfone postmodification. Nanomedicine, 2016, 11, 2631-2645.	1.7	19
51	New Techniques to Assess In Vitro Release of siRNA from Nanoscale Polyplexes. Pharmaceutical Research, 2015, 32, 1957-1974.	1.7	18
52	Influenza-binding sialylated polymer coated gold nanoparticles prepared via RAFT polymerization and reductive amination. Chemical Communications, 2016, 52, 3352-3355.	2.2	18
53	Squaric ester amides as hydrolysis-resistant functional groups for protein-conjugation of RAFT-derived polymers. Polymer Chemistry, 2016, 7, 7242-7248.	1.9	17
54	Mannosyl-Functionalized Cationic Nanohydrogel Particles for Targeted Gene Knockdown in Immunosuppressive Macrophages. Macromolecular Bioscience, 2019, 19, e1900162.	2.1	16

#	ARTICLE	IF	CITATIONS
55	Reactive-ester derived polymer nanogels for cancer immunotherapy. <i>European Polymer Journal</i> , 2020, 124, 109481.	2.6	16
56	Shining Light on Polymeric Drug Nanocarriers with Fluorescence Correlation Spectroscopy. <i>Macromolecular Rapid Communications</i> , 2022, 43, e2100892.	2.0	16
57	pH-degradable, bisphosphonate-loaded nanogels attenuate liver fibrosis by repolarization of M2-type macrophages. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, e2122310119.	3.3	16
58	Fluorescence Correlation Spectroscopy Monitors the Fate of Degradable Nanocarriers in the Blood Stream. <i>Biomacromolecules</i> , 2022, 23, 1065-1074.	2.6	15
59	Imidazoquinoline-Conjugated Degradable Coacervate Conjugate for Local Cancer Immunotherapy. <i>ACS Biomaterials Science and Engineering</i> , 2020, 6, 4993-5000.	2.6	13
60	A Generic Polymer-Protein Ligation Strategy for Vaccine Delivery. <i>Biomacromolecules</i> , 2016, 17, 874-881.	2.6	11
61	Transient Multivalent Nanobody Targeting to CD206-Expressing Cells via PH-Degradable Nanogels. <i>Cells</i> , 2020, 9, 2222.	1.8	11
62	Transient Lymph Node Immune Activation by Hydrolysable Polycarbonate Nanogels. <i>Advanced Functional Materials</i> , 2022, 32, .	7.8	11
63	Self-Immolative RAFT-Polymer End Group Modification. <i>Macromolecular Rapid Communications</i> , 2021, 42, e2000752.	2.0	10
64	Tunable dynamic hydrophobic attachment of guest molecules in amphiphilic core-shell polymers. <i>Polymer Chemistry</i> , 2016, 7, 5783-5798.	1.9	9
65	End Group Dye-Labeled Polycarbonate Block Copolymers for Micellar (Immuno-)Drug Delivery. <i>Macromolecular Rapid Communications</i> , 2022, 43, e2200095.	2.0	9
66	Design of pH-Degradable Polymer-Lipid Amphiphiles Using a Ketal-Functionalized RAFT Chain Transfer Agent. <i>Macromolecular Rapid Communications</i> , 2020, 41, 2000034.	2.0	6
67	Lipid Nature and Alkyl Length Influence Lymph Node Accumulation of Lipid-Polyethylene Glycol Amphiphiles. <i>Advanced Therapeutics</i> , 2021, 4, 2100079.	1.6	6
68	Amphiphile Polymer-Lipidkonjugate zur potenten lymphatischen Anreicherung von TLR7/8-Agonisten ermöglichen eine örtlich begrenzte Aktivierung des angeborenen Immunsystems. <i>Angewandte Chemie</i> , 2019, 131, 15535-15541.	1.6	5
69	Engineering mannosylated nanogels with membrane-disrupting properties. <i>Polymer Chemistry</i> , 2019, 10, 4297-4304.	1.9	5
70	Acrylamides with hydrolytically labile carbonate ester side chains as versatile building blocks for well-defined block copolymer micelles via RAFT polymerization. <i>Polymer Chemistry</i> , 2017, 8, 6544-6557.	1.9	4
71	Sterilizing Immunity against SARS-CoV-2 Infection in Mice by a Single Shot and Lipid Amphiphile Imidazoquinoline TLR7/8 Agonist-Adjuvanted Recombinant Spike Protein Vaccine**. <i>Angewandte Chemie</i> , 2021, 133, 9553-9559.	1.6	4
72	Synthetisch hergestellte, transient thermoresponsive Homopolymere mit einer oberen kritischen Lösungstemperatur für physiologisch relevante Anwendungen. <i>Angewandte Chemie</i> , 2019, 131, 7948-7954.	1.6	3

#	ARTICLE	IF	CITATIONS
73	DNAâ€Polymerâ€Nanostrukturen durch RAFTâ€Polymerisation und polymerisationsinduzierte Selbstassemblierung. Angewandte Chemie, 2020, 132, 15602-15607.	1.6	3
74	Assembly of pHâ€Responsive Antibodyâ€Drugâ€Inspired Conjugates. Macromolecular Bioscience, 2022, 22, 2100299.	2.1	3
75	FÄ†rsterâ€Resonanzenergietransferâ€basierter Nachweis intrazellulÄ†rer Ketalâ€Hydrolyse in synthetisch vernetzten Nanopartikeln. Angewandte Chemie, 2018, 130, 10920-10925.	1.6	2
76	Addressing Dendritic Cells for Anticancer Immunity. ADC Review / Journal of Antibody-drug Conjugates, 0, , .	0.0	2
77	Squaric Esterâ€Based Nanogels Induce No Distinct Protein Corona but Entrap Plasma Proteins into their Porous Hydrogel Network. Macromolecular Rapid Communications, 2022, 43, .	2.0	2
78	From Selfâ€Organization to Tumorâ€Immune Therapy: How Things Started and How They Evolved. Macromolecular Rapid Communications, 2022, 43, .	2.0	1
79	Back Cover: Macromol. Biosci. 5/2014. Macromolecular Bioscience, 2014, 14, 750-750.	2.1	0
80	Macromol. Rapid Commun. 24/2014. Macromolecular Rapid Communications, 2014, 35, 2104-2104.	2.0	0
81	P0419 : In vivo cell specific gene silencing in the liver using novel siRNA-loaded nanohydrogel particles. Journal of Hepatology, 2015, 62, S470-S471.	1.8	0
82	Wohldefinierte polymere Paclitaxel-Prodrugs Ä†ber eine Grafting-From-Methode ausgehend vom Arzneistoff. Angewandte Chemie, 2016, 128, 11967-11973.	1.6	0
83	In Vivo Myofibroblast Specific Gene Silencing in the Liver Using Novel Sirna-Loaded Biodegradable Nanohydrogel Particles. Journal of Hepatology, 2016, 64, S448.	1.8	0
84	THU-469-Nanoparticulate bisphosphonate to selectively target and repolarize liver macrophages for efficient anti-tumour response. Journal of Hepatology, 2019, 70, e366-e367.	1.8	0
85	Nanoparticulate bisphosphonate induces an anti-fibrotic response by modulation of fibrosis associated genes and pathways in (non-) parenchymal liver cells in CCL4 fibrotic mice. Journal of Hepatology, 2020, 73, S519.	1.8	0
86	A Tribute to Rudolf Zentel and His Lifetime Research Achievements. Macromolecular Rapid Communications, 2022, 43, .	2.0	0