

Helga Zoega

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7545466/publications.pdf>

Version: 2024-02-01

77
papers

2,582
citations

293460

24
h-index

232693

48
g-index

79
all docs

79
docs citations

79
times ranked

3805
citing authors

#	ARTICLE	IF	CITATIONS
1	Changes in antidepressant use in Australia: A nationwide analysis (2015–2021). <i>Australian and New Zealand Journal of Psychiatry</i> , 2023, 57, 49-57.	1.3	18
2	Changes in antibiotic prescribing following COVID-19 restrictions: Lessons for post-pandemic antibiotic stewardship. <i>British Journal of Clinical Pharmacology</i> , 2022, 88, 1143-1151.	1.1	37
3	Antipsychotic use in pregnancy and risk of attention/deficit-hyperactivity disorder and autism spectrum disorder: a Nordic cohort study. <i>Evidence-Based Mental Health</i> , 2022, 25, 54-62.	2.2	13
4	Prescribed medicine use and extent of off-label use according to age in a nationwide sample of Australian children. <i>Paediatric and Perinatal Epidemiology</i> , 2022, 36, 726-737.	0.8	6
5	The impact of tightened prescribing restrictions on proton pump inhibitor use in Australia: An evaluation using interrupted time series analysis. <i>Pharmacoepidemiology and Drug Safety</i> , 2022, 31, 370-378.	0.9	0
6	Medication use in populations exposed to the 2010 Eyjafjallajökull eruption: an interrupted time series analysis. <i>BMJ Open</i> , 2022, 12, e059375.	0.8	0
7	Association of Prenatal Exposure to Antiseizure Medication With Risk of Autism and Intellectual Disability. <i>JAMA Neurology</i> , 2022, 79, 672.	4.5	87
8	Enhanced Antenatal Care: Combining one-to-one and group Antenatal Care models to increase childbirth education and address childbirth fear. <i>Women and Birth</i> , 2021, 34, 381-388.	0.9	12
9	Coming to grips with seemingly conflicting results in programme evaluation: the devil's in the detail. <i>BMJ Quality and Safety</i> , 2021, 30, 70-71.	1.8	1
10	The international Perinatal Outcomes in the Pandemic (iPOP) study: protocol. <i>Wellcome Open Research</i> , 2021, 6, 21.	0.9	18
11	Proton pump inhibitors and survival in patients with colorectal cancer: a Swedish population-based cohort study. <i>British Journal of Cancer</i> , 2021, 125, 893-900.	2.9	13
12	Changes in obstetric interventions and preterm birth during COVID-19: A nationwide study from Iceland. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021, 100, 1924-1930.	1.3	33
13	Prescription opioid use in Australian women of reproductive age: implications for unplanned pregnancies. <i>British Journal of Clinical Pharmacology</i> , 2021, , .	1.1	1
14	Generating Real-World Evidence on the Quality Use, Benefits and Safety of Medicines in Australia: History, Challenges and a Roadmap for the Future. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 13345.	1.2	11
15	Utilisation of teratogenic medicines before and during pregnancy in Australian women. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2020, 60, 218-224.	0.4	4
16	Use of proton pump inhibitors and mortality among Icelandic patients with prostate cancer. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2020, 126, 484-491.	1.2	4
17	Enabling a healthy start for vulnerable newborns. <i>Lancet, The</i> , 2020, 396, 1490.	6.3	1
18	Passing the acid test? Evaluating the impact of national education initiatives to reduce proton pump inhibitor use in Australia. <i>BMJ Quality and Safety</i> , 2020, 29, 365-373.	1.8	12

#	ARTICLE	IF	CITATIONS
19	Prevalence trends and individual patterns of antiepileptic drug use in pregnancy 2006–2016: A study in the five Nordic countries, United States, and Australia. <i>Pharmacoepidemiology and Drug Safety</i> , 2020, 29, 913-922.	0.9	23
20	Risk of squamous cell carcinoma of the lip and cutaneous melanoma in older Australians using hydrochlorothiazide: A population-based case-control study. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2020, 127, 320-328.	1.2	23
21	Antipsychotic drug use in pregnancy: A multinational study from ten countries. <i>Schizophrenia Research</i> , 2020, 220, 106-115.	1.1	30
22	Long-term use of proton-pump inhibitors: whole-of-population patterns in Australia 2013–2016. <i>Therapeutic Advances in Gastroenterology</i> , 2020, 13, 175628482091374.	1.4	30
23	Risks of Squamous Cell Carcinoma of The Lip and Cutaneous Melanoma in Older Australians Using Hydrochlorothiazide (HTCZ). <i>International Journal of Population Data Science</i> , 2020, 5, .	0.1	0
24	Maternal and Neonatal Outcomes Associated with Psychostimulant Use in Pregnancy. <i>International Journal of Population Data Science</i> , 2020, 5, .	0.1	0
25	Capture of systemic anticancer medicines in Pharmaceutical Benefits Scheme (PBS) data likely higher than previously reported. <i>Public Health Research and Practice</i> , 2020, 30, .	0.7	0
26	Trajectories of antipsychotic use before and during pregnancy and associated maternal and birth characteristics. <i>Australian and New Zealand Journal of Psychiatry</i> , 2019, 53, 1208-1221.	1.3	8
27	Anticholinergic medicines use among older adults before and after initiating dementia medicines. <i>British Journal of Clinical Pharmacology</i> , 2019, 85, 1957-1963.	1.1	11
28	Anticipating the effects of restricting high-dose preparations of strong opioids in Australia: A population-based analysis to inform the current policy debate. <i>Pharmacoepidemiology and Drug Safety</i> , 2019, 28, 521-527.	0.9	0
29	β-Blocker Use in Pregnancy and the Risk for Congenital Malformations. <i>Annals of Internal Medicine</i> , 2019, 170, 909.	2.0	2
30	Antidiabetic medication use during pregnancy: an international utilization study. <i>BMJ Open Diabetes Research and Care</i> , 2019, 7, e000759.	1.2	35
31	Proton pump inhibitor use and risk of breast cancer, prostate cancer, and malignant melanoma: An Icelandic population-based case-control study. <i>Pharmacoepidemiology and Drug Safety</i> , 2019, 28, 471-478.	0.9	16
32	Nonaspirin Nonsteroidal Antiinflammatory Drug Use in the Nordic Countries from a Cardiovascular Risk Perspective, 2000–2016: A Drug Utilization Study. <i>Pharmacotherapy</i> , 2019, 39, 150-160.	1.2	19
33	Obstetric interventions, trends, and drivers of change: A 20-year population-based study from Iceland. <i>Birth</i> , 2018, 45, 368-376.	1.1	10
34	Trends in Use of Paracetamol in the Nordic Countries. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018, 123, 301-307.	1.2	40
35	Association Between Methylphenidate and Amphetamine Use in Pregnancy and Risk of Congenital Malformations. <i>JAMA Psychiatry</i> , 2018, 75, 167.	6.0	93
36	Preeclampsia and academic performance in children: A nationwide study from Iceland. <i>PLoS ONE</i> , 2018, 13, e0207884.	1.1	25

#	ARTICLE	IF	CITATIONS
37	Choosing wisely? Quantifying the extent of three low value psychotropic prescribing practices in Australia. BMC Health Services Research, 2018, 18, 1009.	0.9	10
38	Maternal and perinatal outcomes associated with the use of renin-angiotensin system (RAS) blockers for chronic hypertension in early pregnancy. Pregnancy Hypertension, 2018, 14, 156-161.	0.6	15
39	β-Blocker Use in Pregnancy and the Risk for Congenital Malformations. Annals of Internal Medicine, 2018, 169, 665.	2.0	65
40	Trends in attention-deficit hyperactivity disorder medication use: a retrospective observational study using population-based databases. Lancet Psychiatry, 2018, 5, 824-835.	3.7	187
41	Proton-pump inhibitors among adults: a nationwide drug-utilization study. Therapeutic Advances in Gastroenterology, 2018, 11, 175628481877794.	1.4	92
42	Renin-angiotensin system blockers in early pregnancy among women with chronic hypertension: getting to the heart of the risk-benefit equation. International Journal of Epidemiology, 2018, 47, 683-686.	0.9	2
43	Utilization of Stimulants and Atomoxetine for Attention-Deficit/Hyperactivity Disorder among 5.4 Million Children Using Population-Based Longitudinal Data. Basic and Clinical Pharmacology and Toxicology, 2017, 120, 373-379.	1.2	20
44	International trends in antipsychotic use: A study in 16 countries, 2005–2014. European Neuropsychopharmacology, 2017, 27, 1064-1076.	0.3	185
45	Psychotropic medication use in Australia, 2007 to 2015: Changes in annual incidence, prevalence and treatment exposure. Australian and New Zealand Journal of Psychiatry, 2017, 51, 990-999.	1.3	51
46	Opting for natural birth: A survey of birth intentions among young Icelandic women. Sexual and Reproductive Healthcare, 2017, 11, 41-46.	0.5	17
47	Incidence of Crohn's Disease and Ulcerative Colitis in Rhode Island. Inflammatory Bowel Diseases, 2016, 22, 1456-1461.	0.9	21
48	Individual-based versus aggregate meta-analysis in multi-database studies of pregnancy outcomes: the Nordic example of selective serotonin reuptake inhibitors and venlafaxine in pregnancy. Pharmacoepidemiology and Drug Safety, 2016, 25, 1160-1169.	0.9	17
49	Blood donors in Iceland: a nationwide population-based study from 2005 to 2013. Transfusion, 2016, 56, 1654-1661.	0.8	18
50	Use of drugs for ADHD among adults—a multinational study among 15.8 million adults in the Nordic countries. European Journal of Clinical Pharmacology, 2016, 72, 1507-1514.	0.8	37
51	Stimulant use for ADHD and relative age in class among children in Israel. Pharmacoepidemiology and Drug Safety, 2016, 25, 652-660.	0.9	29
52	Drug utilization research in the area of analgesics and psychotropics. , 2016, , 294-301.		1
53	Deconstructing the smoking-preeclampsia paradox through a counterfactual framework. European Journal of Epidemiology, 2016, 31, 613-623.	2.5	23
54	Body Mass Index, Smoking and Hypertensive Disorders during Pregnancy: A Population Based Case-Control Study. PLoS ONE, 2016, 11, e0152187.	1.1	16

#	ARTICLE	IF	CITATIONS
55	Early Discontinuation of Attentionâ€Deficit/Hyperactivity Disorder Drug Treatment: A Danish Nationwide Drug Utilization Study. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2015, 116, 349-353.	1.2	24
56	Deviant patterns of methylphenidate use in adults: a Danish nationwide registry-based drug utilization study. <i>Pharmacoepidemiology and Drug Safety</i> , 2015, 24, 1189-1196.	0.9	10
57	Selective Serotonin Reuptake Inhibitors and Venlafaxine in Early Pregnancy and Risk of Birth Defects. <i>Obstetrical and Gynecological Survey</i> , 2015, 70, 553-554.	0.2	1
58	Use of SSRI and SNRI Antidepressants during Pregnancy: A Population-Based Study from Denmark, Iceland, Norway and Sweden. <i>PLoS ONE</i> , 2015, 10, e0144474.	1.1	84
59	Ethical aspects of registry-based research in the Nordic countries. <i>Clinical Epidemiology</i> , 2015, 7, 491.	1.5	250
60	Selective serotonin reuptake inhibitors and venlafaxine in early pregnancy and risk of birth defects: population based cohort study and sibling design. <i>BMJ, The</i> , 2015, 350, h1798-h1798.	3.0	152
61	Smoking and obesity among pregnant women in Iceland 2001â€2010. <i>European Journal of Public Health</i> , 2015, 25, 638-643.	0.1	8
62	Pregnancy-Induced Hypertensive Disorders before and after a National Economic Collapse: A Population Based Cohort Study. <i>PLoS ONE</i> , 2015, 10, e0138534.	1.1	12
63	Children's relative age in class and use of medication for <scp>ADHD</scp>: a Danish Nationwide Study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2014, 55, 1244-1250.	3.1	38
64	A Nationwide Study of Attentionâ€Deficit/Hyperactivity Disorder Drug Use among Adults in <scp>Iceland 2003â€2012</scp>. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2014, 115, 417-422.	1.2	16
65	Use of SSRIs among Danish children: a nationwide study. <i>European Child and Adolescent Psychiatry</i> , 2014, 23, 1211-1218.	2.8	21
66	Effects of yoga practice on stress-related symptoms in the aftermath of an earthquake: A community-based controlled trial. <i>Complementary Therapies in Medicine</i> , 2014, 22, 226-234.	1.3	24
67	Association of air pollution and use of glyceryl trinitrate against angina pectoris: a population-based case-crossover study. <i>Environmental Health</i> , 2013, 12, 38.	1.7	12
68	Selective Serotonin Reuptake Inhibitors During Pregnancy and Risk of Stillbirth and Infant Mortality. <i>Survey of Anesthesiology</i> , 2013, 57, 230-231.	0.1	0
69	Age, Academic Performance, and Stimulant Prescribing for ADHD: A Nationwide Cohort Study. <i>Pediatrics</i> , 2012, 130, 1012-1018.	1.0	94
70	A Population-Based Study of Stimulant Drug Treatment of ADHD and Academic Progress in Children. <i>Pediatrics</i> , 2012, 130, e53-e62.	1.0	32
71	Mo1702 Menstrual Function in an Incident Cohort of IBD: A Study From the Ocean State Crohn's and Colitis Registry. <i>Gastroenterology</i> , 2012, 142, S-664.	0.6	0
72	Hydrogen sulfide and particle matter levels associated with increased dispensing of anti-asthma drugs in Iceland's capital. <i>Environmental Research</i> , 2012, 113, 33-39.	3.7	34

#	ARTICLE	IF	CITATIONS
73	Tu1239 Female Sexual Function in an Incident Cohort of Inflammatory Bowel Disease: A Study From the Ocean State Crohn's and Colitis Area Registry. <i>Gastroenterology</i> , 2012, 142, S-782.	0.6	0
74	Tu1238 Body Image Dissatisfaction in an Incident Cohort of Inflammatory Bowel Disease: A Study From the Ocean State Crohn's and Colitis Area Registry. <i>Gastroenterology</i> , 2012, 142, S-781-S-782.	0.6	0
75	Selective serotonin reuptake inhibitors during pregnancy and risk of persistent pulmonary hypertension in the newborn: population based cohort study from the five Nordic countries. <i>BMJ: British Medical Journal</i> , 2011, 344, d8012-d8012.	2.4	232
76	Rofecoxib, but not celecoxib, increases the risk of thromboembolic cardiovascular events in young adults—a nationwide registry-based study. <i>European Journal of Clinical Pharmacology</i> , 2010, 66, 619-625.	0.8	24
77	Psychotropic Drug Use among Icelandic Children: A Nationwide Population-Based Study. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2009, 19, 757-764.	0.7	71