#### Charles P France

# List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/75460/charles-p-france-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

197
papers

3,174
citations

42
g-index

203
ext. papers

3,493
ext. citations

4
5.88
L-index

#	Paper	IF	Citations
197	Preclinical assessment of the abuse potential of purified botanical cannabidiol: self-administration, drug discrimination, and physical dependence <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>2022</b> ,	4.7	1
196	Discriminative stimulus effects of carfentanil in rats discriminating fentanyl: Differential antagonism by naltrexone. <i>Drug and Alcohol Dependence</i> , <b>2021</b> , 221, 108599	4.9	5
195	Differential Reversal of the Ventilatory-Depressant Effects of Fentanyl and its Derivatives by Naloxone in Monkeys. <i>FASEB Journal</i> , <b>2021</b> , 35,	0.9	78
194	Countermeasures for Preventing and Treating Opioid Overdose. <i>Clinical Pharmacology and Therapeutics</i> , <b>2021</b> , 109, 578-590	6.1	14
193	Methocinnamox Reverses and Prevents Fentanyl-Induced Ventilatory Depression in Rats. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>2021</b> , 377, 29-38	4.7	5
192	Effects of remifentanil/histamine mixtures in rats responding under a choice procedure. <i>Behavioural Pharmacology</i> , <b>2021</b> , 32, 278-285	2.4	2
191	Effects of buprenorphine/lorcaserin mixtures on preference for heroin, cocaine, or saline over food using a concurrent choice procedure in rhesus monkeys. <i>Drug and Alcohol Dependence</i> , <b>2021</b> , 227, 1089	94.9	O
190	Journal of Pharmacology and Experimental Therapeutics, 2021,	4.7	1
189	Behavioral Pharmacology of Drugs Acting at Mu Opioid Receptors. <i>Handbook of Experimental Pharmacology</i> , <b>2020</b> , 258, 127-145	3.2	4
188	Effects of acute and repeated treatment with methocinnamox, a mu opioid receptor antagonist, on fentanyl self-administration in rhesus monkeys. <i>Neuropsychopharmacology</i> , <b>2020</b> , 45, 1986-1993	8.7	9
187	Interactions between opioids and cannabinoids: Economic demand for opioid/cannabinoid mixtures. <i>Drug and Alcohol Dependence</i> , <b>2020</b> , 212, 108043	4.9	2
186	Impact of order of fixed-ratio presentation on demand for self-administered remifentanil in male rats. <i>Behavioural Pharmacology</i> , <b>2020</b> , 31, 216-220	2.4	3
185	Effects of opioid/cannabinoid mixtures on impulsivity and memory in rhesus monkeys. <i>Behavioural Pharmacology</i> , <b>2020</b> , 31, 233-248	2.4	3
184	Behavioral effects of benzylideneoxymorphone (BOM), a low efficacy $\bar{\mu}$ opioid receptor agonist and a lopioid receptor antagonist. <i>Psychopharmacology</i> , <b>2020</b> , 237, 3591-3602	4.7	2
183	Methocinnamox (MCAM) antagonizes the behavioral suppressant effects of morphine without impairing delayed matching-to-sample accuracy in rhesus monkeys. <i>Psychopharmacology</i> , <b>2020</b> , 237, 30	5 <del>1</del> -30ε	55 <sup>5</sup>
182	OREX-1019: A Novel Treatment of Opioid Use Disorder and Relapse Prevention. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>2020</b> , 372, 205-215	4.7	8
181	Reversal and Prevention of the Respiratory-Depressant Effects of Heroin by the Novel -Opioid Receptor Antagonist Methocinnamox in Rhesus Monkeys. <i>Journal of Pharmacology and Experimental Therapeutics</i> <b>2019</b> , 368, 229-236	4.7	15

## (2018-2019)

180	Punishment and reinforcement by opioid receptor agonists in a choice procedure in rats. Behavioural Pharmacology, <b>2019</b> , 30, 335-342	2.4	6
179	Effects of amphetamine, methylphenidate, atomoxetine, and morphine in rats responding under an adjusting stop signal reaction time task. <i>Psychopharmacology</i> , <b>2019</b> , 236, 1959-1972	4.7	2
178	Effects of the synthetic cannabinoid receptor agonist JWH-018 on abuse-related effects of opioids in rhesus monkeys. <i>Drug and Alcohol Dependence</i> , <b>2019</b> , 202, 33-38	4.9	5
177	Self-administration of the synthetic cathinones 3,4-methylenedioxypyrovalerone (MDPV) and Epyrrolidinopentiophenone (EPVP) in rhesus monkeys. <i>Psychopharmacology</i> , <b>2019</b> , 236, 3677-3685	4.7	15
176	Methocinnamox: Sustained Antagonism of the Antinociceptive Effects of Morphine and Not Spiradoline in Rats. <i>FASEB Journal</i> , <b>2019</b> , 33, 498.10	0.9	1
175	Effect of Order of Fixed Ratio Presentation on Demand for Self-administered Remifentanil in Rats. <i>FASEB Journal</i> , <b>2019</b> , 33, lb85	0.9	
174	Effects of lorcaserin on reinstatement of responding previously maintained by cocaine or remifentanil in rhesus monkeys. <i>Experimental and Clinical Psychopharmacology</i> , <b>2019</b> , 27, 78-86	3.2	19
173	Methocinnamox Produces Long-Lasting Antagonism of the Behavioral Effects of -Opioid Receptor Agonists but Not Prolonged Precipitated Withdrawal in Rats. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>2019</b> , 371, 507-516	4.7	10
172	Long-Lasting Effects of Methocinnamox on Opioid Self-Administration in Rhesus Monkeys. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>2019</b> , 368, 88-99	4.7	19
171	The behavioral pharmacology and therapeutic potential of lorcaserin for substance use disorders. <i>Neuropharmacology</i> , <b>2018</b> , 142, 63-71	5.5	22
170	Effects of morphine/CP55940 mixtures on an impulsive choice task in rhesus monkeys. <i>Behavioural Pharmacology</i> , <b>2018</b> , 29, 60-70	2.4	6
169	Reinforcing effects of opioid/cannabinoid mixtures in rhesus monkeys responding under a food/drug choice procedure. <i>Psychopharmacology</i> , <b>2018</b> , 235, 2357-2365	4.7	13
168	A Novel, Long-Lasting Opioid Receptor Antagonist Prevents and Reverses the Respiratory-Depressant Effects of Heroin in Rhesus Monkeys. <i>FASEB Journal</i> , <b>2018</b> , 32, lb608	0.9	
167	Demand Analysis of the Mu Opioid Receptor Agonist Remifentanil Alone and in Combination with the Cannabinoid Receptor Agonist JWH018. <i>FASEB Journal</i> , <b>2018</b> , 32, 683.7	0.9	
166	Antinociceptive and Gastrointestinal Effects of Mu/Kappa Opioid Mixtures in Rats. <i>FASEB Journal</i> , <b>2018</b> , 32, lb607	0.9	
165	Effects of lorcaserin and buspirone, administered alone and as a mixture, on cocaine self-administration in male and female rhesus monkeys. <i>Experimental and Clinical Psychopharmacology</i> , <b>2018</b> , 26, 488-496	3.2	17
164	Antinociceptive effects of mixtures of mu opioid receptor agonists and cannabinoid receptor agonists in rats: Impact of drug and fixed-dose ratio. <i>European Journal of Pharmacology</i> , <b>2018</b> , 819, 217-	2 <sup>5</sup> 2 <sup>3</sup> 4	17
163	Effects of daily morphine treatment on impulsivity in rats responding under an adjusting stop-signal reaction time task. <i>Behavioural Pharmacology</i> , <b>2018</b> , 29, 676-687	2.4	6

162	Ventilatory-depressant effects of opioids alone and in combination with cannabinoids in rhesus monkeys. <i>European Journal of Pharmacology</i> , <b>2018</b> , 833, 94-99	5.3	11
161	Interactions between kappa and mu opioid receptor agonists: effects of the ratio of drugs in mixtures. <i>Psychopharmacology</i> , <b>2018</b> , 235, 2245-2256	4.7	8
160	Behavioral Characterization of <sup>®</sup> Opioid Receptor Agonist Spiradoline and Cannabinoid Receptor Agonist CP55940 Mixtures in Rats. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>2017</b> , 360, 280-287	4.7	7
159	Preference for an Opioid/Benzodiazepine Mixture over an Opioid Alone Using a Concurrent Choice Procedure in Rhesus Monkeys. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>2017</b> , 362, 59-6	56 <sup>4.7</sup>	8
158	Effects of Lorcaserin on Cocaine and Methamphetamine Self-Administration and Reinstatement of Responding Previously Maintained by Cocaine in Rhesus Monkeys. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>2016</b> , 359, 383-391	4.7	33
157	Dietary supplementation with fish oil prevents high fat diet-induced enhancement of sensitivity to the locomotor stimulating effects of cocaine in adolescent female rats. <i>Drug and Alcohol Dependence</i> , <b>2016</b> , 165, 45-52	4.9	10
156	Interactions between cannabinoid receptor agonists and mu opioid receptor agonists in rhesus monkeys discriminating fentanyl. <i>European Journal of Pharmacology</i> , <b>2016</b> , 784, 199-206	5.3	15
155	Combined Treatment with Morphine and <b>9</b> -Tetrahydrocannabinol in Rhesus Monkeys: Antinociceptive Tolerance and Withdrawal. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>2016</b> , 357, 357-66	4.7	15
154	Lorcaserin Reduces the Discriminative Stimulus and Reinforcing Effects of Cocaine in Rhesus Monkeys. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>2016</b> , 356, 85-95	4.7	43
153	Additive antinociceptive effects of mixtures of the Eppioid receptor agonist spiradoline and the cannabinoid receptor agonist CP55940 in rats. <i>Behavioural Pharmacology</i> , <b>2016</b> , 27, 69-72	2.4	8
152	Effect of daily morphine administration and its discontinuation on delay discounting of food in rhesus monkeys. <i>Behavioural Pharmacology</i> , <b>2016</b> , 27, 155-64	2.4	8
151	Effects of daily delta-9-tetrahydrocannabinol treatment on heroin self-administration in rhesus monkeys. <i>Behavioural Pharmacology</i> , <b>2016</b> , 27, 249-57	2.4	15
150	Delay discounting of the Eppioid receptor agonist remifentanil in rhesus monkeys. <i>Behavioural Pharmacology</i> , <b>2016</b> , 27, 148-54	2.4	8
149	Determinants of choice, and vulnerability and recovery in addiction. <i>Behavioural Processes</i> , <b>2016</b> , 127, 35-42	1.6	23
148	Discriminative Stimulus Effects of Binary Drug Mixtures: Studies with Cocaine, MDPV, and Caffeine. Journal of Pharmacology and Experimental Therapeutics, <b>2016</b> , 359, 1-10	4.7	22
147	Characterization of the discriminative stimulus effects of lorcaserin in rats. <i>Journal of the Experimental Analysis of Behavior</i> , <b>2016</b> , 106, 107-16	2.1	9
146	Daily morphine administration increases impulsivity in rats responding under a 5-choice serial reaction time task. <i>British Journal of Pharmacology</i> , <b>2016</b> , 173, 1350-62	8.6	11
145	Cross-tolerance to cannabinoids in morphine-tolerant rhesus monkeys. <i>Psychopharmacology</i> , <b>2015</b> , 232, 3637-47	4.7	14

Nonhuman Primate Self-Administration in Assessments of Abuse Potential **2015**, 81-99

143	Eating high fat chow, but not drinking sucrose or saccharin, enhances the development of sensitization to the locomotor effects of cocaine in adolescent female rats. <i>Behavioural Pharmacology</i> , <b>2015</b> , 26, 321-5	2.4	16
142	Drinking sucrose or saccharin enhances sensitivity of rats to quinpirole-induced yawning. <i>European Journal of Pharmacology</i> , <b>2015</b> , 764, 529-536	5.3	4
141	Determinants of conditioned reinforcing effectiveness: Dopamine D2-like receptor agonist-stimulated responding for cocaine-associated stimuli. <i>European Journal of Pharmacology</i> , <b>2015</b> , 769, 242-9	5.3	5
140	Effects of amphetamine, morphine, and CP 55, 940 on Go/No-Go task performance in rhesus monkeys. <i>Behavioural Pharmacology</i> , <b>2015</b> , 26, 481-4	2.4	4
139	Directly Observable Behavioral Effects of Lorcaserin in Rats. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>2015</b> , 355, 381-5	4.7	22
138	Eating high fat chow decreases dopamine clearance in adolescent and adult male rats but selectively enhances the locomotor stimulating effects of cocaine in adolescents. <i>International Journal of Neuropsychopharmacology</i> , <b>2015</b> , 18, pyv024	5.8	33
137	Effects of consuming a diet high in fat and/or sugar on the locomotor effects of acute and repeated cocaine in male and female C57BL/6J mice. <i>Experimental and Clinical Psychopharmacology</i> , <b>2015</b> , 23, 228-37	3.2	23
136	Characterization of the behavioral effects of lorcaserin in rats. FASEB Journal, 2015, 29, 930.15	0.9	
135	Effects of amphetamine and methylphenidate on delay discounting in rats: interactions with order of delay presentation. <i>Psychopharmacology</i> , <b>2014</b> , 231, 85-95	4.7	58
134	Discriminative stimulus effects of pregnanolone in rhesus monkeys. <i>Psychopharmacology</i> , <b>2014</b> , 231, 181-90	4.7	5
133	Eating high fat chow and the behavioral effects of direct-acting and indirect-acting dopamine receptor agonists in female rats. <i>Behavioural Pharmacology</i> , <b>2014</b> , 25, 287-95	2.4	16
132	Restricted access to standard or high fat chow alters sensitivity of rats to the 5-HT(2A/2C) receptor agonist 1-(2,5-dimethoxy-4-methylphenyl)-2-aminopropane. <i>Behavioural Pharmacology</i> , <b>2014</b> , 25, 44-52	2.4	4
131	Impact of efficacy at the Eppioid receptor on antinociceptive effects of combinations of Eppioid receptor agonists and cannabinoid receptor agonists. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>2014</b> , 351, 383-9	4.7	41
130	Effects of dopamine D(2)-like receptor agonists in mice trained to discriminate cocaine from saline: influence of feeding condition. <i>European Journal of Pharmacology</i> , <b>2014</b> , 729, 123-31	5.3	9
129	Quantitative pharmacological analyses of the interaction between flumazenil and midazolam in monkeys discriminating midazolam: Determination of the functional half life of flumazenil. <i>European Journal of Pharmacology</i> , <b>2014</b> , 723, 405-9	5.3	2
128	Effects of amphetamine on delay discounting in rats depend upon the manner in which delay is varied. <i>Neuropharmacology</i> , <b>2014</b> , 87, 173-9	5.5	36
127	Feeding condition and the relative contribution of different dopamine receptor subtypes to the discriminative stimulus effects of cocaine in rats. <i>Psychopharmacology</i> , <b>2014</b> , 231, 581-91	4.7	9

126	Delay discounting of food and remifentanil in rhesus monkeys. <i>Psychopharmacology</i> , <b>2013</b> , 229, 323-30	4.7	28
125	Modification of the behavioral effects of morphine in rats by serotonin 5-HTA and 5-HTA receptor agonists: antinociception, drug discrimination, and locomotor activity. <i>Psychopharmacology</i> , <b>2013</b> , 225, 791-801	4.7	24
124	Effects of 1-(2,5-dimethoxy-4-methylphenyl)-2-aminopropane (DOM) and quipazine on heroin self-administration in rhesus monkeys. <i>Psychopharmacology</i> , <b>2013</b> , 225, 173-85	4.7	6
123	A preclinical evaluation of the discriminative and reinforcing properties of lisdexamfetamine in comparison to D-amfetamine, methylphenidate and modafinil. <i>Neuropharmacology</i> , <b>2013</b> , 73, 348-58	5.5	40
122	Drug-Addiction and Drug-Dependency <b>2013</b> , 287-310		1
121	Interactions between Eppioid receptor agonists and cannabinoid receptor agonists in rhesus monkeys: antinociception, drug discrimination, and drug self-administration. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>2013</b> , 345, 354-62	4.7	48
120	Effects of acute and chronic morphine on delay discounting in pigeons. <i>Journal of the Experimental Analysis of Behavior</i> , <b>2013</b> , 99, 277-89	2.1	13
119	The HIV antiretroviral drug efavirenz has LSD-like properties. <i>Neuropsychopharmacology</i> , <b>2013</b> , 38, 2373	8- <b>8.</b> 4	61
118	Effect of delay on self-administration of remifentanil under a drug versus drug choice procedure in rhesus monkeys. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>2013</b> , 347, 557-63	4.7	12
117	Eating high fat chow selectively impacts sensitivity to drugs acting on dopamine D3/D2 but not serotonin 2A receptors. <i>FASEB Journal</i> , <b>2013</b> , 27, 1098.18	0.9	
116	Discriminative stimulus effects of direct- and indirect- acting dopamine receptor agonists in free-feeding and food-restricted mice <i>FASEB Journal</i> , <b>2013</b> , 27, 1098.16	0.9	
115	Synaptic and extrasynaptic GABAA receptors in benzodiazepine withdrawal: effects of pregnanolone and gaboxadol in benzodiazepine-dependent monkeys. <i>FASEB Journal</i> , <b>2013</b> , 27, 658.6	0.9	
114	Morphine-induced motor stimulation, motor incoordination, and hypothermia in adolescent and adult mice. <i>Psychopharmacology</i> , <b>2012</b> , 219, 1027-37	4.7	34
113	Quantitative analyses of antagonism: combinations of midazolam and either flunitrazepam or pregnanolone in rhesus monkeys discriminating midazolam. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>2012</b> , 340, 742-9	4.7	8
112	Impulsivity and drugs of abuse: a juice-reinforced operant procedure for determining within-session delay discounting functions in rhesus monkeys. <i>Journal of Pharmacological and Toxicological Methods</i> , <b>2012</b> , 66, 264-9	1.7	10
111	You are what you eat: influence of type and amount of food consumed on central dopamine systems and the behavioral effects of direct- and indirect-acting dopamine receptor agonists. <i>Neuropharmacology</i> , <b>2012</b> , 63, 76-86	5.5	35
110	Sensitivity to apomorphine-induced yawning and hypothermia in rats eating standard or high-fat chow. <i>Psychopharmacology</i> , <b>2012</b> , 222, 27-36	4.7	1
109	Eating high fat chow enhances the locomotor-stimulating effects of cocaine in adolescent and adult female rats. <i>Psychopharmacology</i> , <b>2012</b> , 222, 447-57	4.7	31

## (2010-2012)

108	Interactions between (P)-tetrahydrocannabinol and heroin: self-administration in rhesus monkeys. <i>Behavioural Pharmacology</i> , <b>2012</b> , 23, 754-61	2.4	30	
107	Effects of the GABAB receptor-positive modulators CGP7930 and rac-BHFF in baclofen- and Ehydroxybutyrate-discriminating pigeons. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>2012</b> , 341, 369-76	4.7	16	
106	Eating high fat chow enhances sensitivity, but does not impact the development of sensitization, to apomorphine-induced yawning in rats. <i>FASEB Journal</i> , <b>2012</b> , 26, 661.3	0.9		
105	Effects of non-contingent and contingent quipazine on heroin self-administration in rhesus monkeys. <i>FASEB Journal</i> , <b>2012</b> , 26, 1041.6	0.9		
104	Drinking sucrose enhances quinpirole-induced yawning in rats. <i>Behavioural Pharmacology</i> , <b>2011</b> , 22, 773	s <b>-2</b> .4	4	
103	Chronic benzodiazepine treatment does not alter interactions between positive GABA(A) modulators and flumazenil or pentylenetetrazole in monkeys. <i>Behavioural Pharmacology</i> , <b>2011</b> , 22, 49-5	5 <del>7</del> ·4	6	
102	Eating high fat chow increases the sensitivity of rats to 8-OH-DPAT-induced lower lip retraction. <i>Behavioural Pharmacology</i> , <b>2011</b> , 22, 751-7	2.4	4	
101	Drug Discrimination Studies in Rhesus Monkeys: Drug Dependence and Withdrawal <b>2011</b> , 417-430		1	
100	Eating high-fat chow enhances sensitization to the effects of methamphetamine on locomotion in rats. <i>European Journal of Pharmacology</i> , <b>2011</b> , 658, 156-9	5.3	42	
99	Effects of serotonin (5-HT)1A and 5-HT2A receptor agonists on schedule-controlled responding in rats: drug combination studies. <i>Psychopharmacology</i> , <b>2011</b> , 213, 489-97	4.7	10	
98	The discriminative stimulus effects of midazolam are resistant to modulation by morphine, amphetamine, dizocilpine, and Ebutyrolactone in rhesus monkeys. <i>Psychopharmacology</i> , <b>2011</b> , 217, 495-	5 <del>6</del> 4	6	
97	Influence of body weight and type of chow on the sensitivity of rats to the behavioral effects of the direct-acting dopamine-receptor agonist quinpirole. <i>Psychopharmacology</i> , <b>2011</b> , 217, 573-85	4.7	27	
96	Effects of acute and chronic flunitrazepam on delay discounting in pigeons. <i>Journal of the Experimental Analysis of Behavior</i> , <b>2011</b> , 95, 163-74	2.1	6	
95	Effects of direct- and indirect-acting serotonin receptor agonists on the antinociceptive and discriminative stimulus effects of morphine in rhesus monkeys. <i>Neuropsychopharmacology</i> , <b>2011</b> , 36, 940-9	8.7	17	
94	Dopamine D3 receptors mediate the discriminative stimulus effects of quinpirole in free-feeding rats. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>2010</b> , 332, 308-15	4.7	26	
93	Differential effects of serotonin 5-HT1A receptor agonists on the discriminative stimulus effects of the 5-HT2A receptor agonist 1-(2,5-dimethoxy-4-methylphenyl)-2-aminopropane in rats and rhesus monkeys. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>2010</b> , 333, 244-52	4.7	13	
92	GABAB receptor-positive modulators: enhancement of GABAB receptor agonist effects in vivo. Journal of Pharmacology and Experimental Therapeutics, <b>2010</b> , 335, 163-71	4.7	24	
91	Eating high-fat chow increases the sensitivity of rats to quinpirole-induced discriminative stimulus effects and yawning. <i>Behavioural Pharmacology</i> , <b>2010</b> , 21, 615-20	2.4	23	

90	Precipitated and conditioned withdrawal in morphine-treated rats. <i>Psychopharmacology</i> , <b>2010</b> , 209, 85	5 <b>-94</b> .7	9
89	Interactions between morphine, scopolamine and nicotine: schedule-controlled responding in rats. <i>Pharmacology Biochemistry and Behavior</i> , <b>2010</b> , 96, 91-5	3.9	9
88	Discriminative stimulus effects of the positive GABAA receptor modulator midazolam in rhesus monkeys are not altered by non-GABAergic drugs. <i>FASEB Journal</i> , <b>2010</b> , 24, 767.2	0.9	
87	Discriminative stimulus effects of 1-(2,5-dimethoxy-4-methylphenyl)-2-aminopropane in rhesus monkeys: antagonism and apparent pA2 analyses. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>2009</b> , 328, 976-81	4.7	10
86	Reduced effectiveness of escitalopram in the forced swimming test is associated with increased serotonin clearance rate in food-restricted rats. <i>International Journal of Neuropsychopharmacology</i> , <b>2009</b> , 12, 731-6	5.8	14
85	Behavioral effects of gamma-hydroxybutyrate, its precursor gamma-butyrolactone, and GABA(B) receptor agonists: time course and differential antagonism by the GABA(B) receptor antagonist 3-aminopropyl(diethoxymethyl)phosphinic acid (CGP35348). <i>Journal of Pharmacology and</i>	4.7	18
84	Discriminative stimulus effects of 1-(2,5-dimethoxy-4-methylphenyl)-2-aminopropane (DOM), ketanserin, and (R)-(+)-{alpha}-(2,3-dimethoxyphenyl)-1-[2-(4-fluorophenyl)ethyl]-4-pipidinemethanol (MDL100907)	4.7	11
83	Pharmacological properties and discriminative stimulus effects of a novel and selective 5-HT2 receptor agonist AL-38022A [(S)-2-(8,9-dihydro-7H-pyrano[2,3-g]indazol-1-yl)-1-methylethylamine]. <i>Pharmacology Biochemistry and Behavior</i> , <b>2009</b> , 91, 307-14	3.9	15
82	Behavioral analyses of GHB: receptor mechanisms <b>2009</b> , 121, 100-14		118
81	High fat diet and food restriction differentially modify the behavioral effects of quinpirole and raclopride in rats. <i>European Journal of Pharmacology</i> , <b>2009</b> , 610, 55-60	5.3	32
81 80		5·3 5·3	3 <sup>2</sup>
	raclopride in rats. European Journal of Pharmacology, 2009, 610, 55-60  Food restriction and streptozotocin differentially modify sensitivity to the hypothermic effects of direct- and indirect-acting serotonin receptor agonists in rats. European Journal of Pharmacology,		
80	raclopride in rats. European Journal of Pharmacology, 2009, 610, 55-60  Food restriction and streptozotocin differentially modify sensitivity to the hypothermic effects of direct- and indirect-acting serotonin receptor agonists in rats. European Journal of Pharmacology, 2009, 613, 60-3  Some effects of dopamine transporter and receptor ligands on discriminative stimulus, physiologic, and directly observable indices of opioid withdrawal in rhesus monkeys. Psychopharmacology, 2009,		9
8o 79	raclopride in rats. European Journal of Pharmacology, 2009, 610, 55-60  Food restriction and streptozotocin differentially modify sensitivity to the hypothermic effects of direct- and indirect-acting serotonin receptor agonists in rats. European Journal of Pharmacology, 2009, 613, 60-3  Some effects of dopamine transporter and receptor ligands on discriminative stimulus, physiologic, and directly observable indices of opioid withdrawal in rhesus monkeys. Psychopharmacology, 2009, 203, 411-20  Self administration of heroin and cocaine in morphine-dependent and morphine-withdrawn rhesus	5·3 4·7	9
80 79 78	raclopride in rats. European Journal of Pharmacology, 2009, 610, 55-60  Food restriction and streptozotocin differentially modify sensitivity to the hypothermic effects of direct- and indirect-acting serotonin receptor agonists in rats. European Journal of Pharmacology, 2009, 613, 60-3  Some effects of dopamine transporter and receptor ligands on discriminative stimulus, physiologic, and directly observable indices of opioid withdrawal in rhesus monkeys. Psychopharmacology, 2009, 203, 411-20  Self administration of heroin and cocaine in morphine-dependent and morphine-withdrawn rhesus monkeys. Psychopharmacology, 2009, 204, 403-11  Discriminative stimulus effects of DOM in rhesus monkeys: interactions between 5-HT1A and	5·3 4·7 4·7	9
80 79 78 77	Food restriction and streptozotocin differentially modify sensitivity to the hypothermic effects of direct- and indirect-acting serotonin receptor agonists in rats. <i>European Journal of Pharmacology</i> , 2009, 613, 60-3  Some effects of dopamine transporter and receptor ligands on discriminative stimulus, physiologic, and directly observable indices of opioid withdrawal in rhesus monkeys. <i>Psychopharmacology</i> , 2009, 203, 411-20  Self administration of heroin and cocaine in morphine-dependent and morphine-withdrawn rhesus monkeys. <i>Psychopharmacology</i> , 2009, 204, 403-11  Discriminative stimulus effects of DOM in rhesus monkeys: interactions between 5-HT1A and 5-HT2A receptor agonists. <i>FASEB Journal</i> , 2009, 23, 743.3  Behavioral effects of amphetamine in streptozotocin-treated rats. <i>European Journal of</i>	5·3 4·7 4·7 0.9	9 5 22
80 79 78 77 76	Food restriction and streptozotocin differentially modify sensitivity to the hypothermic effects of direct- and indirect-acting serotonin receptor agonists in rats. European Journal of Pharmacology, 2009, 613, 60-3  Some effects of dopamine transporter and receptor ligands on discriminative stimulus, physiologic, and directly observable indices of opioid withdrawal in rhesus monkeys. Psychopharmacology, 2009, 203, 411-20  Self administration of heroin and cocaine in morphine-dependent and morphine-withdrawn rhesus monkeys. Psychopharmacology, 2009, 204, 403-11  Discriminative stimulus effects of DOM in rhesus monkeys: interactions between 5-HT1A and 5-HT2A receptor agonists. FASEB Journal, 2009, 23, 743.3  Behavioral effects of amphetamine in streptozotocin-treated rats. European Journal of Pharmacology, 2008, 581, 105-12  Feeding conditions differentially affect the neurochemical and behavioral effects of dopaminergic	5·3 4·7 4·7 0.9	9 5 22 111

## (2006-2008)

72	Acute cross tolerance to midazolam, and not pentobarbital and pregnanolone, after a single dose of chlordiazepoxide in monkeys discriminating midazolam. <i>Behavioural Pharmacology</i> , <b>2008</b> , 19, 796-804	1 <sup>2.4</sup>	9
71	Food restriction and streptozotocin treatment decrease 5-HT1A and 5-HT2A receptor-mediated behavioral effects in rats. <i>Behavioural Pharmacology</i> , <b>2008</b> , 19, 292-7	2.4	26
<i>7</i> 0	Comparison of naltrexone, 6alpha-naltrexol, and 6beta-naltrexol in morphine-dependent and in nondependent rhesus monkeys. <i>Psychopharmacology</i> , <b>2008</b> , 195, 479-86	4.7	14
69	Interactions between Delta(9)-tetrahydrocannabinol and mu opioid receptor agonists in rhesus monkeys: discrimination and antinociception. <i>Psychopharmacology</i> , <b>2008</b> , 199, 199-208	4.7	50
68	Cataleptic effects of gamma-hydroxybutyrate (GHB) and baclofen in mice: mediation by GABA(B) receptors, but differential enhancement by N-methyl-d-aspartate (NMDA) receptor antagonists. <i>Psychopharmacology</i> , <b>2008</b> , 199, 191-8	4.7	22
67	Antagonist-precipitated and discontinuation-induced withdrawal in morphine-dependent rhesus monkeys. <i>Psychopharmacology</i> , <b>2008</b> , 201, 373-82	4.7	21
66	Apparent pA2 analysis of 5-HT2A receptor antagonists in rhesus monkeys discriminating DOM. <i>FASEB Journal</i> , <b>2008</b> , 22, 904.10	0.9	
65	Changes in relative potency among positive GABA(A) receptor modulators upon discontinuation of chronic benzodiazepine treatment in rhesus monkeys. <i>Psychopharmacology</i> , <b>2007</b> , 192, 135-45	4.7	13
64	Time-dependent decreases in apparent pA2 values for naltrexone studied in combination with morphine in rhesus monkeys. <i>Psychopharmacology</i> , <b>2007</b> , 193, 315-21	4.7	12
63	Thienorphine: receptor binding and behavioral effects in rhesus monkeys. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>2007</b> , 321, 227-36	4.7	24
62	Hypoinsulinemia regulates amphetamine-induced reverse transport of dopamine. <i>PLoS Biology</i> , <b>2007</b> , 5, e274	9.7	104
61	Insulin replacement restores the behavioral effects of quinpirole and raclopride in streptozotocin-treated rats. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>2007</b> , 320, 1216-23	<sub>;</sub> 4.7	23
60	Synergistic interactions between 'club drugs': gamma-hydroxybutyrate and phencyclidine enhance each other's discriminative stimulus effects. <i>Behavioural Pharmacology</i> , <b>2007</b> , 18, 807-10	2.4	8
59	Behavioral effects of dipropyltryptamine in rats: evidence for 5-HT1A and 5-HT2A agonist activity. <i>Behavioural Pharmacology</i> , <b>2007</b> , 18, 283-8	2.4	14
58	Evidence for D2 receptor mediation of amphetamine-induced normalization of locomotion and dopamine transporter function in hypoinsulinemic rats. <i>Journal of Neurochemistry</i> , <b>2007</b> , 101, 151-9	6	19
57	Behavioral effects of dipropyltryptamine (DPT) in rats: role of 5-HT1A and 5-HT2A receptors. <i>FASEB Journal</i> , <b>2007</b> , 21, A780	0.9	
56	Synergistic interactions between Elub drugsEIGHB and PCP enhance each others discriminative stimulus effects. <i>FASEB Journal</i> , <b>2007</b> , 21, A413	0.9	
55	Discriminative stimulus effects of GHB and GABA(B) agonists are differentially attenuated by CGP35348. European Journal of Pharmacology, <b>2006</b> , 538, 85-93	5.3	12

54	Discriminative stimulus effects of gamma-hydroxybutyrate: role of training dose. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>2006</b> , 317, 409-17	4.7	13
53	Efficacy and the discriminative stimulus effects of negative GABAA modulators, or inverse agonists, in diazepam-treated rhesus monkeys. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>2006</b> , 318, 907-13	4.7	3
52	Acute and chronic effects of ramelteon in rhesus monkeys (Macaca mulatta): dependence liability studies. <i>Behavioral Neuroscience</i> , <b>2006</b> , 120, 535-41	2.1	23
51	Discriminative stimulus effects of flumazenil: perceptual masking by baclofen, and lack of substitution with gamma-hydroxybutyrate and its precursors 1,4-butanediol and gamma-butyrolactone. <i>Behavioural Pharmacology</i> , <b>2006</b> , 17, 239-47	2.4	18
50	Lack of effects of GHB precursors GBL and 1,4-BD following i.c.v. administration in rats. <i>European Journal of Neuroscience</i> , <b>2006</b> , 24, 2595-600	3.5	16
49	Monoamine metabolism and behavioral responses to ethanol in mitochondrial aldehyde dehydrogenase knockout mice. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2006</b> , 30, 1650-8	3.7	17
48	Differential behavioral effects of low efficacy positive GABAA modulators in combination with benzodiazepines and a neuroactive steroid in rhesus monkeys. <i>British Journal of Pharmacology</i> , <b>2006</b> , 147, 260-8	8.6	19
47	Synergistic interactions between Elub drugsElgamma-hydroxybutyrate and N-methyl-d-aspartate antagonists <i>FASEB Journal</i> , <b>2006</b> , 20, A679	0.9	
46	Novel gamma-hydroxybutyric acid (GHB) analogs share some, but not all, of the behavioral effects of GHB and GABAB receptor agonists. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>2005</b> , 313, 1314-23	4.7	37
45	Comparison of the behavioral effects of gamma-hydroxybutyric acid (GHB) and its 4-methyl-substituted analog, gamma-hydroxyvaleric acid (GHV). <i>Drug and Alcohol Dependence</i> , <b>2005</b> , 78, 91-9	4.9	48
44	Ethers of 3-hydroxyphenylacetic acid as selective gamma-hydroxybutyric acid receptor ligands. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2005</b> , 15, 3201-2	2.9	8
43	Deficits in dopamine clearance and locomotion in hypoinsulinemic rats unmask novel modulation of dopamine transporters by amphetamine. <i>Journal of Neurochemistry</i> , <b>2005</b> , 94, 1402-10	6	67
42	Streptozotocin-induced diabetes differentially modifies haloperidol- and gamma-hydroxybutyric acid (GHB)-induced catalepsy. <i>European Journal of Pharmacology</i> , <b>2005</b> , 517, 64-7	5.3	16
41	Combined discriminative stimulus effects of midazolam with other positive GABAA modulators and GABAA receptor agonists in rhesus monkeys. <i>Psychopharmacology</i> , <b>2005</b> , 178, 400-9	4.7	27
40	Negative GABA(A) modulators attenuate the discriminative stimulus effects of benzodiazepines and the neuroactive steroid pregnanolone in rhesus monkeys. <i>Psychopharmacology</i> , <b>2005</b> , 181, 697-705	4.7	5
39	Discriminative stimulus effects of gamma-hydroxybutyrate (GHB) in rats discriminating GHB from baclofen and diazepam. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>2005</b> , 314, 170-9	4.7	25
38	Cocaine and other indirect-acting monoamine agonists differentially attenuate a naltrexone discriminative stimulus in morphine-treated rhesus monkeys. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>2004</b> , 308, 111-9	4.7	14
37	Effects of gamma-hydroxybutyrate (GHB) on schedule-controlled responding in rats: role of GHB and GABAB receptors. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>2004</b> , 308, 182-8	4.7	33

#### (2001-2004)

36	Discriminative stimulus effects of gamma-hydroxybutyrate in pigeons: role of diazepam-sensitive and -insensitive GABA(A) and GABA(B) receptors. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>2004</b> , 308, 904-11	4.7	31	
35	Neuroleptic-like effects of gamma-hydroxybutyrate: interactions with haloperidol and dizocilpine. <i>European Journal of Pharmacology</i> , <b>2004</b> , 483, 289-93	5.3	18	
34	Chronic 1,4-butanediol treatment in rats: cross-tolerance to gamma-hydroxybutyrate and (+/-)-baclofen. <i>European Journal of Pharmacology</i> , <b>2004</b> , 484, 259-62	5.3	11	
33	The role of GABAB receptors in the discriminative stimulus effects of gamma-hydroxybutyrate in rats: time course and antagonism studies. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>2003</b> , 305, 668-74	4.7	64	
32	A tertiary alcohol analog of gamma-hydroxybutyric acid as a specific gamma-hydroxybutyric acid receptor ligand. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>2003</b> , 305, 675-9	4.7	21	
31	Discriminative stimulus effects of the cannabinoid antagonist, SR 141716A, in delta -sup-9-tetrahydrocannabinol-treated rhesus monkeys. <i>Experimental and Clinical Psychopharmacology</i> , <b>2003</b> , 11, 286-93	3.2	13	
30	Discriminative stimulus and antinociceptive effects of dihydroetorphine in rhesus monkeys. <i>Psychopharmacology</i> , <b>2003</b> , 166, 351-9	4.7	6	
29	Stereoselective discriminative stimulus effects of zopiclone in rhesus monkeys. <i>Psychopharmacology</i> , <b>2003</b> , 165, 222-8	4.7	10	
28	Evaluation of the reinforcing and discriminative stimulus effects of 1,4-butanediol and gamma-butyrolactone in rhesus monkeys. <i>European Journal of Pharmacology</i> , <b>2003</b> , 466, 113-20	5.3	13	
27	Selective decreases in amphetamine self-administration and regulation of dopamine transporter function in diabetic rats. <i>Neuroendocrinology</i> , <b>2003</b> , 77, 132-40	5.6	41	
26	Relative efficacy of buprenorphine, nalbuphine and morphine in opioid-treated rhesus monkeys discriminating naltrexone. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>2003</b> , 306, 1167-73	4.7	9	
25	Discriminative stimulus effects of positive GABAA modulators and other anxiolytics, sedatives, and anticonvulsants in untreated and diazepam-treated monkeys. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>2003</b> , 304, 109-20	4.7	10	
24	Amphetamine-like discriminative stimulus effects of ephedrine and its stereoisomers in pigeons. <i>Experimental and Clinical Psychopharmacology</i> , <b>2003</b> , 11, 3-8	3.2	2	
23	Characterization of the discriminative stimulus effects of buprenorphine in pigeons. <i>Psychopharmacology</i> , <b>2002</b> , 160, 132-9	4.7	4	
22	Cocaine and amphetamine attenuate the discriminative stimulus effects of naltrexone in opioid-dependent rhesus monkeys. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>2002</b> , 301, 1103-10	4.7	12	
21	Daily treatment with diazepam differentially modifies sensitivity to the effects of gamma-aminobutyric acid(A) modulators on schedule-controlled responding in rhesus monkeys.  Journal of Pharmacology and Experimental Therapeutics, 2002, 300, 1017-25	4.7	21	
20	Discriminative stimulus effects of benzodiazepine (BZ)(1) receptor-selective ligands in rhesus monkeys. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>2002</b> , 300, 505-12	4.7	11	
19	Behavioral effects of flunitrazepam: reinforcing and discriminative stimulus effects in rhesus monkeys and prevention of withdrawal signs in pentobarbital-dependent rats. <i>Drug and Alcohol Dependence</i> , <b>2001</b> , 63, 39-49	4.9	14	

18	Comparison of noncontingent versus contingent cocaine administration on plasma corticosterone levels in rats. <i>European Journal of Pharmacology</i> , <b>2000</b> , 387, 59-62	5.3	54
17	Discriminative stimulus effects of flumazenil in untreated and in diazepam-treated rhesus monkeys. <i>Psychopharmacology</i> , <b>1999</b> , 146, 252-61	4.7	29
16	Effects of a novel fentanyl derivative on drug discrimination and learning in rhesus monkeys. <i>Pharmacology Biochemistry and Behavior</i> , <b>1999</b> , 64, 367-71	3.9	3
15	Inhibitors of cytochrome P450 differentially modify discriminative-stimulus and antinociceptive effects of hydrocodone and hydromorphone in rhesus monkeys. <i>Drug and Alcohol Dependence</i> , <b>1999</b> , 54, 239-49	4.9	21
14	Evaluation of the reinforcing and discriminative stimulus effects of gamma-hydroxybutyrate in rhesus monkeys. <i>Drug and Alcohol Dependence</i> , <b>1999</b> , 54, 137-43	4.9	35
13	Ventilatory effects of negative GABA(A) modulators in rhesus monkeys. <i>Pharmacology Biochemistry and Behavior</i> , <b>1998</b> , 61, 375-80	3.9	5
12	Discriminative stimulus effects of flumazenil in rhesus monkeys treated chronically with chlordiazepoxide. <i>Pharmacology Biochemistry and Behavior</i> , <b>1997</b> , 56, 447-55	3.9	12
11	Mirfentanil antagonizes morphine-induced suppression of splenic NK activity in mice. <i>Immunopharmacology</i> , <b>1996</b> , 34, 9-16		9
10	Chronic & infrequent opioid exposure suppresses IL-2R expression on rhesus monkey peripheral blood mononuclear cells following stimulation with pokeweed mitogen. <i>International Journal of Neuroscience</i> , <b>1995</b> , 81, 137-48	2	5
9	OHM3597: A novel fentanyl derivative with morphine-like behavioral effects in rhesus monkeys. <i>Drug Development Research</i> , <b>1995</b> , 35, 49-58	5.1	
8	A SENSITIVE, EFFICIENT DRUG DISCRIMINATION PROCEDURE FOR STUDYING KAPPA ANTAGONISTS IN RHESUS MONKEYS. <i>Analgesia (Elmsford, N Y )</i> , <b>1995</b> , 1, 421-424		3
7	·		3
7 6	ANTAGONISTS IN RHESUS MONKEYS. <i>Analgesia (Elmsford, NY)</i> , <b>1995</b> , 1, 421-424  OHM3295: a fentanyl-related 4-heteroanilido piperidine with analgesic effects but not suppressive		
7	ANTAGONISTS IN RHESUS MONKEYS. <i>Analgesia (Elmsford, NY)</i> , <b>1995</b> , 1, 421-424  OHM3295: a fentanyl-related 4-heteroanilido piperidine with analgesic effects but not suppressive effects on splenic NK activity in mice. <i>International Journal of Immunopharmacology</i> , <b>1994</b> , 16, 835-44	8.3	11
7	ANTAGONISTS IN RHESUS MONKEYS. <i>Analgesia (Elmsford, NY)</i> , <b>1995</b> , 1, 421-424  OHM3295: a fentanyl-related 4-heteroanilido piperidine with analgesic effects but not suppressive effects on splenic NK activity in mice. <i>International Journal of Immunopharmacology</i> , <b>1994</b> , 16, 835-44  Training dose: influences in opioid drug discrimination. <i>NIDA Research Monograph</i> , <b>1991</b> , 145-61  Synthesis, phencyclidine-like pharmacology, and antiischemic potential of meta-substituted	8.3	6
7 6 5	ANTAGONISTS IN RHESUS MONKEYS. <i>Analgesia (Elmsford, NY)</i> , <b>1995</b> , 1, 421-424  OHM3295: a fentanyl-related 4-heteroanilido piperidine with analgesic effects but not suppressive effects on splenic NK activity in mice. <i>International Journal of Immunopharmacology</i> , <b>1994</b> , 16, 835-44  Training dose: influences in opioid drug discrimination. <i>NIDA Research Monograph</i> , <b>1991</b> , 145-61  Synthesis, phencyclidine-like pharmacology, and antiischemic potential of meta-substituted 1-(1-phenylcyclohexyl)-1,2,3,6-tetrahydropyridines. <i>Journal of Medicinal Chemistry</i> , <b>1990</b> , 33, 2211-5  Analgesic, anesthetic, and respiratory effects of the competitive N-methyl-D-aspartate (NMDA)		11 6 5
7 6 5 4	ANTAGONISTS IN RHESUS MONKEYS. <i>Analgesia (Elmsford, NY)</i> , <b>1995</b> , 1, 421-424  OHM3295: a fentanyl-related 4-heteroanilido piperidine with analgesic effects but not suppressive effects on splenic NK activity in mice. <i>International Journal of Immunopharmacology</i> , <b>1994</b> , 16, 835-44  Training dose: influences in opioid drug discrimination. <i>NIDA Research Monograph</i> , <b>1991</b> , 145-61  Synthesis, phencyclidine-like pharmacology, and antiischemic potential of meta-substituted 1-(1-phenylcyclohexyl)-1,2,3,6-tetrahydropyridines. <i>Journal of Medicinal Chemistry</i> , <b>1990</b> , 33, 2211-5  Analgesic, anesthetic, and respiratory effects of the competitive N-methyl-D-aspartate (NMDA) antagonist CGS 19755 in rhesus monkeys. <i>Brain Research</i> , <b>1990</b> , 526, 355-8	3.7	11 6 5 30