

# David Kennedy

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7546232/publications.pdf>

Version: 2024-02-01

60  
papers

9,978  
citations

66343

42  
h-index

128289

60  
g-index

67  
all docs

67  
docs citations

67  
times ranked

8428  
citing authors

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Electrically conductive bacterial nanowires produced by <i>Shewanella oneidensis</i> strain MR-1 and other microorganisms. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 11358-11363. | 7.1  | 1,629     |
| 2  | Quantifying community assembly processes and identifying features that impose them. <i>ISME Journal</i> , 2013, 7, 2069-2079.   | 9.8  | 1,354     |
| 3  | Biogenic iron mineralization accompanying the dissimilatory reduction of hydrous ferric oxide by a groundwater bacterium. <i>Geochimica Et Cosmochimica Acta</i> , 1998, 62, 3239-3257.   | 3.9  | 712       |
| 4  | Bacterial reduction of crystalline Fe (super 3+) oxides in single phase suspensions and subsurface materials. <i>American Mineralogist</i> , 1998, 83, 1426-1443.   | 1.9  | 324       |
| 5  | c-Type Cytochrome-Dependent Formation of U(IV) Nanoparticles by <i>Shewanella oneidensis</i> . <i>PLoS Biology</i> , 2006, 4, e268.   | 5.6  | 310       |
| 6  | Reduction of U(VI) in goethite ( $\alpha$ -FeOOH) suspensions by a dissimilatory metal-reducing bacterium. <i>Geochimica Et Cosmochimica Acta</i> , 2000, 64, 3085-3098.  | 3.9  | 309       |
| 7  | Dechlorination of Carbon Tetrachloride by Fe(II) Associated with Goethite. <i>Environmental Science &amp; Technology</i> , 2000, 34, 4606-4613.   | 10.0 | 296       |
| 8  | Groundwater-surface water mixing shifts ecological assembly processes and stimulates organic carbon turnover. <i>Nature Communications</i> , 2016, 7, 11237.  | 12.8 | 290       |
| 9  | Dissimilatory Reduction of Fe(III) and Other Electron Acceptors by a <i>Thermus</i> Isolate. <i>Applied and Environmental Microbiology</i> , 1999, 65, 1214-1221.   | 3.1  | 260       |
| 10 | Inhibition of Bacterial U(VI) Reduction by Calcium. <i>Environmental Science &amp; Technology</i> , 2003, 37, 1850-1858.  | 10.0 | 254       |
| 11 | Geomicrobiology of High-Level Nuclear Waste-Contaminated Vadose Sediments at the Hanford Site, Washington State. <i>Applied and Environmental Microbiology</i> , 2004, 70, 4230-4241.   | 3.1  | 247       |
| 12 | Isolation of a High-Affinity Functional Protein Complex between OmcA and MtrC: Two Outer Membrane Decaheme c-Type Cytochromes of <i>Shewanella oneidensis</i> MR-1. <i>Journal of Bacteriology</i> , 2006, 188, 4705-4714.                  | 2.2  | 227       |
| 13 | Bioreduction of hematite nanoparticles by the dissimilatory iron reducing bacterium <i>Shewanella oneidensis</i> MR-1. <i>Geochimica Et Cosmochimica Acta</i> , 2009, 73, 962-976.  | 3.9  | 216       |
| 14 | Identification and Characterization of MtoA: A Decaheme c-Type Cytochrome of the Neutrophilic Fe(II)-Oxidizing Bacterium <i>Sideroxydans lithotrophicus</i> ES-1. <i>Frontiers in Microbiology</i> , 2012, 3, 37.                           | 3.5  | 186       |
| 15 | Reduction of $\text{TcO}_4^-$ by sediment-associated biogenic Fe(II). <i>Geochimica Et Cosmochimica Acta</i> , 2004, 68, 3171-3187.   | 3.9  | 184       |
| 16 | Mineral transformations associated with the microbial reduction of magnetite. <i>Chemical Geology</i> , 2000, 169, 299-318.   | 3.3  | 180       |
| 17 | A trans-outer membrane porin-cytochrome protein complex for extracellular electron transfer by <i>Geobacter sulfurreducens</i> ...PCA. <i>Environmental Microbiology Reports</i> , 2014, 6, 776-785.  | 2.4  | 178       |
| 18 | Influence of Mn oxides on the reduction of uranium(VI) by the metal-reducing bacterium <i>Shewanella putrefaciens</i> . <i>Geochimica Et Cosmochimica Acta</i> , 2002, 66, 3247-3262.   | 3.9  | 170       |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 19 | Biotransformation of two-line silica-ferrihydrite by a dissimilatory Fe(III)-reducing bacterium: formation of carbonate green rust in the presence of phosphate. <i>Geochimica Et Cosmochimica Acta</i> , 2004, 68, 2799-2814. | 3.9  | 164       |
| 20 | Contribution of Extracellular Polymeric Substances from <i>Shewanella</i> sp. HRCR-1 Biofilms to U(VI) Immobilization. <i>Environmental Science &amp; Technology</i> , 2011, 45, 5483-5490.                                    | 10.0 | 149       |
| 21 | Deterministic influences exceed dispersal effects on hydrologically connected microbiomes. <i>Environmental Microbiology</i> , 2017, 19, 1552-1567.  | 3.8  | 143       |
| 22 | Extracellular Reduction of Hexavalent Chromium by Cytochromes MtrC and OmcA of <i>Shewanella oneidensis</i> MR-1. <i>Applied and Environmental Microbiology</i> , 2011, 77, 4035-4041.   | 3.1  | 140       |
| 23 | Metal Reduction and Iron Biomineralization by a Psychrotolerant Fe(III)-Reducing Bacterium, <i>Shewanella</i> sp. Strain PV-4. <i>Applied and Environmental Microbiology</i> , 2006, 72, 3236-3244.                            | 3.1  | 132       |
| 24 | Microbial Reduction of Structural Fe(III) in Illite and Goethite. <i>Environmental Science &amp; Technology</i> , 2003, 37, 1268-1276.   | 10.0 | 128       |
| 25 | Direct Involvement of Type II Secretion System in Extracellular Translocation of <i>Shewanella oneidensis</i> Outer Membrane Cytochromes MtrC and OmcA. <i>Journal of Bacteriology</i> , 2008, 190, 5512-5516.                 | 2.2  | 113       |
| 26 | Influences of organic carbon speciation on hyporheic corridor biogeochemistry and microbial ecology. <i>Nature Communications</i> , 2018, 9, 585.  | 12.8 | 110       |
| 27 | Vertical stratification of subsurface microbial community composition across geological formations at the Hanford Site. <i>Environmental Microbiology</i> , 2012, 14, 414-425.   | 3.8  | 100       |
| 28 | Redox Reactions of Reduced Flavin Mononucleotide (FMN), Riboflavin (RBF), and Anthraquinone-2,6-disulfonate (AQDS) with Ferrihydrite and Lepidocrocite. <i>Environmental Science &amp; Technology</i> , 2012, 46, 11644-11652. | 10.0 | 98        |
| 29 | Impacts of <i>Shewanella oneidensis</i> cytochromes on aerobic and anaerobic respiration. <i>Microbial Biotechnology</i> , 2010, 3, 455-466.   | 4.2  | 91        |
| 30 | Role of outer membrane cytochromes MtrC and OmcA in the biomineralization of ferrihydrite by <i>Shewanella oneidensis</i> MR-1. <i>Geobiology</i> , 2010, 8, 56-68.  | 2.4  | 91        |
| 31 | Coupling Spatiotemporal Community Assembly Processes to Changes in Microbial Metabolism. <i>Frontiers in Microbiology</i> , 2016, 7, 1949.   | 3.5  | 87        |
| 32 | Ferrous hydroxy carbonate is a stable transformation product of biogenic magnetite. <i>American Mineralogist</i> , 2005, 90, 510-515.  | 1.9  | 75        |
| 33 | Hydrogenase and outer membrane cytochrome facilitated reduction of technetium(VII) by <i>Shewanella oneidensis</i> MR-1. <i>Environmental Microbiology</i> , 2008, 10, 125-136.  | 3.8  | 74        |
| 34 | Modeling the Inhibition of the Bacterial Reduction of U(VI) by $\hat{I}^2$ -MnO <sub>2</sub> (s). <i>Environmental Science &amp; Technology</i> , 2002, 36, 1452-1459.   | 10.0 | 67        |
| 35 | Reductive biotransformation of Fe in shale limestone saprolite containing Fe(III) oxides and Fe(II)/Fe(III) phyllosilicates. <i>Geochimica Et Cosmochimica Acta</i> , 2006, 70, 3662-3676.                                     | 3.9  | 67        |
| 36 | Dispersal limitation and thermodynamic constraints govern spatial structure of permafrost microbial communities. <i>FEMS Microbiology Ecology</i> , 2018, 94, .  | 2.7  | 62        |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 37 | Multi 'omics comparison reveals metabolome biochemistry, not microbiome composition or gene expression, corresponds to elevated biogeochemical function in the hyporheic zone. <i>Science of the Total Environment</i> , 2018, 642, 742-753. | 8.0  | 60        |
| 38 | Carbon Inputs From Riparian Vegetation Limit Oxidation of Physically Bound Organic Carbon Via Biochemical and Thermodynamic Processes. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2017, 122, 3188-3205.                      | 3.0  | 58        |
| 39 | Oxidative dissolution potential of biogenic and abiogenic TcO <sub>2</sub> in subsurface sediments. <i>Geochimica Et Cosmochimica Acta</i> , 2009, 73, 2299-2313.  | 3.9  | 54        |
| 40 | Structural Similarities between Biogenic Uraninites Produced by Phylogenetically and Metabolically Diverse Bacteria. <i>Environmental Science &amp; Technology</i> , 2009, 43, 8295-8301.  | 10.0 | 50        |
| 41 | Electron donor-dependent radionuclide reduction and nanoparticle formation by <i>Anaeromyxobacter dehalogenans</i> strain 2CP. <i>Environmental Microbiology</i> , 2009, 11, 534-543.  | 3.8  | 49        |
| 42 | Competitive Reduction of Perchnetate ( <sup>99</sup> TcO <sub>4</sub> <sup>-</sup> ) by Dissimilatory Metal Reducing Bacteria and Biogenic Fe(II). <i>Environmental Science &amp; Technology</i> , 2011, 45, 951-957.                        | 10.0 | 48        |
| 43 | Distribution of Microbial Biomass and Potential for Anaerobic Respiration in Hanford Site 300 Area Subsurface Sediment. <i>Applied and Environmental Microbiology</i> , 2012, 78, 759-767.   | 3.1  | 46        |
| 44 | Geochemical and Microbial Community Attributes in Relation to Hyporheic Zone Geological Facies. <i>Scientific Reports</i> , 2017, 7, 12006.  | 3.3  | 40        |
| 45 | Manganese sulfide formation via concomitant microbial manganese oxide and thiosulfate reduction. <i>Environmental Microbiology</i> , 2011, 13, 3275-3288.  | 3.8  | 39        |
| 46 | Fe-phylosilicate redox cycling organisms from a redox transition zone in Hanford 300 Area sediments. <i>Frontiers in Microbiology</i> , 2013, 4, 388.  | 3.5  | 38        |
| 47 | Microbial Reductive Transformation of Phyllosilicate Fe(III) and U(VI) in Fluvial Subsurface Sediments. <i>Environmental Science &amp; Technology</i> , 2012, 46, 3721-3730.   | 10.0 | 34        |
| 48 | Identification and Characterization of UndA <sub>HRCR-6</sub> , an Outer Membrane Endecaheme c-Type Cytochrome of <i>Shewanella</i> sp. Strain HRCR-6. <i>Applied and Environmental Microbiology</i> , 2011, 77, 5521-5523.                  | 3.1  | 32        |
| 49 | Nitrate bioreduction in redox-variable low permeability sediments. <i>Science of the Total Environment</i> , 2016, 539, 185-195.   | 8.0  | 32        |
| 50 | Coupling among Microbial Communities, Biogeochemistry and Mineralogy across Biogeochemical Facies. <i>Scientific Reports</i> , 2016, 6, 30553.   | 3.3  | 26        |
| 51 | Biogeochemical cycling at the aquatic-terrestrial interface is linked to parafluvial hyporheic zone inundation history. <i>Biogeosciences</i> , 2017, 14, 4229-4241.   | 3.3  | 25        |
| 52 | The influence of cultivation methods on <i>Shewanella oneidensis</i> physiology and proteome expression. <i>Archives of Microbiology</i> , 2008, 189, 313-324.   | 2.2  | 21        |
| 53 | Colonization Habitat Controls Biomass, Composition, and Metabolic Activity of Attached Microbial Communities in the Columbia River Hyporheic Corridor. <i>Applied and Environmental Microbiology</i> , 2017, 83, .                           | 3.1  | 20        |
| 54 | Redox transformation and reductive immobilization of Cr(VI) in the Columbia River hyporheic zone sediments. <i>Journal of Hydrology</i> , 2017, 555, 278-287.  | 5.4  | 18        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | CaUO <sub>2</sub> CO <sub>3</sub> Complexation Implications for Bioremediation of UVI. <i>Physica Scripta</i> , 2005, , 915.   | 2.5 | 15        |
| 56 | The Role of Bacterial Exopolymers in Metal Sorption and Reduction. <i>Microscopy and Microanalysis</i> , 2005, 11, .   | 0.4 | 12        |
| 57 | Distinct temporal diversity profiles for nitrogen cycling genes in a hyporheic microbiome. <i>PLoS ONE</i> , 2020, 15, e0228165.   | 2.5 | 12        |
| 58 | Single-cell genomics reveals metabolic strategies for microbial growth and survival in an oligotrophic aquifer. <i>Microbiology (United Kingdom)</i> , 2014, 160, 362-372. | 1.8 | 10        |
| 59 | Biogenic Mineral Formation by Iron Reducing Bacteria. <i>Microscopy and Microanalysis</i> , 2001, 7, 756-757.  | 0.4 | 3         |
| 60 | TEM Approach in Investigations of Microbially Assisted Uranium Reduction. <i>Microscopy and Microanalysis</i> , 2002, 8, 750-751.  | 0.4 | 0         |