
Luciano Lattuada

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/754708/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Supramolecular adducts between macrocyclic Gd(<scp>iii</scp>) complexes and polyaromatic systems: a route to enhance the relaxivity through the formation of hydrophobic interactions. Chemical Science, 2021, 12, 1368-1377.	7.4	7
2	Enhanced relaxivity of Gd ^{III} -complexes with HP-DO3A-like ligands upon the activation of the intramolecular catalysis of the prototropic exchange. Inorganic Chemistry Frontiers, 2021, 8, 1500-1510.	6.0	9
3	AAZTA: The rise of mesocyclic chelating agents for metal coordination in medicine. Coordination Chemistry Reviews, 2021, 438, 213908.	18.8	7
4	H-Bonding and intramolecular catalysis of proton exchange affect the CEST properties of Eu ^{III} complexes with HP-DO3A-like ligands. Chemical Communications, 2021, 57, 3287-3290.	4.1	3
5	Synthesis of Two Novel Mixed Bifunctional Chelating Agents: DO2AP(tBu)4 and DO3AP(tBu)4. Synlett, 2020, 31, 1291-1294.	1.8	1
6	PIDAZTA: Structurally Constrained Chelators for the Efficient Formation of Stable Galliumâ€68 Complexes at Physiological pH. Chemistry - A European Journal, 2019, 25, 10698-10709.	3.3	11
7	First synthesis of orthogonally 1,7-diprotected cyclens. Organic Chemistry Frontiers, 2019, 6, 1387-1390.	4.5	1
8	Exploiting the Proton Exchange as an Additional Route to Enhance the Relaxivity of Paramagnetic MRI Contrast Agents. Inorganic Chemistry, 2018, 57, 5567-5574.	4.0	23
9	Exploring the intramolecular catalysis of the proton exchange process to modulate the relaxivity of Gd(<scp>iii</scp>)-complexes of HP-DO3A-like ligands. Chemical Communications, 2018, 54, 10056-10059.	4.1	13
10	Recent Advances in Bifunctional Paramagnetic Chelates for MRI. Israel Journal of Chemistry, 2017, 57, 825-832.	2.3	6
11	Macrocyclic paramagnetic agents for MRI: Determinants of relaxivity and strategies for their improvement. Magnetic Resonance in Medicine, 2017, 78, 1523-1532.	3.0	21
12	AMPED: a new platform for picolinate based luminescent lanthanide chelates. Dalton Transactions, 2015, 44, 7654-7661.	3.3	18
13	Synthesis of phosphonic analogues of AAZTAâ€AAZTA=6-Amino-6-methylperhydro-1,4-diazepine-N,N′,N″,N″-tetraacetic acid.†and relaxometric evaluation of the corresponding Gd(III) complexes as potential MRI contrast agents. Tetrahedron Letters. 2015. 56. 1994-1997.	1.4	13
14	An enzymatic approach to bifunctional chelating agents. Organic and Biomolecular Chemistry, 2014, 12, 6915-6921.	2.8	17
15	Synthesis of Gd and ⁶⁸ Ga Complexes in Conjugation with a Conformationally Optimized RGD Sequence as Potential MRI and PET Tumorâ€Imaging Probes. ChemMedChem, 2012, 7, 1084-1093.	3.2	53
16	The synthesis and application of polyamino polycarboxylic bifunctional chelating agents. Chemical Society Reviews, 2011, 40, 3019.	38.1	153
17	Chapter 5.1. MRI Contrast Agents: Synthesis, Applications and Perspectives. RSC Drug Discovery Series, 2011, , 173-207.	0.3	2
	Scale-Up of Trisodium [(3]²,5]²,12]±)-3-[[4(<i>S</i>)-4-[Bis[2-[bis[(carboxy- <i>kO</i>)methyl]amino- <i>kN</i>]ethyl]amino- <i>kN</i>]-4-[Bis[2-[bis[(carboxy- <i>kO</i>)methyl]amino- <i>kN</i>)methyl[amino- <i>k</i>	1-(carboxy	v- <i>kO</i>)

18 [(3l²,5l²,12l±)-3-[[4(<i>S</i>)-4-[Bis[2-[bis[(carboxy-<i>kO</i>)methyl]amino-<i>kN</i>]ethyl]amino-<i>kN</i>]-4-[carboxy-<i>kO</i>)a Gd(III) Complex under Development As a Contrast Agent for MRI Coronary Angiography. Organic Process Research and Development, 2009, 13, 739-746.

#	Article	IF	CITATIONS
19	Variation of water exchange dynamics with ligand structure and stereochemistry in lanthanide complexes based on 1,4-diazepine derivatives. Organic and Biomolecular Chemistry, 2009, 7, 1120.	2.8	34
20	Synthesis of Gd-DTPA-cholesterol: a new lipophilic gadolinium complex as a potential MRI contrast agent. Tetrahedron Letters, 2003, 44, 3893-3895.	1.4	34
21	One-Pot Mitsunobu-Staudinger Preparation of 3-Aminocholan-24-oic Acid Esters from 3-Hydroxycholan-24-oic Acid Esters. Synthetic Communications, 1998, 28, 109-117.	2.1	41