Jong Woo Chung

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7547367/publications.pdf

Version: 2024-02-01

218677 330143 2,078 130 26 37 citations h-index g-index papers 131 131 131 2225 docs citations times ranked citing authors all docs

| # | Article | lF | CITATIONS |
|----|---|-----|-----------|
| 1 | Can Intratympanic Dexamethasone Added to Systemic Steroids Improve Hearing Outcome in Patients With Sudden Deafness?. Laryngoscope, 2008, 118, 279-282. | 2.0 | 112 |
| 2 | Histologic Structure of Antrochoanal Polyps. Acta Oto-Laryngologica, 1995, 115, 543-547. | 0.9 | 92 |
| 3 | The Effect of Canalith Repositioning for Anterior Semicircular Canal Canalithiasis. Orl, 2005, 67, 56-60. | 1.1 | 65 |
| 4 | Vestibular Function Tests for Vestibular Migraine: Clinical Implication of Video Head Impulse and Caloric Tests. Frontiers in Neurology, 2016, 7, 166. | 2.4 | 55 |
| 5 | Facial nerve schwannomas: Different manifestations and outcomes. World Neurosurgery, 2004, 62, 245-252. | 1.3 | 51 |
| 6 | Therapeutic effectiveness over time of intratympanic dexamethasone as salvage treatment of sudden deafness. Acta Oto-Laryngologica, 2008, 128, 128-131. | 0.9 | 50 |
| 7 | Comparing pure-tone audiometry and auditory steady state response for the measurement of hearing loss. Otolaryngology - Head and Neck Surgery, 2007, 136, 966-971. | 1.9 | 49 |
| 8 | Free radicals enzymatically triggered by Clonorchis sinensis excretory–secretory products cause NF-κB-mediated inflammation in human cholangiocarcinoma cells. International Journal for Parasitology, 2012, 42, 103-113. | 3.1 | 48 |
| 9 | Anti-apoptotic role of retinoic acid in the inner ear of noise-exposed mice. Biochemical and Biophysical Research Communications, 2005, 335, 485-490. | 2.1 | 47 |
| 10 | Prognostic Factors for Recovery from Sudden Sensorineural Hearing Loss: A Retrospective Study. Journal of Audiology and Otology, 2017, 21, 9-15. | 0.8 | 44 |
| 11 | Pre-operative Evaluation of Eustachian Tube Function Using a Modified Pressure Equilibration Test is Predictive of Good Postoperative Hearing and Middle Ear Aeration in Type 1 Tympanoplasty Patients. Clinical and Experimental Otorhinolaryngology, 2009, 2, 61. | 2.1 | 43 |
| 12 | Cochlear Implantation in Postlingually Deaf Adults is Time-sensitive Towards Positive Outcome: Prediction using Advanced Machine Learning Techniques. Scientific Reports, 2018, 8, 18004. | 3.3 | 43 |
| 13 | Automated Classification of the Tympanic Membrane Using a Convolutional Neural Network. Applied Sciences (Switzerland), 2019, 9, 1827. | 2.5 | 43 |
| 14 | Robust Real-Time Detection of Laparoscopic Instruments in Robot Surgery Using Convolutional Neural Networks with Motion Vector Prediction. Applied Sciences (Switzerland), 2019, 9, 2865. | 2.5 | 38 |
| 15 | Retinoic acid applied after noise exposure can recover the noise-induced hearing loss in mice. Acta Oto-Laryngologica, 2009, 129, 233-238. | 0.9 | 37 |
| 16 | Protective Effect of Isoflurane Anesthesia on Noise-Induced Hearing Loss in Mice. Laryngoscope, 2005, 115, 1996-1999. | 2.0 | 34 |
| 17 | Evaluation of Masking Effects on Speech Perception in Patients With Unilateral Chronic Tinnitus Using the Hearing in Noise Test. Otology and Neurotology, 2012, 33, 1472-1476. | 1.3 | 33 |
| 18 | The Effect of Isoflurane, Halothane and Pentobarbital on Noise-Induced Hearing Loss in Mice. Anesthesia and Analgesia, 2007, 104, 1404-1408. | 2.2 | 32 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Facial nerve stimulation after cochlear implantation according to types of Nucleus 24-channel electrode arrays. Acta Oto-Laryngologica, 2009, 129, 588-591. | 0.9 | 32 |
| 20 | Efficacy of steroid therapy based on symptomatic and functional improvement in patients with vestibular neuritis: a prospective randomized controlled trial. European Archives of Oto-Rhino-Laryngology, 2017, 274, 2443-2451. | 1.6 | 32 |
| 21 | Diagnostic Value of Gains and Corrective Saccades in Video Head Impulse Test in Vestibular Neuritis. Otolaryngology - Head and Neck Surgery, 2018, 159, 347-353. | 1.9 | 32 |
| 22 | Inner Ear Anomalies in Cochlear Implantees. Otology and Neurotology, 2006, 27, 831-837. | 1.3 | 31 |
| 23 | The efficacy and safety of systemic injection of Ginkgo biloba extract, EGb761, in idiopathic sudden sensorineural hearing loss: a randomized placebo-controlled clinical trial. European Archives of Oto-Rhino-Laryngology, 2016, 273, 2433-2441. | 1.6 | 30 |
| 24 | Central auditory processing impairment in patients with temporal lobe epilepsy. Epilepsy and Behavior, 2011, 20, 370-374. | 1.7 | 29 |
| 25 | Prognostic Value of Labyrinthine 3D-FLAIR Abnormalities in Idiopathic Sudden Sensorineural Hearing Loss. American Journal of Neuroradiology, 2016, 37, 2317-2322. | 2.4 | 29 |
| 26 | Efficient Molecular Genetic Diagnosis of Enlarged Vestibular Aqueducts in East Asians. Genetic Testing and Molecular Biomarkers, 2009, 13, 679-687. | 0.7 | 28 |
| 27 | Visceral adipose tissue is significantly associated with hearing thresholds in adult women. Clinical Endocrinology, 2014, 80, 368-375. | 2.4 | 28 |
| 28 | Comparison of the Clinical Results of Attic Cholesteatoma Treatment: Endoscopic Versus Microscopic Ear Surgery. Clinical and Experimental Otorhinolaryngology, 2019, 12, 156-162. | 2.1 | 28 |
| 29 | Evaluation of Age-Related Hearing Loss. Korean Journal of Audiology, 2013, 17, 50. | 0.7 | 27 |
| 30 | Antioxidant Therapy against Oxidative Damage of the Inner Ear: Protection and Preconditioning. Antioxidants, 2020, 9, 1076. | 5.1 | 27 |
| 31 | Interleukin- $\hat{1}$ 1, Interleukin- $\hat{1}$ 2 and Interleukin-8 Gene Expression in Human Aural Cholesteatomas. Acta Oto-Laryngologica, 1996, 116, 302-306. | 0.9 | 24 |
| 32 | Accumulation of hypoxia-inducible factor- \hat{l}_{\pm} in mouse inner ear by noise stimulation. NeuroReport, 2004, 15, 2353-2356. | 1.2 | 23 |
| 33 | Audiological Follow-up Results after Newborn Hearing Screening Program. Clinical and Experimental Otorhinolaryngology, 2012, 5, 57. | 2.1 | 23 |
| 34 | Clinical Manifestations and Risk Factors of Children Receiving Triple Ventilating Tube Insertions for Treatment of Recurrent Otitis Media With Effusion. Pediatrics, 2006, 117, e1119-e1123. | 2.1 | 22 |
| 35 | Lipoic acid rescues DBA mice from early-onset age-related hearing impairment. NeuroReport, 2008, 19, 1265-1269. | 1.2 | 22 |
| 36 | Standardization for a Korean Version of Hearing Handicap Inventory for the Elderly. Korean Journal of Otorhinolaryngology-Head and Neck Surgery, 2011, 54, 828. | 0.2 | 21 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Clinical Results of Atticoantrotomy with Attic Reconstruction or Attic Obliteration for Patients with an Attic Cholesteatoma. Clinical and Experimental Otorhinolaryngology, 2009, 2, 39. | 2.1 | 19 |
| 38 | Acetylcholine-evoked calcium increases in Deiters' cells of the guinea pig cochlea suggest ?9-like receptors. Journal of Neuroscience Research, 2001, 63, 252-256. | 2.9 | 18 |
| 39 | Associations of Dietary Riboflavin, Niacin, and Retinol with Age-related Hearing Loss: An Analysis of Korean National Health and Nutrition Examination Survey Data. Nutrients, 2019, 11, 896. | 4.1 | 18 |
| 40 | Lipo-prostaglandin E1in combination with steroid therapy is effective for treatment of sudden sensorineural hearing loss in Korean patients with TypeA2 diabetes. Diabetic Medicine, 2006, 23, 1339-1343. | 2.3 | 17 |
| 41 | Effects of Cigarette Smoking on Hearing Recovery From Noise-Induced Temporary Hearing Threshold Shifts in Mice. Otology and Neurotology, 2011, 32, 926-932. | 1.3 | 17 |
| 42 | Results of caloric and sensory organization testing of dynamic posturography in migrainous vertigo: comparison with Meniere's disease and vestibular neuritis. Acta Oto-Laryngologica, 2013, 133, 1236-1241. | 0.9 | 17 |
| 43 | Management of 210 patients with benign paroxysmal positional vertigo: AMC protocol and outcomes. Acta Oto-Laryngologica, 2015, 135, 422-428. | 0.9 | 17 |
| 44 | Prevalence of severe-profound hearing loss in South Korea: a nationwide population-based study to analyse a 10-year trend (2006–2015). Scientific Reports, 2018, 8, 9940. | 3.3 | 17 |
| 45 | Endolymphatic Sac Tumors : Report of Four Cases. Journal of Korean Neurosurgical Society, 2008, 44, 268. | 1.2 | 17 |
| 46 | Circadian changes in serum corticosterone levels affect hearing in mice exposed to noise. NeuroReport, 2008, 19, 1373-1376. | 1.2 | 16 |
| 47 | Roles of an anti-tuberculosis medication and surgery in patients with tuberculous otitis media. Acta Oto-Laryngologica, 2010, 130, 679-686. | 0.9 | 16 |
| 48 | Comparison of Video Head Impulse Test (vHIT) Gains Between Two Commercially Available Devices and by Different Gain Analytical Methods. Otology and Neurotology, 2018, 39, e297-e300. | 1.3 | 16 |
| 49 | Longâ€Term Results of Endolymphatic Mastoid Shunt Surgery in Patients with Intractable Ménière's Disease. Otolaryngology - Head and Neck Surgery, 2009, 141, 237-242. | 1.9 | 15 |
| 50 | Surgical treatment of posterior semicircular canal dehiscence syndrome caused by jugular diverticulum. Journal of Laryngology and Otology, 2012, 126, 928-931. | 0.8 | 15 |
| 51 | Long-term follow-up of otitis media with effusion in children: Comparisons between a ventilation tube group. International Journal of Pediatric Otorhinolaryngology, 2014, 78, 938-943. | 1.0 | 15 |
| 52 | Treatment Strategy for Sudden Sensorineural Hearing Loss. Korean Journal of Otorhinolaryngology-Head and Neck Surgery, 2011, 54, 675. | 0.2 | 15 |
| 53 | Complications following cochlear implantation in patients with anomalous inner ears: experiences in Asan Medical Center. Acta Oto-Laryngologica, 2008, 128, 38-42. | 0.9 | 14 |
| 54 | Cartilaginous Incisions in Septoplasty. Orl, 1996, 58, 51-54. | 1.1 | 13 |

| # | Article | IF | CITATIONS |
|----|---|--------------|-----------|
| 55 | ATP and Nitric Oxide Modulate Intracellular Calcium in Isolated Pillar Cells of the Guinea Pig Cochlea. JARO - Journal of the Association for Research in Otolaryngology, 2001, 2, 399-407. | 1.8 | 13 |
| 56 | The Association Between Age-Related Hearing Impairment and Metabolic Syndrome in Korean Women: 5-Year Follow-Up Observational Study. Metabolic Syndrome and Related Disorders, 2017, 15, 240-245. | 1.3 | 13 |
| 57 | Candida auris colonization or infection of the ear: A single-center study in South Korea from 2016 to 2018. Medical Mycology, 2020, 58, 124-127. | 0.7 | 13 |
| 58 | Cortical reorganization following auditory deprivation predicts cochlear implant performance in postlingually deaf adults. Human Brain Mapping, 2021, 42, 233-244. | 3 . 6 | 13 |
| 59 | Up-regulation of hypoxia-inducible factor-1 alpha by cobalt chloride prevents hearing loss in noise-exposed mice. Environmental Toxicology and Pharmacology, 2011, 31, 153-159. | 4.0 | 12 |
| 60 | Ingestion of Korean Red Ginseng after Noise Exposure Can Potentiate Rapid Recovery of Hearing in Mice. Journal of Ginseng Research, 2010, 34, 336-341. | 5.7 | 12 |
| 61 | Coenzyme Q10 in combination with steroid therapy for treatment of sudden sensorineural hearing loss: a controlled prospective study. Clinical Otolaryngology, 2010, 35, 486-489. | 1.2 | 11 |
| 62 | Involvement of retinoic acid-induced peroxiredoxin 6 expression in recovery of noise-induced temporary hearing threshold shifts. Environmental Toxicology and Pharmacology, 2013, 36, 463-471. | 4.0 | 11 |
| 63 | Hearing loss following ventriculoperitoneal shunt in communicating hydrocephalus patients: A pilot study. Laryngoscope, 2014, 124, 1923-1927. | 2.0 | 10 |
| 64 | Apoptotic Pattern of Cochlear Outer Hair Cells and Frequency-specific Hearing Threshold Shift in Noise-exposed BALB/c Mice. Clinical and Experimental Otorhinolaryngology, 2008, 1, 80. | 2.1 | 10 |
| 65 | The Effect of Korean Red Ginseng on Symptoms and Quality of Life in Chronic Tinnitus: A Randomized, Open-Label Pilot Study. Journal of Audiology and Otology, 2015, 19, 85-90. | 0.8 | 10 |
| 66 | Effects of a zinc-deficient diet on hearing in CBA mice. NeuroReport, 2012, 23, 201-205. | 1.2 | 9 |
| 67 | A cadaver study of mastoidectomy using an imageâ€guided human–robot collaborative control system. Laryngoscope Investigative Otolaryngology, 2017, 2, 208-214. | 1.5 | 9 |
| 68 | What Is the Sensitive Period to Initiate Auditory Stimulation for the Second Ear in Sequential Cochlear Implantation?. Otology and Neurotology, 2018, 39, 177-183. | 1.3 | 9 |
| 69 | Hyperbaric oxygen (HBO) therapy as an effective approach to the treatment of patients with severe idiopathic sudden sensorineural hearing loss. Acta Oto-Laryngologica, 2020, 140, 383-386. | 0.9 | 9 |
| 70 | Preoperative Voice Parameters Affect the Postoperative Speech Intelligibility in Patients with Cochlear Implantation. Clinical and Experimental Otorhinolaryngology, 2012, 5, S69. | 2.1 | 9 |
| 71 | Blepharokymographic Analysis of Eyelid Motion in Bell???s Palsy. Laryngoscope, 2007, 117, 308-312. | 2.0 | 8 |
| 72 | Short-term changes in tinnitus pitch related to audiometric shape in sudden sensorineural hearing loss. Auris Nasus Larynx, 2016, 43, 281-286. | 1.2 | 8 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 73 | Factors affecting hearing deterioration in vestibular schwannoma patients treated with gamma knife radiosurgery: the Asan Medical Center experience. Acta Oto-Laryngologica, 2018, 138, 96-104. | 0.9 | 8 |
| 74 | Clinical Comparison of the Auditory Steady-State Response with the Click Auditory Brainstem Response in Infants. Clinical and Experimental Otorhinolaryngology, 2008, 1, 184. | 2.1 | 8 |
| 75 | Hearing and Facial Function After Surgical Removal of Cholesteatomas Involving Petrous Bone. Clinical and Experimental Otorhinolaryngology, 2014, 7, 264. | 2.1 | 8 |
| 76 | Effect of a 4-Week Treatment with Cilostazol in Patients with Chronic Tinnitus: A Randomized, Prospective, Placebo-controlled, Double-blind, Pilot Study. Journal of International Advanced Otology, 2016, 12, 170-176. | 1.0 | 8 |
| 77 | Assessment of Objective Audiometry to Predict Subjective Satisfaction in Patients With Hearing Aids. Clinical and Experimental Otorhinolaryngology, 2020, 13, 141-147. | 2.1 | 7 |
| 78 | Vulnerability to Acoustic Trauma in the Normal Hearing Ear With Contralateral Hearing Loss. Annals of Otology, Rhinology and Laryngology, 2014, 123, 286-292. | 1.1 | 6 |
| 79 | Abnormal CT Findings Are Risk Factors for Otitis Media-Related Sensorineural Hearing Loss. Ear and Hearing, 2014, 35, 375-378. | 2.1 | 6 |
| 80 | Characteristics of central lesions in patients with dizziness determined by diffusion MRI in the emergency department. Emergency Medicine Journal, 2014, 31, 641-644. | 1.0 | 6 |
| 81 | Surgical outcomes of middle fossa approach in intracanalicular vestibular schwannoma. Acta Oto-Laryngologica, 2017, 137, 352-355. | 0.9 | 6 |
| 82 | Video recognition of simple mastoidectomy using convolutional neural networks: Detection and segmentation of surgical tools and anatomical regions. Computer Methods and Programs in Biomedicine, 2021, 208, 106251. | 4.7 | 6 |
| 83 | Intratympanic steroid injection for sudden sensorineural hearing loss: Impact of injection interval on therapeutic efficacy. Auris Nasus Larynx, 2020, 47, 982-989. | 1.2 | 6 |
| 84 | Standardization for a Korean Version of Chronic Ear Survey: Translation and Verification of Validity and Reliability. Korean Journal of Otorhinolaryngology-Head and Neck Surgery, 2011, 54, 755. | 0.2 | 6 |
| 85 | Diameter of the Medial Side of the Cochlear Aqueduct Is Narrower in Meniere's Disease: A Radiologic Analysis. Journal of International Advanced Otology, 2016, 12, 156-160. | 1.0 | 6 |
| 86 | The induction of P450-mediated oxidation of all-trans retinoic acid by retinoids in head and neck squamous cell carcinoma cell lines. Metabolism: Clinical and Experimental, 1998, 47, 955-958. | 3.4 | 5 |
| 87 | Inhibition of Cholesteatomatous Bone Resorption with Pamidronate Disodium. Acta Oto-Laryngologica, 2001, 121, 178-181. | 0.9 | 5 |
| 88 | Induction of Redox-Active Gene Expression by CoCl2 Ameliorates Oxidative Stress-Mediated Injury of Murine Auditory Cells. Antioxidants, 2019, 8, 399. | 5.1 | 5 |
| 89 | Outcome of Cochlear Implantation in Children With Narrow Bony Cochlear Nerve Canal. Otology and Neurotology, 2019, 40, e679-e685. | 1.3 | 5 |
| 90 | Status of early hearing detection and intervention in South Korea: a nationwide population-based study of national infant health checkup. Scientific Reports, 2020, 10, 16838. | 3.3 | 5 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 91 | Long-term Change in the Speech Perception Ability in Pediatric Cochlear Implants and the Effect of the Age at Implantation. Otology and Neurotology, 2020, 41, 758-766. | 1.3 | 5 |
| 92 | A Case of Squamous Cell Carcinoma in the External Auditory Canal Previously Treated for Verrucous Carcinoma. Journal of Audiology and Otology, 2016, 20, 183-186. | 0.8 | 5 |
| 93 | The Effect ofGingko Bilobaon Hearing in Mice with Noise-Induced Temporary Threshold Shift. Korean Journal of Audiology, 2013, 17, 74. | 0.7 | 5 |
| 94 | Impact of hearing loss on the performance of auditory processing measured by questionnaires in Korean adolescents. Scientific Reports, 2020, 10, 10118. | 3.3 | 4 |
| 95 | Hearing Outcomes of Stapes Surgery in Children With Stapes Fixation and Ossicular Anomalies. Otology and Neurotology, 2021, 42, 1039-1043. | 1.3 | 4 |
| 96 | Results of the Active Middle Ear Implantation in Patients With Mixed Hearing Loss After the Middle Ear Surgery: Prospective Multicenter Study (ROMEO Study). Clinical and Experimental Otorhinolaryngology, 2021, , . | 2.1 | 4 |
| 97 | Zinc is an essential element for the maintenance of redox homeostasis and cell cycle in murine auditory hair cells. Journal of Nutritional Biochemistry, 2022, 100, 108901. | 4.2 | 4 |
| 98 | Hypoxic changes in the central nervous system of noise-exposed mice. Acta Oto-Laryngologica, 2007, 127, 73-77. | 0.9 | 3 |
| 99 | Hearing gain with a BAHA test-band in patients with single-sided deafness. American Journal of Otolaryngology - Head and Neck Medicine and Surgery, 2014, 35, 37-41. | 1.3 | 3 |
| 100 | Characteristics and pathogenesis of facial nerve stimulation after cochlear implant surgeries: A singleâ€centre retrospective analysis from 1151 patients. Clinical Otolaryngology, 2018, 43, 1396-1400. | 1.2 | 3 |
| 101 | Protective Effects of Glucose-Related Protein 78 and 94 on Cisplatin-Mediated Ototoxicity. Antioxidants, 2020, 9, 686. | 5.1 | 3 |
| 102 | International Survey of Operative Practices for Otologists and Neurotologists During the COVID-19 Crisis. Otology and Neurotology, 2021, 42, 1275-1284. | 1.3 | 3 |
| 103 | Microbiological Results From Middle Ear Effusion in Pediatric Patients Receiving Ventilation Tube Insertion: Multicenter Registry Study on the Effectiveness of Ventilation Tube Insertion in Pediatric Patients With Chronic Otitis Media With Effusion: Part I. Clinical and Experimental Otorhinolaryngology, 2018, 11, 181-185. | 2.1 | 3 |
| 104 | Influences of Diabetes on Hearing Recovery in Noise-Exposed Mice. Journal of Audiology and Otology, 2015, 19, 138-143. | 0.8 | 3 |
| 105 | Usefulness of Endoscopic Removal of Congenital Cholesteatoma in Children. Korean Journal of Otorhinolaryngology-Head and Neck Surgery, 2016, 59, 194. | 0.2 | 3 |
| 106 | Di-K19Hc, an antimicrobial peptide as new ototopical agent for treatment of otitis media. Acta Oto-Laryngologica, 2010, 130, 897-903. | 0.9 | 2 |
| 107 | Changes in Central Auditory Processing in Patients with Mesial Temporal Lobe Epilepsy after Anterior | | |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 109 | Self-Expandable Retainer for Endoscopic Visualization in the External Auditory Canal: Proof of Concept in Human Cadavers. Applied Sciences (Switzerland), 2020, 10, 1877. | 2.5 | 2 |
| 110 | High-frequency Cochlear Nerve Deficit Region: Relationship With Deaf Duration and Cochlear Implantation Performance in Postlingual Deaf Adults. Otology and Neurotology, 2021, 42, 844-850. | 1.3 | 2 |
| 111 | Long Term Speech Perception Outcomes of Cochlear Implantation in Gap Junction Protein Beta 2 Related Hearing Loss. Journal of Audiology and Otology, 2017, 21, 95-102. | 0.8 | 2 |
| 112 | Effect of Isoflurane on the Hearing in Mice. Korean Journal of Audiology, 2012, 16, 14. | 0.7 | 2 |
| 113 | Changes of Cochlear Nerve Terminals after Temporary Noise-Induced Hearing Loss. Korean Journal of Otorhinolaryngology-Head and Neck Surgery, 2013, 56, 206. | 0.2 | 2 |
| 114 | Surgical Outcomes of Intratemporal Facial Nerve Schwannomas According to Facial Nerve Manipulation. Journal of International Advanced Otology, 2019, 15, 415-419. | 1.0 | 2 |
| 115 | Diagnostic Validity of Auditory Brainstem Response for the Initial Screening of Vestibular Schwannoma. Journal of Audiology and Otology, 2021, , . | 0.8 | 2 |
| 116 | Potassium Currents in Isolated Deiters' Cells of Guinea Pig. Korean Journal of Physiology and Pharmacology, 2013, 17, 537. | 1.2 | 1 |
| 117 | Speech Perception Growth Patterns in Prelingual Deaf Children With Bilateral Sequential Cochlear Implantation. Otology and Neurotology, 2019, 40, e761-e768. | 1.3 | 1 |
| 118 | Interpreting auditory brainstem evoked responses and distortion product otoacoustic emissions in diabetic patients with normal hearing. Auris Nasus Larynx, 2021, 48, 227-234. | 1.2 | 1 |
| 119 | A Case of Bilateral Hearing Loss Following External Ventricular Drainage. Korean Journal of Otorhinolaryngology-Head and Neck Surgery, 2011, 54, 158. | 0.2 | 1 |
| 120 | The Effect of Halothane on Hearing Loss and Apoptosis in Noise Exposing Mouse. Daehan Macwi'gwa Haghoeji, 2006, 50, 198. | 0.2 | 1 |
| 121 | Long-term Changes of Hearing Thresholds and Eustachian Tube Function after Balloon Dilation of the Eustachian Tube in Patients with Chronic Otitis Media. Clinical and Experimental Otorhinolaryngology, 2022, , . | 2.1 | 1 |
| 122 | Process Innovation Improves Trial Operation Efficiency. Therapeutic Innovation and Regulatory Science, 2016, 50, 510-514. | 1.6 | 0 |
| 123 | Short-Term Experience in Cochlear Implantation with Slim Modiolar Electrode Array (CI532): Comparison to Previous Devices. Korean Journal of Otorhinolaryngology-Head and Neck Surgery, 2021, 64, 223-231. | 0.2 | 0 |
| 124 | Changes of Temporal Processing and Hearing in Noise after Use of a Monoaural Hearing Aid in Patients with Sensorineural Hearing Loss: A Preliminary Study. Journal of Audiology and Otology, 2021, 25, 146-151. | 0.8 | 0 |
| 125 | Variations of the Technique in Endoscopic Tympanoplasty. Korean Journal of Otorhinolaryngology-Head and Neck Surgery, 2021, 64, 604-606. | 0.2 | 0 |
| 126 | Protective Effect of Isoflurane on Noise-induced Hearing Loss in Mice. Daehan Macwi'gwa Haghoeji, 2005, 49, 523. | 0.2 | 0 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Giant Cell Reparative Granuloma in the Temporal Bone of a 4-Month-Old Infant. Korean Journal of Otorhinolaryngology-Head and Neck Surgery, 2019, 62, 593-597. | 0.2 | 0 |
| 128 | Two Cases of Cochlear Implantation in Patients With Unilateral Profound Hearing Loss Due to Intralabyrinthine Schwannoma. Korean Journal of Otorhinolaryngology-Head and Neck Surgery, 0, , . | 0.2 | 0 |
| 129 | A Comparison of Endolymphatic Sac Decompression and Intratympanic Gentamicin for Treatment of Meniere's Disease. Korean Journal of Otorhinolaryngology-Head and Neck Surgery, 0, , . | 0.2 | O |
| 130 | Longâ€ŧerm audiologic outcomes and potential outcome predictors of cochlear implantation in cochlear aplasia with dilated vestibule: A case series. Clinical Otolaryngology, 2022, 47, 599-605. | 1.2 | O |