
Haixin Sun

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7547810/publications.pdf Version: 2024-02-01



HAIVIN SUN

#	Article	IF	CITATIONS
1	Prevalence, Incidence, and Mortality of Stroke in China. Circulation, 2017, 135, 759-771.	1.6	1,450
2	Epidemiological Factors of Stroke: A Survey of the Current Status in China. Journal of Stroke, 2013, 15, 109.	1.4	97
3	Trend of declining stroke mortality in China: reasons and analysis. Stroke and Vascular Neurology, 2017, 2, 132-139.	1.5	66
4	An effective treatment for cerebral hemorrhage: minimally invasive craniopuncture combined with urokinase infusion therapy. Neurological Research, 2010, 32, 371-377.	0.6	63
5	Pre-hospital delay and its associated factors in first-ever stroke registered in communities from three cities in China. Scientific Reports, 2016, 6, 29795.	1.6	43
6	The burden of stroke in China: Results from a nationwide population-based epidemiological survey. PLoS ONE, 2018, 13, e0208398.	1.1	33
7	Public knowledge of stroke in Chinese urban residents: a community questionnaire study. Neurological Research, 2011, 33, 536-540.	0.6	22
8	Prevalence, Incidence, Prognosis, Early Stroke Risk, and Stroke-Related Prognostic Factors of Definite or Probable Transient Ischemic Attacks in China, 2013. Frontiers in Neurology, 2017, 8, 309.	1.1	22
9	GeographicalDifference, Rural-urban Transition and Trend in Stroke Prevalence in China: Findings from a National Epidemiological Survey of Stroke in China. Scientific Reports, 2019, 9, 17330.	1.6	20
10	Tranexamic acid for acute intracerebral haemorrhage growth based on imaging assessment (TRAIGE): a multicentre, randomised, placebo-controlled trial. Stroke and Vascular Neurology, 2021, 6, 160-169.	1.5	19
11	Chinese Stroke Association guidelines for clinical management of cerebrovascular disorders: executive summary and 2019 update of the management of high-risk population. Stroke and Vascular Neurology, 2020, 5, 270-278.	1.5	17
12	Resting-state functional magnetic resonance imaging in patients with leukoaraiosis-associated subcortical vascular cognitive impairment: a cross-sectional study. Neurological Research, 2016, 38, 510-517.	0.6	16
13	Prevalence, Incidence, and External Causes of Traumatic Spinal Cord Injury in China: A Nationally Representative Cross-Sectional Survey. Frontiers in Neurology, 2021, 12, 784647.	1.1	13
14	Prevalence and Altered Causes of Traumatic Brain Injury in China: A Nationwide Survey in 2013. Neuroepidemiology, 2020, 54, 106-113.	1.1	12
15	Difference of hospital charges for stroke inpatients between hospitals with different levels and therapeutic modes in Beijing, China. International Journal of Neuroscience, 2017, 127, 752-761.	0.8	9
16	The Gaps Between Current Management of Intracerebral Hemorrhage and Evidence-Based Practice Guidelines in Beijing, China. Frontiers in Neurology, 2018, 9, 1091.	1.1	8
17	Haemostatic therapy in spontaneous intracerebral haemorrhage patients with high-risk of haematoma expansion by CT marker: a systematic review and meta-analysis of randomised trials. Stroke and Vascular Neurology, 2021, 6, 170-179.	1.5	5
18	Mortality due to primary brain tumours in China and detection rate in people with suspected symptoms: a nationally representative cross-sectional survey. World Journal of Surgical Oncology, 2021, 19, 71.	0.8	3

#	Article	IF	CITATIONS
19	Annual rates of and factors influencing inpatient and outpatient transient ischaemic attacks in Chinese population: a nationally representative cross-sectional survey. BMJ Open, 2020, 10, e033786.	0.8	2