
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7547857/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	A proteomic approach to identify digestive enzymes, their exocytic and microapocrine secretory routes and their compartmentalization in the midgut of Spodoptera frugiperda. Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology, 2022, 257, 110670.	1.6	6
2	The Genome of Rhyzopertha dominica (Fab.) (Coleoptera: Bostrichidae): Adaptation for Success. Genes, 2022, 13, 446.	2.4	10
3	Transcriptomic and proteomic analysis of the underlying mechanisms of digestion of triacylglycerols and phosphatides and absorption and fate of fatty acids along the midgut of Musca domestica. Comparative Biochemistry and Physiology Part D: Genomics and Proteomics, 2021, 39, 100826.	1.0	3
4	Midgut fluxes and digestive enzyme recycling in Musca domestica: A molecular approach. Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology, 2020, 241, 110627.	1.8	7
5	Cathepsins L and B in Dysdercus peruvianus, Rhodnius prolixus, and Mahanarva fimbriolata. Looking for enzyme adaptations to digestion. Insect Biochemistry and Molecular Biology, 2020, 127, 103488.	2.7	11
6	N-glycosylation in Spodoptera frugiperda (Lepidoptera: Noctuidae) midgut membrane-bound glycoproteins. Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology, 2020, 246-247, 110464.	1.6	2
7	The Evolution, Gene Expression Profile, and Secretion of Digestive Peptidases in Lepidoptera Species. Catalysts, 2020, 10, 217.	3.5	6
8	Evolutionary trends of digestion and absorption in the major insect orders. Arthropod Structure and Development, 2020, 56, 100931.	1.4	39
9	Molecular mechanisms associated with acidification and alkalization along the larval midgut of Musca domestica. Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology, 2019, 237, 110535.	1.8	7
10	Domain structure and expression along the midgut and carcass of peritrophins and cuticle proteins analogous to peritrophins in insects with and without peritrophic membrane. Journal of Insect Physiology, 2019, 114, 1-9.	2.0	15
11	Detergent-resistant domains in Spodoptera frugiperda midgut microvillar membranes and their relation to microapocrine secretion. Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology, 2019, 235, 8-18.	1.6	8
12	Recruited lysosomal enzymes as major digestive enzymes in insects. Biochemical Society Transactions, 2019, 47, 615-623.	3.4	21
13	Molecular physiology of insect midgut. Advances in Insect Physiology, 2019, 56, 117-163.	2.7	32
14	Where do we aspire to publish? A position paper on scientific communication in biochemistry and molecular biology. Brazilian Journal of Medical and Biological Research, 2019, 52, e8935.	1.5	1
15	Molecular machinery of starch digestion and glucose absorption along the midgut of Musca domestica. Journal of Insect Physiology, 2018, 109, 11-20.	2.0	25
16	Transcriptomic analyses uncover emerging roles of mucins, lysosome/secretory addressing and detoxification pathways in insect midguts. Current Opinion in Insect Science, 2018, 29, 34-40.	4.4	30
17	De novo transcriptome sequencing and comparative analysis of midgut tissues of four non-model insects pertaining to Hemiptera, Coleoptera, Diptera and Lepidoptera. Gene, 2017, 627, 85-93.	2.2	8
18	A physiologically-oriented transcriptomic analysis of the midgut of Tenebrio molitor. Journal of Insect Physiology, 2017, 99, 58-66.	2.0	17

#	Article	IF	CITATIONS
19	Role of cathepsins D in the midgut of Dysdercus peruvianus. Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology, 2017, 204, 45-52.	1.6	20
20	Active subsite properties, subsite residues and targeting to lysosomes or midgut lumen of cathepsins L from the beetle Tenebrio molitor. Insect Biochemistry and Molecular Biology, 2017, 89, 17-30.	2.7	9
21	Gelsolin role in microapocrine secretion. Insect Molecular Biology, 2016, 25, 810-820.	2.0	5
22	Conformational changes on ligand binding in wild-type and mutants from Spodoptera frugiperda midgut trehalase. Biochemistry and Biophysics Reports, 2015, 4, 215-223.	1.3	1
23	Insect midgut carboxypeptidases with emphasis on <scp>S</scp> 10 hemipteran and <scp>M</scp> 14 lepidopteran carboxypeptidases. Insect Molecular Biology, 2015, 24, 222-239.	2.0	19
24	Insect midgut α-mannosidases from family 38 and 47 with emphasis on those of Tenebrio molitor. Insect Biochemistry and Molecular Biology, 2015, 67, 94-104.	2.7	9
25	An Insight into the Transcriptome of the Digestive Tract of the Bloodsucking Bug, Rhodnius prolixus. PLoS Neglected Tropical Diseases, 2014, 8, e2594.	3.0	184
26	Physiology of digestion and the molecular characterization of the major digestive enzymes from Periplaneta americana. Journal of Insect Physiology, 2014, 70, 22-35.	2.0	33
27	Midgut proteins released by microapocrine secretion in Spodoptera frugiperda. Journal of Insect Physiology, 2013, 59, 70-80.	2.0	22
28	Active site characterization and molecular cloning of Tenebrio molitor midgut trehalase and comments on their insect homologs. Insect Biochemistry and Molecular Biology, 2013, 43, 768-780.	2.7	20
29	Molecular and Evolutionary Physiology of Insect Digestion. , 2012, , 93-119.		5
30	Biochemistry and Molecular Biology of Digestion. , 2012, , 365-418.		94
31	The catalytic and other residues essential for the activity of the midgut trehalase from Spodoptera frugiperda. Insect Biochemistry and Molecular Biology, 2010, 40, 733-741.	2.7	32
32	Characterization of a β-1,3-glucanase active in the alkaline midgut of Spodoptera frugiperda larvae and its relation to β-glucan-binding proteins. Insect Biochemistry and Molecular Biology, 2010, 40, 861-872.	2.7	56
33	The <i>Aedes aegypti</i> larval transcriptome: a comparative perspective with emphasis on trypsins and the domain structure of peritrophins. Insect Molecular Biology, 2009, 18, 33-44.	2.0	65
34	Sequencing of <i>Spodoptera frugiperda</i> midgut trehalases and demonstration of secretion of soluble trehalase by midgut columnar cells. Insect Molecular Biology, 2009, 18, 769-784.	2.0	38
35	Purification, characterization and sequencing of the major β-1,3-glucanase from the midgut of Tenebrio molitor larvae. Insect Biochemistry and Molecular Biology, 2009, 39, 861-874.	2.7	53
36	Direct detection of underivatized chitooligosaccharides produced through chitinase action using capillary zone electrophoresis. Analytical Biochemistry, 2008, 373, 99-103.	2.4	24

#	Article	IF	CITATIONS
37	Peritrophic membrane role in enhancing digestive efficiency. Journal of Insect Physiology, 2008, 54, 1413-1422.	2.0	95
38	Structure, processing and midgut secretion of putative peritrophic membrane ancillary protein (PMAP) from Tenebrio molitor larvae. Insect Biochemistry and Molecular Biology, 2008, 38, 233-243.	2.7	9
39	The interplay of processivity, substrate inhibition and a secondary substrate binding site of an insect exo-β-1,3-glucanase. Biochimica Et Biophysica Acta - Proteins and Proteomics, 2007, 1774, 1079-1091.	2.3	29
40	Identification of midgut microvillar proteins from Tenebrio molitor and Spodoptera frugiperda by cDNA library screenings with antibodies. Journal of Insect Physiology, 2007, 53, 1112-1124.	2.0	37
41	Chemical, biological and evolutionary aspects of beetle bioluminescence. Arkivoc, 2007, 2007, 311-323.	0.5	3
42	Absorption of toxic β-glucosides produced by plants and their effect on tissue trehalases from insects. Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology, 2006, 143, 367-373.	1.6	30
43	Purification, characterization and molecular cloning of the major chitinase from Tenebrio molitor larval midgut. Insect Biochemistry and Molecular Biology, 2006, 36, 789-800.	2.7	68
44	Plasma membranes from insect midgut cells. Anais Da Academia Brasileira De Ciencias, 2006, 78, 255-269.	0.8	68
45	Potential role for gut microbiota in cell wall digestion and glucoside detoxification in Tenebrio molitor larvae. Journal of Insect Physiology, 2006, 52, 593-601.	2.0	161
46	Sequences of cDNAs and expression of genes encoding chitin synthase and chitinase in the midgut of Spodoptera frugiperda. Insect Biochemistry and Molecular Biology, 2005, 35, 1249-1259.	2.7	89
47	Investigation of the substrate specificity of a β-glycosidase from Spodoptera frugiperda using site-directed mutagenesis and bioenergetics analysis. FEBS Journal, 2004, 271, 4169-4177.	0.2	7
48	The role of carboxyl, guanidine and imidazole groups in catalysis by a midgut trehalase purified from an insect larvae. Insect Biochemistry and Molecular Biology, 2004, 34, 1089-1099.	2.7	45
49	The role of residues R97 and Y331 in modulating the pH optimum of an insect β-glycosidase of family 1. FEBS Journal, 2003, 270, 4866-4875.	0.2	15
50	Purification and characterization of three β-glycosidases from midgut of the sugar cane borer, Diatraea saccharalis. Insect Biochemistry and Molecular Biology, 2003, 33, 81-92.	2.7	33
51	Characterization of a β-glycosidase highly active on disaccharides and of a β-galactosidase from Tenebrio molitor midgut lumen. Insect Biochemistry and Molecular Biology, 2003, 33, 253-265.	2.7	26
52	Action pattern, specificity, lytic activities, and physiological role of five digestive β-glucanases isolated from Periplaneta americana. Insect Biochemistry and Molecular Biology, 2003, 33, 1085-1097.	2.7	60
53	Subsites of Trypsin Active Site Favor Catalysis or Substrate Binding. Biochemical and Biophysical Research Communications, 2002, 290, 494-497.	2.1	20
54	Secretion of β-glycosidase by middle midgut cells and its recycling in the midgut of Tenebrio molitor larvae. Journal of Insect Physiology, 2002, 48, 113-118.	2.0	23

#	Article	IF	CITATIONS
55	The role of amino-acid residues Q39 and E451 in the determination of substrate specificity of the Spodoptera frugiperda β-glycosidase. FEBS Journal, 2002, 269, 3705-3714.	0.2	27
56	Purification, molecular cloning, and properties of a β-glycosidase isolated from midgut lumen of Tenebrio molitor (Coleoptera) larvae. Insect Biochemistry and Molecular Biology, 2001, 31, 1065-1076.	2.7	52
57	The peritrophic membrane ofSpodoptera frugiperda: Secretion of peritrophins and role in immobilization and recycling digestive enzymes. Archives of Insect Biochemistry and Physiology, 2001, 47, 62-75.	1.5	94
58	Amino acid residues involved in substrate binding and catalysis in an insect digestive β-glycosidase. BBA - Proteins and Proteomics, 2001, 1545, 41-52.	2.1	52
59	Purification and properties of a β-glycosidase purified from midgut cells of Spodoptera frugiperda (Lepidoptera) larvae. Insect Biochemistry and Molecular Biology, 2000, 30, 1139-1146.	2.7	47
60	Nature of the anchors of membrane-bound aminopeptidase, amylase, and trypsin and secretory mechanisms in Spodoptera frugiperda (Lepidoptera) midgut cells. Journal of Insect Physiology, 1999, 45, 29-37.	2.0	57
61	Properties of digestive glycosidases and peptidases and the permeability of the peritrophic membranes of Abracris flavolineata (Orthoptera: Acrididae). Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology, 1999, 123, 241-250.	1.6	17
62	Substrate Specificities of Midgut β-Glycosidases from Insects of Different Orders. Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology, 1998, 119, 219-225.	1.6	50
63	The effect of dietary plant glycosides on larval midgut β-glucosidases from Spodoptera frugiperda and Diatraea saccharalis. Insect Biochemistry and Molecular Biology, 1997, 27, 55-59.	2.7	48
64	Cytoskeleton removal and characterization of the microvillar membranes isolated from two midgut regions of Spodoptera frugiperda (Lepidoptera). Insect Biochemistry and Molecular Biology, 1997, 27, 793-801.	2.7	20
65	Ultrastructure and secretory activity of Abracris flavolineata (Orthoptera: Acrididae) midguts. Journal of Insect Physiology, 1997, 43, 465-473.	2.0	32
66	Trypsin secretion in Musca domestica larval midguts : A biochemical and immunocytochemical study. Insect Biochemistry and Molecular Biology, 1996, 26, 337-346.	2.7	48
67	An immunocytochemical investigation of trypsin secretion in the midgut of the stablefly, Stomoxys calcitrans. Insect Biochemistry and Molecular Biology, 1996, 26, 445-453.	2.7	32
68	Chemical determinations in microvillar membranes purified from brush-borders isolated from the larval midgut of one coleoptera and two diptera species. Insect Biochemistry and Molecular Biology, 1995, 25, 417-426.	2.7	17
69	Midgut dipeptidases from Rhynchosciara americana (diptera) larvae. Properties of soluble and membrane-bound forms. Insect Biochemistry and Molecular Biology, 1995, 25, 303-310.	2.7	6
70	Midgut Î ² -D-glucosidases from Abracris flavolineata (Orthoptera: Acrididae). Physical properties, substrate specificities and function. Insect Biochemistry and Molecular Biology, 1995, 25, 835-843.	2.7	20
71	Digestive enzymes in midgut cells, endo-and ectoperitrophic contents, and peritrophic membranes ofSpodoptera frugiperda (lepidoptera) larvae. Archives of Insect Biochemistry and Physiology, 1994, 26, 299-313.	1.5	73
72	Aminopeptidase a fromRhynchosciara americana (Diptera) larval midguts: Properties and midgut distribution. Archives of Insect Biochemistry and Physiology, 1994, 27, 301-315.	1.5	11

#	Article	IF	CITATIONS
73	Insect digestive enzymes: properties, compartmentalization and function. Comparative Biochemistry and Physiology Part B: Comparative Biochemistry, 1994, 109, 1-62.	0.2	585
74	Properties of the digestive enzymes and the permeability of the peritrophic membrane of Spodoptera frugiperda (Lepidoptera) larvae. Comparative Biochemistry and Physiology A, Comparative Physiology, 1994, 107, 631-640.	0.6	67
75	Ultrastructural and biochemical aspects of digestion in the imagoes of the fly <i>Rhynchosciara americana</i> . Entomologia Experimentalis Et Applicata, 1993, 66, 135-143.	1.4	7
76	Utilization of nitrogenous compounds, fat and orthophosphate by the grasshopper abracris flavolineata. Comparative Biochemistry and Physiology Part B: Comparative Biochemistry, 1992, 103, 443-445.	0.2	0
77	Consumption of sugars, hemicellulose, starch, pectin and cellulose by the grasshopper <i>Aracris flavolineata</i> . Entomologia Experimentalis Et Applicata, 1992, 65, 113-117.	1.4	13
78	Compartmentalization of the digestive process in Abracris flavolineata (Orthoptera: Acrididae) adults. Insect Biochemistry, 1990, 20, 267-274.	1.8	38
79	Digestive enzymes associated with the glycocalyx, microvillar membranes and secretory vesicles from midgut cells of Tenebrio molitor larvae. Insect Biochemistry, 1990, 20, 839-847.	1.8	51
80	Spatial organization of digestion, secretory mechanisms and digestive enzyme properties in Pheropsophus aequinoctialis (Coleoptera: Carabidae). Insect Biochemistry, 1989, 19, 383-391.	1.8	49
81	Midgut amylase, lysozyme, aminopeptidase, and trehalase from larvae and adults ofMusca domestica. Archives of Insect Biochemistry and Physiology, 1988, 9, 283-297.	1.5	30
82	Digestive enzymes trapped between and associated with the double plasma membranes of Rhodnius prolixus posterior midgut cells. Insect Biochemistry, 1988, 18, 521-530.	1.8	94
83	Origin, distribution, properties and functions of the major Rhodnius prolixus midgut hydrolases. Insect Biochemistry, 1988, 18, 423-434.	1.8	99
84	The larval midgut of the housefly (Musca domestica): Ultrastructure, fluid fluxes and ion secretion in relation to the organization of digestion. Journal of Insect Physiology, 1988, 34, 463-472.	2.0	68
85	Properties of midgut hydrolases from nymphs and adults of the hematophagous bug Rhodnius prolixus. Comparative Biochemistry and Physiology Part B: Comparative Biochemistry, 1988, 90, 433-437.	0.2	3
86	Digestive enzymes in close and distant genera of a same family: Properties of midgut hydrolases from luminescent Pyrophorus divergens (Coleoptera: Elateridae) larvae. Comparative Biochemistry and Physiology Part B: Comparative Biochemistry, 1987, 87, 755-759.	0.2	1
87	Substrate specificity and binding loci for inhibitors in an aminopeptidase purified from the plasma membrane of midgut cells of an insect (Rhynchosciara americana) larva. Archives of Biochemistry and Biophysics, 1986, 244, 478-485.	3.0	28
88	The detergent form of the major aminopeptidase from the plasma membrane of midgut caeca cells of Rhynchosciara americana (Diptera) larva. Comparative Biochemistry and Physiology Part B: Comparative Biochemistry, 1986, 84, 373-376.	0.2	3
89	Evolutionary considerations of the spatial organization of digestion in the luminescent predaceous larvae of Pyrearinus termitilluminans (Coleoptera:Elateridae). Insect Biochemistry, 1986, 16, 811-817.	1.8	32
90	Phylogenetic considerations of insect digestion. Insect Biochemistry, 1985, 15, 443-449.	1.8	94

CLELIA FERREIRA

#	Article	IF	CITATIONS
91	Minor aminopeptidases purified from the plasma membrane of midgut caeca cells of an insect (Rhynchosciara americana) larva. Insect Biochemistry, 1985, 15, 619-625.	1.8	20
92	Soluble aminopeptidases from cytosol and luminal contents of Rhynchosciara americana midgut caeca. Insect Biochemistry, 1984, 14, 145-150.	1.8	29
93	Spatial organization of digestion in the larval and imaginal stages of the sciarid fly Trichosia pubescens. Insect Biochemistry, 1984, 14, 631-638.	1.8	44
94	The larval midgut of the cassava hornworm (Erinnyis ello). Cell and Tissue Research, 1984, 237, 565.	2.9	58
95	Further evidence that enzymes involved in the final stages of digestion by Rhynchosciara do not enter the endoperitrophic space. Insect Biochemistry, 1983, 13, 143-150.	1.8	83
96	Consumption of food and spatial organization of digestion in the cassava hornworm, Erinnyis ello. Journal of Insect Physiology, 1983, 29, 707-714.	2.0	59
97	The haemolymph of the sphingidae moth Erinnyis ello. Comparative Biochemistry and Physiology A, Comparative Physiology, 1982, 73, 373-377.	0.6	15
98	Properties of arylamidases found in cytosol, microvilli and in luminal contents of Rhynchosciara americana midgut caeca. Insect Biochemistry, 1982, 12, 413-417.	1.8	9
99	Function of midgut caeca and ventriculus: Microvilli bound enzymes from cells of different midgut regions of starving and feeding Rhynchosciara Americana larvae. Insect Biochemistry, 1982, 12, 257-262.	1.8	31
100	Fine structure of the larval midgut of the fly Rhynchosciara and its physiological implications. Journal of Insect Physiology, 1981, 27, 559-570.	2.0	49
101	The physiological role of the peritrophic membrane and trehalase: Digestive enzymes in the midgut and excreta of starved larvae of Rhynchosciara. Journal of Insect Physiology, 1981, 27, 325-331.	2.0	81
102	Intracellular distribution of hydrolases in midgut caeca cels from an insect with emphasis on plasma membrane-bound enzymes. Comparative Biochemistry and Physiology Part B: Comparative Biochemistry, 1980, 66, 467-473.	0.2	17
103	Distribution of digestive enzymes among the endo- and ectoperitrophic spaces and midgut cells of Rhynchosciara and its physiological significance. Journal of Insect Physiology, 1979, 25, 487-494.	2.0	220
104	Distribution of nutrient reserves during spinning in tissues of the larva of the fly, Rhynchosciara americana. Journal of Insect Physiology, 1975, 21, 1501-1509.	2.0	14