

Rosario Cuomo

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7548796/rosario-cuomo-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

136
papers

4,194
citations

37
h-index

57
g-index

150
ext. papers

4,848
ext. citations

5.2
avg, IF

4.94
L-index

#	Paper	IF	Citations
136	Role of Dietary Habits in the Prevention of Diverticular Disease Complications: A Systematic Review. <i>Nutrients</i> , 2021 , 13,	6.7	2
135	Distinguishing features between patients with acute diverticulitis and diverticular bleeding: Results from the REMAD registry. <i>Digestive and Liver Disease</i> , 2021 , 53, 202-209	3.3	3
134	Italian nationwide survey of pharmacologic treatments in diverticular disease: Results from the REMAD registry. <i>United European Gastroenterology Journal</i> , 2019 , 7, 815-824	5.3	4
133	Mild dehydration in dyspeptic athletes is able to increase gastrointestinal symptoms: Protective effects of an appropriate hydration. <i>Neurogastroenterology and Motility</i> , 2019 , 31, e13520	4	
132	Surgical treatment of acute complicated diverticulitis in the elderly. <i>Minerva Chirurgica</i> , 2019 , 74, 465-470.8		4
131	Endocannabinoid-related compounds in gastrointestinal diseases. <i>Journal of Cellular and Molecular Medicine</i> , 2018 , 22, 706-715	5.6	27
130	Increased Prevalence of Rare Sucrase-isomaltase Pathogenic Variants in Irritable Bowel Syndrome Patients. <i>Clinical Gastroenterology and Hepatology</i> , 2018 , 16, 1673-1676	6.9	37
129	Postprandial Gastrointestinal Function Differs after Acute Administration of Sourdough Compared with Brewer's Yeast Bakery Products in Healthy Adults. <i>Journal of Nutrition</i> , 2018 , 148, 202-208	4.1	14
128	Dietary Interventions to Modulate the Gut Microbiome-How Far Away Are We From Precision Medicine. <i>Inflammatory Bowel Diseases</i> , 2018 , 24, 2142-2154	4.5	41
127	Demographic and clinical features distinguish subgroups of diverticular disease patients: Results from an Italian nationwide registry. <i>United European Gastroenterology Journal</i> , 2018 , 6, 926-934	5.3	9
126	Female-Specific Association Between Variants on Chromosome 9 and Self-Reported Diagnosis of Irritable Bowel Syndrome. <i>Gastroenterology</i> , 2018 , 155, 168-179	13.3	31
125	Functional variants in the sucrase-isomaltase gene associate with increased risk of irritable bowel syndrome. <i>Gut</i> , 2018 , 67, 263-270	19.2	79
124	Antibiotic-induced microbiota perturbation causes gut endocannabinoidome changes, hippocampal neuroglial reorganization and depression in mice. <i>Brain, Behavior, and Immunity</i> , 2018 , 67, 230-245	16.6	138
123	HIV-1 Tat-induced diarrhea is improved by the PPARalpha agonist, palmitoylethanolamide, by suppressing the activation of enteric glia. <i>Journal of Neuroinflammation</i> , 2018 , 15, 94	10.1	10
122	Treatment of diverticular disease, targeting symptoms or underlying mechanisms. <i>Current Opinion in Pharmacology</i> , 2018 , 43, 124-131	5.1	5
121	Increasing trend in admission rates and costs for acute diverticulitis during 2005-2015: real-life data from the Abruzzo Region. <i>Therapeutic Advances in Gastroenterology</i> , 2018 , 11, 1756284818791502	4.7	10
120	Allele-specific transcriptional activity of the variable number of tandem repeats of the inducible nitric oxide synthase gene is associated with idiopathic achalasia. <i>United European Gastroenterology Journal</i> , 2017 , 5, 200-207	5.3	11

119	Randomised clinical trial: mucosal protection combined with acid suppression in the treatment of non-erosive reflux disease - efficacy of Esoxx, a hyaluronic acid-chondroitin sulphate based bioadhesive formulation. <i>Alimentary Pharmacology and Therapeutics</i> , 2017 , 45, 631-642	6.1	38
118	Rifaximin and diverticular disease: Position paper of the Italian Society of Gastroenterology (SIGE). <i>Digestive and Liver Disease</i> , 2017 , 49, 595-603	3.3	22
117	Cortical representation of different taste modalities on the gustatory cortex: A pilot study. <i>PLoS ONE</i> , 2017 , 12, e0190164	3.7	25
116	Bacterial stimuli activate nitric oxide colonic mucosal production in diverticular disease. Protective effects of β (CNCM I-1572). <i>United European Gastroenterology Journal</i> , 2017 , 5, 715-724	5.3	10
115	HIV-1 Tat-induced diarrhea evokes an enteric glia-dependent neuroinflammatory response in the central nervous system. <i>Scientific Reports</i> , 2017 , 7, 7735	4.9	18
114	Cannabidiol restores intestinal barrier dysfunction and inhibits the apoptotic process induced by toxin A in Caco-2 cells. <i>United European Gastroenterology Journal</i> , 2017 , 5, 1108-1115	5.3	19
113	Impaired Enterohormone Response Following a Liquid Test Meal in Gastrectomized Patients. <i>Annals of Nutrition and Metabolism</i> , 2017 , 71, 211-216	4.5	2
112	Ketogal: A Derivative Ketorolac Molecule with Minor Ulcerogenic and Renal Toxicity. <i>Frontiers in Pharmacology</i> , 2017 , 8, 757	5.6	5
111	Rationale and evidences for treatment of symptomatic uncomplicated diverticular disease. <i>Minerva Gastroenterology</i> , 2017 , 63, 130-142	3	0
110	Randomised controlled trial of mesalazine in IBS. <i>Gut</i> , 2016 , 65, 82-90	19.2	67
109	Rifaximin, a non-absorbable antibiotic, inhibits the release of pro-angiogenic mediators in colon cancer cells through a pregnane X receptor-dependent pathway. <i>International Journal of Oncology</i> , 2016 , 49, 639-45	4.4	15
108	Acetonic Extract from the Feijoa sellowiana Berg. Fruit Exerts Antioxidant Properties and Modulates Disaccharidases Activities in Human Intestinal Epithelial Cells. <i>Phytotherapy Research</i> , 2016 , 30, 1308-15	6.7	12
107	Palmitoylethanolamide Exerts Antiproliferative Effect and Downregulates VEGF Signaling in Caco-2 Human Colon Carcinoma Cell Line Through a Selective PPAR- δ Dependent Inhibition of Akt/mTOR Pathway. <i>Phytotherapy Research</i> , 2016 , 30, 963-70	6.7	21
106	The HLA-DQ β insertion is a strong achalasia risk factor and displays a geospatial north-south gradient among Europeans. <i>European Journal of Human Genetics</i> , 2016 , 24, 1228-31	5.3	16
105	Palmitoylethanolamide Modulates Inflammation-Associated Vascular Endothelial Growth Factor (VEGF) Signaling via the Akt/mTOR Pathway in a Selective Peroxisome Proliferator-Activated Receptor Alpha (PPAR- δ)Dependent Manner. <i>PLoS ONE</i> , 2016 , 11, e0156198	3.7	27
104	Good adherence to mediterranean diet can prevent gastrointestinal symptoms: A survey from Southern Italy. <i>World Journal of Gastrointestinal Pharmacology and Therapeutics</i> , 2016 , 7, 564-571	3	32
103	The Impact of Social and Cultural Engagement and Dieting on Well-Being and Resilience in a Group of Residents in the Metropolitan Area of Naples. <i>Journal of Aging Research</i> , 2016 , 2016, 4768420	2.3	20
102	Rifaximin Improves Clostridium difficile Toxin A-Induced Toxicity in Caco-2 Cells by the PXR-Dependent TLR4/MyD88/NF- κ B Pathway. <i>Frontiers in Pharmacology</i> , 2016 , 7, 120	5.6	29

101	Autologous transplantation of intestine-isolated glia cells improves neuropathology and restores cognitive deficits in β -amyloid-induced neurodegeneration. <i>Scientific Reports</i> , 2016 , 6, 22605	4.9	13
100	Italian Guidelines. <i>Journal of Clinical Gastroenterology</i> , 2016 , 50 Suppl 1, S44-6	3	2
99	Molecular Signaling and Dysfunction of the Human Reactive Enteric Glial Cell Phenotype: Implications for GI Infection, IBD, POI, Neurological, Motility, and GI Disorders. <i>Inflammatory Bowel Diseases</i> , 2016 , 22, 1812-34	4.5	44
98	Enteric Glial Cells: A New Frontier in Neurogastroenterology and Clinical Target for Inflammatory Bowel Diseases. <i>Inflammatory Bowel Diseases</i> , 2016 , 22, 433-49	4.5	86
97	Quality of bowel cleansing in hospitalized patients undergoing colonoscopy: A multicentre prospective regional study. <i>Digestive and Liver Disease</i> , 2015 , 47, 669-74	3.3	17
96	Confirmatory factor analysis of the Patient Assessment of Constipation-Symptoms (PAC-SYM) among patients with chronic constipation. <i>Quality of Life Research</i> , 2015 , 24, 1597-605	3.7	26
95	Practice parameters for the treatment of colonic diverticular disease: Italian Society of Colon and Rectal Surgery (SICCR) guidelines. <i>Techniques in Coloproctology</i> , 2015 , 19, 615-26	2.9	65
94	S100B-p53 disengagement by pentamidine promotes apoptosis and inhibits cellular migration via aquaporin-4 and metalloproteinase-2 inhibition in C6 glioma cells. <i>Oncology Letters</i> , 2015 , 9, 2864-2870	2.6	23
93	Research update for articles published in EJCI in 2013. <i>European Journal of Clinical Investigation</i> , 2015 , 45, 1005-16	4.6	0
92	The Bitter Taste Receptor Agonist Quinine Reduces Calorie Intake and Increases the Postprandial Release of Cholecystokinin in Healthy Subjects. <i>Journal of Neurogastroenterology and Motility</i> , 2015 , 21, 511-9	4.4	36
91	S100B Inhibitor Pentamidine Attenuates Reactive Gliosis and Reduces Neuronal Loss in a Mouse Model of Alzheimer's Disease. <i>BioMed Research International</i> , 2015 , 2015, 508342	3	47
90	Partially hydrolyzed guar gum in the treatment of irritable bowel syndrome with constipation: effects of gender, age, and body mass index. <i>Saudi Journal of Gastroenterology</i> , 2015 , 21, 104-10	3	17
89	Incidence and distribution of coeliac disease in Campania (Italy): 2011-2013. <i>United European Gastroenterology Journal</i> , 2015 , 3, 182-9	5.3	15
88	Eosinophilic esophagitis: From pathophysiology to treatment. <i>World Journal of Gastrointestinal Pathophysiology</i> , 2015 , 6, 150-8	3.2	21
87	Enteroglial-derived S100B protein integrates bacteria-induced Toll-like receptor signalling in human enteric glial cells. <i>Gut</i> , 2014 , 63, 105-15	19.2	103
86	Palmitoylethanolamide improves colon inflammation through an enteric glia/toll like receptor 4-dependent PPAR α activation. <i>Gut</i> , 2014 , 63, 1300-12	19.2	168
85	Italian consensus conference for colonic diverticulosis and diverticular disease. <i>United European Gastroenterology Journal</i> , 2014 , 2, 413-42	5.3	112
84	Common variants in the HLA-DQ region confer susceptibility to idiopathic achalasia. <i>Nature Genetics</i> , 2014 , 46, 901-4	36.3	75

83	Genetic variation in the lymphotoxin-[[LTA)/tumour necrosis factor-[[TNF]] locus as a risk factor for idiopathic achalasia. <i>Gut</i> , 2014 , 63, 1401-9	19.2	16
82	Constipation severity is associated with productivity losses and healthcare utilization in patients with chronic constipation. <i>United European Gastroenterology Journal</i> , 2014 , 2, 138-47	5.3	45
81	Carbonation. <i>Nutrition Today</i> , 2014 , 49, 308-312	1.6	2
80	Loss-of-function of the voltage-gated sodium channel NaV1.5 (channelopathies) in patients with irritable bowel syndrome. <i>Gastroenterology</i> , 2014 , 146, 1659-1668	13.3	93
79	Irritable bowel syndrome and food interaction. <i>World Journal of Gastroenterology</i> , 2014 , 20, 8837-45	5.6	48
78	Alcoholic beverages and carbonated soft drinks: consumption and gastrointestinal cancer risks. <i>Cancer Treatment and Research</i> , 2014 , 159, 97-120	3.5	6
77	Cannabidiol in inflammatory bowel diseases: a brief overview. <i>Phytotherapy Research</i> , 2013 , 27, 633-6	6.7	61
76	Microbiota in health and irritable bowel syndrome: current knowledge, perspectives and therapeutic options. <i>Scandinavian Journal of Gastroenterology</i> , 2013 , 48, 995-1009	2.4	54
75	Acute diverticulitis: surgery timing in elderly patients. <i>BMC Surgery</i> , 2013 , 13,	2.3	1
74	Increased severity of dyspeptic symptoms related to mental stress is associated with sympathetic hyperactivity and enhanced endocrine response in patients with postprandial distress syndrome. <i>Neurogastroenterology and Motility</i> , 2013 , 25, 31-8.e2-3	4	16
73	Effect of carbonation on brain processing of sweet stimuli in humans. <i>Gastroenterology</i> , 2013 , 145, 537-9.e3	11.3	26
72	Factors affecting satisfaction with treatment in European women with chronic constipation: An internet survey. <i>United European Gastroenterology Journal</i> , 2013 , 1, 375-84	5.3	23
71	Iron absorption following a single oral dose of ferrous sulfate or ferric gluconate in patients with gastrectomy. <i>Annals of Nutrition and Metabolism</i> , 2013 , 63, 55-9	4.5	5
70	Symptom patterns can distinguish diverticular disease from irritable bowel syndrome. <i>European Journal of Clinical Investigation</i> , 2013 , 43, 1147-55	4.6	33
69	Genetic contribution to motility disorders of the upper gastrointestinal tract. <i>World Journal of Gastrointestinal Pathophysiology</i> , 2013 , 4, 65-73	3.2	11
68	Proton pump inhibitors prescribing following the introduction of generic drugs. <i>European Journal of Clinical Investigation</i> , 2012 , 42, 1068-78	4.6	6
67	Clinical features of symptomatic uncomplicated diverticular disease: a multicenter Italian survey. <i>International Journal of Colorectal Disease</i> , 2012 , 27, 1151-9	3	33
66	The antiprotozoal drug pentamidine ameliorates experimentally induced acute colitis in mice. <i>Journal of Neuroinflammation</i> , 2012 , 9, 277	10.1	21

65	Cigarette smoking and appendectomy: effect on clinical course of diverticulosis. <i>Digestive and Liver Disease</i> , 2011 , 43, 98-101	3.3	19
64	Cannabidiol reduces intestinal inflammation through the control of neuroimmune axis. <i>PLoS ONE</i> , 2011 , 6, e28159	3.7	101
63	Treatment of diverticular disease of the colon and prevention of acute diverticulitis: a systematic review. <i>Diseases of the Colon and Rectum</i> , 2011 , 54, 1326-38	3.1	54
62	Proinflammatory stimuli activates human-derived enteroglia cells and induces autocrine nitric oxide production. <i>Neurogastroenterology and Motility</i> , 2011 , 23, e372-82	4	67
61	Effects of long-term PPI treatment on producing bowel symptoms and SIBO. <i>European Journal of Clinical Investigation</i> , 2011 , 41, 380-6	4.6	83
60	The role of a pre-load beverage on gastric volume and food intake: comparison between non-caloric carbonated and non-carbonated beverage. <i>Nutrition Journal</i> , 2011 , 10, 114	4.3	17
59	S100B protein in the gut: the evidence for enteroglia-sustained intestinal inflammation. <i>World Journal of Gastroenterology</i> , 2011 , 17, 1261-6	5.6	67
58	Epidemiology and societal costs of gastroesophageal reflux disease and Barrett's syndrome in Germany, Italy and Spain. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2011 , 11, 225-32 ^{2.2}		8
57	Pseudopneumoperitoneum in chronic intestinal pseudo-obstruction: a case report. <i>World Journal of Gastroenterology</i> , 2011 , 17, 2972-5	5.6	4
56	Diagnosis and Treatment of Multiple Intestinal Angioectasias: A Case Report. <i>Gastroenterology Research</i> , 2011 , 4, 80-83	1.8	
55	A patient with eosinophilic gastroenteritis and severe malnutrition improved with home parenteral nutrition. <i>BMJ Case Reports</i> , 2010 , 2010,	0.9	1
54	Prevalence of irritable bowel syndrome in Italian rural and urban areas. <i>European Journal of Internal Medicine</i> , 2010 , 21, 324-6	3.9	16
53	Increased mucosal nitric oxide production in ulcerative colitis is mediated in part by the enteroglia-derived S100B protein. <i>Neurogastroenterology and Motility</i> , 2009 , 21, 1209-e112	4	78
52	Carbonated beverages and gastrointestinal system: between myth and reality. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2009 , 19, 683-9	4.5	18
51	Myenteric neuronal loss in rats with experimental colitis: role of tissue transglutaminase-induced apoptosis. <i>Digestive and Liver Disease</i> , 2009 , 41, 185-93	3.3	17
50	Outcome of nonerosive gastro-esophageal reflux disease patients with pathological acid exposure. <i>World Journal of Gastroenterology</i> , 2009 , 15, 5700-5	5.6	2
49	Effect of gluten-free diet on preventing recurrence of gastroesophageal reflux disease-related symptoms in adult celiac patients with nonerosive reflux disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2008 , 23, 1368-72	4	12
48	Sweetened carbonated drinks do not alter upper digestive tract physiology in healthy subjects. <i>Neurogastroenterology and Motility</i> , 2008 , 20, 780-9	4	10

47	Tissue ghrelin level and gastric emptying rate in adult patients with celiac disease. <i>Neurogastroenterology and Motility</i> , 2008 , 20, 884-90	4	21
46	A hypothetical road map to reduce acid related diseases costs management. <i>Digestive and Liver Disease</i> , 2008 , 40, 79-80	3.3	1
45	Correlation between oesophageal acid exposure and dyspeptic symptoms in patients with nonerosive reflux disease. <i>European Journal of Gastroenterology and Hepatology</i> , 2008 , 20, 264-8	2.2	15
44	Enteric glial-derived S100B protein stimulates nitric oxide production in celiac disease. <i>Gastroenterology</i> , 2007 , 133, 918-25	13.3	68
43	Effect of gluten-free diet and co-morbidity of irritable bowel syndrome-type symptoms on health-related quality of life in adult coeliac patients. <i>Digestive and Liver Disease</i> , 2007 , 39, 824-8	3.3	36
42	Can the analysis of GORD-related sleep disturbances help the clinician to better manage the disease?. <i>Neurogastroenterology and Motility</i> , 2007 , 19, 701-3	4	
41	Almost all irritable bowel syndromes are post-infectious and respond to probiotics: consensus issues. <i>Digestive Diseases</i> , 2007 , 25, 241-4	3.2	17
40	Potential options to optimize therapy of gastroesophageal reflux disease with proton pump inhibitors. <i>Digestion</i> , 2007 , 76, 171-8	3.6	2
39	Influence of motilin on gastric fundus tone and on meal-induced satiety in man: role of cholinergic pathways. <i>American Journal of Gastroenterology</i> , 2006 , 101, 804-11	0.7	85
38	The astroglial-derived S100beta protein stimulates the expression of nitric oxide synthase in rodent macrophages through p38 MAP kinase activation. <i>Life Sciences</i> , 2006 , 78, 2707-15	6.8	37
37	Oesophageal acid exposure and altered neurocardiac function in patients with GERD and idiopathic cardiac dysrhythmias. <i>Alimentary Pharmacology and Therapeutics</i> , 2006 , 24, 361-70	6.1	32
36	Gastroduodenal lesions and Helicobacter pylori infection in dyspeptic patients with and without chronic renal failure. <i>Helicobacter</i> , 2005 , 10, 53-8	4.9	29
35	Mechanisms underlying duodeno-gastric reflux in man. <i>Neurogastroenterology and Motility</i> , 2005 , 17, 191-9	4	36
34	Symptoms and pathophysiological correlations in patients with constipation and functional dyspepsia. <i>Digestion</i> , 2005 , 71, 225-30	3.6	5
33	Tumor necrosis factor alpha and apoptosis in Helicobacter pylori related progressive gastric damage: a possible mechanism of immune system involvement in epithelial turnover regulation. <i>Immunopharmacology and Immunotoxicology</i> , 2003 , 25, 203-11	3.2	11
32	Argon plasma coagulation of hemorrhagic solitary rectal ulcer syndrome. <i>Journal of Clinical Gastroenterology</i> , 2003 , 37, 392-4	3	13
31	Symptom patterns and pathophysiological mechanisms in dyspeptic patients with and without Helicobacter pylori. <i>Digestive Diseases and Sciences</i> , 2003 , 48, 2229-36	4	55
30	Influence of ursodeoxycholate-enriched diet on liver tumor growth in HBV transgenic mice. <i>Hepatology</i> , 2003 , 37, 880-6	11.2	22

29	Effect of chronic administration of tacrolimus and cyclosporine on human gastrointestinal permeability. <i>Liver Transplantation</i> , 2003 , 9, 484-8	4.5	15
28	Endoscopic ultrasound localization of a solitary insulinoma of pancreatic tail misdiagnosed as epilepsy: case report. <i>Abdominal Imaging</i> , 2003 , 28, 859-61		1
27	Mycophenolate mofetil in the treatment of autoimmune HCV-associated haematological disorders showing steroid resistance or dependence. <i>Journal of Viral Hepatitis</i> , 2003 , 10, 390-3	3.4	13
26	Second harmonic imaging improves trans-abdominal ultrasound detection of biliary sludge in SdiopathicSpancreatitis. <i>Alimentary Pharmacology and Therapeutics</i> , 2003 , 17, 473-7	6.1	2
25	Helicobacter pylori strains and histologically-related lesions affect the outcome of triple eradication therapy: a study from southern Italy. <i>Alimentary Pharmacology and Therapeutics</i> , 2003 , 17, 421-8	6.1	19
24	Acid exposure and altered acid clearance in GERD patients treated for Helicobacter pylori infection. <i>Digestive and Liver Disease</i> , 2003 , 35, 151-6	3.3	7
23	Assessment of meal induced gastric accommodation by a satiety drinking test in health and in severe functional dyspepsia. <i>Gut</i> , 2003 , 52, 1271-7	19.2	196
22	New biopsy forceps for gastrointestinal endoscopy. <i>Endoscopy</i> , 2002 , 34, 933	3.4	2
21	Effects of carbonated water on functional dyspepsia and constipation. <i>European Journal of Gastroenterology and Hepatology</i> , 2002 , 14, 991-9	2.2	33
20	A new semiquantitative method of quantifying Helicobacter pylori in antigen stools. <i>Journal of Clinical Gastroenterology</i> , 2002 , 35, 375-8	3	10
19	Case control study on health-related quality of life in adult coeliac disease. <i>Digestive and Liver Disease</i> , 2002 , 34, 547-52	3.3	62
18	Role of diaphragmatic crura and lower esophageal sphincter in gastroesophageal reflux disease: manometric and pH-metric study of small hiatal hernia. <i>Digestive Diseases and Sciences</i> , 2001 , 46, 2687-94		13
17	Reproducibility of gastric barostat studies in healthy controls and in dyspeptic patients. <i>American Journal of Gastroenterology</i> , 2001 , 96, 1047-53	0.7	66
16	The metabolism of nicotinamide in human liver cirrhosis: a study on N-methylnicotinamide and 2-pyridone-5-carboxamide production. <i>American Journal of Gastroenterology</i> , 2001 , 96, 1183-7	0.7	39
15	Functional dyspepsia symptoms, gastric emptying and satiety provocative test: analysis of relationships. <i>Scandinavian Journal of Gastroenterology</i> , 2001 , 36, 1030-6	2.4	85
14	Analysis of ambulatory duodenogastroesophageal reflux monitoring. <i>Digestive Diseases and Sciences</i> , 2000 , 45, 2463-9	4	42
13	Quantitative Analysis of Aldolase A mRNA in Liver Discriminates between Hepatocellular Carcinoma and Cirrhosis. <i>Clinical Chemistry</i> , 2000 , 46, 901-906	5.5	30
12	Manometric study of hiatal hernia and its correlation with esophageal peristalsis. <i>Digestive Diseases and Sciences</i> , 1999 , 44, 1747-53	4	15

11	Attributable risk for symptomatic liver cirrhosis in Italy. Collaborative Groups for the Study of Liver Diseases in Italy. <i>Journal of Hepatology</i> , 1998 , 28, 608-14	13.4	59
10	Nicotinamide methylation and hepatic energy reserve: a study by liver perfusion in vitro. <i>Journal of Hepatology</i> , 1995 , 23, 465-70	13.4	11
9	Nicotinamide methylation in patients with cirrhosis. <i>Journal of Hepatology</i> , 1994 , 20, 138-42	13.4	24
8	Bile and biliary lipid secretion in rats with hexachlorobenzene-induced porphyria. Effect of S-adenosyl-L-methionine administration. <i>Journal of Hepatology</i> , 1991 , 12, 87-93	13.4	3
7	Protective effect of S-adenosyl-L-methionine in hepatic uroporphyrin. Evaluation in an experimental model. <i>Scandinavian Journal of Gastroenterology</i> , 1990 , 25, 1034-40	2.4	6
6	Bile acids reversible effects on small intestinal permeability. An in vitro study in the rabbit. <i>Digestive Diseases and Sciences</i> , 1990 , 35, 801-8	4	31
5	Jejunal bacterial overgrowth and intestinal permeability in children with immunodeficiency syndromes. <i>Gut</i> , 1990 , 31, 879-82	19.2	73
4	Investigation of intestine function during acute viral hepatitis using combined sugar oral loads. <i>Gut</i> , 1987 , 28, 1439-44	19.2	21
3	Investigation of intestine and liver function in cirrhosis using combined sugar oral loads. <i>Journal of Hepatology</i> , 1985 , 1, 513-24	13.4	31
2	Hypnosis for upper gastrointestinal endoscopy. <i>Gastrointestinal Endoscopy</i> , 1985 , 31, 228	5.2	9
1	Enteric Nervous System Abnormalities in Ulcerative Colitis		2