

# Nicholas C Carpita

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7549507/publications.pdf>

Version: 2024-02-01

96  
papers

17,985  
citations

50566

48  
h-index

46524

93  
g-index

102  
all docs

102  
docs citations

102  
times ranked

18307  
citing authors

#	ARTICLE	IF	CITATIONS
1	Lack of xyloglucan in the cell walls of the <i>Arabidopsis</i> <i>xxt1/xxt2</i> mutant results in specific increases in homogalacturonan and glucomannan. <i>Plant Journal</i> , 2022, 110, 212-227.	2.8	13
2	Pectin-associated mannans and xylans play distinct roles in cell-cell adhesion in pine and poplar wood. <i>Industrial Crops and Products</i> , 2022, 184, 115054.	2.5	1
3	COMPILE: a GWAS computational pipeline for gene discovery in complex genomes. <i>BMC Plant Biology</i> , 2022, 22, .	1.6	2
4	A TEMPO-catalyzed oxidation-reduction method to probe surface and anhydrous crystalline-core domains of cellulose microfibril bundles. <i>Cellulose</i> , 2021, 28, 5305-5319.	2.4	4
5	Maize <i>Brittle Stalk2-Like3</i> , encoding a COBRA protein, functions in cell wall formation and carbohydrate partitioning. <i>Plant Cell</i> , 2021, 33, 3348-3366.	3.1	17
6	Rhamnogalacturonan is a determinant of cell-cell adhesion in poplar wood. <i>Plant Biotechnology Journal</i> , 2020, 18, 1027-1040.	4.1	24
7	Redesigning plant cell walls for the biomass-based bioeconomy. <i>Journal of Biological Chemistry</i> , 2020, 295, 15144-15157.	1.6	48
8	Sustainable production of ammonia fertilizers from biomass. <i>Biofuels, Bioproducts and Biorefining</i> , 2020, 14, 725-733.	1.9	10
9	Overcoming cellulose recalcitrance in woody biomass for the lignin-first biorefinery. <i>Biotechnology for Biofuels</i> , 2019, 12, 171.	6.2	37
10	Linkage structure of cell-wall polysaccharides from three duckweed species. <i>Carbohydrate Polymers</i> , 2019, 223, 115119.	5.1	23
11	Evolution of the Cell Wall Gene Families of Grasses. <i>Frontiers in Plant Science</i> , 2019, 10, 1205.	1.7	23
12	Expression profiles of cell-wall related genes vary broadly between two common maize inbreds during stem development. <i>BMC Genomics</i> , 2019, 20, 785.	1.2	8
13	Differential distributions of trafficking and signaling proteins of the maize ER-Golgi apparatus. <i>Plant Signaling and Behavior</i> , 2019, 14, 1672513.	1.2	2
14	Arabinose biosynthesis is critical for salt stress tolerance in <i>Arabidopsis</i> . <i>New Phytologist</i> , 2019, 224, 274-290.	3.5	64
15	Migration and proliferation of cancer cells in culture are differentially affected by molecular size of modified citrus pectin. <i>Carbohydrate Polymers</i> , 2019, 211, 141-151.	5.1	33
16	Glycome and Proteome Components of Golgi Membranes Are Common between Two Angiosperms with Distinct Cell-Wall Structures. <i>Plant Cell</i> , 2019, 31, 1094-1112.	3.1	35
17	Two banana cultivars differ in composition of potentially immunomodulatory mannan and arabinogalactan. <i>Carbohydrate Polymers</i> , 2017, 164, 31-41.	5.1	19
18	Rice Cellulose Synthase A8 Plant-Conserved Region Is a Coiled-Coil at the Catalytic Core Entrance. <i>Plant Physiology</i> , 2017, 173, 482-494.	2.3	27

#	ARTICLE	IF	CITATIONS
19	Rhamnose-Containing Cell Wall Polymers Suppress Helical Plant Growth Independently of Microtubule Orientation. <i>Current Biology</i> , 2017, 27, 2248-2259.e4.	1.8	55
20	Ripening-induced chemical modifications of papaya pectin inhibit cancer cell proliferation. <i>Scientific Reports</i> , 2017, 7, 16564.	1.6	47
21	Enhanced rates of enzymatic saccharification and catalytic synthesis of biofuel substrates in gelatinized cellulose generated by trifluoroacetic acid. <i>Biotechnology for Biofuels</i> , 2017, 10, 310.	6.2	23
22	Cell wall targeted iron accumulation enhances biomass conversion and seed iron concentration in <i>Arabidopsis</i> and rice. <i>Plant Biotechnology Journal</i> , 2016, 14, 1998-2009.	4.1	19
23	A benzoate-activated promoter from <i>Aspergillus niger</i> and regulation of its activity. <i>Applied Microbiology and Biotechnology</i> , 2016, 100, 5479-5489.	1.7	13
24	The Cell Wall Arabinose-Deficient <i>Arabidopsis thaliana</i> Mutant <i>mur5</i> Encodes a Defective Allele of REVERSIBLY GLYCOSYLATED POLYPEPTIDE2. <i>Plant Physiology</i> , 2016, 171, 1905-1920.	2.3	5
25	Polysaccharide composition of raw and cooked chayote ( <i>Sechium edule</i> Sw.) fruits and tuberous roots. <i>Carbohydrate Polymers</i> , 2015, 130, 155-165.	5.1	23
26	Tandem mass spectrometric characterization of the conversion of xylose to furfural. <i>Biomass and Bioenergy</i> , 2015, 74, 1-5.	2.9	10
27	Plants and bioenergy. <i>Journal of Experimental Botany</i> , 2015, 66, 4093-4095.	2.4	6
28	Biomass recalcitrance: a multi-scale, multi-factor, and conversion-specific property: Fig. 1.. <i>Journal of Experimental Botany</i> , 2015, 66, 4109-4118.	2.4	197
29	Characterizing visible and invisible cell wall mutant phenotypes. <i>Journal of Experimental Botany</i> , 2015, 66, 4145-4163.	2.4	23
30	Tailoring Plant Cell Wall Composition and Architecture for Conversion to Liquid Hydrocarbon Biofuels. , 2015, , 63-82.		2
31	Genetic Determinants for Enzymatic Digestion of Lignocellulosic Biomass Are Independent of Those for Lignin Abundance in a Maize Recombinant Inbred Population. <i>Plant Physiology</i> , 2014, 165, 1475-1487.	2.3	51
32	The Structure of the Catalytic Domain of a Plant Cellulose Synthase and Its Assembly into Dimers. <i>Plant Cell</i> , 2014, 26, 2996-3009.	3.1	61
33	Validation of PyMBMS as a High-throughput Screen for Lignin Abundance in Lignocellulosic Biomass of Grasses. <i>Bioenergy Research</i> , 2014, 7, 899-908.	2.2	19
34	Structural alteration of cell wall pectins accompanies pea development in response to cold. <i>Phytochemistry</i> , 2014, 104, 37-47.	1.4	75
35	Towards Redesigning Cellulose Biosynthesis for Improved Bioenergy Feedstocks. , 2014, , 183-193.		1
36	<i>Sphingomonas cynarae</i> sp. nov., a proteobacterium that produces an unusual type of sphingan. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 72-79.	0.8	30

#	ARTICLE	IF	CITATIONS
37	Analysis of xyloglucans by ambient chloride attachment ionization tandem mass spectrometry. <i>Carbohydrate Polymers</i> , 2013, 98, 1203-1213.	5.1	21
38	Progress in the biological synthesis of the plant cell wall: new ideas for improving biomass for bioenergy. <i>Current Opinion in Biotechnology</i> , 2012, 23, 330-337.	3.3	79
39	Envisioning the transition to a next-generation biofuels industry in the US Midwest. <i>Biofuels, Bioproducts and Biorefining</i> , 2012, 6, 376-386.	1.9	26
40	Alterations in cell-wall glycosyl linkage structure of <i>Arabidopsis murus</i> mutants. <i>Carbohydrate Polymers</i> , 2012, 89, 331-339.	5.1	15
41	Update on Mechanisms of Plant Cell Wall Biosynthesis: How Plants Make Cellulose and Other (1 $\alpha$ '4)- $\beta$ -D-Glycans. <i>Plant Physiology</i> , 2011, 155, 171-184.	2.3	126
42	Cell wall polysaccharides from fern leaves: Evidence for a mannan-rich Type III cell wall in <i>Adiantum raddianum</i> . <i>Phytochemistry</i> , 2011, 72, 2352-2360.	1.4	63
43	Cell wall polysaccharides from cell suspension cultures of the Atlantic Forest tree <i>Rudgea jasminoides</i> (Rubiaceae). <i>Trees - Structure and Function</i> , 2010, 24, 713-722.	0.9	2
44	The Maize Mixed-Linkage (1 $\alpha$ '3),(1 $\alpha$ '4)- $\beta$ -D-Glucan Polysaccharide Is Synthesized at the Golgi Membrane. <i>Plant Physiology</i> , 2010, 153, 1362-1371.	2.3	51
45	Genetic Resources for Maize Cell Wall Biology. <i>Plant Physiology</i> , 2009, 151, 1703-1728.	2.3	152
46	The <i>Sorghum bicolor</i> genome and the diversification of grasses. <i>Nature</i> , 2009, 457, 551-556.	13.7	2,642
47	The <i>thanatos</i> mutation in <i>Arabidopsis thaliana</i> cellulose synthase 3 ( <i>AtCesA3</i> ) has a dominant-negative effect on cellulose synthesis and plant growth. <i>New Phytologist</i> , 2009, 184, 114-126.	3.5	45
48	The B73 Maize Genome: Complexity, Diversity, and Dynamics. <i>Science</i> , 2009, 326, 1112-1115.	6.0	3,612
49	Designing the deconstruction of plant cell walls. <i>Current Opinion in Plant Biology</i> , 2008, 11, 314-320.	3.5	186
50	Maize and sorghum: genetic resources for bioenergy grasses. <i>Trends in Plant Science</i> , 2008, 13, 415-420.	4.3	172
51	Novel Rhamnogalacturonan I and Arabinoxylan Polysaccharides of Flax Seed Mucilage. <i>Plant Physiology</i> , 2008, 148, 132-141.	2.3	170
52	Small-interfering RNAs from natural antisense transcripts derived from a cellulose synthase gene modulate cell wall biosynthesis in barley. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 20534-20539.	3.3	91
53	Comparative Genomics in Switchgrass Using 61,585 High-Quality Expressed Sequence Tags. <i>Plant Genome</i> , 2008, 1, .	1.6	57
54	Neural Network Analyses of Infrared Spectra for Classifying Cell Wall Architectures. <i>Plant Physiology</i> , 2007, 143, 1314-1326.	2.3	76

#	ARTICLE	IF	CITATIONS
55	Maize <i>Brittle stalk2</i> Encodes a COBRA-Like Protein Expressed in Early Organ Development But Required for Tissue Flexibility at Maturity. <i>Plant Physiology</i> , 2007, 145, 1444-1459.	2.3	116
56	Molecular Breeding to Enhance Ethanol Production from Corn and Sorghum Stover. <i>Crop Science</i> , 2007, 47, S-142.	0.8	154
57	Fine structure of a mixed-oligomer storage xyloglucan from seeds of <i>Hymenaea courbaril</i> . <i>Carbohydrate Polymers</i> , 2006, 66, 444-454.	5.1	43
58	Genomics of plant cell wall biogenesis. <i>Planta</i> , 2005, 221, 747-751.	1.6	90
59	Loss of Highly Branched Arabinans and Debranching of Rhamnogalacturonan I Accompany Loss of Firm Texture and Cell Separation during Prolonged Storage of Apple. <i>Plant Physiology</i> , 2004, 135, 1305-1313.	2.3	131
60	The Galactose Residues of Xyloglucan Are Essential to Maintain Mechanical Strength of the Primary Cell Walls in <i>Arabidopsis</i> during Growth. <i>Plant Physiology</i> , 2004, 134, 443-451.	2.3	113
61	Topology of the Maize Mixed Linkage (1 $\rightarrow$ 3),(1 $\rightarrow$ 4)- $\beta$ -D-Glucan Synthase at the Golgi Membrane. <i>Plant Physiology</i> , 2004, 134, 758-768.	2.3	42
62	Mixed Linkage (1 $\rightarrow$ 3),(1 $\rightarrow$ 4)- $\beta$ -d-Glucans of Grasses. <i>Cereal Chemistry</i> , 2004, 81, 115-127.	1.1	140
63	Mutation of a family 8 glycosyltransferase gene alters cell wall carbohydrate composition and causes a humidity-sensitive semi-sterile dwarf phenotype in <i>Arabidopsis</i> . <i>Plant Molecular Biology</i> , 2003, 53, 687-701.	2.0	61
64	The MUR3 Gene of <i>Arabidopsis</i> Encodes a Xyloglucan Galactosyltransferase That Is Evolutionarily Related to Animal Exostosins. <i>Plant Cell</i> , 2003, 15, 1662-1670.	3.1	304
65	The mur2 mutant of <i>Arabidopsis thaliana</i> lacks fucosylated xyloglucan because of a lesion in fucosyltransferase AtFUT1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 3340-3345.	3.3	256
66	Title is missing!. <i>Plant and Soil</i> , 2002, 247, 71-80.	1.8	39
67	Cell Wall Architecture of the Elongating Maize Coleoptile. <i>Plant Physiology</i> , 2001, 127, 551-565.	2.3	29
68	Insight into multi-site mechanisms of glycosyl transfer in (1 $\rightarrow$ 4)- $\beta$ -d-glycans provided by the cereal mixed-linkage (1 $\rightarrow$ 3),(1 $\rightarrow$ 4)- $\beta$ -d-glucan synthase. <i>Phytochemistry</i> , 2001, 57, 1045-1053.	1.4	37
69	Approaches to understanding the functional architecture of the plant cell wall. <i>Phytochemistry</i> , 2001, 57, 811-821.	1.4	83
70	Title is missing!. , 2001, 47, 145-160.		98
71	Cell Wall Architecture of the Elongating Maize Coleoptile. <i>Plant Physiology</i> , 2001, 127, 551-565.	2.3	263
72	COBRA encodes a putative GPI-anchored protein, which is polarly localized and necessary for oriented cell expansion in <i>Arabidopsis</i> . <i>Genes and Development</i> , 2001, 15, 1115-1127.	2.7	335

#	ARTICLE	IF	CITATIONS
73	<i>MYB61</i> Is Required for Mucilage Deposition and Extrusion in the Arabidopsis Seed Coat. <i>Plant Cell</i> , 2001, 13, 2777-2791.	3.1	253
74	Cell Wall and Membrane-Associated Exo- $\beta$ -D-Glucanases from Developing Maize Seedlings. <i>Plant Physiology</i> , 2000, 123, 471-486.	2.3	93
75	The Mechanism of Synthesis of a Mixed-Linkage (1 $\rightarrow$ 3),(1 $\rightarrow$ 4) $\beta$ -D-Glucan in Maize. Evidence for Multiple Sites of Glucosyl Transfer in the Synthase Complex1. <i>Plant Physiology</i> , 1999, 120, 1105-1116.	2.3	113
76	A rapid method to screen for cell-wall mutants using discriminant analysis of Fourier transform infrared spectra. <i>Plant Journal</i> , 1998, 16, 385-392.	2.8	202
77	STRUCTURE AND BIOGENESIS OF THE CELL WALLS OF GRASSES. <i>Annual Review of Plant Biology</i> , 1996, 47, 445-476.	14.2	753
78	The intravacuolar organic matrix associated with calcium oxalate crystals in leaves of <i>Vitis</i> . <i>Plant Journal</i> , 1995, 7, 633-648.	2.8	72
79	Dynamic changes in cell surface molecules are very early events in the differentiation of mesophyll cells from <i>Zinnia elegans</i> into tracheary elements. <i>Plant Journal</i> , 1995, 8, 891-906.	2.8	70
80	Changes in pectin structure and localization during the growth of unadapted and NaCl-adapted tobacco cells. <i>Plant Journal</i> , 1994, 5, 773-785.	2.8	110
81	Enrichment of vitronectin- and fibronectin-like proteins in NaCl-adapted plant cells and evidence for their involvement in plasma membrane-cell wall adhesion. <i>Plant Journal</i> , 1993, 3, 637-646.	2.8	106
82	Structural models of primary cell walls in flowering plants: consistency of molecular structure with the physical properties of the walls during growth. <i>Plant Journal</i> , 1993, 3, 1-30.	2.8	2,881
83	Changes in Esterification of the Uronic Acid Groups of Cell Wall Polysaccharides during Elongation of Maize Coleoptiles. <i>Plant Physiology</i> , 1992, 98, 646-653.	2.3	317
84	Germin isoforms are discrete temporal markers of wheat development. Pseudogermin is a uniquely thermostable water-soluble oligomeric protein in ungerminated embryos and like germin in germinated embryos, it is incorporated into cell walls. <i>FEBS Journal</i> , 1992, 209, 961-969.	0.2	71
85	Clean-up procedure for partially methylated alditol acetate derivatives of polysaccharides. <i>Journal of Chromatography A</i> , 1991, 587, 284-287.	1.8	16
86	Measurement of uronic acids without interference from neutral sugars. <i>Analytical Biochemistry</i> , 1991, 197, 157-162.	1.1	1,182
87	Tracing Cell Wall Biogenesis in Intact Cells and Plants. <i>Plant Physiology</i> , 1991, 97, 551-561.	2.3	204
88	Extraction of starch by dimethyl sulfoxide and quantitation by enzymatic assay. <i>Analytical Biochemistry</i> , 1987, 161, 132-139.	1.1	76
89	A highly substituted glucuronoarabinoxylan from developing maize coleoptiles. <i>Carbohydrate Research</i> , 1986, 146, 129-140.	1.1	47
90	Incorporation of Proline and Aromatic Amino Acids into Cell Walls of Maize Coleoptiles. <i>Plant Physiology</i> , 1986, 80, 660-666.	2.3	46

#	ARTICLE	IF	CITATIONS
91	Cell Wall Development in Maize Coleoptiles. <i>Plant Physiology</i> , 1984, 76, 205-212.	2.3	150
92	Fractionation of hemicelluloses from maize cell walls with increasing concentrations of alkali. <i>Phytochemistry</i> , 1984, 23, 1089-1093.	1.4	81
93	Hemicellulosic Polymers of Cell Walls of Zea Coleoptiles. <i>Plant Physiology</i> , 1983, 72, 515-521.	2.3	78
94	Promotion of hypocotyl elongation in loblolly pine ( <i>Pinus taeda</i> L.) by indole-3-acetic acid. <i>Physiologia Plantarum</i> , 1982, 55, 149-154.	2.6	11
95	Growth physics and water relations of red-light-induced germination in lettuce seeds. <i>Planta</i> , 1981, 152, 131-136.	1.6	18
96	Protection of Cellulose Synthesis in Detached Cotton Fibers by Polyethylene Glycol. <i>Plant Physiology</i> , 1980, 66, 911-916.	2.3	39