L Jeffrey Medeiros

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/754983/l-jeffrey-medeiros-publications-by-year.pdf

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 936
 31,286
 86
 131

 papers
 citations
 h-index
 g-index

 980
 35,978
 4.6
 7.04

 ext. papers
 ext. citations
 avg, IF
 L-index

#	Paper	IF	Citations
936	Unexpected myeloid sarcoma of the tonsil in a patient without a history of hematological neoplasm <i>Blood</i> , 2022 , 139, 148	2.2	O
935	Artificial intelligence-assisted mapping of proliferation centers allows the distinction of accelerated phase from large cell transformation in chronic lymphocytic leukemia <i>Modern Pathology</i> , 2022 ,	9.8	1
934	3'CBFB deletion in CBFB-rearranged acute myeloid leukemia retains morphological features associated with inv(16), but patients have higher risk of relapse and may require stem cell transplant <i>Annals of Hematology</i> , 2022 , 101, 847	3	O
933	Landscape of NOTCH1 mutations and co-occurring biomarker alterations in chronic lymphocytic leukemia <i>Leukemia Research</i> , 2022 , 116, 106827	2.7	
932	From the archives of MD Anderson Cancer Center: Intravascular large B-cell lymphoma with numerous circulating lymphoma cells <i>Annals of Diagnostic Pathology</i> , 2022 , 58, 151934	2.2	
931	Primary mediastinal germ cell tumor and clonally related and unique hematologic neoplasms with i(12p) and TP53 mutation: A report of two cases <i>Annals of Diagnostic Pathology</i> , 2022 , 59, 151951	2.2	0
930	Chronic Lymphocytic Leukemia Progression Diagnosis with Intrinsic Cellular Patterns via Unsupervised Clustering. <i>Cancers</i> , 2022 , 14, 2398	6.6	1
929	MET Expression Level in Lung Adenocarcinoma Loosely Correlates with MET Copy Number Gain/Amplification and Is a Poor Predictor of Patient Outcome. <i>Cancers</i> , 2022 , 14, 2433	6.6	O
928	High-Throughput Characterization of Cytogenomic Heterogeneity of MDS Using High-Resolution Optical Genome Mapping. <i>Blood</i> , 2021 , 138, 105-105	2.2	
927	Outcomes of Patients with Extranodal Natural Killer/T-Cell Lymphoma: Single Institution Series. <i>Blood</i> , 2021 , 138, 4536-4536	2.2	
926	Machine Learning Pipeline with Feature Engineering Provides Robust Diagnostic Predictions in Chronic Lymphocytic Leukemia, Accelerated and Transformed Phases. <i>Blood</i> , 2021 , 138, 3738-3738	2.2	
925	Longitudinal Next Generation Sequencing Reveals the Clonal Hierarchy of IDH Mutated Clones and Impact on Survival in NPM1 Mutated AML. <i>Blood</i> , 2021 , 138, 607-607	2.2	O
924	Artificial Intelligence-Assisted Mapping of Proliferation Centers in Chronic Lymphocytic Leukemia/ Small Lymphocytic Lymphoma Identifies Patterns That Reliably Distinguish Accelerated Phase and Large Cell Transformation. <i>Blood</i> , 2021 , 138, 1558-1558	2.2	1
923	Outcome of Patients with T- Cell Histiocyte Rich B Cell Lymphoma: Single Institution Series. <i>Blood</i> , 2021 , 138, 1448-1448	2.2	
922	Ibrutinib With Rituximab in First-Line Treatment of Older Patients With Mantle Cell Lymphoma. <i>Journal of Clinical Oncology</i> , 2021 , JCO2101797	2.2	6
921	Clinicopathological Features of Syncytial Variant Nodular Sclerosis Hodgkin lymphoma. <i>Human Pathology</i> , 2021 , 119, 105-105	3.7	0
920	Small cell/lymphohistiocytic morphology is associated with peripheral blood involvement, CD8 positivity and retained T-cell antigens, but not outcome in adults with ALK+ anaplastic large cell lymphoma. <i>Modern Pathology</i> , 2021 ,	9.8	1

919	Mantle cell lymphoma involving tonsils: a clinicopathologic study of 83 cases. <i>Human Pathology</i> , 2021 , 118, 60-68	3.7	1
918	CBFB Break-Apart FISH Testing: An Analysis of 1629 AML Cases with a Focus on Atypical Findings and Their Implications in Clinical Diagnosis and Management. <i>Cancers</i> , 2021 , 13,	6.6	1
917	Disseminated ALK-positive histiocytosis with fusion in an adult. <i>Leukemia and Lymphoma</i> , 2021 , 62, 1234	1119238	5
916	MDMX/MDM4 is highly expressed and contributes to cell growth and survival in anaplastic large cell lymphoma. <i>Leukemia and Lymphoma</i> , 2021 , 62, 1563-1573	1.9	1
915	Postchemotherapy Histiocyte-rich Pseudotumor Mimicking Residual Lymphoma: A Report of 11 Cases Correlating Clinicopathologic and Radiologic Findings. <i>American Journal of Surgical Pathology</i> , 2021 , 45, 160-168	6.7	4
914	MET Amplification (MET/CEP7 Ratio 🗓 .8) Is an Independent Poor Prognostic Marker in Patients With Treatment-naive Non-Small-cell Lung Cancer. <i>Clinical Lung Cancer</i> , 2021 , 22, e512-e518	4.9	2
913	CD45-negative follicular lymphoma: A rare diagnostic pitfall of a common entity. <i>Cytometry Part B - Clinical Cytometry</i> , 2021 , 100, 406-408	3.4	2
912	Evolutionary action score identifies a subset of TP53 mutated myelodysplastic syndrome with favorable prognosis. <i>Blood Cancer Journal</i> , 2021 , 11, 52	7	3
911	Follicular dendritic cell sarcoma in the differential diagnosis of GATA3 positive tumors: A case report. <i>Human Pathology: Case Reports</i> , 2021 , 23, 200473	0.2	
910	Syncytial variant of nodular sclerosis Hodgkin lymphoma: an under-emphasized variant. <i>Human Pathology</i> , 2021 , 117, 115-125	3.7	1
909	Laboratory Evaluation and Pathological Workup of Neoplastic Monocytosis - Chronic Myelomonocytic Leukemia and Beyond. <i>Current Hematologic Malignancy Reports</i> , 2021 , 16, 286-303	4.4	
908	Myeloid/lymphoid neoplasms with FLT3 rearrangement. <i>Modern Pathology</i> , 2021 , 34, 1673-1685	9.8	5
907	From the archives of MD Anderson Cancer Center: A case of concurrent follicular lymphoma and Langerhans cell sarcoma with a review of the literature. <i>Annals of Diagnostic Pathology</i> , 2021 , 52, 15172	2 .2	
906	Breast implant-associated anaplastic large cell lymphoma: clinical follow-up and analysis of sequential pathologic specimens of untreated patients shows persistent or progressive disease. <i>Modern Pathology</i> , 2021 , 34, 2148-2153	9.8	2
905	Incidental identification of inv(16)(p13.1q22)/- variant transcript in a patient with therapy-related acute myeloid leukemia by routine leukemia translocation panel screen: implications for diagnosis and therapy. <i>Journal of Physical Education and Sports Management</i> , 2021 , 7,	2.8	2
904	Only SF3B1 mutation involving K700E independently predicts overall survival in myelodysplastic syndromes. <i>Cancer</i> , 2021 , 127, 3552-3565	6.4	1
903	Future of Education or Present Reality?. Archives of Pathology and Laboratory Medicine, 2021, 145, 1350-	- 1, 354	О
902	Blastic plasmacytoid dendritic cell neoplasm with history of myeloma and concomitant acute undifferentiated leukemia: Illustration of morphologic and immunophenotypic challenges of an emerging phenomenon. <i>Leukemia and Lymphoma</i> , 2021 , 62, 3296-3299	1.9	0

901	Epstein-Barr-virus-positive large B-cell lymphoma associated with breast implants: an analysis of eight patients suggesting a possible pathogenetic relationship. <i>Modern Pathology</i> , 2021 , 34, 2154-2167	9.8	6
900	rearrangement but not extra copies is an independent prognostic factor in patients with mantle cell lymphoma. <i>Haematologica</i> , 2021 , 106, 1381-1389	6.6	12
899	Immunophenotypic characterization of reactive and neoplastic plasmacytoid dendritic cells permits establishment of a 10-color flow cytometric panel for initial workup and residual disease evaluation of blastic plasmacytoid dendritic cell neoplasm. <i>Haematologica</i> , 2021 , 106, 1047-1055	6.6	15
898	Lymphocytic variant of hypereosinophilic syndrome: A report of seven cases from a single institution. <i>Cytometry Part B - Clinical Cytometry</i> , 2021 , 100, 352-360	3.4	3
897	Molecular profiling reveals a hypoxia signature in breast implant-associated anaplastic large cell lymphoma. <i>Haematologica</i> , 2021 , 106, 1714-1724	6.6	10
896	Langerhans cell sarcoma involving skin and showing epidermotropism: A comprehensive review. <i>Journal of Cutaneous Pathology</i> , 2021 , 48, 547-557	1.7	1
895	Utilization of cytology smears improves success rates of RNA-based next-generation sequencing gene fusion assays for clinically relevant predictive biomarkers. <i>Cancer Cytopathology</i> , 2021 , 129, 374-38	8 2 9	8
894	Determination of immunophenotypic aberrancies provides better assessment of peripheral blood involvement by mycosis fungoides/SZary syndrome than quantification of CD26- or CD7- CD4+ T-cells. Cytometry Part B - Clinical Cytometry, 2021, 100, 183-191	3.4	8
893	Higher infiltration of intratumoral CD25+ FOXP3+ lymphocytes correlates with a favorable prognosis in patients with diffuse large B-cell lymphoma. <i>Leukemia and Lymphoma</i> , 2021 , 62, 76-85	1.9	2
892	Acquired MET amplification in non-small cell lung cancer is highly associated with the exposure of EGFR inhibitors and may not affect patients' outcome. <i>Experimental and Molecular Pathology</i> , 2021 , 118, 104572	4.4	1
891	From the archives of MD Anderson Cancer Center: Untreated leukemic non-nodal mantle cell lymphoma with relapse as pleomorphic variant mantle cell lymphoma 21 years later. <i>Annals of Diagnostic Pathology</i> , 2021 , 50, 151649	2.2	1
890	MYC expression is associated with older age, common morphology, increased MYC copy number, and poorer prognosis in patients with ALK+ anaplastic large cell lymphoma. <i>Human Pathology</i> , 2021 , 108, 22-31	3.7	3
889	Myeloid neoplasms associated with t(3;12)(q26.2;p13) are clinically aggressive, show myelodysplasia, and frequently harbor chromosome 7 abnormalities. <i>Modern Pathology</i> , 2021 , 34, 300-3	193 ⁸	2
888	CD123 Expression in Philadelphia Chromosome-like B Acute Lymphoblastic Leukemia/Lymphoma. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2021 , 21, e317-e320	2	2
887	The survival impact of CKS1B gains or amplification is dependent on the background karyotype and TP53 deletion status in patients with myeloma. <i>Modern Pathology</i> , 2021 , 34, 327-335	9.8	1
886	Factors Impacting Clinically Relevant RNA Fusion Assays Using Next-Generation Sequencing. <i>Archives of Pathology and Laboratory Medicine</i> , 2021 , 145, 1405-1412	5	1
885	Flow cytometric immunophenotypic alterations of persistent clonal haematopoiesis in remission bone marrows of patients with NPM1-mutated acute myeloid leukaemia. <i>British Journal of Haematology</i> , 2021 , 192, 1054-1063	4.5	7
884	Epstein-Barr virus latent membrane protein-1 upregulates autophagy and promotes viability in Hodgkin lymphoma: Implications for targeted therapy. <i>Cancer Science</i> , 2021 , 112, 1589-1602	6.9	4

(2020-2021)

883	Myelodysplastic syndrome with t(6;9)(p22;q34.1)/DEK-NUP214 better classified as acute myeloid leukemia? A multicenter study of 107 cases. <i>Modern Pathology</i> , 2021 , 34, 1143-1152	9.8	1
882	Clinicopathologic Features of Myelodysplastic Syndromes Involving Lymph Nodes. <i>American Journal of Surgical Pathology</i> , 2021 , 45, 930-938	6.7	
881	Expression of the novel tumour suppressor sterile alpha motif and HD domain-containing protein 1 is an independent adverse prognostic factor in classical Hodgkin lymphoma. <i>British Journal of Haematology</i> , 2021 , 193, 488-496	4.5	3
880	Primary Effusion Lymphoma: A Clinicopathological Study of 70 Cases. <i>Cancers</i> , 2021 , 13,	6.6	9
879	EZH2 expression is associated with inferior overall survival in mantle cell lymphoma. <i>Modern Pathology</i> , 2021 , 34, 2183-2191	9.8	1
878	From the archives of MD Anderson Cancer Center: Concurrent BCR-ABL1 and CRLF2 rearrangements in B-lymphoblast phase of chronic myeloid leukemia. <i>Annals of Diagnostic Pathology</i> , 2021 , 53, 151767	2.2	1
877	Nine-Year Follow-up of Patients with Relapsed Follicular Lymphoma after Nonmyeloablative Allogeneic Stem Cell Transplant and Autologous Transplant. <i>Clinical Cancer Research</i> , 2021 , 27, 5847-58	356 ^{12.9}	0
876	Hematogones with light chain restriction: A potential diagnostic pitfall when using flow cytometry analysis to assess bone marrow specimens. <i>Leukemia Research</i> , 2021 , 111, 106704	2.7	O
875	Artificial intelligence strategy integrating morphologic and architectural biomarkers provides robust diagnostic accuracy for disease progression in chronic lymphocytic leukemia. <i>Journal of Pathology</i> , 2021 ,	9.4	8
874	Genetic profiling and biomarkers in peripheral T-cell lymphomas: current role in the diagnostic work-up. <i>Modern Pathology</i> , 2021 ,	9.8	1
873	Analytical and clinical performance of chromosomal microarrays compared with FISH panel and conventional karyotyping in patients with chronic lymphocytic leukemia. <i>Leukemia Research</i> , 2021 , 108, 106616	2.7	0
872	B-prolymphocytic leukemia: Is it time to retire this entity?. <i>Annals of Diagnostic Pathology</i> , 2021 , 54, 151	1 <i>7:9:</i> 10	О
871	Chronic myeloid leukemia, BCR-ABL1-positive, carrying NPM1 mutation - First case series from a single institution. <i>Leukemia Research</i> , 2021 , 111, 106685	2.7	O
870	The impact of cell-of-origin, MYC/Bcl-2 dual expression and rearrangement on disease relapse among early stage diffuse large B-cell lymphoma patients treated with combined modality therapy. <i>Leukemia and Lymphoma</i> , 2021 , 62, 1361-1369	1.9	O
869	The Leukemic Phase of ALK-Negative Anaplastic Large Cell Lymphoma Is Associated with CD7 Positivity, Complex Karyotype, Deletion, and a Poor Prognosis <i>Cancers</i> , 2021 , 13,	6.6	1
868	Myeloid/lymphoid neoplasms with eosinophilia and FLT3 rearrangement. <i>Leukemia Research</i> , 2020 , 99, 106460	2.7	2
867	Announcement: The International System for Reporting Lymph Node Cytopathology. <i>Acta Cytologica</i> , 2020 , 64, 299-305	3	3
866	PD-1/PD-L1 Pathway and Its Blockade in Patients with Classic Hodgkin Lymphoma and Non-Hodgkin Large-Cell Lymphomas. <i>Current Hematologic Malignancy Reports</i> , 2020 , 15, 372-381	4.4	17

865	Chronic myeloid leukemia with insertion-derived BCR-ABL1 fusion: redefining complex chromosomal abnormalities by correlation of FISH and karyotype predicts prognosis. <i>Modern Pathology</i> , 2020 , 33, 2035-2045	9.8	1
864	From the archives of MD Anderson Cancer Center: BCR-ABL1-like B acute lymphoblastic leukemia with IGH/EPOR fusion. <i>Annals of Diagnostic Pathology</i> , 2020 , 46, 151514	2.2	
863	A suggested immunohistochemical algorithm for the classification of T-cell lymphomas involving lymph nodes. <i>Human Pathology</i> , 2020 , 102, 104-116	3.7	2
862	A Proposal for the Performance, Classification, and Reporting of Lymph Node Fine-Needle Aspiration Cytopathology: The Sydney System. <i>Acta Cytologica</i> , 2020 , 64, 306-322	3	15
861	High levels of immunoglobulin expression predict shorter overall survival in patients with acute myeloid leukemia. <i>European Journal of Haematology</i> , 2020 , 105, 449-459	3.8	3
860	Epstein - Barr virus specific cytotoxic T lymphocytes for the treatment of severe epstein-barr virus mucocutaneous ulcer. <i>British Journal of Haematology</i> , 2020 , 189, e33-e36	4.5	2
859	Leukemic phase of Richter transformation: A mimic of acute myeloid leukemia that responded to Ibrutinib monotherapy. <i>American Journal of Hematology</i> , 2020 , 95, 1221	7.1	1
858	Classic Hodgkin lymphoma and Castleman disease: an entity appears to be emerging. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2020 , 477, 437-444	5.1	2
857	Reply to "PD-L1 expression in anaplastic large cell lymphoma". <i>Modern Pathology</i> , 2020 , 33, 1234-1235	9.8	
856	iAMP21 in acute myeloid leukemia is associated with complex karyotype, TP53 mutation and dismal outcome. <i>Modern Pathology</i> , 2020 , 33, 1389-1397	9.8	1
855	T(6;14)(q25;q32) involves BCL11B and is highly associated with mixed-phenotype acute leukemia, T/myeloid. <i>Leukemia</i> , 2020 , 34, 2509-2512	10.7	6
854	Systematic use of fluorescence in-situ hybridisation and clinicopathological features in the screening of PDGFRB rearrangements of patients with myeloid/lymphoid neoplasms. <i>Histopathology</i> , 2020 , 76, 1042-1054	7.3	7
853	MYC rearrangement and MYC/BCL2 double expression but not cell-of-origin predict prognosis in R-CHOP treated diffuse large B-cell lymphoma. <i>European Journal of Haematology</i> , 2020 , 104, 336-343	3.8	9
852	Simplified molecular classification of lung adenocarcinomas based on EGFR, KRAS, and TP53 mutations. <i>BMC Cancer</i> , 2020 , 20, 83	4.8	7
851	Reconsideration of the first recognition of breast implant-associated anaplastic large cell lymphoma: A critical review of the literature. <i>Annals of Diagnostic Pathology</i> , 2020 , 45, 151474	2.2	9
850	CD8 expression in anaplastic large cell lymphoma correlates with noncommon morphologic variants and T-cell antigen expression suggesting biological differences with CD8-negative anaplastic large cell lymphoma. <i>Human Pathology</i> , 2020 , 98, 1-9	3.7	6
849	Genotype-phenotype correlation of unusual BCR-ABL1 transcripts in Philadelphia chromosome-positive leukaemia. <i>British Journal of Haematology</i> , 2020 , 189, e207-e211	4.5	1
848	ALK+ large B-cell lymphoma with aberrant expression of CD3. <i>Blood</i> , 2020 , 136, 3086	2.2	1

(2020-2020)

847	Identification of biomarkers of immune checkpoint blockade efficacy in recurrent or refractory solid tumor malignancies. <i>Oncotarget</i> , 2020 , 11, 600-618	3.3	9
846	HHV8-Associated Lymphoproliferative Disorders 2020 , 439-446		
845	A Cryptic BCR-PDGFRB Fusion Resulting in a Chronic Myeloid Neoplasm With Monocytosis and Eosinophilia: A Novel Finding With Treatment Implications. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2020 , 18, 1300-1304	7:3	2
844	t(11;16)(q23;p13)/KMT2A-CREBBP in hematologic malignancies: presumptive evidence of myelodysplasia or therapy-related neoplasm?. <i>Annals of Hematology</i> , 2020 , 99, 487-500	3	1
843	Posttransplant Lymphoproliferative Disorder Involving the Gastrointestinal Tract. <i>Journal of Digestive Endoscopy</i> , 2020 , 11, 293-294	0.4	1
842	Hodgkin lymphoma: a review of pathological features and recent advances in pathogenesis. <i>Pathology</i> , 2020 , 52, 154-165	1.6	26
841	Outcomes in patients with aggressive B-cell non-Hodgkin lymphoma after intensive frontline treatment failure. <i>Cancer</i> , 2020 , 126, 293-303	6.4	11
840	Clinical, histopathologic, and immunoarchitectural features of dermatopathic lymphadenopathy: an update. <i>Modern Pathology</i> , 2020 , 33, 1104-1121	9.8	6
839	Low ALK FISH positive metastatic non-small cell lung cancer (NSCLC) patients have shorter progression-free survival after treatment with ALK inhibitors. <i>Cancer Genetics</i> , 2020 , 241, 57-60	2.3	1
838	Angioimmunoblastic T-cell lymphoma in Taiwan reveals worse progression-free survival for G17V mutated subtype. <i>Leukemia and Lymphoma</i> , 2020 , 61, 1108-1118	1.9	2
837	Immunopathology of Kikuchi-Fujimoto disease: A reappraisal using novel immunohistochemistry markers. <i>Histopathology</i> , 2020 , 77, 262-274	7.3	7
836	Myeloid neoplasm with eosinophilia and BCR-JAK2/t(9;22)(p24;q11.2) morphologically mimicking chronic myeloid leukemia. <i>Annals of Diagnostic Pathology</i> , 2020 , 44, 151405	2.2	4
835	Diffuse large B-cell lymphoma variants: an update. <i>Pathology</i> , 2020 , 52, 53-67	1.6	61
834	High-grade B-cell lymphoma: a term re-purposed in the revised WHO classification. <i>Pathology</i> , 2020 , 52, 68-77	1.6	14
833	RAS and TP53 can predict survival in adults with T-cell lymphoblastic leukemia treated with hyper-CVAD. <i>Cancer Medicine</i> , 2020 , 9, 849-858	4.8	3
832	Poor outcomes for double-hit lymphoma patients treated with curative-intent second-line immunochemotherapy following failure of intensive front-line immunochemotherapy. <i>British Journal of Haematology</i> , 2020 , 189, 313-317	4.5	4
831	Concurrent V617F and W515L in myelodysplastic/myeloproliferative neoplasm with ring sideroblasts and thrombocytosis. <i>Leukemia and Lymphoma</i> , 2020 , 61, 963-966	1.9	1
830	Hydroa Vacciniforme-Like Lymphoproliferative Disorder With Progression to EBV+ Cytotoxic Peripheral T-Cell Lymphoma. <i>American Journal of Dermatopathology</i> , 2020 , 42, 714-716	0.9	2

829	American Registry of Pathology Expert Opinions: Recommendations for the diagnostic workup of mature T cell neoplasms. <i>Annals of Diagnostic Pathology</i> , 2020 , 49, 151623	2.2	2
828	Lymphoid enhancer binding factor 1 (LEF1) expression is significantly higher in Hodgkin lymphoma associated with Richter syndrome relative to de novo classic Hodgkin lymphoma. <i>Annals of Diagnostic Pathology</i> , 2020 , 49, 151636	2.2	1
827	Clonal evolution with acquisition of in refractory acute myeloid leukemia post therapy with FLT3-inhibitor. <i>Leukemia and Lymphoma</i> , 2020 , 61, 3243-3246	1.9	3
826	Chronic myeloid leukemia presenting in lymphoblastic crisis, a differential diagnosis with Philadelphia-positive B-lymphoblastic leukemia. <i>Leukemia and Lymphoma</i> , 2020 , 61, 2831-2838	1.9	2
825	Tumour-stage mycosis fungoides initially misdiagnosed as Langerhans cell histiocytosis. <i>Pathology</i> , 2020 , 52, 593-596	1.6	1
824	Social Media for Hematopathologists: Medical Practice Reinvented-#Hemepath. <i>Current Hematologic Malignancy Reports</i> , 2020 , 15, 383-390	4.4	4
823	KAT6A amplifications are associated with shorter progression-free survival and overall survival in patients with endometrial serous carcinoma. <i>PLoS ONE</i> , 2020 , 15, e0238477	3.7	6
822	HIV-associated plasmablastic lymphoma in the era of HAART: a single-center experience of 21 patients. <i>Aids</i> , 2020 , 34, 1735-1743	3.5	4
821	LPL deletion is associated with poorer response to ibrutinib-based treatments and overall survival in TP53-deleted chronic lymphocytic leukemia. <i>Annals of Hematology</i> , 2020 , 99, 2343-2349	3	2
820	Genomic and Immunophenotypic Landscape of Aggressive NK-Cell Leukemia. <i>American Journal of Surgical Pathology</i> , 2020 , 44, 1235-1243	6.7	10
819	Low-Grade Myelodysplastic Syndromes with Preserved CD34+ B-Cell Precursors (CD34+ Hematogones). <i>Cytometry Part B - Clinical Cytometry</i> , 2020 , 98, 36-42	3.4	6
818	KSHV/HHV8-positive large B-cell lymphomas and associated diseases: a heterogeneous group of lymphoproliferative processes with significant clinicopathological overlap. <i>Modern Pathology</i> , 2020 , 33, 18-28	9.8	15
817	PD-L1 expression is associated with ALK positivity and STAT3 activation, but not outcome in patients with systemic anaplastic large cell lymphoma. <i>Modern Pathology</i> , 2020 , 33, 324-333	9.8	20
816	Radiation therapy for salivary gland MALT lymphoma: ultra-low dose treatment achieves encouraging early outcomes and spares salivary function. <i>Leukemia and Lymphoma</i> , 2020 , 61, 171-175	1.9	10
815	A proposal for pathologic processing of breast implant capsules in patients with suspected breast implant anaplastic large cell lymphoma. <i>Modern Pathology</i> , 2020 , 33, 367-379	9.8	15
814	B-cell lymphomas associated with breast implants: Report of three cases and review of the literature. <i>Annals of Diagnostic Pathology</i> , 2020 , 46, 151512	2.2	7
813	Outcomes of patients with limited-stage aggressive large B-cell lymphoma with high-risk cytogenetics. <i>Blood Advances</i> , 2020 , 4, 253-262	7.8	16
812	Genomic profiles and clinical outcomes of de novo blastoid/pleomorphic MCL are distinct from those of transformed MCL. <i>Blood Advances</i> , 2020 , 4, 1038-1050	7.8	25

811	Development and Application of Duplex Sequencing Strategy for Cell-Free DNA-Based Longitudinal Monitoring of Stage IV Colorectal Cancer. <i>Journal of Molecular Diagnostics</i> , 2019 , 21, 994-1009	5.1	3
810	Data on rearrangement-driven chromosomal aberrations in myeloid malignancies. <i>Data in Brief</i> , 2019 , 24, 104025	1.2	3
809	Comparison of therapy-related myelodysplastic syndrome with ring sideroblasts and de novo myelodysplastic syndrome with ring sideroblasts. <i>Leukemia Research</i> , 2019 , 86, 106227	2.7	1
808	Phenytoin-associated necrotising lymphadenitis mimicking Kikuchi disease. <i>Pathology</i> , 2019 , 51, 650-65	3 1.6	1
807	Unicentric Castleman disease, hyaline vascular variant, stromal rich, with increased plasma cells and a high level of serum IL-6: Raising the diagnostic and therapeutic issues. <i>Annals of Diagnostic Pathology</i> , 2019 , 43, 151398	2.2	
806	PD-1/PD-L1 expression and interaction by automated quantitative immunofluorescent analysis show adverse prognostic impact in patients with diffuse large B-cell lymphoma having T-cell infiltration: a study from the International DLBCL Consortium Program. <i>Modern Pathology</i> , 2019 ,	9.8	20
805	Genetic alterations and their clinical implications in DLBCL. <i>Nature Reviews Clinical Oncology</i> , 2019 , 16, 634-652	19.4	74
804	MALT lymphoma with IgM paraprotein and bone marrow involvement mimicking Waldenstrfh macroglobulinaemia. <i>Pathology</i> , 2019 , 51, 549-553	1.6	
803	Is hyperdiploidy a favorable cytogenetics in adults with B-lymphoblastic leukemia?. <i>Cancer Medicine</i> , 2019 , 8, 4093-4099	4.8	6
802	The emergence of a JAK2 V617F-mutated clone in myelodysplastic syndrome is associated with disease progression and features of myelofibrosis. <i>British Journal of Haematology</i> , 2019 , 186, 396	4.5	1
801	Early T precursor acute lymphoblastic leukaemia/lymphoma shows differential immunophenotypic characteristics including frequent CD33 expression and in vitro response to targeted CD33 therapy. British Journal of Haematology, 2019 , 186, 538-548	4.5	14
800	TP53 mutations are common in mantle cell lymphoma, including the indolent leukemic non-nodal variant. <i>Annals of Diagnostic Pathology</i> , 2019 , 41, 38-42	2.2	12
799	Acute myeloid leukemia with t(8;21)(q22;q22.1)/RUNX1-RUNX1T1 and KIT Exon 8 mutation is associated with characteristic mastocytosis and dismal outcomes. <i>Experimental and Molecular Pathology</i> , 2019 , 108, 131-136	4.4	
798	CD23 expression in mantle cell lymphoma is associated with CD200 expression, leukemic non-nodal form, and a better prognosis. <i>Human Pathology</i> , 2019 , 89, 71-80	3.7	13
797	The utility of CD83, fascin and CD23 in the differential diagnosis of primary mediastinal large B-cell lymphoma versus classic Hodgkin lymphoma. <i>Annals of Diagnostic Pathology</i> , 2019 , 40, 72-76	2.2	8
796	Dysregulation of Cell Survival in Diffuse Large B Cell Lymphoma: Mechanisms and Therapeutic Targets. <i>Frontiers in Oncology</i> , 2019 , 9, 107	5.3	25
795	Relapsed B-acute lymphoblastic leukemia with aberrant myeloperoxidase expression following CAR T-cell therapy: A diagnostic challenge. <i>American Journal of Hematology</i> , 2019 , 94, 1049-1051	7.1	5
794	Biclonal presentation of lymphoplasmacytic lymphoma/Waldenstrfh macroglobulinaemia. <i>Pathology</i> , 2019 , 51, 340-343	1.6	1

793	Unusual case of human herpesvirus 8-positive large B-cell lymphoma associated with Castleman disease. <i>Clinical Case Reports (discontinued)</i> , 2019 , 7, 587-588	0.7	
792	DDX41 mutations in myeloid neoplasms are associated with male gender, TP53 mutations and high-risk disease. <i>American Journal of Hematology</i> , 2019 , 94, 757-766	7.1	33
791	Deciphering the complexities of MECOM rearrangement-driven chromosomal aberrations. <i>Cancer Genetics</i> , 2019 , 233-234, 21-31	2.3	10
790	Ring sideroblasts in chronic phase of polycythemia vera identifies a subset of patients with an increased risk of progression to blast phase. <i>Annals of Diagnostic Pathology</i> , 2019 , 40, 45-48	2.2	1
789	American Registry of Pathology Expert Opinions: Immunohistochemical evaluation of classic Hodgkin lymphoma. <i>Annals of Diagnostic Pathology</i> , 2019 , 39, 105-110	2.2	14
788	Immune Profiling and Quantitative Analysis Decipher the Clinical Role of Immune-Checkpoint Expression in the Tumor Immune Microenvironment of DLBCL. <i>Cancer Immunology Research</i> , 2019 , 7, 644-657	12.5	52
787	CT and F- FDG-PET-CT Findings in Secondary Adrenal Lymphoma with Pathologic Correlation. <i>Academic Radiology</i> , 2019 , 26, e108-e114	4.3	1
786	TRIM44 promotes quiescent multiple myeloma cell occupancy and survival in the osteoblastic niche via HIF-1Btabilization. <i>Leukemia</i> , 2019 , 33, 469-486	10.7	13
7 ⁸ 5	MYC protein expression is an important prognostic factor in acute myeloid leukemia. <i>Leukemia and Lymphoma</i> , 2019 , 60, 37-48	1.9	33
784	Update on Lymphoma classification: The 2016 revised World Health Organization Classification of Hematopoietic and Lymphoid Neoplasms. <i>Advances in Cell and Gene Therapy</i> , 2019 , 2, e57	1.2	1
783	Fluorescence in Situ Hybridization (FISH) for Detecting Anaplastic Lymphoma Kinase () Rearrangement in Lung Cancer: Clinically Relevant Technical Aspects. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	12
782	Homogeneously staining region (hsr) on chromosome 11 is highly specific for KMT2A amplification in acute myeloid leukemia (AML) and myelodysplastic syndrome (MDS). <i>Cancer Genetics</i> , 2019 , 238, 18-2	2 2 ·3	5
781	Association of gene mutations with time-to-first treatment in 384 treatment-naive chronic lymphocytic leukaemia patients. <i>British Journal of Haematology</i> , 2019 , 187, 307-318	4.5	19
780	Clinical implications of cytogenetic heterogeneity in Philadelphia chromosome positive (Ph+) adult B cell acute lymphoblastic leukemia following tyrosine kinase inhibitors and chemotherapy regimens. <i>Leukemia Research</i> , 2019 , 84, 106176	2.7	4
779	Hybrid oncocytic/chromophobe renal tumors are molecularly distinct from oncocytoma and chromophobe renal cell carcinoma. <i>Modern Pathology</i> , 2019 , 32, 1698-1707	9.8	14
778	Philadelphia chromosome-negative acute leukemia in patients with chronic myeloid leukemia. <i>American Journal of Hematology</i> , 2019 , 94, E256-E259	7.1	3
777	Castleman Disease. Surgical Pathology Clinics, 2019 , 12, 849-863	3.9	16
776	Gaucher disease type 1 first recognized in an elderly patient with thrombocytopenia and lung adenocarcinoma. <i>Clinical Case Reports (discontinued)</i> , 2019 , 7, 1804-1805	0.7	0

775	Epstein - Barr virus infection in de novo diffuse large B-cell lymphoma in Jordan and Turkey. <i>Annals of Diagnostic Pathology</i> , 2019 , 43, 151406	2.2	2
774	Reactive lymphadenopathy with concurrent idiopathic plasma cell variant Castleman disease, amyloid deposition and non-caseating granulomas. <i>Pathology</i> , 2019 , 51, 762-764	1.6	
773	Loss of EZH2 Protein Expression in Myelodysplastic Syndrome Correlates with EZH2 Mutation and Portends a Worse Outcome. <i>Blood</i> , 2019 , 134, 3016-3016	2.2	3
772	Features of an Unusual AML with t(4;12)/Pdgra-ETV6 As the Sole Cytogenetic Abnormality Associated with Myelodysplastic Changes: A Case Report and Literature Review. <i>Blood</i> , 2019 , 134, 516	2- 3 762	
771	High-Resolution Next-Generation Whole Genome Optical Mapping As a Novel Molecular Diagnostic Tool for Comprehensive Assessment of Structural Chromosomal Variations in Myelodysplastic Syndromes. <i>Blood</i> , 2019 , 134, 5438-5438	2.2	
770	Evolutionary Action (EA) Score of TP53 Mutations Defines Prognostic Subsets within TP53 Mutated Myelodysplastic Syndromes and Acute Myeloid Leukemia. <i>Blood</i> , 2019 , 134, 1719-1719	2.2	
769	NPM-ALK Upregulates Jab1/Csn5 through STAT3 Activation in Anaplastic Large Cell Lymphoma: A Novel Function of NPM-ALK That Contributes to PD1/PD-L1 Immune Checkpoint Regulation. <i>Blood</i> , 2019 , 134, 2796-2796	2.2	
768	Nonmyeloablative Allogeneic Transplantation (NMAT) Confers an Overall Survival Benefit with Similar Non-Relapse Mortality When Compared to Autologous Stem Transplantation (ASCT) for Patients (pts) with Relapsed Follicular Lymphoma (FL). <i>Blood</i> , 2019 , 134, 322-322	2.2	
767	MYC Expression in Systemic Anaplastic Large Cell Lymphoma: Clinicopathologic and Prognostic Features of 70 Patients. <i>Blood</i> , 2019 , 134, 1560-1560	2.2	
766	Gene Expression Profiling Using Nanostring Reveals Differences According to Location, Histology and MIPI Score in Mantle Cell Lymphoma. <i>Blood</i> , 2019 , 134, 5218-5218	2.2	
765	Acute myeloid leukemia with t(8;16)(p11.2;p13.3)/KAT6A-CREBBP in adults. <i>Annals of Hematology</i> , 2019 , 98, 1149-1157	3	13
764	Favorable outcomes with de-escalated radiation therapy for limited-stage nodular lymphocyte-predominant Hodgkin lymphoma. <i>Blood Advances</i> , 2019 , 3, 1356-1367	7.8	9
763	TdT-positive high grade B-cell lymphoma transformed from grade 3B follicular lymphoma in an HIV-positive patient. <i>Pathology</i> , 2019 , 51, 764-768	1.6	1
762	Utility of Cyclin D1 in the Diagnostic Workup of Hematopoietic Neoplasms: What Can Cyclin D1 Do for Us?. <i>Advances in Anatomic Pathology</i> , 2019 , 26, 281-291	5.1	3
761	SOX11-negative Mantle Cell Lymphoma: Clinicopathologic and Prognostic Features of 75 Patients. <i>American Journal of Surgical Pathology</i> , 2019 , 43, 710-716	6.7	13
760	Mantle Cell Lymphoma Involving Skin: A Clinicopathologic Study of 37 Cases. <i>American Journal of Surgical Pathology</i> , 2019 , 43, 1421-1428	6.7	10
759	Dual Expression of TCF4 and CD123 Is Highly Sensitive and Specific For Blastic Plasmacytoid Dendritic Cell Neoplasm. <i>American Journal of Surgical Pathology</i> , 2019 , 43, 1429-1437	6.7	35
758	CD5-negative Mantle Cell Lymphoma: Clinicopathologic Correlations and Outcome in 58 Patients. <i>American Journal of Surgical Pathology</i> , 2019 , 43, 1052-1060	6.7	13

757	Pioneers of Breast Implant-Associated Anaplastic Large Cell Lymphoma: History from Case Report to Global Recognition. <i>Plastic and Reconstructive Surgery</i> , 2019 , 143, 7S-14S	2.7	21
756	Characteristics and Treatment of Advanced Breast Implant-Associated Anaplastic Large Cell Lymphoma. <i>Plastic and Reconstructive Surgery</i> , 2019 , 143, 41S-50S	2.7	36
755	Persistent mutations in remission can predict relapse in patients with acute myeloid leukemia. Haematologica, 2019 , 104, 305-311	6.6	38
754	High-grade B-cell lymphomas with TdT expression: a diagnostic and classification dilemma. <i>Modern Pathology</i> , 2019 , 32, 48-58	9.8	28
753	Breast implant-associated anaplastic large cell lymphoma: a review. <i>Modern Pathology</i> , 2019 , 32, 166-18	89 .8	58
75²	t(3;8)(q26.2;q24) Often Leads to MECOM/MYC Rearrangement and Is Commonly Associated with Therapy-Related Myeloid Neoplasms and/or Disease Progression. <i>Journal of Molecular Diagnostics</i> , 2019 , 21, 343-351	5.1	13
75 ¹	Ultra-Rapid Reporting of GENomic Targets (URGENTseq): Clinical Next-Generation Sequencing Results within 48 Hours of Sample Collection. <i>Journal of Molecular Diagnostics</i> , 2019 , 21, 89-98	5.1	11
75°	Utility of JAK2 V617F allelic burden in distinguishing chronic myelomonocytic Leukemia from Primary myelofibrosis with monocytosis. <i>Human Pathology</i> , 2019 , 85, 290-298	3.7	12
749	Villous lymphocytes in splenic large B-cell lymphoma with diffuse red pulp infiltration. <i>International Journal of Hematology</i> , 2019 , 109, 133-134	2.3	1
748	Centrifuged supernatants from FNA provide a liquid biopsy option for clinical next-generation sequencing of thyroid nodules. <i>Cancer Cytopathology</i> , 2019 , 127, 146-160	3.9	22
747	CD123 expression patterns and selective targeting with a CD123-targeted antibody-drug conjugate (IMGN632) in acute lymphoblastic leukemia. <i>Haematologica</i> , 2019 , 104, 749-755	6.6	33
746	Focal Rosai-Dorfman disease coexisting with lymphoma in the same anatomic site: a localized histiocytic proliferation associated with MAPK/ERK pathway activation. <i>Modern Pathology</i> , 2019 , 32, 16-26	9.8	19
745	Targeted multigene deep sequencing of Bruton tyrosine kinase inhibitor-resistant chronic lymphocytic leukemia with disease progression and Richter transformation. <i>Cancer</i> , 2019 , 125, 559-574	6.4	51
744	Levels of CD8+ tumor infiltrating lymphocytes correlate with disease burden in bone marrow of therapy NaWe multiple myeloma patients. <i>Annals of Diagnostic Pathology</i> , 2019 , 40, 174-175	2.2	
743	Salvaging the supernatant: next generation cytopathology for solid tumor mutation profiling. <i>Modern Pathology</i> , 2018 , 31, 1036-1045	9.8	40
742	Updated Results of Rituximab Pre- and Post-BEAM with or without Yttrium Ibritumomab Tiuxetan during Autologous Transplant for Diffuse Large B-cell Lymphoma. <i>Clinical Cancer Research</i> , 2018 , 24, 2304-2311	12.9	5
741	Indolent T-lymphoblastic proliferation associated with low grade follicular dendritic cell sarcoma and Castleman disease. <i>Pathology</i> , 2018 , 50, 351-352	1.6	7
740	Fifteen-Year Journey to High Reliability in Pathology and Laboratory Medicine. <i>American Journal of Medical Quality</i> , 2018 , 33, 530-539	1.1	0

739	Improving the detection of patients with inherited predispositions to hematologic malignancies using next-generation sequencing-based leukemia prognostication panels. <i>Cancer</i> , 2018 , 124, 2704-271	3 ^{6.4}	29
738	Strategic Therapeutic Targeting to Overcome Venetoclax Resistance in Aggressive B-cell Lymphomas. <i>Clinical Cancer Research</i> , 2018 , 24, 3967-3980	12.9	48
737	Chronic Myelomonocytic Leukemia With Fibrosis Is a Distinct Disease Subset With Myeloproliferative Features and Frequent JAK2 p.V617F Mutations. <i>American Journal of Surgical Pathology</i> , 2018 , 42, 799-806	6.7	24
736	Breast Implant-Associated Anaplastic Large Cell Lymphoma With Bone Marrow Involvement. <i>Aesthetic Surgery Journal</i> , 2018 , 38,	2.4	5
735	8q24/MYC rearrangement is a recurrent cytogenetic abnormality in blastic plasmacytoid dendritic cell neoplasms. <i>Leukemia Research</i> , 2018 , 66, 73-78	2.7	20
734	Chronic lymphoproliferative disorder of NK-cells: A single-institution review with emphasis on relative utility of multimodality diagnostic tools. <i>European Journal of Haematology</i> , 2018 , 100, 444-454	3.8	12
733	Blastic plasmacytoid dendritic cell neoplasm with unusual morphology, MYC rearrangement and TET2 and DNMT3A mutations. <i>British Journal of Haematology</i> , 2018 , 181, 305	4.5	6
732	Hepatosplenic T-cell Lymphoma: a review of clinicopathologic features, pathogenesis, and prognostic factors. <i>Human Pathology</i> , 2018 , 74, 5-16	3.7	43
731	3q26/EVI1 rearrangement in myelodysplastic/myeloproliferative neoplasms: An early event associated with a poor prognosis. <i>Leukemia Research</i> , 2018 , 65, 25-28	2.7	5
730	Bone marrow findings in blast phase of polycythemia vera. <i>Annals of Hematology</i> , 2018 , 97, 425-434	3	11
729	Bone Marrow Involvement in Patients With Nodular Lymphocyte Predominant Hodgkin Lymphoma. <i>American Journal of Surgical Pathology</i> , 2018 , 42, 492-499	6.7	5
728	Phase 2 trial of bortezomib in combination with rituximab plus hyperfractionated cyclophosphamide, vincristine, doxorubicin, and dexamethasone alternating with bortezomib, rituximab, methotrexate, and cytarabine for untreated mantle cell lymphoma. <i>Cancer</i> , 2018 , 124, 2561-	6.4 2569	11
727	Primary breast diffuse large B-cell lymphoma: treatment strategies and patterns of failure. <i>Leukemia and Lymphoma</i> , 2018 , 59, 2896-2903	1.9	8
726	Reply to Lambros et al. <i>Modern Pathology</i> , 2018 , 31, 541-542	9.8	
725	CD200 expression in mantle cell lymphoma identifies a unique subgroup of patients with frequent IGHV mutations, absence of SOX11 expression, and an indolent clinical course. <i>Modern Pathology</i> , 2018 , 31, 327-336	9.8	33
724	Validation of Immunohistochemical Assays for Integral Biomarkers in the NCI-MATCH EAY131 Clinical Trial. <i>Clinical Cancer Research</i> , 2018 , 24, 521-531	12.9	44
723	Coexistent genetic alterations involving ALK, RET, ROS1 or MET in 15 cases of lung adenocarcinoma. <i>Modern Pathology</i> , 2018 , 31, 307-312	9.8	17
722	Clinicopathologic and molecular features in hairy cell leukemia-variant: single institutional experience. <i>Modern Pathology</i> , 2018 , 31, 1717-1732	9.8	22

721	Chronic lymphocytic leukemia with proliferation centers in bone marrow is associated with younger age at initial presentation, complex karyotype, and TP53 disruption. <i>Human Pathology</i> , 2018 , 82, 215-23	3 <i>3</i> ·7	6
720	Advances in pathological understanding of high-grade B cell lymphomas. <i>Expert Review of Hematology</i> , 2018 , 11, 637-648	2.8	9
719	Higher body mass index is associated with better survival in patients with myelodysplastic syndromes. <i>Leukemia Research</i> , 2018 , 71, 63-66	2.7	2
718	Clinical Significance of PTEN Deletion, Mutation, and Loss of PTEN Expression in De Novo Diffuse Large B-Cell Lymphoma. <i>Neoplasia</i> , 2018 , 20, 574-593	6.4	30
717	A Newly Recognized Histologic Pattern of IgG4-related Lymphadenopathy: Expanding the Morphologic Spectrum. <i>American Journal of Surgical Pathology</i> , 2018 , 42, 977-982	6.7	4
716	A multimodality work-up of patients with Hypereosinophilia. <i>American Journal of Hematology</i> , 2018 , 93, 1337-1346	7.1	8
715	P53 protein overexpression in de novo acute myeloid leukemia patients with normal diploid karyotype correlates with FLT3 internal tandem duplication and worse relapse-free survival. <i>American Journal of Hematology</i> , 2018 , 93, 1376-1383	7.1	8
714	Myeloid neoplasms with t(16;21)(q24;q22)/RUNX1-RUNX1T3 mimics acute myeloid leukemia with RUNX1-RUNX1T1. <i>Annals of Hematology</i> , 2018 , 97, 1775-1783	3	5
713	Genetic subtyping of breast implant-associated anaplastic large cell lymphoma. <i>Blood</i> , 2018 , 132, 544-5	54 <u>7</u> .2	60
712	Outcomes of Patients with Limited-Stage Aggressive Large B-Cell Lymphoma with MYC Rearrangement with and without BCL2 and/or BCL6 Rearrangements: A Retrospective Analysis from 15 US Academic Centers. <i>Blood</i> , 2018 , 132, 451-451	2.2	3
711	Outcomes, Causes of Discontinuation and Mutation Profile of Patients with Mantle Cell Lymphoma Who Progressed on Acalabrutinib. <i>Blood</i> , 2018 , 132, 4151-4151	2.2	3
710	Clinical and Genomic Characteristics in De Novo Blastoid/Pleomorphic (dnMCL) and Transformed Blastoid/Pleomorphic (t-MCL) Mantle Cell Lymphoma (MCL) in the Ibrutinib Era: Comprehensive Analysis of 168 Patients. <i>Blood</i> , 2018 , 132, 1599-1599	2.2	1
709	The risk of central nervous system relapses in patients with peripheral T-cell lymphoma. <i>PLoS ONE</i> , 2018 , 13, e0191461	3.7	17
708	CD10-positive mantle cell lymphoma: clinicopathologic and prognostic study of 30 cases. <i>Oncotarget</i> , 2018 , 9, 11441-11450	3.3	14
707	Mixed phenotype acute leukemia contains heterogeneous genetic mutations by next-generation sequencing. <i>Oncotarget</i> , 2018 , 9, 8441-8449	3.3	16
706	amplification assessed using optimized FISH reporting criteria predicts early distant metastasis in patients with non-small cell lung cancer. <i>Oncotarget</i> , 2018 , 9, 12959-12970	3.3	8
705	Prognostic Factors, Outcomes and Clinical Characteristics in Patients with Transformed Follicular Lymphoma (t-FL): Cohort Study of 172 Patients. <i>Blood</i> , 2018 , 132, 1600-1600	2.2	
704	Durability Results of Non-Myeloablative (NMA) Allogeneic Stem Cell Transplantation (alloSCT) for Relapsed Follicular Lymphoma: 17- Year Experience. <i>Blood</i> , 2018 , 132, 4651-4651	2.2	

703	RAS and TP53, Not NOTCH1, Can Predict Survival in Adults with Acute T-Cell Lymphoblastic Leukemia Treated with Hypercvad. <i>Blood</i> , 2018 , 132, 4085-4085	2.2	
702	Diffuse large B-cell lymphoma. <i>Pathology</i> , 2018 , 50, 74-87	1.6	233
701	Clinicopathologic Features and Prognostic Impact of Lymph Node Involvement in Patients With Breast Implant-associated Anaplastic Large Cell Lymphoma. <i>American Journal of Surgical Pathology</i> , 2018 , 42, 293-305	6.7	52
700	Lymphoproliferative disorders with concurrent HHV8 and EBV infection: beyond primary effusion lymphoma and germinotropic lymphoproliferative disorder. <i>Histopathology</i> , 2018 , 72, 855-861	7.3	13
699	Characterization of IDH1 p.R132H Mutant Clones Using Mutation-specific Antibody in Myeloid Neoplasms. <i>American Journal of Surgical Pathology</i> , 2018 , 42, 569-577	6.7	5
698	Apoptosis signaling and BCL-2 pathways provide opportunities for novel targeted therapeutic strategies in hematologic malignances. <i>Blood Reviews</i> , 2018 , 32, 8-28	11.1	41
697	Coincident primary breast lymphoma and gastrointestinal stromal tumor: case series and molecular mechanisms. <i>OncoTargets and Therapy</i> , 2018 , 11, 8937-8942	4.4	1
696	Positron emission tomography-computed tomography predictors of progression after DA-R-EPOCH for PMBCL. <i>Blood Advances</i> , 2018 , 2, 1334-1343	7.8	16
695	Cancer Therapy-associated Lymphoproliferative Disorders: An Under-recognized Type of Immunodeficiency-associated Lymphoproliferative Disorder. <i>American Journal of Surgical Pathology</i> , 2018 , 42, 116-129	6.7	19
694	Cancer Immunotherapy in Diffuse Large B-Cell Lymphoma. Frontiers in Oncology, 2018, 8, 351	5.3	56
693	First Reported Case of Composite Breast Implant Associated Anaplastic Large Cell Lymphoma and Marginal Zone Lymphoma. <i>American Journal of Clinical Pathology</i> , 2018 , 150, S100-S101	1.9	
692	Genomic aberrations involving 12p/ETV6 are highly prevalent in blastic plasmacytoid dendritic cell neoplasms and might represent early clonal events. <i>Leukemia Research</i> , 2018 , 73, 86-94	2.7	22
691	Bone marrow core biopsy in 508 consecutive patients with chronic myeloid leukemia: Assessment of potential value. <i>Cancer</i> , 2018 , 124, 3849-3855	6.4	8
690	Chronic Myeloid Leukemia: Beyond BCR-ABL1. Current Hematologic Malignancy Reports, 2018 , 13, 435-4	14 Б4	21
689	Response-adapted radiation therapy for newly diagnosed primary diffuse large B-cell lymphoma of the CNS treated with methotrexate-based systemic therapy. <i>Advances in Radiation Oncology</i> , 2018 , 3, 639-646	3.3	5
688	Clinical molecular testing for ASXL1 c.1934dupG p.Gly646fs mutation in hematologic neoplasms in the NGS era. <i>PLoS ONE</i> , 2018 , 13, e0204218	3.7	8
687	Acute myeloid leukemia with t(4;12)(q12;p13): an aggressive disease with frequent involvement of and. <i>Oncotarget</i> , 2018 , 9, 10987-10994	3.3	4
686	Detection of somatic mutations in cell-free DNA in plasma and correlation with overall survival in patients with solid tumors. <i>Oncotarget</i> , 2018 , 9, 10259-10271	3.3	22

685	Granular B-acute lymphoblastic leukemia: Ultrastructural characterization of cytoplasmic granules. <i>Leukemia Research</i> , 2018 , 73, 105-107	2.7	
684	Kikuchi disease: an unusual case with features suggesting an infectious aetiology. <i>Pathology</i> , 2018 , 50, 694-697	1.6	1
683	Validation of the 2017 revision of the WHO chronic myelomonocytic leukemia categories. <i>Blood Advances</i> , 2018 , 2, 1807-1816	7.8	21
682	MYC/BCL2/BCL6 triple hit lymphoma: a study of 40 patients with a comparison to MYC/BCL2 and MYC/BCL6 double hit lymphomas. <i>Modern Pathology</i> , 2018 , 31, 1470-1478	9.8	28
681	Characterization of chronic myelomonocytic leukemia with TP53 mutations. <i>Leukemia Research</i> , 2018 , 70, 97-99	2.7	5
680	Concurrent fine needle aspirations and core needle biopsies: a comparative study of substrates for next-generation sequencing in solid organ malignancies. <i>Modern Pathology</i> , 2017 , 30, 499-508	9.8	76
679	Langerhans cell histiocytosis associated with lymphoma: an incidental finding that is not associated with BRAF or MAP2K1 mutations. <i>Modern Pathology</i> , 2017 , 30, 734-744	9.8	20
678	Additional-structural-chromosomal aberrations are associated with inferior clinical outcome in patients with hyperdiploid multiple myeloma: a single-institution experience. <i>Modern Pathology</i> , 2017 , 30, 843-853	9.8	7
677	NF- B p50 activation associated with immune dysregulation confers poorer survival for diffuse large B-cell lymphoma patients with wild-type p53. <i>Modern Pathology</i> , 2017 , 30, 854-876	9.8	13
676	Clinical and pathological characteristics of HIV- and HHV-8-negative Castleman disease. <i>Blood</i> , 2017 , 129, 1658-1668	2.2	88
675	Myeloid neoplasms with concurrent BCR-ABL1 and CBFB rearrangements: A series of 10 cases of a clinically aggressive neoplasm. <i>American Journal of Hematology</i> , 2017 , 92, 520-528	7.1	19
674	Prognostic significance of cytogenetic abnormalities in T-cell prolymphocytic leukemia. <i>American Journal of Hematology</i> , 2017 , 92, 441-447	7.1	14
673	Immunophenotypic Shifts in Primary Cutaneous IT-Cell Lymphoma Suggest Antigenic Modulation: A Study of Sequential Biopsy Specimens. <i>American Journal of Surgical Pathology</i> , 2017 , 41, 431-445	6.7	10
672	U.S. Epidemiology of Breast Implant-Associated Anaplastic Large Cell Lymphoma. <i>Plastic and Reconstructive Surgery</i> , 2017 , 139, 1042-1050	2.7	203
671	Radiation therapy improves survival in patients with testicular diffuse large B-cell lymphoma. <i>Leukemia and Lymphoma</i> , 2017 , 58, 2833-2844	1.9	10
670	Characterization of TP53 mutations in clonal cytopenia of undetermined significance. <i>American Journal of Hematology</i> , 2017 , 92, E175-E177	7.1	O
669	Characteristics and clinical significance of cytogenetic abnormalities in polycythemia vera. <i>Haematologica</i> , 2017 , 102, 1511-1518	6.6	25
668	Validation of the 2016 revisions to the WHO classification in lower-risk myelodysplastic syndrome. <i>American Journal of Hematology</i> , 2017 , 92, E168-E171	7.1	3

(2017-2017)

667	Herpes simplex infection simulating Richter transformation: a series of four cases and review of the literature. <i>Histopathology</i> , 2017 , 70, 821-831	7.3	7	
666	Role of complexity of variant Philadelphia chromosome in chronic myeloid leukemia in the era of tyrosine kinase inhibitor therapy. <i>Annals of Hematology</i> , 2017 , 96, 501-504	3	3	
665	Mantle Cell Lymphoma With MYC Rearrangement: A Report of 17 Patients. <i>American Journal of Surgical Pathology</i> , 2017 , 41, 216-224	6.7	39	
664	AKT Hyperactivation and the Potential of AKT-Targeted Therapy in Diffuse Large B-Cell Lymphoma. <i>American Journal of Pathology</i> , 2017 , 187, 1700-1716	5.8	34	
663	Study of Preanalytic and Analytic Variables for Clinical Next-Generation Sequencing of Circulating Cell-Free Nucleic Acid. <i>Journal of Molecular Diagnostics</i> , 2017 , 19, 514-524	5.1	21	
662	Encouraging activity for R-CHOP in advanced stage nodular lymphocyte-predominant Hodgkin lymphoma. <i>Blood</i> , 2017 , 130, 472-477	2.2	45	
661	Primary Cutaneous T-Cell Lymphomas Showing Gamma-Delta (I)Phenotype and Predominantly Epidermotropic Pattern are Clinicopathologically Distinct From Classic Primary Cutaneous IT-Cell Lymphomas. <i>American Journal of Surgical Pathology</i> , 2017 , 41, 204-215	6.7	41	
660	PD-L1 and Notch1 expression in KSHV/HHV-8 and EBV associated germinotropic lymphoproliferative disorder: case report and review of the literature. <i>Pathology</i> , 2017 , 49, 430-435	1.6	12	
659	Morphologic and Molecular Characteristics of De Novo AML With V617F Mutation. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2017 , 15, 790-796	7.3	9	
658	3q26.2/EVI1 rearrangement is associated with poor prognosis in classical Philadelphia chromosome-negative myeloproliferative neoplasms. <i>Modern Pathology</i> , 2017 , 30, 940-951	9.8	5	
657	Characteristics, management, and outcomes of patients with follicular dendritic cell sarcoma. <i>British Journal of Haematology</i> , 2017 , 178, 403-412	4.5	41	
656	Global Adverse Event Reports of Breast Implant-Associated ALCL: An International Review of 40 Government Authority Databases. <i>Plastic and Reconstructive Surgery</i> , 2017 , 139, 1029-1039	2.7	84	
655	Dermal myeloid sarcoma as an initial presentation of acute myeloid leukemia. <i>Blood</i> , 2017 , 129, 1056	2.2	3	
654	Clinical significance of isolated del(7p) in myeloid neoplasms. <i>Leukemia Research</i> , 2017 , 55, 18-22	2.7	3	
653	Pure erythroid leukemia. American Journal of Hematology, 2017, 92, 292-296	7.1	32	
652	Hepatosplenic T-cell lymphoma arising in patients with immunodysregulatory disorders: a study of 7 patients who did not receive tumor necrosis factor-Hanhibitor therapy and literature review. <i>Annals of Diagnostic Pathology</i> , 2017 , 26, 16-22	2.2	27	
651	A Targeted High-Throughput Next-Generation Sequencing Panel for Clinical Screening of Mutations, Gene Amplifications, and Fusions in Solid Tumors. <i>Journal of Molecular Diagnostics</i> , 2017 , 19, 255-264	5.1	35	
650	Tetraploidy/near-tetraploidy acute myeloid leukemia. <i>Leukemia Research</i> , 2017 , 53, 20-27	2.7	8	

649	Prognostic impact of CD5 expression in diffuse large B-cell lymphoma in patients treated with rituximab-EPOCH. <i>European Journal of Haematology</i> , 2017 , 98, 415-421	3.8	30
648	The survival outcome of patients with relapsed/refractory peripheral T-cell lymphoma-not otherwise specified and angioimmunoblastic T-cell lymphoma. <i>British Journal of Haematology</i> , 2017 , 176, 750-758	4.5	58
647	Hepatitis C virus positive diffuse large B-cell lymphomas have distinct molecular features and lack BCL2 translocations. <i>British Journal of Cancer</i> , 2017 , 117, 1685-1688	8.7	9
646	Outcomes of Patients With Double-Hit Lymphoma Who Achieve First Complete Remission. <i>Journal of Clinical Oncology</i> , 2017 , 35, 2260-2267	2.2	89
645	Chronic myelomonocytic leukemia masquerading as cutaneous indeterminate dendritic cell tumor: Expanding the spectrum of skin lesions in chronic myelomonocytic leukemia. <i>Journal of Cutaneous Pathology</i> , 2017 , 44, 1075-1079	1.7	17
644	Characterization of TP53 mutations in low-grade myelodysplastic syndromes and myelodysplastic syndromes with a non-complex karyotype. <i>European Journal of Haematology</i> , 2017 , 99, 536-543	3.8	14
643	Follicular lymphoma with hyaline-vascular Castleman-like features: analysis of 6 cases and review of the literature. <i>Human Pathology</i> , 2017 , 68, 136-146	3.7	12
642	Distinguishing Between Hepatosplenic T-cell Lymphoma and IT-cell Large Granular Lymphocytic Leukemia: A Clinicopathologic, Immunophenotypic, and Molecular Analysis. <i>American Journal of Surgical Pathology</i> , 2017 , 41, 82-93	6.7	29
641	Primary Bone Lymphoma Exhibits a Favorable Prognosis and Distinct Gene Expression Signatures Resembling Diffuse Large B-Cell Lymphoma Derived From Centrocytes in the Germinal Center. <i>American Journal of Surgical Pathology</i> , 2017 , 41, 1309-1321	6.7	16
640	Increased MYC copy number is an independent prognostic factor in patients with diffuse large B-cell lymphoma. <i>Modern Pathology</i> , 2017 , 30, 1688-1697	9.8	34
639	Follicular lymphoma with hyaline-vascular Castleman disease-like follicles and CD20 positive follicular dendritic cells. <i>Pathology</i> , 2017 , 49, 544-547	1.6	5
638	Bone marrow pathologic abnormalities in familial platelet disorder with propensity for myeloid malignancy and germline RUNX1 mutation. <i>Haematologica</i> , 2017 , 102, 1661-1670	6.6	40
637	Mutually exclusive recurrent KRAS and MAP2K1 mutations in Rosai-Dorfman disease. <i>Modern Pathology</i> , 2017 , 30, 1367-1377	9.8	114
636	Clinical utility of recently identified diagnostic, prognostic, and predictive molecular biomarkers in mature B-cell neoplasms. <i>Modern Pathology</i> , 2017 , 30, 1338-1366	9.8	27
635	Clinical implications of cytogenetic heterogeneity in multiple myeloma patients with TP53 deletion. <i>Modern Pathology</i> , 2017 , 30, 1378-1386	9.8	4
634	P53 expression correlates with poorer survival and augments the negative prognostic effect of MYC rearrangement, expression or concurrent MYC/BCL2 expression in diffuse large B-cell lymphoma. <i>Modern Pathology</i> , 2017 , 30, 194-203	9.8	48
633	Synchronous presentation of intra-nodal follicular dendritic cell sarcoma and Castleman disease. <i>American Journal of Hematology</i> , 2017 , 92, 478-479	7.1	6
632	Dose adjusted-EPOCH-R and mediastinal disease may improve outcomes for patients with gray-zone lymphoma. <i>British Journal of Haematology</i> , 2017 , 179, 503-506	4.5	7

631	PET-positive lymphadenopathy in CLL-Not always Richter transformation. <i>American Journal of Hematology</i> , 2017 , 92, 405-406	7.1	6	
630	Refractory hairy cell leukemia-variant. <i>American Journal of Hematology</i> , 2017 , 92, 1398-1399	7.1	2	
629	Epstein-Barr virus latent membrane protein-1 up-regulates cytokines and correlates with older age and poorer prognosis in Hodgkin lymphoma. <i>Histopathology</i> , 2017 , 70, 442-455	7.3	7	
628	Cytogenetics-based risk prediction of blastic transformation of chronic myeloid leukemia in the era of TKI therapy. <i>Blood Advances</i> , 2017 , 1, 2541-2552	7.8	19	
627	Versatile ion S5XL sequencer for targeted next generation sequencing of solid tumors in a clinical laboratory. <i>PLoS ONE</i> , 2017 , 12, e0181968	3.7	15	
626	Genome-wide copy number aberrations and HER2 and FGFR1 alterations in primary breast cancer by molecular inversion probe microarray. <i>Oncotarget</i> , 2017 , 8, 10845-10857	3.3	12	
625	Acquired 11q23/ rearrangement of unknown clinical significance. <i>International Journal of Clinical and Experimental Pathology</i> , 2017 , 10, 9048-9051	1.4		
624	Myelodysplastic syndromes following therapy with hypomethylating agents (HMAs): development of acute erythroleukemia may not influence assessment of treatment response. <i>Leukemia and Lymphoma</i> , 2016 , 57, 812-9	1.9	7	
623	Clinicopathologic features and outcomes of lymphoplasmacytic lymphoma patients with monoclonal IgG or IgA paraprotein expression. <i>Leukemia and Lymphoma</i> , 2016 , 57, 1104-13	1.9	27	
622	Chronic myelomonocytic leukemia with nucleophosmin (NPM1) mutation. <i>European Journal of Haematology</i> , 2016 , 96, 65-71	3.8	32	
621	Ifosfamide, carboplatin, etoposide with or without bortezomib in patients with relapsed/refractory Hodgkin lymphoma: results of a randomized phase II trial. <i>Leukemia and Lymphoma</i> , 2016 , 57, 445-447	1.9	4	
620	Double-hit follicular lymphoma with MYC and BCL2 translocations: a study of 7 cases with a review of literature. <i>Human Pathology</i> , 2016 , 58, 72-77	3.7	26	
619	Comprehensive Screening of Gene Copy Number Aberrations in Formalin-Fixed, Paraffin-Embedded Solid Tumors Using Molecular Inversion Probe-Based Single-Nucleotide Polymorphism Array. Journal of Molecular Diagnostics, 2016, 18, 676-687	5.1	12	
618	Hydroa vacciniforme and hydroa vacciniforme-like T-cell lymphoma: an uncommon event for transformation. <i>Journal of Cutaneous Pathology</i> , 2016 , 43, 1102-1111	1.7	15	
617	Sex chromosome loss after allogeneic hematopoietic stem cell transplant in patients with hematologic neoplasms: a diagnostic dilemma for clinical cytogeneticists. <i>Molecular Cytogenetics</i> , 2016 , 9, 62	2	7	
616	Histologic transformation of chronic lymphocytic leukemia/small lymphocytic lymphoma. <i>American Journal of Hematology</i> , 2016 , 91, 1036-43	7.1	30	
615	Polyclonality in Sclerosing Angiomatoid Nodular Transformation of the Spleen. <i>American Journal of Surgical Pathology</i> , 2016 , 40, 1343-51	6.7	16	
614	Donor-Derived T-Cell Large Granular Lymphocytic Leukemia in a Patient With Peripheral T-Cell Lymphoma. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2016 , 14, 939-44	7.3	7	

613	High-grade B-cell Lymphoma With MYC Rearrangement and Without BCL2 and BCL6 Rearrangements Is Associated With High P53 Expression and a Poor Prognosis. <i>American Journal of Surgical Pathology</i> , 2016 , 40, 253-61	6.7	42
612	Template for Reporting Results of Biomarker Testing of Specimens From Patients With Chronic Lymphocytic Leukemia/Small Lymphocytic Lymphoma. <i>Archives of Pathology and Laboratory Medicine</i> , 2016 , 140, 1228-1230	5	3
611	Crystal-storing histiocytosis: a clinicopathological study of 13 cases. <i>Histopathology</i> , 2016 , 68, 482-91	7.3	46
610	Anaplastic lymphoma kinase (ALK)-positive large B-cell lymphoma in a patient treated with azathioprine for ulcerative colitis. <i>Pathology</i> , 2016 , 48, 513-5	1.6	3
609	Comparison of Multiparameter Flow Cytometry Immunophenotypic Analysis and Quantitative RT-PCR for the Detection of Minimal Residual Disease of Core Binding Factor Acute Myeloid Leukemia. <i>American Journal of Clinical Pathology</i> , 2016 , 145, 769-77	1.9	29
608	Implementation of next generation sequencing in clinical molecular diagnostic laboratories: advantages, challenges and potential. <i>Expert Review of Precision Medicine and Drug Development</i> , 2016 , 1, 109-120	1.6	20
607	Clinical significance of acquired loss of the X chromosome in bone marrow. <i>Leukemia Research</i> , 2016 , 47, 109-13	2.7	7
606	Principles of analytical validation of next-generation sequencing based mutational analysis for hematologic neoplasms in a CLIA-certified laboratory. <i>Expert Review of Molecular Diagnostics</i> , 2016 , 16, 461-72	3.8	22
605	Constitutional pericentric inversion of chromosome 9 has no impact on survival in chronic myelogenous leukemia. <i>Annals of Hematology</i> , 2016 , 95, 657-9	3	2
604	Identification of Factors Affecting the Success of Next-Generation Sequencing Testing in Solid Tumors. <i>American Journal of Clinical Pathology</i> , 2016 , 145, 222-37	1.9	56
603	The clinical significance of 8q24/MYC rearrangement in chronic lymphocytic leukemia. <i>Modern Pathology</i> , 2016 , 29, 444-51	9.8	15
602	Myeloproliferative Neoplasms With Calreticulin Mutations Exhibit Distinctive Morphologic Features. <i>American Journal of Clinical Pathology</i> , 2016 , 145, 418-27	1.9	4
601	Immune checkpoint blockade: Releasing the brake towards hematological malignancies. <i>Blood Reviews</i> , 2016 , 30, 189-200	11.1	26
600	Ibrutinib in combination with rituximab in relapsed or refractory mantle cell lymphoma: a single-centre, open-label, phase 2 trial. <i>Lancet Oncology, The</i> , 2016 , 17, 48-56	21.7	141
599	Complete Surgical Excision Is Essential for the Management of Patients With Breast Implant-Associated Anaplastic Large-Cell Lymphoma. <i>Journal of Clinical Oncology</i> , 2016 , 34, 160-8	2.2	263
598	MYC Copy Number Aberrancies Predict a Worse Prognosis in Patients with Diffuse Large B-Cell Lymphoma. <i>Blood</i> , 2016 , 128, 154-154	2.2	1
597	Routine Clinical Testing for Actionable Mutations in CLL Using Endcll Assay V1: The Initial MD Anderson Experience. <i>Blood</i> , 2016 , 128, 3196-3196	2.2	1
596	Benefit of Consolidative Autologous Stem Cell Transplantation in First Complete Remission for Patients with Double Hit Lymphoma Appears Dependent on Induction Regimen Intensity. <i>Blood</i> , 2016 , 128, 3455-3455	2.2	2

595	The Risk of Central Nervous System (CNS) Relapses in Patients with Peripheral T-Cell Lymphoma. <i>Blood</i> , 2016 , 128, 4153-4153	2.2	2
594	Cytogenetic Abnormalities May Predict Transformation to Acute Myeloid Leukemia in Polycythemia Vera Patients. <i>Blood</i> , 2016 , 128, 4258-4258	2.2	1
593	p63 expression confers significantly better survival outcomes in high-risk diffuse large B-cell lymphoma and demonstrates p53-like and p53-independent tumor suppressor function. <i>Aging</i> , 2016 , 8, 345-65	5.6	17
592	RelA NF- B subunit activation as a therapeutic target in diffuse large B-cell lymphoma. <i>Aging</i> , 2016 , 8, 3321-3340	5.6	20
591	Targeting the hexosamine biosynthetic pathway and O-linked N-acetylglucosamine cycling for therapeutic and imaging capabilities in diffuse large B-cell lymphoma. <i>Oncotarget</i> , 2016 , 7, 80599-8061	1 ^{3.3}	15
59C	Myeloid neoplasms with isolated isochromosome 17q demonstrate a high frequency of mutations in SETBP1, SRSF2, ASXL1 and NRAS. <i>Oncotarget</i> , 2016 , 7, 14251-8	3.3	32
589	Prognostic impact of history of follicular lymphoma, induction regimen and stem cell transplant in patients with MYC/BCL2 double hit lymphoma. <i>Oncotarget</i> , 2016 , 7, 38122-38132	3.3	20
588	Validation of the 2016 Revision to the World Health Organization (WHO) Classification of Myelodysplastic Syndromes with Diploid Karyotype. <i>Blood</i> , 2016 , 128, 4319-4319	2.2	
587	CD5 Negative Mantle Cell Lymphoma: Clinicopathologic Correlations and Outcome in 58 Cases. <i>Blood</i> , 2016 , 128, 2964-2964	2.2	
58 <i>6</i>	Clinical Implementation of a Testing Algorithm for the Diagnosis of Ph-like B-Cell Acute Lymphoblastic Leukemia. <i>Blood</i> , 2016 , 128, 2915-2915	2.2	
585	Prognostic impact of concurrent MYC and BCL6 rearrangements and expression in de novo diffuse large B-cell lymphoma. <i>Oncotarget</i> , 2016 , 7, 2401-16	3.3	68
584	Graft-versus-host disease after radiation therapy in patients who have undergone allogeneic stem cell transplantation: two case reports. <i>Journal of Medical Case Reports</i> , 2016 , 10, 209	1.2	2
583	High-grade Transformation of Low-grade B-cell Lymphoma: Pathology and Molecular Pathogenesis. <i>American Journal of Surgical Pathology</i> , 2016 , 40, e1-16	6.7	15
582	MYC/BCL6 double-hit lymphoma (DHL): a tumour associated with an aggressive clinical course and poor prognosis. <i>Histopathology</i> , 2016 , 68, 1090-8	7.3	56
581	Prognostic Factors of Hepatosplenic T-cell Lymphoma: Clinicopathologic Study of 28 Cases. <i>American Journal of Surgical Pathology</i> , 2016 , 40, 676-88	6.7	45
58c	Template for Reporting Results of Biomarker Testing of Specimens From Patients With Diffuse Large B-Cell Lymphoma, Not Otherwise Specified. <i>Archives of Pathology and Laboratory Medicine</i> , 2016 , 140, 1225-1227	5	3
579	Impact of oncogene rearrangement patterns on outcomes in patients with double-hit non-Hodgkin lymphoma. <i>Cancer</i> , 2016 , 122, 559-64	6.4	49
57 ⁸	Diagnostic and predictive biomarkers for lymphoma diagnosis and treatment in the era of precision medicine. <i>Modern Pathology</i> , 2016 , 29, 1118-42	9.8	18

577	A rare histologic variant of a common lymphoma. <i>Blood</i> , 2016 , 128, 3012	2.2	
576	CCND1-IGH Fusion-Amplification and MYC Copy Number Gain in a Case of Pleomorphic Variant Mantle Cell Lymphoma. <i>American Journal of Clinical Pathology</i> , 2016 , 146, 747-752	1.9	6
575	Assessment of CD37 B-cell antigen and cell of origin significantly improves risk prediction in diffuse large B-cell lymphoma. <i>Blood</i> , 2016 , 128, 3083-3100	2.2	41
574	Starry Sky Pattern in Hematopoietic Neoplasms: A Review of Pathophysiology and Differential Diagnosis. <i>Advances in Anatomic Pathology</i> , 2016 , 23, 343-355	5.1	1
573	Whole-arm translocation of der(5;17)(p10;q10) with concurrent TP53 mutations in acute myeloid leukemia (AML) and myelodysplastic syndrome (MDS): A unique molecular-cytogenetic subgroup. <i>Cancer Genetics</i> , 2016 , 209, 205-14	2.3	5
572	Clinical and Biologic Significance of MYC Genetic Mutations in De Novo Diffuse Large B-cell Lymphoma. <i>Clinical Cancer Research</i> , 2016 , 22, 3593-605	12.9	39
571	Preleukemic phase of chronic myelogenous leukemia: morphologic and immunohistochemical characterization of 7 cases. <i>Annals of Diagnostic Pathology</i> , 2016 , 21, 53-8	2.2	6
570	Newly emerged isolated Del(7q) in patients with prior cytotoxic therapies may not always be associated with therapy-related myeloid neoplasms. <i>Modern Pathology</i> , 2016 , 29, 727-34	9.8	6
569	Detection of an Abnormal Myeloid Clone by Flow Cytometry in Familial Platelet Disorder With Propensity to Myeloid Malignancy. <i>American Journal of Clinical Pathology</i> , 2016 , 145, 271-6	1.9	8
568	Immunophenotypic and diagnostic characterization of angioimmunoblastic T-cell lymphoma by advanced flow cytometric technology. <i>Leukemia and Lymphoma</i> , 2016 , 57, 2804-2812	1.9	31
567	Advances in B-lymphoblastic leukemia: cytogenetic and genomic lesions. <i>Annals of Diagnostic Pathology</i> , 2016 , 23, 43-50	2.2	8
566	Risk stratification of chromosomal abnormalities in chronic myelogenous leukemia in the era of tyrosine kinase inhibitor therapy. <i>Blood</i> , 2016 , 127, 2742-50	2.2	97
565	TG2 and NF- B Signaling Coordinates the Survival of Mantle Cell Lymphoma Cells via IL6-Mediated Autophagy. <i>Cancer Research</i> , 2016 , 76, 6410-6423	10.1	35
564	Clinical and molecular characteristics of XPO1 mutations in patients with chronic lymphocytic leukemia. <i>American Journal of Hematology</i> , 2016 , 91, E478-E479	7.1	16
563	Sole rearrangement but not amplification of MYC is associated with a poor prognosis in patients with diffuse large B cell lymphoma and B cell lymphoma unclassifiable. <i>British Journal of Haematology</i> , 2016 , 175, 631-640	4.5	41
562	Comparison of survival in patients with T cell lymphoma after autologous and allogeneic stem cell transplantation as a frontline strategy or in relapsed disease. <i>Biology of Blood and Marrow Transplantation</i> , 2015 , 21, 855-9	4.7	23
561	Hotspot mutation panel testing reveals clonal evolution in a study of 265 paired primary and metastatic tumors. <i>Clinical Cancer Research</i> , 2015 , 21, 2644-51	12.9	63
560	CD5-positive follicular lymphoma: clinicopathologic correlations and outcome in 88 cases. <i>Modern Pathology</i> , 2015 , 28, 787-98	9.8	20

(2015-2015)

559	Isolated del(5q) in Patients Following Therapies for Various Malignancies May Not All Be Clinically Significant. <i>American Journal of Clinical Pathology</i> , 2015 , 144, 78-86	1.9	11	
558	B-Lymphoblastic Leukemia in Patients With Chronic Lymphocytic Leukemia: A Report of Four Cases. <i>American Journal of Clinical Pathology</i> , 2015 , 144, 333-40	1.9	12	
557	Extramedullary Manifestations of Myeloid Neoplasms. <i>American Journal of Clinical Pathology</i> , 2015 , 144, 219-39	1.9	59	
556	Intratumoral morphologic and molecular heterogeneity of rhabdoid renal cell carcinoma: challenges for personalized therapy. <i>Modern Pathology</i> , 2015 , 28, 1225-35	9.8	17	
555	Mixed T Lymphocyte Chimerism after Allogeneic Hematopoietic Transplantation Is Predictive for Relapse of Acute Myeloid Leukemia and Myelodysplastic Syndromes. <i>Biology of Blood and Marrow Transplantation</i> , 2015 , 21, 1948-54	4.7	44	
554	Comparison of next-generation sequencing mutation profiling with BRAF and IDH1 mutation-specific immunohistochemistry. <i>American Journal of Surgical Pathology</i> , 2015 , 39, 454-61	6.7	18	
553	Primary central nervous system diffuse large B-cell lymphoma has poorer immune cell infiltration and prognosis than its peripheral counterpart. <i>Histopathology</i> , 2015 , 67, 625-35	7.3	18	
552	The clinical significance of negative flow cytometry immunophenotypic results in a morphologically scored positive bone marrow in patients following treatment for acute myeloid leukemia. <i>American Journal of Hematology</i> , 2015 , 90, 504-10	7.1	26	
551	Clinical validation of a multipurpose assay for detection and genotyping of CALR mutations in myeloproliferative neoplasms. <i>American Journal of Clinical Pathology</i> , 2015 , 144, 746-55	1.9	8	
550	Clinical features, tumor biology, and prognosis associated with MYC rearrangement and Myc overexpression in diffuse large B-cell lymphoma patients treated with rituximab-CHOP. <i>Modern Pathology</i> , 2015 , 28, 1555-73	9.8	40	
549	Prognostic and biological significance of survivin expression in patients with diffuse large B-cell lymphoma treated with rituximab-CHOP therapy. <i>Modern Pathology</i> , 2015 , 28, 1297-314	9.8	18	
548	TP53 overexpression is an independent adverse prognostic factor in de novo myelodysplastic syndromes with fibrosis. <i>British Journal of Haematology</i> , 2015 , 171, 91-9	4.5	29	
547	Clinical significance of newly emerged isolated del(20q) in patients following cytotoxic therapies. <i>Modern Pathology</i> , 2015 , 28, 1014-22	9.8	18	
546	Evaluation of NF- B subunit expression and signaling pathway activation demonstrates that p52 expression confers better outcome in germinal center B-cell-like diffuse large B-cell lymphoma in association with CD30 and BCL2 functions. <i>Modern Pathology</i> , 2015 , 28, 1202-13	9.8	15	
545	T-lymphoblastic leukemia/lymphoma. American Journal of Clinical Pathology, 2015, 144, 411-22	1.9	69	
544	Hematolymphoid neoplasms associated with rearrangements of PDGFRA, PDGFRB, and FGFR1. <i>American Journal of Clinical Pathology</i> , 2015 , 144, 377-92	1.9	36	
543	Clinicopathologic, Immunophenotypic, Cytogenetic, and Molecular Features of IT-Cell Large Granular Lymphocytic Leukemia: An Analysis of 14 Patients Suggests Biologic Differences With IT-Cell Large Granular Lymphocytic Leukemia. [corrected]. <i>American Journal of Clinical Pathology</i> ,	1.9	28	
542	2015 , 144, 607-19 High levels of regulatory T cells in blood are a poor prognostic factor in patients with diffuse large B-cell lymphoma. <i>American Journal of Clinical Pathology</i> , 2015 , 144, 935-44	1.9	22	

541	De Novo MYC and BCL2 Double-hit B-Cell Precursor Acute Lymphoblastic Leukemia (BCP-ALL) in Pediatric and Young Adult Patients Associated With Poor Prognosis. <i>Pediatric Hematology and Oncology</i> , 2015 , 32, 535-47	1.7	21
540	Flow cytometry immunophenotypic findings in chronic myelomonocytic leukemia and its utility in monitoring treatment response. <i>European Journal of Haematology</i> , 2015 , 95, 168-76	3.8	26
539	Plasma circulating-microRNA profiles are useful for assessing prognosis in patients with cytogenetically normal myelodysplastic syndromes. <i>Modern Pathology</i> , 2015 , 28, 373-82	9.8	26
538	Insights from response to tyrosine kinase inhibitor therapy in a rare myeloproliferative neoplasm with CALR mutation and BCR-ABL1. <i>Blood</i> , 2015 , 125, 3360-3	2.2	20
537	Identification of a novel fusion gene, IRF2BP2-RARA, in acute promyelocytic leukemia. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2015 , 13, 19-22	7.3	38
536	MYC cytogenetic status correlates with expression and has prognostic significance in patients with MYC/BCL2 protein double-positive diffuse large B-cell lymphoma. <i>American Journal of Surgical Pathology</i> , 2015 , 39, 1250-8	6.7	44
535	Triple-hit B-cell Lymphoma With MYC, BCL2, and BCL6 Translocations/Rearrangements: Clinicopathologic Features of 11 Cases. <i>American Journal of Surgical Pathology</i> , 2015 , 39, 1132-9	6.7	53
534	Prognostic impact of acquisition of cytogenetic abnormalities during the course of chronic myelomonocytic leukemia. <i>American Journal of Hematology</i> , 2015 , 90, 882-7	7.1	13
533	Phase II study of HCVIDD/MA in patients with newly diagnosed peripheral T-cell lymphoma. <i>British Journal of Haematology</i> , 2015 , 171, 509-16	4.5	13
532	Factors affecting the success of next-generation sequencing in cytology specimens. <i>Cancer Cytopathology</i> , 2015 , 123, 659-68	3.9	98
531	Characteristics and Treatment of Patients with Breast Implant-Associated Anaplastic Large Cell Lymphoma Presenting with Aggressive Features. <i>Plastic and Reconstructive Surgery</i> , 2015 , 136, 119-120	2.7	27
530	Malignant effusions correlate with poorer prognosis in patients with diffuse large B-cell lymphoma. <i>American Journal of Clinical Pathology</i> , 2015 , 143, 707-15	1.9	20
529	Del(20q) in patients with chronic lymphocytic leukemia: a therapy-related abnormality involving lymphoid or myeloid cells. <i>Modern Pathology</i> , 2015 , 28, 1130-7	9.8	6
528	The utility of BRAF V600E mutation-specific antibody VE1 for the diagnosis of hairy cell leukemia. <i>American Journal of Clinical Pathology</i> , 2015 , 143, 120-5	1.9	18
527	Flow cytometry immunophenotypic analysis of Philadelphia-negative myeloproliferative neoplasms: Correlation with histopathologic features. <i>Cytometry Part B - Clinical Cytometry</i> , 2015 , 88, 236-43	3.4	2
526	Isolated +15 in bone marrow: disease-associated or a benign finding?. <i>Leukemia Research</i> , 2015 , 39, 72-6	52.7	8
525	Mutational profiling of therapy-related myelodysplastic syndromes and acute myeloid leukemia by next generation sequencing, a comparison with de novo diseases. <i>Leukemia Research</i> , 2015 , 39, 348-54	2.7	88
524	Epstein-Barr virus-positive plasmacytoma in immunocompetent patients. <i>Histopathology</i> , 2015 , 67, 225-	- 3 -43	21

523	B-cell lymphomas with concurrent MYC and BCL2 abnormalities other than translocations behave similarly to MYC/BCL2 double-hit lymphomas. <i>Modern Pathology</i> , 2015 , 28, 208-17	9.8	60
522	RAS/RAF Pathway Mutations Define a Distinct Subset of Chronic Lymphocytic Leukemia. <i>Blood</i> , 2015 , 126, 1730-1730	2.2	1
521	In-Vivo Purging with Rituximab (R) Followed By Z/BEAM Vs BEAM/R Autologous Stem Cell Conditioning for Relapsed Diffuse Large B-Cell Lymphoma (DLBCL) Patients (pts): Mature Results from a Combined Analysis of 3 Trials. <i>Blood</i> , 2015 , 126, 3192-3192	2.2	3
520	Clinical and biological significance of de novo CD5+ diffuse large B-cell lymphoma in Western countries. <i>Oncotarget</i> , 2015 , 6, 5615-33	3.3	54
519	Prognostic impact of c-Rel nuclear expression and REL amplification and crosstalk between c-Rel and the p53 pathway in diffuse large B-cell lymphoma. <i>Oncotarget</i> , 2015 , 6, 23157-80	3.3	32
518	Age cutoff for Epstein-Barr virus-positive diffuse large B-cell lymphomais it necessary?. <i>Oncotarget</i> , 2015 , 6, 13933-45	3.3	29
517	MYC-driven aggressive B-cell lymphomas: biology, entity, differential diagnosis and clinical management. <i>Oncotarget</i> , 2015 , 6, 38591-616	3.3	35
516	Bfr (bendamustine, fludarabine, rituximab) Nonmyeloablative Allogeneic Conditioning Improves Survival in Relapsed/Refractory Chronic Lymphocytic Leukemia (CLL) <i>Blood</i> , 2015 , 126, 2011-2011	2.2	
515	MYC/BCL2 Double Hit Lymphoma: What Really Matters. <i>Blood</i> , 2015 , 126, 3909-3909	2.2	
514	Differential expression of CD200 in B-cell neoplasms by flow cytometry can assist in diagnosis, subclassification, and bone marrow staging. <i>American Journal of Clinical Pathology</i> , 2014 , 142, 837-44	1.9	55
513	Prevalence and clinical implications of epstein-barr virus infection in de novo diffuse large B-cell lymphoma in Western countries. <i>Clinical Cancer Research</i> , 2014 , 20, 2338-49	12.9	96
512	Breast implant-associated anaplastic large-cell lymphoma: long-term follow-up of 60 patients. Journal of Clinical Oncology, 2014 , 32, 114-20	2.2	269
511	Optimized immunohistochemical panel to differentiate myeloid sarcoma from blastic plasmacytoid dendritic cell neoplasm. <i>Modern Pathology</i> , 2014 , 27, 1137-43	9.8	28
510	The oncogenic JUNB/CD30 axis contributes to cell cycle deregulation in ALK+ anaplastic large cell lymphoma. <i>British Journal of Haematology</i> , 2014 , 167, 514-23	4.5	20
509	Breast implant-associated anaplastic large cell lymphoma: sensitivity, specificity, and findings of imaging studies in 44 patients. <i>Breast Cancer Research and Treatment</i> , 2014 , 147, 1-14	4.4	100
508	Acquired B cell immunophenotype of follicular dendritic cells in a B cell-depleted lymph node after treatment with rituximab. <i>Annals of Hematology</i> , 2014 , 93, 1947-8	3	2
507	Rearrangements of MYC gene facilitate risk stratification in diffuse large B-cell lymphoma patients treated with rituximab-CHOP. <i>Modern Pathology</i> , 2014 , 27, 958-71	9.8	99
506	Clinical implications of phosphorylated STAT3 expression in De Novo diffuse large B-cell lymphoma. <i>Clinical Cancer Research</i> , 2014 , 20, 5113-23	12.9	52

505	Prevalence and clinical implications of cyclin D1 expression in diffuse large B-cell lymphoma (DLBCL) treated with immunochemotherapy: a report from the International DLBCL Rituximab-CHOP Consortium Program. <i>Cancer</i> , 2014 , 120, 1818-29	6.4	28
504	Epstein-Barr virus-positive nodular lymphocyte predominant Hodgkin lymphoma. <i>Annals of Diagnostic Pathology</i> , 2014 , 18, 203-9	2.2	11
503	Clinically silent clonal cytogenetic abnormalities arising in patients treated for lymphoid neoplasms. <i>Leukemia Research</i> , 2014 , 38, 896-900	2.7	8
502	Impact of induction regimen and stem cell transplantation on outcomes in double-hit lymphoma: a multicenter retrospective analysis. <i>Blood</i> , 2014 , 124, 2354-61	2.2	306
501	A novel recurrent NPM1-TYK2 gene fusion in cutaneous CD30-positive lymphoproliferative disorders. <i>Blood</i> , 2014 , 124, 3768-71	2.2	62
500	Breast Implant-Associated Anaplastic Large Cell Lymphoma. <i>Plastic and Reconstructive Surgery</i> , 2014 , 134, 95-96	2.7	
499	B acute lymphoblastic leukemia with t(14;19)(q32;p13.1) involving IGH/EPOR: a clinically aggressive subset of disease. <i>Modern Pathology</i> , 2014 , 27, 382-9	9.8	9
498	Clinical features of de novo acute myeloid leukemia with concurrent DNMT3A, FLT3 and NPM1 mutations. <i>Journal of Hematology and Oncology</i> , 2014 , 7, 74	22.4	60
497	Identification of clinically important chromosomal aberrations in acute myeloid leukemia by array-based comparative genomic hybridization. <i>Leukemia and Lymphoma</i> , 2014 , 55, 2538-48	1.9	10
496	Bone marrow fibrosis in patients with primary myelodysplastic syndromes has prognostic value using current therapies and new risk stratification systems. <i>Modern Pathology</i> , 2014 , 27, 681-9	9.8	31
495	Monoclonality and cytogenetic abnormalities in hyaline vascular Castleman disease. <i>Modern Pathology</i> , 2014 , 27, 823-31	9.8	52
494	Utility of quantitative flow cytometry immunophenotypic analysis of CD5 expression in small B-cell neoplasms. <i>Archives of Pathology and Laboratory Medicine</i> , 2014 , 138, 903-9	5	10
493	Flow cytometric immunophenotypic analysis of systemic mastocytosis involving bone marrow. <i>Archives of Pathology and Laboratory Medicine</i> , 2014 , 138, 1210-4	5	9
492	Quantitative assessment of mutant allele burden in solid tumors by semiconductor-based next-generation sequencing. <i>American Journal of Clinical Pathology</i> , 2014 , 141, 559-72	1.9	18
491	Next-generation sequencing-based multigene mutational screening for acute myeloid leukemia using MiSeq: applicability for diagnostics and disease monitoring. <i>Haematologica</i> , 2014 , 99, 465-73	6.6	137
490	Cytogenetic risk stratification of 417 patients with chronic myelomonocytic leukemia from a single institution. <i>American Journal of Hematology</i> , 2014 , 89, 813-8	7.1	59
489	BRAF kinase domain mutations are present in a subset of chronic myelomonocytic leukemia with wild-type RAS. <i>American Journal of Hematology</i> , 2014 , 89, 499-504	7.1	28
488	CD30 expression in acute lymphoblastic leukemia as assessed by flow cytometry analysis. <i>Leukemia</i> and <i>Lymphoma</i> , 2014 , 55, 624-7	1.9	25

487	Indolent peripheral T-cell lymphoma involving the gastrointestinal tract. <i>Human Pathology</i> , 2014 , 45, 421-6	3.7	30
486	Integrated Genome Sequencing Reveals Frequent Loss of Function Alterations of ARID1A and Other Epigenetic Modifiers in Sezary Syndrome. <i>Blood</i> , 2014 , 124, 706-706	2.2	2
485	Homozygous inv(11)(q21q23) and MLL gene rearrangement in two patients with myeloid neoplasms. <i>International Journal of Clinical and Experimental Pathology</i> , 2014 , 7, 3196-201	1.4	5
484	NF- B Subunit c-Rel Cooperates with Myc and Mutated p53 to Confer Significantly Worse Survival in Patients with Diffuse Large B-Cell Lymphoma: A Report from the International DLBCL Rituximab-CHOP Consortium Program. <i>Blood</i> , 2014 , 124, 1620-1620	2.2	
483	Comparison of Risk Models for Patients with Lower Risk Myelodysplastic Syndromes. <i>Blood</i> , 2014 , 124, 1919-1919	2.2	
482	Multigene Mutational Clinical Profiling Using Next Generation Sequencing in a Cohort of 451 Patients with MDS: Impact on Clinical Outcomes. <i>Blood</i> , 2014 , 124, 4658-4658	2.2	
481	Outcomes Following Allogeneic Stem Cell Transplantation (AlloSCT) in Patients with Primary Mediastinal (PMBL), Germinal Center B (GCB) and Non-GCB Cell-like Diffuse Large B Cell Lymphomas (DLBCL). <i>Blood</i> , 2014 , 124, 2563-2563	2.2	1
480	Akt Activation Confers an Inferior Survival in Patients with Activated B-Cell Subtype of Diffuse Large B-Cell Lymphoma: A Report from the International DLBCL Rituximab-CHOP Consortium Program. <i>Blood</i> , 2014 , 124, 143-143	2.2	
479	Novel Gene Translocations Involving TYK2 in Cutaneous CD30-Positive Lymphoproliferative Disorders. <i>Blood</i> , 2014 , 124, 3032-3032	2.2	О
478	Clinical and Biological Features of Primary Testicular B-Cell Lymphoma - a Single-Institution Study of 89 Cases. <i>Blood</i> , 2014 , 124, 3036-3036	2.2	
477	MYC Expression Is Prognostic in Therapy Related Acute Myeloid Leukemia (AML) and AML with Myelodysplastic Syndrome (MDS)-Related Changes. <i>Blood</i> , 2014 , 124, 5334-5334	2.2	
476	Molecular characterization of de novo Philadelphia chromosome-positive acute myeloid leukemia. <i>Leukemia and Lymphoma</i> , 2013 , 54, 138-44	1.9	90
475	Clinical validation of a next-generation sequencing screen for mutational hotspots in 46 cancer-related genes. <i>Journal of Molecular Diagnostics</i> , 2013 , 15, 607-22	5.1	265
474	The impact of MYC rearrangements and "double hit" abnormalities in diffuse large B-cell lymphoma. <i>Current Hematologic Malignancy Reports</i> , 2013 , 8, 243-52	4.4	25
473	Genomic variation by whole-genome SNP mapping arrays predicts time-to-event outcome in patients with chronic lymphocytic leukemia: a comparison of CLL and HapMap genotypes. <i>Journal of Molecular Diagnostics</i> , 2013 , 15, 196-209	5.1	20
472	t(15;17)(q24.1;q21.2)/PML-RARA in blast phase of chronic myelogenous leukemia: a rare form of clonal evolution. <i>Journal of Hematopathology</i> , 2013 , 6, 187-193	0.4	5
471	Donor-derived isolated del(20q) after hematopoietic stem cell transplantation: report of two cases and review of the literature. <i>Journal of Hematopathology</i> , 2013 , 6, 25-32	0.4	2
470	The clinical importance of moderate/severe bone marrow fibrosis in patients with therapy-related myelodysplastic syndromes. <i>Annals of Hematology</i> , 2013 , 92, 1335-43	3	18

CXC chemokine receptor 4 expression, CXC chemokine receptor 4 activation, and wild-type nucleophosmin are independently associated with unfavorable prognosis in patients with acute myeloid leukemia. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2013 , 13, 686-92	2	15
High-dose chemotherapy and autologous stem cell transplantation for nodular lymphocyte-predominant Hodgkin lymphoma. <i>Biology of Blood and Marrow Transplantation</i> , 2013 , 19, 991-4	4.7	31
Systemic mastocytosis with associated clonal hematological non-mast cell lineage disease: clinical significance and comparison of chomosomal abnormalities in SM and AHNMD components. <i>American Journal of Hematology</i> , 2013 , 88, 219-24	7.1	63
Absence of terminal deoxynucleotidyl transferase expression identifies a subset of high-risk adult T-lymphoblastic leukemia/lymphoma. <i>Modern Pathology</i> , 2013 , 26, 1338-45	9.8	29
MicroRNA signatures and treatment response in patients with advanced classical Hodgkin lymphoma. <i>British Journal of Haematology</i> , 2013 , 162, 336-47	4.5	32
TP53 mutation is rare in primary myelofibrosis. <i>Leukemia and Lymphoma</i> , 2013 , 54, 1552	1.9	5
Frequency and spectrum of BRAF mutations in a retrospective, single-institution study of 1112 cases of melanoma. <i>Journal of Molecular Diagnostics</i> , 2013 , 15, 220-6	5.1	157
Clonally related composite follicular lymphoma and mantle cell lymphoma with clinicopathologic features and biological implications. <i>Human Pathology</i> , 2013 , 44, 2658-67	3.7	17
MYC/BCL2 protein coexpression contributes to the inferior survival of activated B-cell subtype of diffuse large B-cell lymphoma and demonstrates high-risk gene expression signatures: a report from The International DLBCL Rituximab-CHOP Consortium Program. <i>Blood</i> , 2013 , 121, 4021-31;	2.2	473
Therapy-related myeloid neoplasms with isolated del(20q): comparison with cases of de novo myelodysplastic syndrome with del(20q). <i>Cancer Genetics</i> , 2013 , 206, 42-6	2.3	13
CD30 expression defines a novel subgroup of diffuse large B-cell lymphoma with favorable prognosis and distinct gene expression signature: a report from the International DLBCL Rituximab-CHOP Consortium Program Study. <i>Blood</i> , 2013 , 121, 2715-24	2.2	157
Potential therapeutic biomarkers in plasma cell myeloma: a flow cytometry study. <i>Cytometry Part B - Clinical Cytometry</i> , 2013 , 84, 222-8	3.4	17
Patients with diffuse large B-cell lymphoma of germinal center origin with BCL2 translocations have poor outcome, irrespective of MYC status: a report from an International DLBCL rituximab-CHOP Consortium Program Study. <i>Haematologica</i> , 2013 , 98, 255-63	6.6	125
Differential expression of aurora-A kinase in T-cell lymphomas. <i>Modern Pathology</i> , 2013 , 26, 640-7	9.8	23
TdT expression in acute myeloid leukemia with minimal differentiation is associated with distinctive clinicopathological features and better overall survival following stem cell transplantation. <i>Modern Pathology</i> , 2013 , 26, 195-203	9.8	15
Immunostaining for rapid diagnosis of acute promyelocytic leukemia with the tetramethylrhodamine-5-isothiocyanate-conjugated anti-promyelocytic leukemia monoclonal antibody PG-M3. <i>Archives of Pathology and Laboratory Medicine</i> , 2013 , 137, 1669-73	5	5
Myeloid sarcoma of the head and neck region. <i>Archives of Pathology and Laboratory Medicine</i> , 2013 , 137, 1560-8	5	30
Clinicopathologic features of CD5-positive nodal marginal zone lymphoma. <i>American Journal of Clinical Pathology</i> , 2013 , 140, 693-700	1.9	20
	myeloid leukemia. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2013, 13, 686-92 High-dose chemotherapy and autologous stem cell transplantation for nodular lymphocyte-predominant Hodgkin lymphoma. <i>Biology of Blood and Marrow Transplantation</i> , 2013, 19, 991-4 Systemic mastocytosis with associated clonal hematological non-mast cell lineage disease: clinical significance and comparison of chomosomal abnormalities in SM and AHINMD components. <i>American Journal of Hematology</i> , 2013, 88, 219-24 Absence of terminal deoxynucleotidyl transferase expression identifies a subset of high-risk adult T-lymphoblastic leukemia/lymphoma. <i>Modern Pathology</i> , 2013, 26, 1338-45 MicroRNA signatures and treatment response in patients with advanced classical Hodgkin lymphoma. <i>British Journal of Haematology</i> , 2013, 162, 336-47 TP53 mutation is rare in primary myelofibrosis. <i>Leukemia and Lymphoma</i> , 2013, 54, 1552 Frequency and spectrum of BRAF mutations in a retrospective, single-institution study of 1112 cases of melanoma. <i>Journal of Molecular Diagnostics</i> , 2013, 15, 220-6 Clonally related composite follicular lymphoma and mantle cell lymphoma with clinicopathologic features and biological implications. <i>Human Pathology</i> , 2013, 44, 2658-67 MYC/BCL2 protein coexpression contributes to the inferior survival of activated B-cell subtype of diffuse large B-cell lymphoma and demonstrates high-risk gene expression signatures: a report from The International DLBCL Rituximab-CHOP Consortium Program. <i>Blood</i> , 2013, 121, 4021-31; 343-343. Therapy-related myeloid neoplasms with isolated del(20q): comparison with cases of de novo myelodysplastic syndrome with del(20q). <i>Cancer Genetics</i> , 2013, 206, 42-6 CD30 expression defines a novel subgroup of diffuse large B-cell lymphoma with favorable prognosis and distinct gene expression signature: a report from the International DLBCL Rituximab-CHOP Consortium Program Study. <i>Blood</i> , 2013, 121, 2715-24 Potential therapeutic biomarkers in plasma cell myeloma: a flow cytometry study. <i>Cytometry Pat </i>	nucleophosmin are independently associated with unfavorable prognosis in patients with acute myeloid leukemia. Clinical Lymphoma, Myeloma and Leukemia, 2013, 13, 686-92 High-dose chemotherapy and autologous stem cell transplantation for nodular lymphocyte-predominant Hodgkin lymphoma. Biology of Blood and Marrow Transplantation, 2013, 19, 991-4 Systemic mastocytosis with associated clonal hematological non-mast cell lineage disease: clinical significance and comparison of chomosomal abnormalities in SM and AHNMD components. American Journal of Hematology, 2013, 88, 219-24 Absence of terminal deoxynucleotidyl transferase expression identifies a subset of high-risk adult T-lymphoblastic leukemia/lymphoma. Modern Pathology, 2013, 26, 1338-45 MicroRNA signatures and treatment response in patients with advanced classical Hodgkin lymphoma. British Journal of Haematology, 2013, 162, 336-47 TP53 mutation is rare in primary myelofibrosis. Leukemia and Lymphoma, 2013, 54, 1552 1-9 Frequency and spectrum of BRAF mutations in a retrospective, single-institution study of 1112 cases of melanoma. Journal of Molecular Diagnostics, 2013, 15, 220-6 Clonally related composite follicular lymphoma and mantle cell lymphoma with clinicopathologic features and biological implications. Human Pathology, 2013, 44, 2658-67 MYC/BCL2 protein coexpression contributes to the inferior survival of activated B-cell subtype of diffuse large B-cell lymphoma and demonstrates high-risk gene expression signatures: a report from The International DLBCL Rituximab-CHOP Consortium Program. Blood, 2013, 121, 4021-31; 2014-259 Therapy-related myeloid neoplasms with isolated del(20q): comparison with cases of de novo myelodysplastic syndrome with del(20q). Cancer Genetics, 2013, 206, 42-6 CD30 expression defines a novel subgroup of diffuse large B-cell lymphoma with favorable prognosis and distinct gene expression signature: a report from the International DLBCL Rituximab-CHOP Consortium Program Study. Hometologica, 2013, 98, 255-63 Differentia

451	MYC/BCL2 double-hit high-grade B-cell lymphoma. <i>Advances in Anatomic Pathology</i> , 2013 , 20, 315-26	5.1	55
450	Iatrogenic immunodeficiency-associated classical hodgkin lymphoma: clinicopathologic features of 54 cases reported in the literature. <i>American Journal of Surgical Pathology</i> , 2013 , 37, 1895-7	6.7	9
449	Phenotypic evolution in a case of peripheral T-cell lymphoma suggests the presence of tumor heterogeneity. <i>Journal of Cutaneous Pathology</i> , 2013 , 40, 573-9	1.7	5
448	The emerging role of d-2-hydroxyglutarate as an oncometabolite in hematolymphoid and central nervous system neoplasms. <i>Frontiers in Oncology</i> , 2013 , 3, 169	5.3	34
447	TET2 mutations, myelodysplastic features, and a distinct immunoprofile characterize blastic plasmacytoid dendritic cell neoplasm in the bone marrow. <i>American Journal of Hematology</i> , 2013 , 88, 1055-61	7.1	93
446	Cytarabine, Ki-67, and SOX11 in patients with mantle cell lymphoma receiving rituximab-containing autologous stem cell transplantation during first remission. <i>Cancer</i> , 2013 , 119, 3318-25	6.4	5
445	CD105 (endoglin) is highly overexpressed in a subset of cases of acute myeloid leukemias. <i>American Journal of Clinical Pathology</i> , 2013 , 140, 370-8	1.9	12
444	Landscape of DNA virus associations across human malignant cancers: analysis of 3,775 cases using RNA-Seq. <i>Journal of Virology</i> , 2013 , 87, 8916-26	6.6	153
443	Clinical implications of positron emission tomography-negative residual computed tomography masses after chemotherapy for diffuse large B-cell lymphoma. <i>Leukemia and Lymphoma</i> , 2013 , 54, 2631	-8 .9	30
442	Plasma cell enrichment enhances detection of high-risk cytogenomic abnormalities by fluorescence in situ hybridization and improves risk stratification of patients with plasma cell neoplasms. Archives of Pathology and Laboratory Medicine, 2013, 137, 625-31	5	19
441	Single nucleotide variation in the TP53 3' untranslated region in diffuse large B-cell lymphoma treated with rituximab-CHOP: a report from the International DLBCL Rituximab-CHOP Consortium Program. <i>Blood</i> , 2013 , 121, 4529-40	2.2	35
440	Classical Hodgkin lymphoma arising in the setting of iatrogenic immunodeficiency: a clinicopathologic study of 10 cases. <i>American Journal of Surgical Pathology</i> , 2013 , 37, 1290-7	6.7	33
439	Extranodal NK/T-cell lymphoma, nasal type: a report of 73 cases at MD Anderson Cancer Center. American Journal of Surgical Pathology, 2013 , 37, 14-23	6.7	145
438	Radiation Therapy Significantly Improves Survival Of Patients With Diffuse Large B-Cell Lymphoma Associated With MYC Translocation: A Report From The International DLBCL Rituximab-CHOP Consortium Program. <i>Blood</i> , 2013 , 122, 641-641	2.2	1
437	STAT3 Expression and Clinical Implications In De Novo Diffuse Large B-Cell Lymphoma: A Report From The International DLBCL Rituximab-CHOP Consortium Program. <i>Blood</i> , 2013 , 122, 365-365	2.2	1
436	Outcomes Following Autologous Stem Cell Transplantation (ASCT) In Patients With Germinal Center B (GCB) and Non-GCB Cell-Like Diffuse Large B Cell Lymphomas (DLBCL) According To Conditioning With BEAM-Rituximab (Standard vs. High-Dose) Vs. BEAM/Yttrium-90 Ibritumomab	2.2	
435	MYC Mutation Profiling In 708 De Novo Diffuse Large B-Cell Lymphoma Demonstrates That Genetic Abnormalities In The Coding Sequence and Untranslated Regions Have Different Prognostic and Clinical Significance: A Report From The International DLBCL Rituximab-CHOP Consortium	2.2	
434	High-grade B cell lymphoma, unclassifiable, with blastoid features: an unusual morphological subgroup associated frequently with BCL2 and/or MYC gene rearrangements and a poor prognosis. Histopathology, 2012, 61, 945-54	7.3	34

433	Multi-color CD34+ progenitor-focused flow cytometric assay in evaluation of myelodysplastic syndromes in patients with post cancer therapy cytopenia. <i>Leukemia Research</i> , 2012 , 36, 974-81	2.7	25
432	Cytogenetic profile of patients with acute myeloid leukemia and central nervous system disease. <i>Cancer</i> , 2012 , 118, 112-7	6.4	51
431	Prognostic value of MYC rearrangement in cases of B-cell lymphoma, unclassifiable, with features intermediate between diffuse large B-cell lymphoma and Burkitt lymphoma. <i>Cancer</i> , 2012 , 118, 1566-73	3 ^{6.4}	55
430	Nonmyeloablative allogeneic transplantation with or without 90yttrium ibritumomab tiuxetan is potentially curative for relapsed follicular lymphoma: 12-year results. <i>Blood</i> , 2012 , 119, 6373-8	2.2	86
429	Precursor B-acute lymphoblastic leukemia occurring in patients with a history of prior malignancies: is it therapy-related?. <i>Haematologica</i> , 2012 , 97, 919-25	6.6	35
428	Usefulness of CD11a and CD18 in flow cytometric immunophenotypic analysis for diagnosis of acute promyelocytic leukemia. <i>American Journal of Clinical Pathology</i> , 2012 , 138, 744-50	1.9	16
427	Dysfunction of the TP53 tumor suppressor gene in lymphoid malignancies. <i>Blood</i> , 2012 , 119, 3668-83	2.2	117
426	Extracavitary/solid variant of primary effusion lymphoma. <i>Annals of Diagnostic Pathology</i> , 2012 , 16, 441	-6 .2	53
425	Mutational profile and prognostic significance of TP53 in diffuse large B-cell lymphoma patients treated with R-CHOP: report from an International DLBCL Rituximab-CHOP Consortium Program Study. <i>Blood</i> , 2012 , 120, 3986-96	2.2	223
424	Florid reactive lymphoid hyperplasia (lymphoma-like lesion) of the uterine cervix. <i>Annals of Diagnostic Pathology</i> , 2012 , 16, 21-8	2.2	16
423	Detection of high-frequency and novel DNMT3A mutations in acute myeloid leukemia by high-resolution melting curve analysis. <i>Journal of Molecular Diagnostics</i> , 2012 , 14, 336-45	5.1	22
422	Acute myeloid leukemia (AML) with erythroid predominance exhibits clinical and molecular characteristics that differ from other types of AML. <i>PLoS ONE</i> , 2012 , 7, e41485	3.7	22
421	The pan-deacetylase inhibitor panobinostat induces cell death and synergizes with everolimus in Hodgkin lymphoma cell lines. <i>Blood</i> , 2012 , 119, 4017-25	2.2	70
420	Myeloid neoplasms with isolated isochromosome 17q represent a clinicopathologic entity associated with myelodysplastic/myeloproliferative features, a high risk of leukemic transformation, and wild-type TP53. <i>Cancer</i> , 2012 , 118, 2879-88	6.4	54
419	Rapid detection and quantitation of BRAF mutations in hairy cell leukemia using a sensitive pyrosequencing assay. <i>American Journal of Clinical Pathology</i> , 2012 , 138, 153-6	1.9	35
418	Myelodysplastic syndrome/acute myeloid leukemia with t(3;21)(q26.2;q22) is commonly a therapy-related disease associated with poor outcome. <i>American Journal of Clinical Pathology</i> , 2012 , 138, 146-52	1.9	15
417	Somatic deletions of the polyA tract in the 3' untranslated region of epidermal growth factor receptor are common in microsatellite instability-high endometrial and colorectal carcinomas. <i>Archives of Pathology and Laboratory Medicine</i> , 2012 , 136, 510-6	5	9
416	Usefulness of flow cytometric immunophenotyping for bone marrow staging in patients with mantle cell lymphoma after therapy. <i>American Journal of Clinical Pathology</i> , 2012 , 137, 634-40	1.9	2

415	CD117 expression is a sensitive but nonspecific predictor of FLT3 mutation in T acute lymphoblastic leukemia and T/myeloid acute leukemia. <i>American Journal of Clinical Pathology</i> , 2012 , 137, 213-9	1.9	41
414	Waldenstrfh macroglobulinemia: a review of the entity and its differential diagnosis. <i>Advances in Anatomic Pathology</i> , 2012 , 19, 11-27	5.1	20
413	Molecular and clinicopathologic characterization of AML with isolated trisomy 4. <i>American Journal of Clinical Pathology</i> , 2012 , 137, 387-94	1.9	14
412	Clinical experience with the heat shock protein-90 inhibitor, tanespimycin, in patients with relapsed lymphoma. <i>Leukemia and Lymphoma</i> , 2012 , 53, 990-2	1.9	14
411	B-cell lymphomas with MYC/8q24 rearrangements and IGH@BCL2/t(14;18)(q32;q21): an aggressive disease with heterogeneous histology, germinal center B-cell immunophenotype and poor outcome. <i>Modern Pathology</i> , 2012 , 25, 145-56	9.8	198
410	Therapy-related myeloid neoplasms following fludarabine, cyclophosphamide, and rituximab (FCR) treatment in patients with chronic lymphocytic leukemia/small lymphocytic lymphoma. <i>Modern Pathology</i> , 2012 , 25, 237-45	9.8	56
409	Clinical impact of change of FLT3 mutation status in acute myeloid leukemia patients. <i>Modern Pathology</i> , 2012 , 25, 1405-12	9.8	36
408	Breast implant-associated anaplastic large cell lymphoma: a newly recognized entity that needs further refinement of its definition. <i>Leukemia and Lymphoma</i> , 2012 , 53, 749-50	1.9	26
407	Whole-genome sequencing identifies recurrent somatic NOTCH2 mutations in splenic marginal zone lymphoma. <i>Journal of Experimental Medicine</i> , 2012 , 209, 1553-65	16.6	229
406	N-terminal PAX8 polyclonal antibody shows cross-reactivity with N-terminal region of PAX5 and is responsible for reports of PAX8 positivity in malignant lymphomas. <i>Modern Pathology</i> , 2012 , 25, 231-6	9.8	47
405	Microscopic diffuse large B-cell lymphoma (DLBCL) occurring in pseudocysts: do these tumors belong to the category of DLBCL associated with chronic inflammation?. <i>American Journal of Surgical Pathology</i> , 2012 , 36, 1074-80	6.7	43
404	Immunohistochemical markers for tumor associated macrophages and survival in advanced classical Hodgkin's lymphoma. <i>Haematologica</i> , 2012 , 97, 1080-4	6.6	50
403	Capsular Contracture and Axillary Lymphadenopathy in Breast Implant ssociated ALK-negative Anaplastic Large Cell Lymphoma. <i>American Journal of Surgical Pathology</i> , 2012 , 36, 1736-1738	6.7	6
402	Anaplastic large cell lymphoma associated with breast implants: a report of 13 cases. <i>American Journal of Surgical Pathology</i> , 2012 , 36, 1000-8	6.7	137
401	Extranodal NK/T-cell lymphoma, nasal type, arising in association with saline breast implant: expanding the spectrum of breast implant-associated lymphomas. <i>American Journal of Surgical Pathology</i> , 2012 , 36, 1729-34	6.7	26
400	Early Mixed T-Lymphocyte and Myeloid Chimerism Is Predictive of Disease Recurrence Following Allogeneic Stem Cell Transplantation for AML/MDS <i>Blood</i> , 2012 , 120, 3075-3075	2.2	1
399	Prognostic Significance and Phenotypic Manifestations of MYC/BCL2 Protein Expression in Diffuse Large B-Cell Lymphoma (DLBCL) with Extranodal Organ Involvement: A Report of the International DLBCL Rituximab-CHOP Consortium Program Study. <i>Blood</i> , 2012 , 120, 544-544	2.2	1
398	Analysis of Outcomes of Patients with Blastic Plasmacytoid Dendritic Cell Neoplasm. <i>Blood</i> , 2012 , 120, 3554-3554	2.2	

397	Dasatinib Therapy Affects Bone Homeostasis in Patients with Chronic Myelogenous Leukemia in Chronic Phase Independently of Molecular Response. <i>Blood</i> , 2012 , 120, 1682-1682	2.2	
396	Mocetinostat for relapsed classical Hodgkin's lymphoma: an open-label, single-arm, phase 2 trial. Lancet Oncology, The, 2011 , 12, 1222-8	21.7	141
395	Plasmablastic lymphoma involving the penis: a previously unreported location of a case with aberrant CD3 expression. <i>Pathology</i> , 2011 , 43, 54-7	1.6	19
394	A two-gene signature, SKI and SLAMF1, predicts time-to-treatment in previously untreated patients with chronic lymphocytic leukemia. <i>PLoS ONE</i> , 2011 , 6, e28277	3.7	18
393	Constitutive BR3 receptor signaling in diffuse, large B-cell lymphomas stabilizes nuclear factor- B -inducing kinase while activating both canonical and alternative nuclear factor- B pathways. <i>Blood</i> , 2011 , 117, 200-10	2.2	57
392	LDOC1 mRNA is differentially expressed in chronic lymphocytic leukemia and predicts overall survival in untreated patients. <i>Blood</i> , 2011 , 117, 4076-84	2.2	28
391	Transient/reversible ring sideroblasts in bone marrow of patients post cytotoxic therapies for primary malignancies. <i>Leukemia Research</i> , 2011 , 35, 1605-10	2.7	8
390	Prognostic significance of immunophenotypic and karyotypic features of Philadelphia positive B-lymphoblastic leukemia in the era of tyrosine kinase inhibitors. <i>Cancer</i> , 2011 , 117, 4009-17	6.4	34
389	Phosphorylated CXCR4 is associated with poor survival in adults with B-acute lymphoblastic leukemia. <i>Cancer</i> , 2011 , 117, 4689-95	6.4	34
388	The B cell antigen receptor in atypical chronic lymphocytic leukemia with t(14;19)(q32;q13) demonstrates remarkable stereotypy. <i>International Journal of Cancer</i> , 2011 , 128, 2759-64	7.5	16
387	Diagnostic testing for IDH1 and IDH2 variants in acute myeloid leukemia an algorithmic approach using high-resolution melting curve analysis. <i>Journal of Molecular Diagnostics</i> , 2011 , 13, 678-86	5.1	42
386	Myelodysplastic syndromes with deletions of chromosome 11q lack cryptic MLL rearrangement and exhibit characteristic clinicopathologic features. <i>Leukemia Research</i> , 2011 , 35, 351-7	2.7	11
385	De novo acute myeloid leukemia with inv(3)(q21q26.2) or t(3;3)(q21;q26.2): a clinicopathologic and cytogenetic study of an entity recently added to the WHO classification. <i>Modern Pathology</i> , 2011 , 24, 384-9	9.8	32
384	Detection of nucleophosmin 1 mutations by quantitative real-time polymerase chain reaction versus capillary electrophoresis: a comparative study. <i>Archives of Pathology and Laboratory Medicine</i> , 2011 , 135, 994-1000	5	12
383	Pure erythroid leukemia: a reassessment of the entity using the 2008 World Health Organization classification. <i>Modern Pathology</i> , 2011 , 24, 375-83	9.8	79
382	Chronic lymphocytic leukemia with t(14;19)(q32;q13) is characterized by atypical morphologic and immunophenotypic features and distinctive genetic features. <i>American Journal of Clinical Pathology</i> , 2011, 135, 686-96	1.9	30
381	FLT3 and NPM1 mutations in myelodysplastic syndromes: Frequency and potential value for predicting progression to acute myeloid leukemia. <i>American Journal of Clinical Pathology</i> , 2011 , 135, 62-9	1.9	73
380	Refractory anemia with ring sideroblasts associated with marked thrombocytosis: a mixed group exhibiting a spectrum of morphologic findings. <i>American Journal of Clinical Pathology</i> , 2011 , 135, 398-4	40 ³ .9	15

379	Acute myeloid leukemia with IDH1 or IDH2 mutation: frequency and clinicopathologic features. <i>American Journal of Clinical Pathology</i> , 2011 , 135, 35-45	1.9	126
378	Residual monotypic plasma cells in patients with waldenstrom macroglobulinemia after therapy. <i>American Journal of Clinical Pathology</i> , 2011 , 135, 365-73	1.9	41
377	Chromosome 20q deletion: a recurrent cytogenetic abnormality in patients with chronic myelogenous leukemia in remission. <i>American Journal of Clinical Pathology</i> , 2011 , 135, 391-7	1.9	12
376	Myelodysplastic syndrome with inv(3)(q21q26.2) or t(3;3)(q21;q26.2) has a high risk for progression to acute myeloid leukemia. <i>American Journal of Clinical Pathology</i> , 2011 , 136, 282-8	1.9	31
375	Pre-Transplant Minimal Residual Disease Detected by Multiparameter Flow Cytometric Analysis Predicts for Disease Relapse in Adult Patients with Acute Lymphoblastic Leukemia Post Allogeneic Hematopoietic Stem Cell transplantation. <i>Blood</i> , 2011 , 118, 3072-3072	2.2	2
374	Safety and Efficacy of the Novel Combination of Panobinostat (LBH589) and Everolimus (RAD001) in Relapsed/Refractory Hodgkin and Non-Hodgkin Lymphoma,. <i>Blood</i> , 2011 , 118, 3718-3718	2.2	2
373	The t(14;18)(q32;q21) Characterizes a Subset of Patients with Diffuse Large-B Cell Lymphoma of Germinal Center Origin with Poor Outcome: Report From the International DLBCL Rituximab-CHOP Consortium Program Study. <i>Blood</i> , 2011 , 118, 949-949	2.2	2
372	Trisomy 11 as an isolated abnormality in acute myeloid leukemia is associated with unfavorable prognosis but not with an NPM1 or KIT mutation. <i>International Journal of Clinical and Experimental Pathology</i> , 2011 , 4, 371-7	1.4	18
371	12-Year Experience with High-Dose Rituximab-Containing Autologous Stem Cell Transplantation for SOX11-Positive Mantle Cell Lymphoma Patients in First Remission: Emerging Lymphoma-Free Survival Plateau After 3 Years,. <i>Blood</i> , 2011 , 118, 4138-4138	2.2	
370	Clinical Implications of PET-Negative Residual Disease At the Completion of Chemotherapy for Diffuse Large B-Cell Lymphoma. <i>Blood</i> , 2011 , 118, 2695-2695	2.2	
369	Aberrant Expression of Golgin-84 in Non-Hodgkin Lymphomas and Plasma Cell Myeloma. <i>Blood</i> , 2011 , 118, 4633-4633	2.2	
368	High serum thymidine kinase 1 level predicts poorer survival in patients with chronic lymphocytic leukemia. <i>American Journal of Clinical Pathology</i> , 2010 , 134, 472-7	1.9	30
367	Benefit of consolidative radiation therapy in patients with diffuse large B-cell lymphoma treated with R-CHOP chemotherapy. <i>Journal of Clinical Oncology</i> , 2010 , 28, 4170-6	2.2	173
366	Expression of p21 protein predicts clinical outcome in DLBCL patients older than 60 years treated with R-CHOP but not CHOP: a prospective ECOG and Southwest Oncology Group correlative study on E4494. <i>Clinical Cancer Research</i> , 2010 , 16, 2435-42	12.9	23
365	Clonal relationship of extranodal marginal zone lymphomas of mucosa-associated lymphoid tissue involving different sites. <i>American Journal of Clinical Pathology</i> , 2010 , 134, 112-8	1.9	28
364	Acute promyelocytic leukemia at time of relapse commonly demonstrates cytogenetic evidence of clonal evolution and variability in blast immunophenotypic features. <i>American Journal of Clinical Pathology</i> , 2010 , 133, 484-90	1.9	17
363	Primary T-cell lymphoblastic lymphoma of the cavernous sinus. <i>Journal of Neurosurgery: Pediatrics</i> , 2010 , 5, 94-7	2.1	12
362	A pathway-based gene signature correlates with therapeutic response in adult patients with Philadelphia chromosome-positive acute lymphoblastic leukemia. <i>Modern Pathology</i> , 2010 , 23, 1524-34	0	5

361	Immunohistochemical detection of ZAP70 in chronic lymphocytic leukemia predicts immunoglobulin heavy chain gene mutation status and time to progression. <i>Modern Pathology</i> , 2010 , 23, 1518-23	9.8	19
360	Acute erythroid leukemia as defined in the World Health Organization classification is a rare and pathogenetically heterogeneous disease. <i>Modern Pathology</i> , 2010 , 23, 1113-26	9.8	27
359	HDM4 is overexpressed in mantle cell lymphoma and its inhibition induces p21 expression and apoptosis. <i>Modern Pathology</i> , 2010 , 23, 381-91	9.8	22
358	Flow cytometric detection of peripheral blood involvement by mycosis fungoides and Sary syndrome using T-cell receptor Vbeta chain antibodies and its application in blood staging. <i>Modern Pathology</i> , 2010 , 23, 284-95	9.8	47
357	Outcome of patients with diffuse large B-cell lymphoma of the testis by era of treatment: the M. D. Anderson Cancer Center experience. <i>Leukemia and Lymphoma</i> , 2010 , 51, 1217-24	1.9	48
356	Side population of a murine mantle cell lymphoma model contains tumour-initiating cells responsible for lymphoma maintenance and dissemination. <i>Journal of Cellular and Molecular Medicine</i> , 2010 , 14, 1532-45	5.6	16
355	Acute erythroid leukemia: a reassessment using criteria refined in the 2008 WHO classification. <i>Blood</i> , 2010 , 115, 1985-92	2.2	87
354	V(D)J recombination and staggered DNA breaks: guilty again. <i>Blood</i> , 2010 , 115, 2121-2	2.2	2
353	8-Aminoadenosine inhibits Akt/mTOR and Erk signaling in mantle cell lymphoma. <i>Blood</i> , 2010 , 116, 562	2 <u>=</u> 3 <u>1</u> 0	15
352	Marginal zone lymphomas: factors that affect the final outcome. <i>Cancer</i> , 2010 , 116, 4291-8	6.4	37
351	The Pan-Deacetylase Inhibitor Panobinostat Downregulates HIF-1\(\text{\text{B}}\) nd VEGF and, Synergizes with Everolimus In Hodgkin Lymphoma Cell Lines. <i>Blood</i> , 2010 , 116, 2851-2851	2.2	4
350	Phase I/II Study of the Novel Combination of Panobinostat (LBH589) and Everolimus (RAD001) In Relapsed/Refractory Hodgkin and Non-Hodgkin Lymphoma. <i>Blood</i> , 2010 , 116, 3964-3964	2.2	3
349	Immunohistochemical profile and fluorescence in situ hybridization analysis of diffuse large B-cell lymphoma in northern China. <i>Archives of Pathology and Laboratory Medicine</i> , 2010 , 134, 759-65	5	8
348	Protocol for the examination of specimens from patients with non-Hodgkin lymphoma/lymphoid neoplasms. <i>Archives of Pathology and Laboratory Medicine</i> , 2010 , 134, e40-7	5	11
347	Acute erythroid leukemia. Archives of Pathology and Laboratory Medicine, 2010, 134, 1261-70	5	40
346	Protocol for the examination of specimens from patients with hematopoietic neoplasms of the ocular adnexa. <i>Archives of Pathology and Laboratory Medicine</i> , 2010 , 134, 336-40	5	1
345	Clusterin expression correlates with stage and presence of large cells in mycosis fungoides. <i>American Journal of Clinical Pathology</i> , 2009 , 131, 511-5	1.9	9
344	Other malignancies in chronic lymphocytic leukemia/small lymphocytic lymphoma. <i>Journal of Clinical Oncology</i> , 2009 , 27, 904-10	2.2	166

(2009-2009)

343	Chronic lymphocytic leukemia With t(2;14)(p16;q32) involves the BCL11A and IgH genes and is associated with atypical morphologic features and unmutated IgVH genes. <i>American Journal of Clinical Pathology</i> , 2009 , 131, 663-70	1.9	27
342	Postchemotherapy histiocyte-rich pseudotumor involving the spleen. <i>American Journal of Clinical Pathology</i> , 2009 , 132, 342-8	1.9	14
341	Sonic hedgehog signaling pathway is activated in ALK-positive anaplastic large cell lymphoma. <i>Cancer Research</i> , 2009 , 69, 2550-8	10.1	77
340	Therapy-related acute myeloid leukemia with t(8;21) (q22;q22) shares many features with de novo acute myeloid leukemia with t(8;21)(q22;q22) but does not have a favorable outcome. <i>American Journal of Clinical Pathology</i> , 2009 , 131, 647-55	1.9	60
339	T-cell large granular lymphocyte leukemia associated with myelodysplastic syndrome: a clinicopathologic study of nine cases. <i>American Journal of Clinical Pathology</i> , 2009 , 131, 347-56	1.9	32
338	Anaplastic large cell lymphoma in leukemic phase: extraordinarily high white blood cell count. <i>Pathology International</i> , 2009 , 59, 345-53	1.8	29
337	Deletion 15q as the sole abnormality in acute myeloid leukemia: report of three cases and review of the literature. <i>Cancer Genetics and Cytogenetics</i> , 2009 , 188, 118-23		4
336	del(15q) is a recurrent minor-route cytogenetic abnormality in the clonal evolution of chronic myelogenous leukemia. <i>Cancer Genetics and Cytogenetics</i> , 2009 , 192, 18-23		5
335	Expression of eukaryotic initiation factor 4E predicts clinical outcome in patients with mantle cell lymphoma treated with hyper-CVAD and rituximab, alternating with rituximab, high-dose methotrexate, and cytarabine. <i>Cancer</i> , 2009 , 115, 4727-36	6.4	16
334	Cytoplasmic localization of nucleophosmin in bone marrow blasts of acute myeloid leukemia patients is not completely concordant with NPM1 mutation and is not predictive of prognosis. <i>Cancer</i> , 2009 , 115, 4737-44	6.4	36
333	Cuplike nuclei (prominent nuclear invaginations) in acute myeloid leukemia are highly associated with FLT3 internal tandem duplication and NPM1 mutation. <i>Cancer</i> , 2009 , 115, 5481-9	6.4	52
332	The p53 tumor suppressor network in cancer and the therapeutic modulation of cell death. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2009 , 14, 336-47	5.4	43
331	Analysis of Aurora kinase A expression in CD34(+) blast cells isolated from patients with myelodysplastic syndromes and acute myeloid leukemia. <i>Journal of Hematopathology</i> , 2009 , 2, 2-8	0.4	33
330	Utility of the World Heath Organization classification criteria for the diagnosis of systemic mastocytosis in bone marrow. <i>Modern Pathology</i> , 2009 , 22, 50-7	9.8	37
329	Immunomodulator agent-related lymphoproliferative disorders. <i>Modern Pathology</i> , 2009 , 22, 1532-40	9.8	63
328	Application of COLD-PCR for improved detection of KRAS mutations in clinical samples. <i>Modern Pathology</i> , 2009 , 22, 1023-31	9.8	102
327	Sonic hedgehog signaling proteins and ATP-binding cassette G2 are aberrantly expressed in diffuse large B-cell lymphoma. <i>Modern Pathology</i> , 2009 , 22, 1312-20	9.8	78
326	Aberrant underexpression of CD81 in precursor B-cell acute lymphoblastic leukemia: utility in detection of minimal residual disease by flow cytometry. <i>American Journal of Clinical Pathology</i> , 2009 , 132, 692-8	1.9	40

325	Anaplastic large cell lymphoma: another entity in the differential diagnosis of small round blue cell tumors. <i>Annals of Diagnostic Pathology</i> , 2009 , 13, 413-27	2.2	20
324	Nodular lymphocyte predominant Hodgkin lymphoma with clusters of LP Cells, acute inflammation, and fibrosis: a syncytial variant. <i>American Journal of Surgical Pathology</i> , 2009 , 33, 1725-31	6.7	7
323	Pediatric therapy-related myelodysplastic syndrome/acute myeloid leukemia: the MD Anderson Cancer Center experience. <i>Journal of Pediatric Hematology/Oncology</i> , 2009 , 31, 803-11	1.2	42
322	Detection of paroxysmal nocturnal hemoglobinuria clones in patients with myelodysplastic syndromes and related bone marrow diseases, with emphasis on diagnostic pitfalls and caveats. <i>Haematologica</i> , 2009 , 94, 29-37	6.6	70
321	Mature results of the M. D. Anderson Cancer Center risk-adapted transplantation strategy in mantle cell lymphoma. <i>Blood</i> , 2009 , 113, 4144-52	2.2	165
320	Clinical and Biologic Activity of the Heat Shock Protein-90 (HSP-90) Inhibitor 17-AAG in Patients with Relapsed Lymphoma <i>Blood</i> , 2009 , 114, 3744-3744	2.2	2
319	Flow cytometric immunophenotyping of anaplastic large cell lymphoma. <i>Archives of Pathology and Laboratory Medicine</i> , 2009 , 133, 49-56	5	41
318	Anaplastic large cell lymphoma involving the breast: a clinicopathologic study of 6 cases and review of the literature. <i>Archives of Pathology and Laboratory Medicine</i> , 2009 , 133, 1383-90	5	74
317	Autologous Transplantation for Nodular Lymphocyte-Predominant Hodgkin Lymphoma (NLPHL) <i>Blood</i> , 2009 , 114, 2310-2310	2.2	О
316	Simultaneous Targeting of SHH/ p53 Pathways in Large B Cell Lymphomas <i>Blood</i> , 2009 , 114, 1730-1730	02.2	
315	Aurora-A kinase nuclear expression in chronic lymphocytic leukemia. <i>Modern Pathology</i> , 2008 , 21, 1428-	35 8	12
314	Acute myeloid leukemia harboring t(8;21)(q22;q22): a heterogeneous disease with poor outcome in a subset of patients unrelated to secondary cytogenetic aberrations. <i>Modern Pathology</i> , 2008 , 21, 1029:	- 36 8	23
313	MYC translocation in chronic lymphocytic leukaemia is associated with increased prolymphocytes and a poor prognosis. <i>British Journal of Haematology</i> , 2008 , 142, 36-44	4.5	65
312	Splenic marginal zone lymphomas are characterized by loss of interstitial regions of chromosome 7q, 7q31.32 and 7q36.2 that include the protection of telomere 1 (POT1) and sonic hedgehog (SHH) genes. <i>British Journal of Haematology</i> , 2008 , 142, 216-26	4.5	30
311	Type B Core Binding Factor Ismooth Muscle Myosin Heavy Chain Fusion Transcript in Myeloid Blast Phase of Chronic Myeloid Leukemia: Correlation with Nuclear and Cytoplasmic Localization of the Fusion Protein. Clinical Leukemia, 2008, 2, 257-260		2
310	Bone marrow involvement by marginal zone B-cell lymphomas of different types. <i>American Journal of Clinical Pathology</i> , 2008 , 129, 714-22	1.9	35
309	Leukemia cutis. American Journal of Clinical Pathology, 2008, 129, 130-42	1.9	210
308	Multiple myeloma and immunosecretory disorders: an update. <i>Advances in Anatomic Pathology</i> , 2008 , 15, 196-210	5.1	18

(2007-2008)

307	Eight-year experience with allogeneic stem cell transplantation for relapsed follicular lymphoma after nonmyeloablative conditioning with fludarabine, cyclophosphamide, and rituximab. <i>Blood</i> , 2008 , 111, 5530-6	2.2	261
306	Lymphomas involving the breast: a study of 106 cases comparing localized and disseminated neoplasms. <i>American Journal of Surgical Pathology</i> , 2008 , 32, 1299-309	6.7	136
305	Expression of helix-loop-helix proteins in classical hodgkin lymphoma: a possible explanation for a characteristic immunophenotype. <i>Advances in Anatomic Pathology</i> , 2008 , 15, 97-104	5.1	1
304	An attractive therapeutic target, mTOR pathway, in ALK+ anaplastic large cell lymphoma. <i>Advances in Anatomic Pathology</i> , 2008 , 15, 105-12	5.1	4
303	t(8;13)-positive bilineal lymphomas: report of 6 cases. <i>American Journal of Surgical Pathology</i> , 2008 , 32, 14-20	6.7	41
302	Addition of Rituximab to Mobilization and Conditioning Overcomes the Predictive Value of Follicular Lymphoma International Prognostic Index (FLIPI) Score in Patients with Relapsed FL Undergoing Autologous Stem Cell Transplantation (AUTO) <i>Blood</i> , 2008 , 112, 1140-1140	2.2	1
301	Pediatric Therapy-Related Myelodysplastic Syndrome/Acute Myeloid Leukemia: The M. D. Anderson Cancer Center Experience. <i>Blood</i> , 2008 , 112, 5068-5068	2.2	
300	Networking Modules of Canonical and Alternative NFkB Signaling in Growth and Survival Regulations of Large B Cell Lymphomas. <i>Blood</i> , 2008 , 112, 3776-3776	2.2	2
299	Experience with heat shock protein-peptide complex 96 vaccine therapy in patients with indolent non-Hodgkin lymphoma. <i>Cancer</i> , 2007 , 109, 77-83	6.4	44
298	Systemic mastocytosis in association with chronic lymphocytic leukemia: a rare diagnosis. <i>Leukemia Research</i> , 2007 , 31, 1755-8	2.7	9
297	Sequence analysis proves clonal identity in five patients with typical and blastoid mantle cell lymphoma. <i>Modern Pathology</i> , 2007 , 20, 1-7	9.8	40
296	HDM4 (HDMX) is widely expressed in adult pre-B acute lymphoblastic leukemia and is a potential therapeutic target. <i>Modern Pathology</i> , 2007 , 20, 54-62	9.8	35
295	Comparative analysis of genes regulated in acute myelomonocytic leukemia with and without inv(16)(p13q22) using microarray techniques, real-time PCR, immunohistochemistry, and flow cytometry immunophenotyping. <i>Modern Pathology</i> , 2007 , 20, 811-20	9.8	15
294	The t(14;19)(q32;q13)-positive small B-cell leukaemia: a clinicopathologic and cytogenetic study of seven cases. <i>British Journal of Haematology</i> , 2007 , 136, 220-8	4.5	50
293	Aberrant EVI1 expression in acute myeloid leukemias associated with the t(3;8)(q26;q24). <i>Cancer Genetics and Cytogenetics</i> , 2007 , 177, 37-42		19
292	Mantle cell lymphoma with a rare involvement of the testicle. <i>Leukemia and Lymphoma</i> , 2007 , 48, 1242	-3 1.9	7
291	MALT lymphoma involving the kidney: a report of 10 cases and review of the literature. <i>American Journal of Clinical Pathology</i> , 2007 , 128, 464-73	1.9	30
290	Metastasis-associated protein 1 transgenic mice: a new model of spontaneous B-cell lymphomas. <i>Cancer Research</i> , 2007 , 67, 7062-7	10.1	13

289	Anaplastic Large Cell Lymphoma. American Journal of Clinical Pathology, 2007, 127, 707-22	1.9	155
288	Inhibition of p53-murine double minute 2 interaction by nutlin-3A stabilizes p53 and induces cell cycle arrest and apoptosis in Hodgkin lymphoma. <i>Clinical Cancer Research</i> , 2007 , 13, 3380-7	12.9	73
287	High-grade B-cell lymphoma/leukemia associated with t(14;18) and 8q24/MYC rearrangement: a neoplasm of germinal center immunophenotype with poor prognosis. <i>Haematologica</i> , 2007 , 92, 1297-30	6.6	77
286	Oral-cutaneous CD4-positive T-cell lymphoma: a study of two patients. <i>American Journal of Dermatopathology</i> , 2007 , 29, 62-7	0.9	12
285	c-Jun expression and activation are restricted to CD30+ lymphoproliferative disorders. <i>American Journal of Surgical Pathology</i> , 2007 , 31, 447-53	6.7	33
284	Unusual expression of CD94 on CD8+ TCR-alpha beta T cells in infectious mononucleosis. <i>Annals of Diagnostic Pathology</i> , 2007 , 11, 55-60	2.2	
283	Skin involvement in T-cell prolymphocytic leukemia. <i>Journal of the American Academy of Dermatology</i> , 2007 , 57, 533-4	4.5	12
282	Follicular lymphoma in staging bone marrow specimens: correlation of histologic findings with the results of flow cytometry immunophenotypic analysis. <i>Archives of Pathology and Laboratory Medicine</i> , 2007 , 131, 282-7	5	24
281	Very high levels of soluble CD30 recognize the patients with classical Hodgkin's lymphoma retaining a very poor prognosis. <i>European Journal of Haematology</i> , 2006 , 77, 387-94	3.8	35
2 80	The HSP90 inhibitor 17-AAG synergizes with doxorubicin and U0126 in anaplastic large cell lymphoma irrespective of ALK expression. <i>Experimental Hematology</i> , 2006 , 34, 1670-9	3.1	32
279	Translocation (3;8)(q26;q24): a recurrent chromosomal abnormality in myelodysplastic syndrome and acute myeloid leukemia. <i>Cancer Genetics and Cytogenetics</i> , 2006 , 166, 82-5		18
278	Expression of Bcl-2 in gastrointestinal stromal tumors: correlation with progression-free survival in 81 patients treated with imatinib mesylate. <i>Cancer</i> , 2006 , 106, 1617-23	6.4	34
277	Expression of inhibitor of apoptosis proteins in B-cell non-Hodgkin and Hodgkin lymphomas. <i>Cancer</i> , 2006 , 107, 1844-51	6.4	43
276	Activating FLT3 mutations are detectable in chronic and blast phase of chronic myeloproliferative disorders other than chronic myeloid leukemia. <i>American Journal of Clinical Pathology</i> , 2006 , 126, 530-3	1.9	52
275	signal-regulated kinase, and induces cell cycle arrest and cell death. <i>Clinical Cancer Research</i> , 2006 ,	12.9	112
274	12, 584-90 Activation of mammalian target of rapamycin signaling pathway contributes to tumor cell survival in anaplastic lymphoma kinase-positive anaplastic large cell lymphoma. <i>Cancer Research</i> , 2006 , 66, 6589-	- 5 9.1	178
273	CD20+ nodal marginal zone B-cell lymphoma with CD20-recurrence as an intracranial dural-based mass. <i>Leukemia and Lymphoma</i> , 2006 , 47, 2253-6	1.9	4
272	Activation of mammalian target of rapamycin signaling promotes cell cycle progression and protects cells from apoptosis in mantle cell lymphoma. <i>American Journal of Pathology</i> , 2006 , 169, 2171-8	35 ⁸	100

(2006-2006)

271	Primary plasma cell leukemia: morphologic, immunophenotypic, and cytogenetic features of 4 cases treated with chemotherapy and stem cell transplantation. <i>Annals of Diagnostic Pathology</i> , 2006 , 10, 263-8	2.2	23
270	Metastatic tumors in bone marrow: histopathology and advances in the biology of the tumor cells and bone marrow environment. <i>Annals of Diagnostic Pathology</i> , 2006 , 10, 169-92	2.2	19
269	Impact of LMP-1 expression on clinical outcome in age-defined subgroups of patients with classical Hodgkin lymphoma. <i>Blood</i> , 2006 , 107, 1240-1241	2.2	9
268	c-FLIP confers resistance to FAS-mediated apoptosis in anaplastic large-cell lymphoma. <i>Blood</i> , 2006 , 107, 2544-7	2.2	33
267	Prognostic significance of Bcl-6 protein expression in DLBCL treated with CHOP or R-CHOP: a prospective correlative study. <i>Blood</i> , 2006 , 107, 4207-13	2.2	227
266	Current problems with staging lymphomas involving the ovary. <i>American Journal of Surgical Pathology</i> , 2006 , 30, 1202-3	6.7	1
265	Immunohistochemical analysis of CBFbeta-SMMHC protein reveals a unique nuclear localization in acute myeloid leukemia with inv(16)(p13q22). <i>American Journal of Surgical Pathology</i> , 2006 , 30, 1436-44	6.7	10
264	Lymphoid neoplasms associated with concurrent t(14;18) and 8q24/c-MYC translocation generally have a poor prognosis. <i>Modern Pathology</i> , 2006 , 19, 25-33	9.8	188
263	Nuclear BCL-10 expression is common in lymphoplasmacytic lymphoma/Waldenstrfin macroglobulinemia and does not correlate with p65 NF-kappaB activation. <i>Modern Pathology</i> , 2006 , 19, 891-8	9.8	17
262	MALT1 gene rearrangements and NF-kappaB activation involving p65 and p50 are absent or rare in primary MALT lymphomas of the breast. <i>Modern Pathology</i> , 2006 , 19, 1402-8	9.8	27
261	Z-138 cell line was derived from a patient with blastoid variant mantle cell lymphoma. <i>Leukemia Research</i> , 2006 , 30, 497-501	2.7	17
260	Inhibition of the phosphatidylinositol-3 kinase/Akt promotes G1 cell cycle arrest and apoptosis in Hodgkin lymphoma. <i>British Journal of Haematology</i> , 2006 , 132, 503-11	4.5	78
259	Results of Rituximab Plus ABVD in 65 Newly Diagnosed Patients with Classical Hodgkin Lymphoma: Improvement of Event Free Survival (EFS) in All International Prognostic Score (IPS) Groups <i>Blood</i> , 2006 , 108, 2742-2742	2.2	9
258	Blastoid Mantle Cell Lymphoma (MCL): 5-yr Failure-Free Survival (FFS) Rate of 50%, without Failures after 2.5 Years Following Treatment with Rituximab (R)-HyperCVAD Alternating with R-Methotrexate/Cytarabine (M/A) <i>Blood</i> , 2006 , 108, 2749-2749	2.2	2
257	Massive Mobilization of AML Cells into Circulation by Disruption of Leukemia/Stroma Cell Interactions Using CXCR4 Antagonist AMD3100: First Evidence in Patients and Potential for Abolishing Bone Marrow Microenvironment-Mediated Resistance <i>Blood</i> , 2006 , 108, 568-568	2.2	12
256	Acute myeloid leukemia associated with variant t(8;21) detected by conventional cytogenetic and molecular studies: a report of four cases and review of the literature. <i>American Journal of Clinical Pathology</i> , 2006 , 125, 267-72	1.9	7
255	Myeloid sarcoma involving the gynecologic tract: a report of 11 cases and review of the literature. <i>American Journal of Clinical Pathology</i> , 2006 , 125, 783-90	1.9	17
254	Expression of B cell-specific activator protein/PAX5 in acute myeloid leukemia with t(8;21)(q22;q22). <i>American Journal of Clinical Pathology</i> , 2006 , 126, 235-40	1.9	9

253	Lymphomas involving the pleura: a clinicopathologic study of 34 cases diagnosed by pleural biopsy. <i>Archives of Pathology and Laboratory Medicine</i> , 2006 , 130, 1497-502	5	52
252	Nucleophosmin gene mutations in acute myeloid leukemia. <i>Archives of Pathology and Laboratory Medicine</i> , 2006 , 130, 1687-92	5	36
251	Myeloid sarcoma of the urinary bladder and epididymis as a primary manifestation of acute myeloid leukemia with inv(16). <i>Archives of Pathology and Laboratory Medicine</i> , 2006 , 130, 862-6	5	22
250	Nutlin-3A, an MDM2 Antagonist, Induces p53-Dependent Cell Cycle Arrest and Apoptosis in Hodgkin Lymphoma (HL) <i>Blood</i> , 2006 , 108, 2506-2506	2.2	
249	Overexpression of CXCR4 in Acute Myeloid Leukemia Predicts Adverse Overall and Progression-Free Survival Independently of FLT3 Gene Mutation <i>Blood</i> , 2006 , 108, 1890-1890	2.2	
248	NPM-ALK Promotes Cell Cycle Progression through Activation of JNK and c-Jun in Anaplastic Large Cell Lymphoma <i>Blood</i> , 2006 , 108, 2057-2057	2.2	
247	Chronic myeloproliferative diseases with the t(5;12)(q33;p13): clonal evolution is associated with blast crisis. <i>American Journal of Clinical Pathology</i> , 2006 , 125, 49-56	1.9	1
246	Biological validation of differentially expressed genes in chronic lymphocytic leukemia identified by applying multiple statistical methods to oligonucleotide microarrays. <i>Journal of Molecular Diagnostics</i> , 2005 , 7, 337-45	5.1	13
245	Body cavity-based presentation of natural killer cell lymphoma. <i>Leukemia and Lymphoma</i> , 2005 , 46, 293	-6 .9	13
244	Classical Hodgkin lymphoma arising in the rectum. <i>Annals of Diagnostic Pathology</i> , 2005 , 9, 38-42	2.2	14
243	Langerhans cell histiocytosis presenting as a thyroid gland mass. <i>Annals of Diagnostic Pathology</i> , 2005 , 9, 267-74	2.2	15
242	Extranodal lymphomas of the head and neck. <i>Annals of Diagnostic Pathology</i> , 2005 , 9, 340-50	2.2	113
241	Lymphoplasmacytic lymphoma/waldenstrom macroglobulinemia: an evolving concept. <i>Advances in Anatomic Pathology</i> , 2005 , 12, 246-55	5.1	79
240	Inhibition of Akt increases p27Kip1 levels and induces cell cycle arrest in anaplastic large cell lymphoma. <i>Blood</i> , 2005 , 105, 827-9	2.2	80
239	Acute myeloid leukaemia with FLT3 gene mutations of both internal tandem duplication and point mutation type. <i>British Journal of Haematology</i> , 2005 , 130, 726-8	4.5	32
238	Combined laser capture microdissection and serial analysis of gene expression from human tissue samples. <i>Modern Pathology</i> , 2005 , 18, 577-84	9.8	15
237	JunB expression is a common feature of CD30+ lymphomas and lymphomatoid papulosis. <i>Modern Pathology</i> , 2005 , 18, 1365-70	9.8	55
236	Expression of heat-shock protein-90 in non-Hodgkin's lymphomas. <i>Modern Pathology</i> , 2005 , 18, 1343-9	9.8	36

(2005-2005)

235	Frequent deletions at 12q14.3 chromosomal locus in adult acute lymphoblastic leukemia. <i>Genes Chromosomes and Cancer</i> , 2005 , 42, 87-94	5	6
234	Hodgkin Lymphoma Involving Waldeyer Ring. American Journal of Clinical Pathology, 2005 , 123, 651-65	61.9	40
233	Lymphoid Neoplasms Associated With IgM Paraprotein. <i>American Journal of Clinical Pathology</i> , 2005 , 123, 200-205	1.9	81
232	Inhibition of AKT/mTOR Signaling Induces Cell Cycle Arrest and Apoptosis in Mantle Cell Lymphoma <i>Blood</i> , 2005 , 106, 2415-2415	2.2	4
231	Immunophenotypic profile of lymphoplasmacytic lymphoma/Waldenstrfh macroglobulinemia. <i>American Journal of Clinical Pathology</i> , 2005 , 124, 414-20	1.9	26
230	inv(16)(p13q22) in chronic myelogenous leukemia in blast phase: a clinicopathologic, cytogenetic, and molecular study of five cases. <i>American Journal of Clinical Pathology</i> , 2005 , 124, 807-14	1.9	9
229	Expression of bcl-3 in chronic lymphocytic leukemia correlates with trisomy 12 and abnormalities of chromosome 19. <i>American Journal of Clinical Pathology</i> , 2005 , 123, 465-71	1.9	7
228	T-cell prolymphocytic leukemia involving extramedullary sites. <i>American Journal of Clinical Pathology</i> , 2005 , 123, 456-64	1.9	9
227	Chronic lymphocytic leukemia/small lymphocytic lymphoma associated with IgM paraprotein. <i>American Journal of Clinical Pathology</i> , 2005 , 123, 594-602	1.9	12
226	Myeloid sarcoma involving the testis. American Journal of Clinical Pathology, 2005, 124, 445-52	1.9	9
225	Validation of oligonucleotide microarray data using microfluidic low-density arrays: a new statistical method to normalize real-time RT-PCR data. <i>BioTechniques</i> , 2005 , 38, 785-92	2.5	78
224	Myeloid sarcoma of appendix mimicking acute appendicitis. <i>Archives of Pathology and Laboratory Medicine</i> , 2005 , 129, 1027-31	5	14
223	Myeloid sarcoma involving the breast. Archives of Pathology and Laboratory Medicine, 2005, 129, 32-8	5	43
222	Activation status of the JAK/STAT3 pathway in mantle cell lymphoma. <i>Archives of Pathology and Laboratory Medicine</i> , 2005 , 129, 990-6	5	24
221	Heat Shock Protein 90 (HSP90) Inhibition by the Small Molecule 17-AAG Induces Cell Cycle Arrest and Apoptosis in Anaplastic Large Cell Lymphoma (ALCL) Irrespective of ALK Expression: Role of Akt, ERK and ALK Kinases in the Molecular Mechanisms of 17-AAG Anti-Tumor Activity <i>Blood</i> , 2005	2.2	
220	, 106, 2811-2811 A Biologically Distinctive Subgroup of Acute Myelogenous Leukemia with Characteristic Nuclear Morphology and a High Frequency of FLT3 Mutation <i>Blood</i> , 2005 , 106, 4522-4522	2.2	
219	Heat Shock Protein 90 (HSP90) Is Overexpressed in Primary and Cultured Hodgkin Lymphoma (HL) Cells: Role of Therapeutic Targeting Using the Small Molecule Inhibitor 17-AAG <i>Blood</i> , 2005 , 106, 2422	2- 2 :422	
218	Inhibition of AKT/mTOR Signaling Pathway Induces Cell Cycle Arrest and Apoptosis in Acute Myelogenous Leukemia <i>Blood</i> , 2005 , 106, 2355-2355	2.2	

217	Differential Expression of the Homeobox Gene MIXL1 in Non Hodgkin (NHL) and Hodgkin Lymphomas (HL) <i>Blood</i> , 2005 , 106, 3014-3014	2.2	
216	Activation of mTOR Signaling Pathway Contributes to Tumoral Cell Survival in ALK-Positive Anaplastic Large Cell Lymphoma <i>Blood</i> , 2005 , 106, 2419-2419	2.2	
215	cJun Is Phosphorylated at Ser73 and Contributes to Cell Cycle Progression in Anaplastic Large Cell Lymphoma <i>Blood</i> , 2005 , 106, 2620-2620	2.2	
214	Lymphoid neoplasms associated with IgM paraprotein: a study of 382 patients. <i>American Journal of Clinical Pathology</i> , 2005 , 123, 200-5	1.9	15
213	EBV-associated B- and T-cell posttransplant lymphoproliferative disorders following primary EBV infection in a kidney transplant recipient. <i>American Journal of Clinical Pathology</i> , 2005 , 123, 222-8	1.9	10
212	Hodgkin lymphoma involving Waldeyer ring: a clinicopathologic study of 22 cases. <i>American Journal of Clinical Pathology</i> , 2005 , 123, 651-6	1.9	6
211	Peripheral T-cell lymphoma with a "follicular" pattern and the perifollicular sinus phenotype. <i>American Journal of Clinical Pathology</i> , 2005 , 123, 448-55	1.9	3
210	Morphologic, cytogenetic, and molecular abnormalities in therapy-related acute promyelocytic leukemia. <i>American Journal of Clinical Pathology</i> , 2005 , 123, 840-8	1.9	7
209	Degree of CD25 expression in T-cell lymphoma is dependent on tissue site: implications for targeted therapy. <i>Clinical Cancer Research</i> , 2004 , 10, 5587-94	12.9	28
208	Survivin expression predicts poorer prognosis in anaplastic large-cell lymphoma. <i>Journal of Clinical Oncology</i> , 2004 , 22, 1682-8	2.2	140
207	Acute Myeloid Leukemia With t(6;9)(p23;q34) Is Associated With Dysplasia and a High Frequency offlt3Gene Mutations. <i>American Journal of Clinical Pathology</i> , 2004 , 122, 348-358	1.9	83
206	Suppressor of cytokine signaling 3 expression in anaplastic large cell lymphoma. <i>Leukemia</i> , 2004 , 18, 1872-8	10.7	24
205	Selective inhibition of STAT3 induces apoptosis and G(1) cell cycle arrest in ALK-positive anaplastic large cell lymphoma. <i>Oncogene</i> , 2004 , 23, 5426-34	9.2	141
204	Caspase-3 activation in systemic anaplastic large-cell lymphoma. <i>Modern Pathology</i> , 2004 , 17, 109-16	9.8	19
203	Immunohistochemical detection of BCL-3 in lymphoid neoplasms: a survey of 353 cases. <i>Modern Pathology</i> , 2004 , 17, 911-7	9.8	37
202	Lack of c-kit (CD117) expression in CD30+ lymphomas and lymphomatoid papulosis. <i>Modern Pathology</i> , 2004 , 17, 946-53	9.8	21
201	Immunohistochemical detection of ZAP-70 in 341 cases of non-Hodgkin and Hodgkin lymphoma. <i>Modern Pathology</i> , 2004 , 17, 954-61	9.8	91
200	Imatinib mesylate therapy reduces bone marrow fibrosis in patients with chronic myelogenous leukemia. <i>Cancer</i> , 2004 , 101, 332-6	6.4	56

199	Elevated serum levels of IL-10 are associated with inferior progression-free survival in patients with Hodgkin's disease treated with radiotherapy. <i>Leukemia and Lymphoma</i> , 2004 , 45, 2085-92	1.9	34
198	Isothermal multiple displacement amplification: a highly reliable approach for generating unlimited high molecular weight genomic DNA from clinical specimens. <i>Journal of Molecular Diagnostics</i> , 2004 , 6, 236-42	5.1	51
197	Quantitative PCR detection of t(14;18) bcl-2/JH fusion sequences in follicular lymphoma patients: comparison of peripheral blood and bone marrow aspirate samples. <i>Journal of Molecular Diagnostics</i> , 2004 , 6, 396-400	5.1	11
196	Signal transducer and activator of transcription-3 activation contributes to high tissue inhibitor of metalloproteinase-1 expression in anaplastic lymphoma kinase-positive anaplastic large cell lymphoma. <i>American Journal of Pathology</i> , 2004 , 164, 2251-8	5.8	19
195	Retinoblastoma protein is frequently absent or phosphorylated in anaplastic large-cell lymphoma. <i>American Journal of Pathology</i> , 2004 , 164, 2259-67	5.8	25
194	Absence of Epstein-Barr virus in anaplastic large cell lymphoma: a study of 64 cases classified according to World Health Organization criteria. <i>Human Pathology</i> , 2004 , 35, 455-9	3.7	52
193	Isolated vulvar Langerhans cell histiocytosis: report of two cases. <i>International Journal of Gynecological Pathology</i> , 2004 , 23, 278-83	3.2	23
192	The role of the perifollicular sinus in determining the complex immunoarchitecture of angioimmunoblastic T-cell lymphoma. <i>American Journal of Surgical Pathology</i> , 2004 , 28, 1632-40	6.7	10
191	Bone marrow involvement in patients with nodular lymphocyte predominant Hodgkin lymphoma. <i>American Journal of Surgical Pathology</i> , 2004 , 28, 489-95	6.7	43
190	Rituximab Plus Hypercvad (R-HCVAD) Alternating with Rituximab Plus High-Dose Methotrexate-Cytarabine (R-M/A) in Untreated Mantle Cell Lymphoma (MCL): Prolonged Follow-Up Confirms High Rates of Failure-Free Survival (FFS) and Overall Survival (OS) <i>Blood</i> , 2004 , 104, 128-128	2.2	5
189	Acute myeloid leukemia with t(6;9)(p23;q34) is associated with dysplasia and a high frequency of flt3 gene mutations. <i>American Journal of Clinical Pathology</i> , 2004 , 122, 348-58	1.9	24
188	Expression of CD2 in acute promyelocytic leukemia correlates with short form of PML-RARalpha transcripts and poorer prognosis. <i>American Journal of Clinical Pathology</i> , 2004 , 121, 402-7	1.9	22
187	t(8;21)(q22;q22) in blast phase of chronic myelogenous leukemia. <i>American Journal of Clinical Pathology</i> , 2004 , 121, 836-42	1.9	9
186	cDNA Microarray Analysis of Genes Associated with NPM-ALK Overexpression in Anaplastic Large Cell Lymphomas <i>Blood</i> , 2004 , 104, 2269-2269	2.2	
185	TCL1 Expression in B-Cell Tumors Is Dynamically Regulated by Maturation Stage, Proliferation, and the Follicular Microenvironment <i>Blood</i> , 2004 , 104, 4333-4333	2.2	
184	TaqMan RT-PCR assay coupled with capillary electrophoresis for quantification and identification of bcr-abl transcript type. <i>Modern Pathology</i> , 2004 , 17, 96-103	9.8	11
183	Dysplasia and high proliferation rate are common in acute myeloid leukemia with inv(16)(p13q22). <i>American Journal of Clinical Pathology</i> , 2003 , 120, 236-45	1.9	6
182	Diffuse large B-cell lymphoma occurring in patients with lymphoplasmacytic lymphoma/Waldenstrfh macroglobulinemia. Clinicopathologic features of 12 cases. <i>American Journal of Clinical Pathology</i> , 2003 , 120, 246-53	1.9	20

181	Waldenstrom macroglobulinemia involving extramedullary sites: morphologic and immunophenotypic findings in 44 patients. <i>American Journal of Surgical Pathology</i> , 2003 , 27, 1104-13	6.7	60
180	Kikuchi-Fujimoto lymphadenitis. <i>Advances in Anatomic Pathology</i> , 2003 , 10, 204-11	5.1	66
179	Dissolution of the lymphoid follicle is a feature of the HHV8+ variant of plasma cell Castleman's disease. <i>American Journal of Surgical Pathology</i> , 2003 , 27, 91-100	6.7	44
178	BCL-2 is consistently expressed in hyperplastic marginal zones of the spleen, abdominal lymph nodes, and ileal lymphoid tissue. <i>American Journal of Surgical Pathology</i> , 2003 , 27, 888-94	6.7	17
177	Effects of Six Different Tissue Fixatives on DNA Quality as Determined by Polymerase Chain Reaction Amplification of Genes Ranging from 100 to 574 Base Pairs. <i>Journal of Histotechnology</i> , 2003 , 26, 111-115	1.3	2
176	TCL1 expression in plasmacytoid dendritic cells (DC2s) and the related CD4+ CD56+ blastic tumors of skin. <i>Blood</i> , 2003 , 101, 5007-9	2.2	159
175	BCL-3 overexpression in anaplastic lymphoma kinase-positive anaplastic large cell lymphoma. <i>Blood</i> , 2003 , 102, 1146-7	2.2	20
174	c-kit is not expressed in Hodgkin disease and anaplastic lymphoma kinase (ALK)-positive anaplastic large cell lymphoma. <i>Blood</i> , 2003 , 102, 4619-20	2.2	7
173	Frequency of gastrointestinal involvement and its clinical significance in mantle cell lymphoma. <i>Cancer</i> , 2003 , 97, 586-91	6.4	202
172	A pilot study of rituximab in patients with recurrent, classic Hodgkin disease. <i>Cancer</i> , 2003 , 98, 310-4	6.4	141
171	Improved detection of clonality in cutaneous T-cell lymphomas using laser capture microdissection. Journal of Cutaneous Pathology, 2003 , 30, 486-91	1.7	22
170	Inhibition of JAK3 induces apoptosis and decreases anaplastic lymphoma kinase activity in anaplastic large cell lymphoma. <i>Oncogene</i> , 2003 , 22, 5399-407	9.2	111
169	Phenotypic modulation of the stromal reticular network in normal and neoplastic lymph nodes: tissue transglutaminase reveals coordinate regulation of multiple cell types. <i>American Journal of Pathology</i> , 2003 , 163, 165-74	5.8	36
168	CD23 expression in mantle cell lymphoma: clinicopathologic features of 18 cases. <i>American Journal of Clinical Pathology</i> , 2003 , 120, 760-6	1.9	15
167	Mature B-cell leukemias with more than 55% prolymphocytes: report of 2 cases with Burkitt lymphoma-type chromosomal translocations involving c-myc. <i>Archives of Pathology and Laboratory Medicine</i> , 2003 , 127, 305-9	5	26
166	Characterization of 4 mantle cell lymphoma cell lines. <i>Archives of Pathology and Laboratory Medicine</i> , 2003 , 127, 424-31	5	105
165	CD79b expression in chronic lymphocytic leukemia. Association with trisomy 12 and atypical immunophenotype. <i>Archives of Pathology and Laboratory Medicine</i> , 2003 , 127, 561-6	5	26
164	Molecular monitoring of cerebrospinal fluid can predict clinical relapse in acute lymphoblastic leukemia with eosinophilia. <i>Archives of Pathology and Laboratory Medicine</i> , 2003 , 127, 601-5	5	16

(2002-2003)

163	Chromosomal translocations involved in non-Hodgkin lymphomas. <i>Archives of Pathology and Laboratory Medicine</i> , 2003 , 127, 1148-60	5	57	
162	Indolent neuroendocrine tumor involving the bone marrow. A case report with a 9-year follow-up. <i>Archives of Pathology and Laboratory Medicine</i> , 2003 , 127, 488-91	5	2	
161	Expression of p27(Kip1) and c-Jun activation binding protein 1 are inversely correlated in systemic anaplastic large cell lymphoma. <i>Clinical Cancer Research</i> , 2003 , 9, 1121-8	12.9	45	
160	Expression of Epstein-Barr virus latent membrane protein-1 in Hodgkin and Reed-Sternberg cells of classical Hodgkin's lymphoma: associations with presenting features, serum interleukin 10 levels, and clinical outcome. <i>Clinical Cancer Research</i> , 2003 , 9, 2114-20	12.9	47	
159	Prognostic significance of MUC-1 expression in systemic anaplastic large cell lymphoma. <i>Clinical Cancer Research</i> , 2003 , 9, 2213-20	12.9	17	
158	Differential expression and clinical significance of tyrosine-phosphorylated STAT3 in ALK+ and ALK-anaplastic large cell lymphoma. <i>Clinical Cancer Research</i> , 2003 , 9, 3692-9	12.9	75	
157	CD20 expression in Hodgkin and Reed-Sternberg cells of classical Hodgkin's disease: associations with presenting features and clinical outcome. <i>Journal of Clinical Oncology</i> , 2002 , 20, 1278-87	2.2	69	
156	Chromosomal translocations and their role in the pathogenesis of non-Hodgkin's lymphomas. <i>Pathology</i> , 2002 , 34, 397-409	1.6	7	
155	International prognostic index-based outcomes for diffuse large B-cell lymphomas. <i>Cancer</i> , 2002 , 94, 3083-8	6.4	42	
154	The stromal composition of malignant lymphoid aggregates in bone marrow: variations in architecture and phenotype in different B-cell tumours. <i>British Journal of Haematology</i> , 2002 , 117, 569-7	7 6 ·5	37	
153	Apoptosis and proliferation in subcutaneous panniculitis-like T-cell lymphoma. <i>Modern Pathology</i> , 2002 , 15, 625-31	9.8	24	
152	Precursor T-cell acute lymphoblastic leukemia in adults: age-related immunophenotypic, cytogenetic, and molecular subsets. <i>American Journal of Clinical Pathology</i> , 2002 , 117, 252-8	1.9	12	
151	Peripheral T-cell lymphoma arising in the liver. American Journal of Clinical Pathology, 2002, 118, 574-81	1.9	20	
150	Apoptotic rate in peripheral T-cell lymphomas. A study using a tissue microarray with validation on full tissue sections. <i>American Journal of Clinical Pathology</i> , 2002 , 118, 328-34	1.9	58	
149	Acute lymphoblastic leukemia in elderly patients the Philadelphia chromosome may not be a significant adverse prognostic factor. <i>American Journal of Clinical Pathology</i> , 2002 , 117, 716-20	1.9	6	
148	Primary cutaneous diffuse large B-cell lymphoma: a clinicopathologic study of 15 cases. <i>American Journal of Clinical Pathology</i> , 2002 , 117, 574-80	1.9	39	
147	Discrepancies in the immunophenotype of lymphoma cells in samples obtained simultaneously from different anatomic sites. <i>American Journal of Clinical Pathology</i> , 2002 , 117, 644-50	1.9	34	
146	Quantitative real-time polymerase chain reaction for detection of circulating cells with t(14;18) in volunteer blood donors and patients with follicular lymphoma. <i>Leukemia and Lymphoma</i> , 2002 , 43, 1589	1 58	11	

145	Malignant fibrous histiocytoma of the spermatic cord: report of two cases and review of the literature. <i>Modern Pathology</i> , 2002 , 15, 59-65	9.8	15
144	Real-Time t(14;18)(q32;q21) PCR assay combined with high-resolution capillary electrophoresis: a novel and rapid approach that allows accurate quantitation and size determination of bcl-2/JH fusion sequences. <i>Modern Pathology</i> , 2002 , 15, 448-53	9.8	16
143	Real-time RT-PCR assay for quantifying cyclin D1 mRNA in B-cell non-Hodgkin's lymphomas. <i>Modern Pathology</i> , 2002 , 15, 556-64	9.8	32
142	Clusterin expression in malignant lymphomas: a survey of 266 cases. <i>Modern Pathology</i> , 2002 , 15, 1221	-6 9.8	56
141	Hypopigmented mycosis fungoides: frequent expression of a CD8+ T-cell phenotype. <i>American Journal of Surgical Pathology</i> , 2002 , 26, 450-7	6.7	129
140	CD4-CD8-"Double-negative" cutaneous T-cell lymphomas share common histologic features and an aggressive clinical course. <i>American Journal of Surgical Pathology</i> , 2002 , 26, 225-31	6.7	54
139	Mantle cell lymphoma involving skin: cutaneous lesions may be the first manifestation of disease and tumors often have blastoid cytologic features. <i>American Journal of Surgical Pathology</i> , 2002 , 26, 1312-8	6.7	66
138	Epstein-Barr virus-positive B-cell lymphoproliferative disorders arising in immunodeficient patients previously treated with fludarabine for low-grade B-cell neoplasms. <i>American Journal of Surgical Pathology</i> , 2002 , 26, 630-6	6.7	80
137	BCL-2 expression in Hodgkin and Reed-Sternberg cells of classical Hodgkin disease predicts a poorer prognosis in patients treated with ABVD or equivalent regimens. <i>Blood</i> , 2002 , 100, 3935-41	2.2	81
136	Clonal heterogeneity in mycosis fungoides and its relationship to clinical course. <i>Blood</i> , 2002 , 100, 3369	9-73	113
135	Overexpression of Mcl-1 in anaplastic large cell lymphoma cell lines and tumors. <i>American Journal of Pathology</i> , 2002 , 160, 2309-10	5.8	36
134	Subcutaneous panniculitis-like T-cell lymphoma. Clinical Lymphoma and Myeloma, 2002, 3, 181-3		12
133	Mantle cell lymphoma with 8q24 chromosomal abnormalities: a report of 5 cases with blastoid features. <i>Modern Pathology</i> , 2002 , 15, 1266-72	9.8	96
132	Quantification of bcl-2/JH fusion sequences and a control gene by multiplex real-time PCR coupled with automated amplicon sizing by capillary electrophoresis. <i>Journal of Molecular Diagnostics</i> , 2002 , 4, 223-9	5.1	14
131	Rapid detection of IgH/BCL2 rearrangement in follicular lymphoma by interphase fluorescence in situ hybridization with bacterial artificial chromosome probes. <i>Journal of Molecular Diagnostics</i> , 2002 , 4, 144-9	5.1	23
130	Determination of cyclin D1 and CD20 mRNA levels by real-time quantitative RT-PCR from archival tissue sections of mantle cell lymphoma and other non-Hodgkin's lymphomas. <i>Journal of Molecular Diagnostics</i> , 2002 , 4, 201-8	5.1	23
129	Multiple myeloma in association with sarcoidosis. <i>Archives of Pathology and Laboratory Medicine</i> , 2002 , 126, 365-8	5	16
128	CD56+ TdT+ blastic natural killer cell tumor of the skin 2002 , 94, 2401		5

(2001-2002)

127	BAX expression in Hodgkin and Reed-Sternberg cells of Hodgkin's disease: correlation with clinical outcome. <i>Clinical Cancer Research</i> , 2002 , 8, 488-93	12.9	18
126	Quantitative real-time polymerase chain reaction for monitoring minimal residual disease in patients with advanced indolent lymphomas treated with rituximab, fludarabine, mitoxantrone, and dexamethasone. <i>Seminars in Oncology</i> , 2002 , 29, 48-55	5.5	1
125	Molecular genetic methods in the diagnosis of hematologic neoplasms. <i>Seminars in Diagnostic Pathology</i> , 2002 , 19, 72-93	4.3	15
124	Cyclin D1 and E2F-1 immunoreactivity in bone marrow biopsy specimens of multiple myeloma: relationship to proliferative activity, cytogenetic abnormalities and DNA ploidy. <i>British Journal of Haematology</i> , 2001 , 112, 776-82	4.5	24
123	Localized non-Hodgkin lymphoma involving the thyroid gland. <i>Cancer</i> , 2001 , 91, 629-635	6.4	79
122	Primary hepatic lymphoma: favorable outcome after combination chemotherapy. <i>Cancer</i> , 2001 , 92, 202.	3 <i>6</i> 9 ₄	109
121	The T-cell chemokine receptor CXCR3 is expressed highly in low-grade mycosis fungoides. <i>American Journal of Clinical Pathology</i> , 2001 , 115, 413-21	1.9	70
120	A novel four-color PCR assay to assess T-cell receptor gamma gene rearrangements in lymphoproliferative lesions. <i>American Journal of Clinical Pathology</i> , 2001 , 116, 17-24	1.9	73
119	Cytogenetic findings in lymphoplasmacytic lymphoma/Waldenstrth macroglobulinemia. Chromosomal abnormalities are associated with the polymorphous subtype and an aggressive clinical course. <i>American Journal of Clinical Pathology</i> , 2001 , 116, 543-9	1.9	108
118	Lymphoplasmacytic lymphoma/Waldenstrfh macroglobulinemia associated with Hodgkin disease. A report of two cases. <i>American Journal of Clinical Pathology</i> , 2001 , 116, 34-40	1.9	39
117	Hepatosplenic gamma/delta T-cell lymphoma in bone marrow. A sinusoidal neoplasm with blastic cytologic features. <i>American Journal of Clinical Pathology</i> , 2001 , 116, 410-9	1.9	89
116	Cytogenetic findings in mantle cell lymphoma cases with a high level of peripheral blood involvement have a distinct pattern of abnormalities. <i>American Journal of Clinical Pathology</i> , 2001 , 116, 886-92	1.9	48
115	Mature B-cell leukemias with more than 55% prolymphocytes. A heterogeneous group that includes an unusual variant of mantle cell lymphoma. <i>American Journal of Clinical Pathology</i> , 2001 , 115, 571-81	1.9	82
114	Ovarian non-Hodgkin's lymphoma: a clinicopathologic study of eight primary cases. <i>Modern Pathology</i> , 2001 , 14, 1093-9	9.8	105
113	DNA topoisomerase IIalpha in multiple myeloma: a marker of cell proliferation and not drug resistance. <i>Modern Pathology</i> , 2001 , 14, 886-91	9.8	17
112	Anaplastic lymphoma kinase (ALK) is not expressed in Hodgkin's disease: results with ALK-11 antibody in 327 untreated patients. <i>Leukemia and Lymphoma</i> , 2001 , 42, 969-79	1.9	14
111	Reticulum cell sarcoma of lymph node with mixed dendritic and fibroblastic features. <i>Modern Pathology</i> , 2001 , 14, 1059-67	9.8	45
110	Leukemic mantle cell lymphoma: clinical and pathologic spectrum of twenty-three cases. <i>Modern Pathology</i> , 2001 , 14, 1133-40	9.8	39

109	Non-Hodgkin's lymphoma affecting the testis: is it curable with doxorubicin-based therapy?. <i>Clinical Lymphoma and Myeloma</i> , 2001 , 2, 40-6		36
108	Differential expression of BCL-2 family proteins in ALK-positive and ALK-negative anaplastic large cell lymphoma of T/null-cell lineage. <i>American Journal of Pathology</i> , 2001 , 159, 527-35	5.8	84
107	Hodgkin's disease in patients infected with human immunodeficiency virus: frequency, presentation and clinical outcome. <i>Leukemia and Lymphoma</i> , 2001 , 41, 535-44	1.9	11
106	Primary cutaneous non-Hodgkin's lymphoma of Ann Arbor stage I: preferential cutaneous relapses but high cure rate with doxorubicin-based therapy. <i>Journal of Clinical Oncology</i> , 2001 , 19, 398-405	2.2	29
105	Marginal-zone B-cell lymphoma of extranodal mucosa-associated lymphoid tissue type: molecular genetics provides new insights into pathogenesis. <i>Advances in Anatomic Pathology</i> , 2001 , 8, 313-26	5.1	21
104	Non-Hodgkin's lymphoma involving the gynecologic tract: a review of 88 cases. <i>Advances in Anatomic Pathology</i> , 2001 , 8, 200-17	5.1	80
103	Uterine leiomyomas with Eosinophils: a clinicopathologic study of 3 cases. <i>International Journal of Gynecological Pathology</i> , 2001 , 20, 239-43	3.2	15
102	Cyclin D1 expression in dysplastic nevi: an immunohistochemical study. <i>Archives of Pathology and Laboratory Medicine</i> , 2001 , 125, 208-10	5	25
101	Posttransplantation lymphoproliferative disorders in pediatric patients undergoing liver transplantation. <i>Archives of Pathology and Laboratory Medicine</i> , 2001 , 125, 337-43	5	10
100	Pleural posttransplantation lymphoproliferative disorder following liver transplantation. <i>Archives of Pathology and Laboratory Medicine</i> , 2001 , 125, 419-23	5	5
99	Primary paratesticular lymphoma: a report of 2 cases and review of literature. <i>Archives of Pathology and Laboratory Medicine</i> , 2001 , 125, 428-32	5	19
98	Primary follicular large cell lymphoma of the testis in a child. <i>Archives of Pathology and Laboratory Medicine</i> , 2001 , 125, 551-4	5	36
97	Localized non-Hodgkin lymphoma involving the thyroid gland 2001 , 91, 629		O
96	Neutrophil-rich anaplastic large cell lymphoma of T-cell lineage. A report of two cases arising in HIV-positive patients. <i>American Journal of Clinical Pathology</i> , 2000 , 114, 478-82	1.9	57
95	Mucoepidermoid carcinoma involving Warthin tumor. A report of five cases and review of the literature. <i>American Journal of Clinical Pathology</i> , 2000 , 114, 564-70	1.9	49
94	Non-Hodgkin's lymphoma involving the vulva. <i>International Journal of Gynecological Pathology</i> , 2000 , 19, 236-42	3.2	43
93	Endometrial carcinoma and non-Hodgkin's lymphoma involving the female genital tract: a report of three cases. <i>International Journal of Gynecological Pathology</i> , 2000 , 19, 133-8	3.2	15
92	Non-Hodgkin's lymphoma involving the vagina: a clinicopathologic analysis of 14 patients. <i>American Journal of Surgical Pathology</i> , 2000 , 24, 719-25	6.7	44

(2000-2000)

91	Follicular lymphoma with monocytoid B-cell proliferation: molecular assessment of the clonal relationship between the follicular and monocytoid B-cell components. <i>Laboratory Investigation</i> , 2000 , 80, 1593-9	5.9	20
90	5'>3' exonuclease-based real-time PCR assays for detecting the t(14;18)(q32;21): a survey of 162 malignant lymphomas and reactive specimens. <i>Modern Pathology</i> , 2000 , 13, 661-6	9.8	29
89	Progressive multifocal leukoencephalopathy with concurrent Richter's syndrome. <i>Leukemia and Lymphoma</i> , 2000 , 38, 183-90	1.9	17
88	Prognostic implications of calbindin-D28k expression in lung cancer: analysis of 452 cases. <i>Modern Pathology</i> , 2000 , 13, 808-13	9.8	8
87	Detection of chromosome 11q13 breakpoints by interphase fluorescence in situ hybridization. A useful ancillary method for the diagnosis of mantle cell lymphoma. <i>American Journal of Clinical Pathology</i> , 2000 , 114, 248-57	1.9	42
86	Lymphohistiocytoid mesothelioma. An often misdiagnosed variant of sarcomatoid malignant mesothelioma. <i>American Journal of Clinical Pathology</i> , 2000 , 113, 649-54	1.9	52
85	B-cell chronic lymphocytic leukemia/small lymphocytic lymphoma involving bone marrow with an interfollicular pattern. <i>American Journal of Clinical Pathology</i> , 2000 , 114, 41-6	1.9	14
84	Follicle center lymphoma and Warthin tumor involving the same anatomic site. Report of two cases and review of the literature. <i>American Journal of Clinical Pathology</i> , 2000 , 113, 113-9	1.9	44
83	Precursor B-cell lymphoblastic lymphoma: a predominantly extranodal tumor with low propensity for leukemic involvement. <i>American Journal of Surgical Pathology</i> , 2000 , 24, 1480-90	6.7	168
82	Non-Hodgkin's lymphomas involving the uterus: a clinicopathologic analysis of 26 cases. <i>Modern Pathology</i> , 2000 , 13, 19-28	9.8	137
81	Sinusoidal CD30-positive large B-cell lymphoma: a morphologic mimic of anaplastic large cell lymphoma. <i>Modern Pathology</i> , 2000 , 13, 223-8	9.8	43
80	Sinus histiocytosis with massive lymphadenopathy and malignant lymphoma involving the same lymph node: a report of four cases and review of the literature. <i>Modern Pathology</i> , 2000 , 13, 414-9	9.8	91
79	Small lymphocytic lymphoma with perifollicular, marginal zone, or interfollicular distribution. <i>Modern Pathology</i> , 2000 , 13, 1161-6	9.8	26
78	Anaplastic large cell lymphomas presented as bone lesions: a clinicopathologic study of six cases and review of the literature. <i>Modern Pathology</i> , 2000 , 13, 1143-9	9.8	42
77	Pathologic diagnosis of mantle cell lymphoma. <i>Clinical Lymphoma and Myeloma</i> , 2000 , 1, 197-206; discussion 207-8		24
76	Pagetoid bowen disease: a report of 2 cases that express cytokeratin 7. <i>Archives of Pathology and Laboratory Medicine</i> , 2000 , 124, 427-30	5	57
75	Pathologic quiz case. A unilateral renal mass in an elderly woman. <i>Archives of Pathology and Laboratory Medicine</i> , 2000 , 124, 919-20	5	5
74	Anaplastic large cell lymphoma arising in bone: report of a case of the monomorphic variant with the t(2;5)(p23;q35) translocation. <i>Archives of Pathology and Laboratory Medicine</i> , 2000 , 124, 1339-43	5	16

73	Natural killer-cell lymphoma involving the gynecologic tract. <i>Archives of Pathology and Laboratory Medicine</i> , 2000 , 124, 1510-3	5	19
72	Acute lymphoblastic leukemia. Survey of immunophenotype, French-American-British classification, frequency of myeloid antigen expression, and karyotypic abnormalities in 210 pediatric and adult cases. <i>American Journal of Clinical Pathology</i> , 1999 , 111, 467-76	1.9	87
71	Intravascular large B-cell lymphoma. A report of five cases initially diagnosed by bone marrow biopsy. <i>American Journal of Clinical Pathology</i> , 1999 , 112, 248-55	1.9	71
70	Real-time 5'>3' exonuclease-based PCR assay for detection of the t(11;14)(q13;q32). <i>American Journal of Clinical Pathology</i> , 1999 , 112, 524-30	1.9	33
69	Primary anaplastic large cell lymphoma of the small intestine. <i>American Journal of Clinical Pathology</i> , 1999 , 112, 696-701	1.9	26
68	Overview of the role of molecular methods in the diagnosis of malignant lymphomas. <i>Archives of Pathology and Laboratory Medicine</i> , 1999 , 123, 1189-207	5	82
67	Cyclin D1 overexpression in Spitz nevi: an immunohistochemical study. <i>American Journal of Dermatopathology</i> , 1999 , 21, 115-20	0.9	54
66	Oncocytoid renal cell carcinoma after neuroblastoma: a report of four cases of a distinct clinicopathologic entity. <i>American Journal of Surgical Pathology</i> , 1999 , 23, 772-80	6.7	110
65	Neurofibroma and Cellular Neurofibroma with Atypia: A report of 14 tumors. <i>American Journal of Surgical Pathology</i> , 1999 , 23, 1156	6.7	
64	Surface immunoglobulin light chain-positive acute lymphoblastic leukemia of FAB L1 or L2 type: a report of 6 cases in adults. <i>American Journal of Clinical Pathology</i> , 1998 , 110, 143-9	1.9	34
63	The immunophenotype of adult acute myeloid leukemia: high frequency of lymphoid antigen expression and comparison of immunophenotype, French-American-British classification, and karyotypic abnormalities. <i>American Journal of Clinical Pathology</i> , 1998 , 109, 211-20	1.9	106
62	Hodgkin's disease in Costa Rica: a report of 40 cases analyzed for Epstein-Barr virus. <i>American Journal of Clinical Pathology</i> , 1998 , 109, 618-24	1.9	16
61	Oncocytic adrenocortical neoplasms: a report of seven cases and review of the literature. <i>American Journal of Surgical Pathology</i> , 1998 , 22, 603-14	6.7	108
60	Presence of t(8;21)(q22;q22) in myeloperoxidase-positive, myeloid surface antigen-negative acute myeloid leukemia. <i>American Journal of Clinical Pathology</i> , 1997 , 107, 68-73	1.9	26
59	Cyclin D1 immunohistochemical staining is useful in distinguishing mantle cell lymphoma from other low-grade B-cell neoplasms in bone marrow. <i>American Journal of Clinical Pathology</i> , 1997 , 108, 302-7	1.9	85
58	Hodgkin's disease of the esophagus. American Journal of Clinical Pathology, 1997, 108, 593-8	1.9	22
57	Detection of Epstein-Barr virus in the L & H cells of nodular lymphocyte predominance Hodgkin's disease: report of a case documented by immunohistochemical, in situ hybridization, and polymerase chain reaction methods. <i>American Journal of Clinical Pathology</i> , 1997 , 108, 687-92	1.9	17
56	Immunophenotype of Reed-Sternberg and Hodgkin Cells in Sequential Biopsy Specimens of Hodgkin Disease: A Paraffin-Section Immunohistochemical Study Using the Heat-Induced Epitope Retrieval Method. <i>American Journal of Clinical Pathology</i> , 1997 , 108, 54-59	1.9	27

55	Grading of renal cell carcinoma: Workgroup No. 2. Union Internationale Contre le Cancer and the American Joint Committee on Cancer (AJCC). <i>Cancer</i> , 1997 , 80, 990-1	6.4	81
54	Appraisal of intratumoral microvessel density, MIB-1 score, DNA content, and p53 protein expression as prognostic indicators in patients with locally confined renal cell carcinoma. <i>Cancer</i> , 1997 , 80, 1768-75	6.4	70
53	Transformation of follicular lymphoma into CD30-large cell lymphoma with anaplastic cytologic features. <i>American Journal of Surgical Pathology</i> , 1997 , 21, 528-36	6.7	39
52	Neurofibroma and cellular neurofibroma with atypia: a report of 14 tumors. <i>American Journal of Surgical Pathology</i> , 1997 , 21, 1443-9	6.7	66
51	Splenic marginal zone cell lymphoma. An immunophenotypic and molecular study of five cases. <i>American Journal of Clinical Pathology</i> , 1996 , 105, 277-85	1.9	36
50	Gastric lymphoepithelioma-like carcinoma and jejunal B-cell MALT lymphoma with large cell transformation. Demonstration of EBV with identical LMP gene deletions in the carcinoma and large cell lymphoma. <i>American Journal of Clinical Pathology</i> , 1996 , 105, 560-6	1.9	12
49	P53 expression in Reed-Sternberg cells does not correlate with gene mutations in Hodgkin's disease. <i>American Journal of Clinical Pathology</i> , 1996 , 106, 728-38	1.9	38
48	Transthyretin (Prealbumin) Immunoreactivity in Renal Cell Carcinoma and Other Neoplasms. <i>International Journal of Surgical Pathology</i> , 1996 , 4, 1-7	1.2	4
47	Chronic myeloid leukemia manifested during megakaryoblastic crisis. <i>Southern Medical Journal</i> , 1996 , 89, 422-7	0.6	13
46	Thrombotic thrombocytopenic purpura and HIV infection. Southern Medical Journal, 1995, 88, 82-6	0.6	12
45	B-cell chronic lymphocytic leukemia followed by high grade T-cell lymphoma. An unusual variant of Richter's syndrome. <i>American Journal of Clinical Pathology</i> , 1995 , 103, 348-52	1.9	44
44	Plasma cell myeloma associated with eosinophilia. <i>American Journal of Clinical Pathology</i> , 1995 , 103, 583-7	1.9	12
43	Adult renal epithelial neoplasms. American Journal of Clinical Pathology, 1995, 103, 624-35	1.9	115
42	Adrenal cortical tumors clinically mimicking pheochromocytoma. <i>American Journal of Clinical Pathology</i> , 1995 , 104, 382-90	1.9	44
41	Lymphoma of the mucosa-associated lymphoid tissue of the lung. A multifocal case of common clonal origin. <i>American Journal of Clinical Pathology</i> , 1995 , 103, 341-5	1.9	11
40	Hodgkin's disease. <i>Cancer</i> , 1995 , 75, 357-69	6.4	94
39	Non-Hodgkin's lymphoma. <i>Cancer</i> , 1995 , 75, 370-80	6.4	101
38	Epstein-Barr virus is infrequently identified in non-Hodgkin's lymphomas associated with Hodgkin's disease. <i>American Journal of Surgical Pathology</i> , 1994 , 18, 48-61	6.7	70

37	Malignant lymphomas of B-cell lineage with marked tissue eosinophilia. A report of five cases. <i>American Journal of Surgical Pathology</i> , 1994 , 18, 347-56	6.7	30
36	Stage I renal cell carcinoma. A clinicopathologic study of 82 cases. <i>American Journal of Surgical Pathology</i> , 1993 , 17, 275-86	6.7	78
35	Malignant lymphomas involving the ovary. A clinicopathologic analysis of 39 cases. <i>American Journal of Surgical Pathology</i> , 1993 , 17, 154-70	6.7	149
34	bcl-2 expression in Hodgkin's disease. Correlation with the t(14;18) translocation and Epstein-Barr virus. <i>American Journal of Clinical Pathology</i> , 1993 , 99, 604-8	1.9	31
33	bcl-2 rearrangements in de novo diffuse large cell lymphoma. Association with distinctive clinical features. <i>Cancer</i> , 1993 , 72, 231-6	6.4	92
32	T-cell lymphoblastic lymphoma with eosinophilia associated with subsequent myeloid malignancy. <i>American Journal of Surgical Pathology</i> , 1992 , 16, 236-45	6.7	93
31	New developments in the pathologic diagnosis of adrenal cortical neoplasms. A review. <i>American Journal of Clinical Pathology</i> , 1992 , 97, 73-83	1.9	98
30	Composite B-cell and T-cell lymphoma. Coincidental occurrence or related neoplasms?. <i>American Journal of Clinical Pathology</i> , 1992 , 98, 387-9	1.9	26
29	Diffuse aggressive B-cell lymphomas of the gastrointestinal tract. An immunophenotypic and gene rearrangement analysis of 22 cases. <i>American Journal of Clinical Pathology</i> , 1992 , 97, 170-8	1.9	15
28	Mediastinal lymphoblastic lymphoma with an immature B-cell immunophenotype. <i>American Journal of Surgical Pathology</i> , 1992 , 16, 300-5	6.7	30
27	Lymphoproliferative lesions in patients with common variable immunodeficiency syndrome. <i>American Journal of Surgical Pathology</i> , 1992 , 16, 1170-82	6.7	112
26	Localization of Epstein-Barr viral genomes in angiocentric immunoproliferative lesions. <i>American Journal of Surgical Pathology</i> , 1992 , 16, 439-47	6.7	125
25	Non-Hodgkin's lymphomas arising in patients successfully treated for Hodgkin's disease. A clinical, histologic, and immunophenotypic study of 14 cases. <i>American Journal of Surgical Pathology</i> , 1992 , 16, 885-95	6.7	47
24	My4 antibody staining of non-Hodgkin's lymphomas. <i>American Journal of Clinical Pathology</i> , 1991 , 95, 363-8	1.9	19
23	Genotypic analysis of diffuse, mixed cell lymphomas. Comparison with morphologic and immunophenotypic findings. <i>American Journal of Clinical Pathology</i> , 1991 , 95, 547-55	1.9	16
22	T-cell-rich B-cell lymphomas. <i>American Journal of Surgical Pathology</i> , 1991 , 15, 491-2	6.7	7
21	T-cell lymphoma involving subcutaneous tissue. A clinicopathologic entity commonly associated with hemophagocytic syndrome. <i>American Journal of Surgical Pathology</i> , 1991 , 15, 17-27	6.7	355
20	Lymphoblastic lymphoma presenting in cutaneous sites. A clinicopathologic analysis of six cases. Journal of the American Academy of Dermatology, 1991 , 25, 1023-31	4.5	91

19	Cellular DNA profiles of benign and malignant adrenocortical tumors. <i>American Journal of Surgical Pathology</i> , 1990 , 14, 948-55	6.7	53
18	Expression of the activation antigen, 4F2, by non-Hodgkin's lymphomas of B-cell phenotype. <i>Cancer</i> , 1990 , 66, 1158-64	6.4	6
17	Expression of LFA-1 in non-Hodgkin's lymphoma. <i>Cancer</i> , 1989 , 63, 255-9	6.4	50
16	Immunophenotypic diagnosis of non-Hodgkin's lymphoma in paraffin sections. Co-expression of L60 (Leu-22) and L26 antigens correlates with malignant histologic findings. <i>American Journal of Clinical Pathology</i> , 1989 , 91, 579-83	1.9	65
15	Pathologic features of prognostic significance in adrenocortical carcinoma. <i>American Journal of Surgical Pathology</i> , 1989 , 13, 202-6	6.7	621
14	Lymphoid infiltrates of the orbit and conjunctiva. A morphologic and immunophenotypic study of 99 cases. <i>American Journal of Surgical Pathology</i> , 1989 , 13, 459-71	6.7	116
13	Renal cell carcinoma. Prognostic significance of morphologic parameters in 121 cases. <i>Cancer</i> , 1988 , 61, 1639-51	6.4	208
12	Transferrin receptor expression by non-Hodgkin's lymphomas. Correlation with morphologic grade and survival. <i>Cancer</i> , 1988 , 61, 1844-51	6.4	27
11	Utility of combining antigranulocyte with antileukocyte antibodies in differentiating Hodgkin's disease from non-Hodgkin's lymphoma. <i>Cancer</i> , 1988 , 62, 2475-81	6.4	22
10	The cells of giant cell tumor of tendon sheath resemble osteoclasts. <i>American Journal of Surgical Pathology</i> , 1988 , 12, 444-52	6.7	41
9	The diagnostic utility of the keratin profiles of hepatocellular carcinoma and cholangiocarcinoma. <i>American Journal of Surgical Pathology</i> , 1988 , 12, 187-97	6.7	104
8	Case records of the Massachusetts General Hospital. Weekly clinicopathological exercises. Case 38-1988. A 58-year-old woman with fever, sweats, congestive heart failure, and lymphadenopathy after treatment for a diagnosis of systemic lupus erythematosus. <i>New England Journal of Medicine</i> ,	59.2	17
7	Reliability and significance of increased creatine kinase MB isoenzyme in the serum of uremic patients. <i>American Journal of Clinical Pathology</i> , 1987 , 87, 103-8	1.9	17
6	The white blood cell differential. Evaluation of rapid impression scanning versus the routine manual count. <i>American Journal of Clinical Pathology</i> , 1987 , 87, 628-32	1.9	4
5	Expression of Tac antigen by non-Hodgkin's lymphomas. <i>American Journal of Clinical Pathology</i> , 1987 , 88, 483-5	1.9	13
4	Low-grade renal cell carcinoma. A clinicopathologic study of 53 cases. <i>American Journal of Surgical Pathology</i> , 1987 , 11, 633-42	6.7	28
3	Age and erythrocyte alloimmunization. Vox Sanguinis, 1986, 51, 73	3.1	4
2	Primary nodular lymphoma of the lung. Immunoperoxidase and ultrastructural studies. <i>Pathology International</i> , 1982 , 32, 835-42	1.8	

The 5th edition of the World Health Organization Classification of Haematolymphoid Tumours: Lymphoid Neoplasms. *Leukemia*,

10.7 49