Fabio Carraro

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7549855/publications.pdf

Version: 2024-02-01

69 2,477 30 47
papers citations h-index g-index

70 70 70 3566
all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Hypoxia Induces Autophagy in Human Dendritic Cells: Involvement of Class III PI3K/Vps34. Cells, 2022, 11, 1695.	1.8	4
2	Interplay between Hypoxia and Extracellular Vesicles in Cancer and Inflammation. Biology, 2021, 10, 606.	1.3	12
3	Hypoxia Enhances the Expression of RNASET2 in Human Monocyte-Derived Dendritic Cells: Role of PI3K/AKT Pathway. International Journal of Molecular Sciences, 2021, 22, 7564.	1.8	9
4	Inhibition of Melanoma Cell Migration and Invasion Targeting the Hypoxic Tumor Associated CAXII. Cancers, 2020, 12, 3018.	1.7	13
5	Hypoxia Shapes Autophagy in LPS-Activated Dendritic Cells. Frontiers in Immunology, 2020, 11, 573646.	2.2	17
6	The Shc protein Rai enhances Tâ€cell survival under hypoxia. Journal of Cellular Physiology, 2020, 235, 8058-8070.	2.0	3
7	Carbonic anhydrase XII expression is linked to suppression of Sonic hedgehog ligand expression in triple negative breast cancer cells. Biochemical and Biophysical Research Communications, 2019, 516, 408-413.	1.0	12
8	Different Adaptive Responses to Hypoxia in Normal and Multiple Myeloma Endothelial Cells. Cellular Physiology and Biochemistry, 2018, 46, 203-212.	1.1	34
9	The Shc protein RAI promotes an adaptive cell survival program in hypoxic neuroblastoma cells. Journal of Cellular Physiology, 2018, 233, 4282-4293.	2.0	6
10	Inhibition of smoothened in breast cancer cells reduces CAXII expression and cell migration. Journal of Cellular Physiology, 2018, 233, 9799-9811.	2.0	16
11	Novel Acylguanidine Derivatives Targeting Smoothened Induce Antiproliferative and Pro-Apoptotic Effects in Chronic Myeloid Leukemia Cells. PLoS ONE, 2016, 11, e0149919.	1.1	8
12	Neuroglobin in Breast Cancer Cells: Effect of Hypoxia and Oxidative Stress on Protein Level, Localization, and Anti-Apoptotic Function. PLoS ONE, 2016, 11, e0154959.	1.1	33
13	Interleukin- $1 < i > \hat{l}^2 < / i > $ Affects MDAMB231 Breast Cancer Cell Migration under Hypoxia: Role of HIF- $1 < i > \hat{l} \pm < / i > $ and NF $< i > \hat{l}^2 < / i > $ B Transcription Factors. Mediators of Inflammation, 2015, 2015, 1-10.	1.4	25
14	Shortâ€Term Hypoxia Enhances the Migratory Capability of Dendritic Cell Through HIFâ€1α and PI3K/Akt Pathway. Journal of Cellular Physiology, 2014, 229, 2067-2076.	2.0	44
15	Identification of Hck Inhibitors As Hits for the Development of Antileukemia and Antiâ€HIV Agents. ChemMedChem, 2013, 8, 1353-1360.	1.6	19
16	Downregulation of Hypoxia-related Responses by Novel Antitumor Histone Deacetylase Inhibitors in MDAMB231 Breast Cancer Cells. Anti-Cancer Agents in Medicinal Chemistry, 2012, 12, 407-413.	0.9	10
17	Hypoxia affects dendritic cell survival: Role of the hypoxiaâ€inducible factorâ€1α and lipopolysaccharide. Journal of Cellular Physiology, 2012, 227, 587-595.	2.0	62
18	Identification of thrombin-like activity in ovarian cancer associated ascites and modulation of multiple cytokine networks. Thrombosis and Haemostasis, 2011, 106, 705-711.	1.8	18

#	Article	IF	Citations
19	Design, Synthesis, Biological Activity, and ADME Properties of Pyrazolo[3,4- <i>d</i>)pyrimidines Active in Hypoxic Human Leukemia Cells: A Lead Optimization Study. Journal of Medicinal Chemistry, 2011, 54, 2610-2626.	2.9	75
20	<i>N</i> â€[2â€Methylâ€5â€(triazolâ€1â€yl)phenyl]pyrimidinâ€2â€amine as a Scaffold for the Synthesis of Inhib Bcrâ€Abl. ChemMedChem, 2011, 6, 2009-2018.	itors of	41
21	Role of the Hypoxic Microenvironment in the Antitumor Activity of Tyrosine Kinase Inhibitors. Current Medicinal Chemistry, 2011, 18, 2885-2892.	1.2	11
22	Carborane-Conjugated 2-Quinolinecarboxamide Ligands of the Translocator Protein for Boron Neutron Capture Therapy. Bioconjugate Chemistry, 2010, 21, 2213-2221.	1.8	13
23	Protease-activated receptor-1 (PAR-1) promotes the motility of human melanomas and is associated to their metastatic phenotype. Clinical and Experimental Metastasis, 2010, 27, 43-53.	1.7	18
24	2-Hydroxypropyl-Î ² -cyclodextrin strongly improves water solubility and anti-proliferative activity of pyrazolo[3,4-d]pyrimidines Src-Abl dual inhibitors. European Journal of Medicinal Chemistry, 2010, 45, 5958-5964.	2.6	36
25	Interleukin- $\hat{\Pi}^2$ regulates the migratory potential of MDAMB231 breast cancer cells through the hypoxia-inducible factor- $\hat{\Pi}_{\pm}$. European Journal of Cancer, 2010, 46, 3400-3408.	1.3	44
26	3D QSAR Models Built on Structure-Based Alignments of Abl Tyrosine Kinase Inhibitors. ChemMedChem, 2009, 4, 976-987.	1.6	14
27	Identification of a functional role for the protease-activated receptor-1 in hypoxic breast cancer cells. European Journal of Cancer, 2009, 45, 454-460.	1.3	19
28	The adaptor protein p66shc is a positive regulator in the angiogenic response induced by hypoxic T cells. Journal of Leukocyte Biology, 2009, 87, 365-369.	1.5	11
29	Regulation of HMGâ€CoA reductase expression by hypoxia. Journal of Cellular Biochemistry, 2008, 104, 701-709.	1.2	47
30	Synthesis, biological evaluation and docking studies of 4-amino substituted 1H-pyrazolo[3,4-d]pyrimidines. European Journal of Medicinal Chemistry, 2008, 43, 2665-2676.	2.6	70
31	Structure-Based Optimization of Pyrazolo[3,4-d]pyrimidines as Abl Inhibitors and Antiproliferative Agents toward Human Leukemia Cell Lines. Journal of Medicinal Chemistry, 2008, 51, 1252-1259.	2.9	77
32	The effects of autologous platelet gel on inflammatory cytokine response in human peripheral blood mononuclear cells. Platelets, 2008, 19, 268-274.	1.1	18
33	Adenosine Kinase Gene Expression in Human Colorectal Cancer. Nucleosides, Nucleotides and Nucleic Acids, 2008, 27, 750-754.	0.4	33
34	Ozonation of Human Blood Induces a Remarkable Upregulation of Heme Oxygenase-1 and Heat Stress Protein-70. Mediators of Inflammation, 2007, 2007, 1-6.	1.4	48
35	A Ribonuclease Protection Assay-based Approach for Analysis of Angiogenic Gene Expression in Archival Tissues. Diagnostic Molecular Pathology, 2007, 16, 147-152.	2.1	1
36	p66Shc is involved in promoting HIF-1 \hat{l}_{\pm} accumulation and cell death in hypoxic T cells. Journal of Cellular Physiology, 2007, 211, 439-447.	2.0	38

#	Article	IF	CITATIONS
37	Inhibition of Bcr-Abl Phosphorylation and Induction of Apoptosis by Pyrazolo[3,4-d]pyrimidines in Human Leukemia Cells. ChemMedChem, 2007, 2, 343-353.	1.6	27
38	Hypoxia influences the cellular cross-talk of human dermal fibroblasts. A proteomic approach. Biochimica Et Biophysica Acta - Proteins and Proteomics, 2007, 1774, 1402-1413.	1.1	29
39	Analysis of protease-activated receptor-1 and -2 in human scar formation. Journal of Pathology, 2007, 212, 440-449.	2.1	30
40	Pyrazolo[3,4-d]pyrimidines as Potent Antiproliferative and Proapoptotic Agents toward A431 and 8701-BC Cells in Culture via Inhibition of c-Src Phosphorylation. Journal of Medicinal Chemistry, 2006, 49, 1549-1561.	2.9	85
41	Inducible nitric oxide synthase activity correlates with lymphangiogenesis and vascular endothelial growth factor-C expression in head and neck squamous cell carcinoma. Journal of Pathology, 2006, 208, 439-445.	2.1	45
42	Thrombin Inhibits IFN-Î ³ Production in Human Peripheral Blood Mononuclear Cells by Promoting a Th2 Profile. Journal of Interferon and Cytokine Research, 2006, 26, 793-799.	0.5	9
43	Cutting Edge: IL- \hat{I}^2 Mediates the Proangiogenic Activity of Osteopontin-Activated Human Monocytes. Journal of Immunology, 2006, 177, 4267-4270.	0.4	97
44	Thrombin-mediated IL-10 up-regulation involves protease-activated receptor (PAR)-1 expression in human mononuclear leukocytes. Journal of Leukocyte Biology, 2005, 78, 736-744.	1.5	34
45	Role of Inflammatory Mediators in Angiogenesis. Inflammation and Allergy: Drug Targets, 2005, 4, 3-8.	3.1	242
46	Expression of protease-activated receptors 1 and 2 in melanocytic nevi and malignant melanoma. Human Pathology, 2005, 36, 676-685.	1.1	67
47	p66SHC Promotes Apoptosis and Antagonizes Mitogenic Signaling in T Cells. Molecular and Cellular Biology, 2004, 24, 1747-1757.	1.1	124
48	Early response to bleomycin is characterized by different cytokine and cytokine receptor profiles in lungs. American Journal of Physiology - Lung Cellular and Molecular Physiology, 2004, 287, L1186-L1192.	1.3	45
49	New pyrazolo[3,4-d]pyrimidines endowed with A431 antiproliferative activity and inhibitory properties of Src phosphorylation. Bioorganic and Medicinal Chemistry Letters, 2004, 14, 2511-2517.	1.0	82
50	Pyrazolo[3,4-d]pyrimidines Endowed with Antiproliferative Activity on Ductal Infiltrating Carcinoma Cells. Journal of Medicinal Chemistry, 2004, 47, 1595-1598.	2.9	43
51	The thrombin peptide, TP508, enhances cytokine release and activates signaling events. Peptides, 2004, 25, 1917-1926.	1.2	20
52	Inhibition of interleukin-12 expression by \hat{l}_{\pm} -thrombin in human peripheral blood mononuclear cells: a potential mechanism for modulating Th1/Th2 responses. British Journal of Pharmacology, 2003, 140, 980-986.	2.7	22
53	Regulation of Angiogenesis by Th1- and Th2-Type Cytokines. Current Pharmaceutical Design, 2003, 9, 511-519.	0.9	41
54	THROMBIN ENHANCEMENT OF INTERLEUKIN-1 EXPRESSION IN MONONUCLEAR CELLS: INVOLVEMENT OF PROTEINASE-ACTIVATED RECEPTOR-1. Cytokine, 2002, 20, 191-199.	1.4	49

#	Article	IF	CITATIONS
55	Human ?-thrombin stimulates proliferation of interferon-? differentiated, growth-arrested U937 cells, overcoming differentiation-related changes in expression of p21CIP1/WAF1 and cyclin D1. Journal of Cellular Physiology, 2002, 191, 290-297.	2.0	21
56	HYPOXIA INDUCES THE EXPRESSION AND RELEASE OF INTERLEUKIN 1 RECEPTOR ANTAGONIST IN MITOGEN-ACTIVATED MONONUCLEAR CELLS. Cytokine, 2001, 13, 334-341.	1.4	14
57	Thrombin regulates the expression of proangiogenic cytokines via proteolytic activation of protease-activated receptor-1. General Pharmacology, 2000, 35, 255-259.	0.7	56
58	Hypoxia modulates cyclin and cytokine expression and inhibits peripheral mononuclear cell proliferation. Journal of Cellular Physiology, 1999, 181, 448-454.	2.0	39
59	INTERLEUKIN 10 PRODUCTION IN PATIENTS UNDERGOING CARDIOPULMONARY BYPASS: EVIDENCE OF INHIBITION OF Th-1-TYPE RESPONSES. Cytokine, 1999, 11, 74-79.	1.4	15
60	Hypoxia affects cytokine production and proliferative responses by human peripheral mononuclear cells., 1997, 173, 335-342.		110
61	Hypoxia affects cytokine production and proliferative responses by human peripheral mononuclear cells., 1997, 173, 335.		1
62	Effects of Hypoxia on the Antiproliferative Activity of Human Interferons. Journal of Interferon and Cytokine Research, 1995, 15, 137-142.	0.5	6
63	Alanine kinetics in humans during low-intensity exercise. Medicine and Science in Sports and Exercise, 1994, 26, 348???353.	0.2	23
64	Measurement of 15N enrichment in multiple amino acids and urea in a single analysis by gas chromatography/mass spectrometry. Biological Mass Spectrometry, 1993, 22, 518-523.	0.5	75
65	The lymphatic route. VIII. Distribution and plasma clearance of recombinant human interleukin-2 after SC administration with albumin in patients. Biotherapy (Dordrecht, Netherlands), 1993, 6, 73-77.	0.7	9
66	Hypoxia Enhances the Antiviral Activity of Interferons. Journal of Interferon Research, 1993, 13, 127-132.	1.2	19
67	Isotopic determination of fibronectin synthesis in humans. Metabolism: Clinical and Experimental, 1991, 40, 553-561.	1.5	20
68	Metabolism and pharmacokinetics of biological response modifiers (BRMS). European Journal of Pharmacology, 1990, 183, 112-113.	1.7	1
69	Effect of dichloroacetate on lactate concentration in exercising humans. Journal of Applied Physiology, 1989, 66, 591-597.	1.2	18