Gianluca Morroni

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7550326/publications.pdf

Version: 2024-02-01

361045 433756 1,283 62 20 31 citations h-index g-index papers 67 67 67 1373 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Characterization of poxtA, a novel phenicol–oxazolidinone–tetracycline resistance gene from an MRSA of clinical origin. Journal of Antimicrobial Chemotherapy, 2018, 73, 1763-1769.	1.3	191
2	Apis mellifera vs Melipona beecheii Cuban polifloral honeys: A comparison based on their physicochemical parameters, chemical composition and biological properties. LWT - Food Science and Technology, 2018, 87, 272-279.	2.5	101
3	Detection in Italy of two clinical <i>Enterococcus faecium</i> isolates carrying both the oxazolidinone and phenicol resistance gene <i>optrA</i> and a silent multiresistance gene <i>cfr</i> TableÂ1 Journal of Antimicrobial Chemotherapy, 2016, 71, 1118-1119.	1.3	81
4	Characterization of novel conjugative multiresistance plasmids carrying <i>cfr </i> from linezolid-resistant <i>Staphylococcus epidermidis </i> clinical isolates from Italy. Journal of Antimicrobial Chemotherapy, 2016, 71, 307-313.	1.3	47
5	Comparison of the Antimicrobial Activities of Four Honeys From Three Countries (New Zealand, Cuba,) Tj ETQq1 1	1 9.784314	ł rgBT /Over
6	Characterization of a Multiresistance Plasmid Carrying the optrA and cfr Resistance Genes From an Enterococcus faecium Clinical Isolate. Frontiers in Microbiology, 2018, 9, 2189.	1.5	45
7	Detection in Italy of a porcine <i>Enterococcus faecium </i> isolate carrying the novel phenicol-oxazolidinone-tetracycline resistance gene <i>poxtA </i> Chemotherapy, 2019, 74, 817-818.	1.3	39
8	Candidemia: Evolution of Drug Resistance and Novel Therapeutic Approaches. Infection and Drug Resistance, 2021, Volume 14, 5543-5553.	1.1	37
9	Detection of Oxazolidinone Resistance Genes and Characterization of Genetic Environments in Enterococci of Swine Origin, Italy. Microorganisms, 2020, 8, 2021.	1.6	36
10	Tn <i>5253</i> Family Integrative and Conjugative Elements Carrying <i>mef</i> (I) and <i>catQ</i> Determinants in Streptococcus pneumoniae and Streptococcus pyogenes. Antimicrobial Agents and Chemotherapy, 2014, 58, 5886-5893.	1.4	30
11	Transduction of the Streptococcus pyogenes bacteriophage $\tilde{A}\check{Z}\hat{A}^{\dagger}_{l}$ m46.1, carrying resistance genes mef(A) and tet(O), to other Streptococcus species. Frontiers in Microbiology, 2014, 5, 746.	1.5	27
12	pHT \hat{l}^2 -promoted mobilization of non-conjugative resistance plasmids from Enterococcus faecium to Enterococcus faecalis. Journal of Antimicrobial Chemotherapy, 2017, 72, 2447-2453.	1.3	27
13	Commentary: Nationwide Surveillance of Novel Oxazolidinone Resistance Gene optrA in Enterococcus Isolates in China from 2004 to 2014. Frontiers in Microbiology, 2017, 8, 1631.	1.5	26
14	In vitro activity of Protegrin-1, alone and in combination with clinically useful antibiotics, against Acinetobacter baumannii strains isolated from surgical wounds. Medical Microbiology and Immunology, 2019, 208, 877-883.	2.6	26
15	High Rate of Ceftobiprole Resistance among Clinical Methicillin-Resistant <i>Staphylococcus aureus</i> Isolates from a Hospital in Central Italy. Antimicrobial Agents and Chemotherapy, 2018, 62, .	1.4	25
16	Characterization of Tn6349, a novel mosaic transposon carrying poxtA, cfr and other resistance determinants, inserted in the chromosome of an ST5-MRSA-II strain of clinical origin. Journal of Antimicrobial Chemotherapy, 2019, 74, 2870-2875.	1.3	25
17	Control of host mitochondria by bacterial pathogens. Trends in Microbiology, 2022, 30, 452-465.	3.5	25
18	Antimicrobial Activity of Different Antimicrobial Peptides (AMPs) Against Clinical Methicillin-resistant Staphylococcus aureus (MRSA). Current Topics in Medicinal Chemistry, 2019, 18, 2116-2126.	1.0	23

#	Article	IF	CITATIONS
19	New Evidence and Insights on Dalbavancin and Wound Healing in a Mouse Model of Skin Infection. Antimicrobial Agents and Chemotherapy, 2020, 64, .	1.4	23
20	In vitro and in vivo activity of fosfomycin alone and in combination with rifampin and tigecycline against Gram-positive cocci isolated from surgical wound infections. Journal of Medical Microbiology, 2018, 67, 139-143.	0.7	21
21	Clinical and epidemiological characteristics of KPC-producing Klebsiella pneumoniae from bloodstream infections in a tertiary referral center in Italy. BMC Infectious Diseases, 2019, 19, 611.	1.3	20
22	Occurrence of a plasmid co-carrying <i>cfr</i> (D) and <i>poxtA2</i> linezolid resistance genes in <i>Enterococcus faecalis</i> and <i>Enterococcus casseliflavus</i> from porcine manure, Italy. Journal of Antimicrobial Chemotherapy, 2022, 77, 598-603.	1.3	19
23	Zinc Chelators as Carbapenem Adjuvants for Metallo-β-Lactamase-Producing Bacteria: <i>In Vitro</i> and <i>In Vivo</i> Evaluation. Microbial Drug Resistance, 2020, 26, 1133-1143.	0.9	17
24	Antifungal Combinations in Dermatophytes. Journal of Fungi (Basel, Switzerland), 2021, 7, 727.	1.5	17
25	Synergistic combinations of antimicrobial peptides against biofilms of methicillin-resistant Staphylococcus aureus (MRSA) on polystyrene and medical devices. Journal of Global Antimicrobial Resistance, 2020, 21, 203-210.	0.9	16
26	Spread of colistin resistance gene mcr-1 in Italy: characterization of the mcr-1.2 allelic variant in a colistin-resistant blood isolate of Escherichia coli. Diagnostic Microbiology and Infectious Disease, 2018, 91, 66-68.	0.8	15
27	Linezolid Resistance Genes in Enterococci Isolated from Sediment and Zooplankton in Two Italian Coastal Areas. Applied and Environmental Microbiology, 2021, 87, .	1.4	15
28	A clone of linezolid-resistant Staphylococcus epidermidis bearing the G2576T mutation is endemic in an Italian hospital. Journal of Hospital Infection, 2016, 94, 203-206.	1.4	13
29	Antimicrobial Activity of Aztreonam in Combination with Old and New \hat{l}^2 -Lactamase Inhibitors against MBL and ESBL Co-Producing Gram-Negative Clinical Isolates: Possible Options for the Treatment of Complicated Infections. Antibiotics, 2021, 10, 1341.	1.5	13
30	Anaerobic bloodstream infections in Italy (ITANAEROBY): A 5-year retrospective nationwide survey. Anaerobe, 2022, 75, 102583.	1.0	13
31	<i>Enterococcus faecium</i> ST17 from Coastal Marine Sediment Carrying Transferable Multidrug Resistance Plasmids. Microbial Drug Resistance, 2016, 22, 523-530.	0.9	12
32	Molecular Characterization of Italian Isolates of Fluoroquinolone-ResistantStreptococcus agalactiaeand Relationships with Chloramphenicol Resistance. Microbial Drug Resistance, 2018, 24, 225-231.	0.9	12
33	Characterization of a new transferable MDR plasmid carrying thepbp5gene from a clade B commensalEnterococcus faecium. Journal of Antimicrobial Chemotherapy, 2019, 74, 843-850.	1.3	12
34	Synergistic effect of antimicrobial peptide LL-37 and colistin combination against multidrug-resistant <i>Escherichia coli</i> isolates. Future Microbiology, 2021, 16, 221-227.	1.0	12
35	Candidemia in intensive care units over nine years at a large Italian university hospital: Comparison with other wards. PLoS ONE, 2021, 16, e0252165.	1.1	12
36	Linezolid-resistant <i>Enterococcus gallinarum </i> isolate of swine origin carrying <i>cfr, optrA </i> and <i>poxtA </i> genes. Journal of Antimicrobial Chemotherapy, 2022, 77, 331-337.	1.3	12

#	Article	IF	CITATIONS
37	Increase and diversity of carbapenemase-producing <i>Escherichia coli</i> isolates, Italy. Future Microbiology, 2019, 14, 1035-1042.	1.0	11
38	High prevalence of carbapenem-resistant Klebsiella pneumoniae ST307 recovered from fecal samples in an Italian hospital. Future Microbiology, 2021, 16, 703-711.	1.0	11
39	Use of Dalbavancin in Skin, Bone and Joint Infections: A Real-Life Experience in an Italian Center. Antibiotics, 2021, 10, 1129.	1.5	11
40	Efficacy of Cathelicidin LL-37 in an MRSA Wound Infection Mouse Model. Antibiotics, 2021, 10, 1210.	1.5	10
41	Candidemia in Internal Medicine: Facing the New Challenge. Mycopathologia, 2022, 187, 181-188.	1.3	10
42	In Vitro Wound-Healing Properties of Water-Soluble Terpenoids Loaded on Halloysite Clay. Pharmaceutics, 2021, 13, 1117.	2.0	9
43	Characterisation of candidemia in patients with recent surgery: A 7â€year experience. Mycoses, 2019, 62, 1056-1063.	1.8	8
44	Viscoelastic behaviour of hyaluronic acid formulations containing carvacrol prodrugs with antibacterial properties. International Journal of Pharmaceutics, 2020, 582, 119306.	2.6	8
45	Efficacy of Pexiganan Combination with Tigecycline in a Mouse Model of Pseudomonas aeruginosa Sepsis. Current Topics in Medicinal Chemistry, 2019, 18, 2127-2132.	1.0	7
46	whISOBAXTM Inhibits Bacterial Pathogenesis and Enhances the Effect of Antibiotics. Antibiotics, 2020, 9, 264.	1.5	7
47	Stability of the cargo regions of the cfr-carrying, multiresistance plasmid pSP01 from Staphylococcus epidermidis. International Journal of Medical Microbiology, 2016, 306, 717-721.	1.5	5
48	Trend of clinical vancomycin-resistant enterococci isolated in a regional Italian hospital from 2001 to 2018. Brazilian Journal of Microbiology, 2020, 51, 1607-1613.	0.8	5
49	Species distribution and antifungal susceptibilities of bloodstream Candida isolates: a nine-years single center survey. Journal of Chemotherapy, 2020, 32, 244-250.	0.7	5
50	Witch Hazel Significantly Improves the Efficacy of Commercially Available Teat Dips. Pathogens, 2020, 9, 92.	1.2	5
51	Detection of phenicol-oxazolidinone resistance gene <i>optrA</i> in <i>Aerococcus viridans</i> from bovine faeces, Italy. Journal of Antimicrobial Chemotherapy, 2021, 76, 2479-2481.	1.3	5
52	Ceftazidime–Avibactam for the Treatment of Multidrug-Resistant Pathogens: A Retrospective, Single Center Study. Antibiotics, 2022, 11, 321.	1.5	5
53	ICE <i>Sp1116</i> , the Genetic Element Responsible for <i>erm</i> (B)-Mediated, Inducible Erythromycin Resistance in Streptococcus pyogenes, Belongs to the Tn <i>GBS</i> Family of Integrative and Conjugative Elements. Antimicrobial Agents and Chemotherapy, 2014, 58, 2479-2481.	1.4	4
54	Validation of a universal DNA extraction method for human and microbiAL DNA analysis. Forensic Science International: Genetics Supplement Series, 2019, 7, 256-258.	0.1	3

#	Article	IF	CITATIONS
55	Central venous catheter unrelated candidemia influences the outcome of infection in patients with solid tumors. European Journal of Clinical Microbiology and Infectious Diseases, 2019, 38, 1499-1505.	1.3	3
56	Detection of a chromosomal truncated cfr gene in a linezolid-susceptible LA-MRSA ST398 isolate of porcine origin, Italy. Journal of Global Antimicrobial Resistance, 2021, 26, 199-201.	0.9	3
57	New insight into old and new antimicrobial molecules targeting quorum sensing for MRSA wound infection. Future Microbiology, 2022, 17, 177-183.	1.0	3
58	Characterization of a novel cfr(D)/poxtA-carrying plasmid in an oxazolidinone-resistant Enterococcus casseliflavus isolate from swine manure, Italy. Journal of Global Antimicrobial Resistance, 2022, , .	0.9	3
59	Clinical and microbiological features of ceftolozane/tazobactam-resistant Pseudomonas aeruginosa isolates in a university hospital in central Italy. Journal of Global Antimicrobial Resistance, 2022, 30, 377-383.	0.9	2
60	Human leptospirosis in the Marche region: Over 10 years of surveillance. Microbiology and Immunology, 2021, 65, 85-88.	0.7	1
61	Characterization and Clonal Diffusion of Ceftaroline Non-Susceptible MRSA in Two Hospitals in Central Italy. Antibiotics, 2021, 10, 1026.	1.5	1
62	Therapy with Direct-Acting Antiviral Agents in Transplanted Patients with HCV Recurrence: A Retrospective Analysis. Hepatitis Monthly, 2019, 19, .	0.1	1