

Gianluca Morroni

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7550326/publications.pdf>

Version: 2024-02-01

62
papers

1,283
citations

361045

20
h-index

433756

31
g-index

67
all docs

67
docs citations

67
times ranked

1373
citing authors

#	ARTICLE	IF	CITATIONS
1	Linezolid-resistant <i>Enterococcus gallinarum</i> isolate of swine origin carrying <i>cfr</i> , <i>optrA</i> and <i>poxtA</i> genes. <i>Journal of Antimicrobial Chemotherapy</i> , 2022, 77, 331-337.	1.3	12
2	Control of host mitochondria by bacterial pathogens. <i>Trends in Microbiology</i> , 2022, 30, 452-465.	3.5	25
3	New insight into old and new antimicrobial molecules targeting quorum sensing for MRSA wound infection. <i>Future Microbiology</i> , 2022, 17, 177-183.	1.0	3
4	Ceftazidime+Avibactam for the Treatment of Multidrug-Resistant Pathogens: A Retrospective, Single Center Study. <i>Antibiotics</i> , 2022, 11, 321.	1.5	5
5	Candidemia in Internal Medicine: Facing the New Challenge. <i>Mycopathologia</i> , 2022, 187, 181-188.	1.3	10
6	Occurrence of a plasmid co-carrying <i>cfr</i> (D) and <i>poxtA2</i> linezolid resistance genes in <i>Enterococcus faecalis</i> and <i>Enterococcus casseliflavus</i> from porcine manure, Italy. <i>Journal of Antimicrobial Chemotherapy</i> , 2022, 77, 598-603.	1.3	19
7	Anaerobic bloodstream infections in Italy (ITANAEROBY): A 5-year retrospective nationwide survey. <i>Anaerobe</i> , 2022, 75, 102583.	1.0	13
8	Clinical and microbiological features of ceftolozane/tazobactam-resistant <i>Pseudomonas aeruginosa</i> isolates in a university hospital in central Italy. <i>Journal of Global Antimicrobial Resistance</i> , 2022, 30, 377-383.	0.9	2
9	Characterization of a novel <i>cfr</i> (D)/ <i>poxtA</i> -carrying plasmid in an oxazolidinone-resistant <i>Enterococcus casseliflavus</i> isolate from swine manure, Italy. <i>Journal of Global Antimicrobial Resistance</i> , 2022, , .	0.9	3
10	Human leptospirosis in the Marche region: Over 10 years of surveillance. <i>Microbiology and Immunology</i> , 2021, 65, 85-88.	0.7	1
11	Synergistic effect of antimicrobial peptide LL-37 and colistin combination against multidrug-resistant <i>Escherichia coli</i> isolates. <i>Future Microbiology</i> , 2021, 16, 221-227.	1.0	12
12	Linezolid Resistance Genes in Enterococci Isolated from Sediment and Zooplankton in Two Italian Coastal Areas. <i>Applied and Environmental Microbiology</i> , 2021, 87, .	1.4	15
13	Detection of phenicol-oxazolidinone resistance gene <i>optrA</i> in <i>Aerococcus viridans</i> from bovine faeces, Italy. <i>Journal of Antimicrobial Chemotherapy</i> , 2021, 76, 2479-2481.	1.3	5
14	Candidemia in intensive care units over nine years at a large Italian university hospital: Comparison with other wards. <i>PLoS ONE</i> , 2021, 16, e0252165.	1.1	12
15	In Vitro Wound-Healing Properties of Water-Soluble Terpenoids Loaded on Halloysite Clay. <i>Pharmaceutics</i> , 2021, 13, 1117.	2.0	9
16	High prevalence of carbapenem-resistant <i>Klebsiella pneumoniae</i> ST307 recovered from fecal samples in an Italian hospital. <i>Future Microbiology</i> , 2021, 16, 703-711.	1.0	11
17	Characterization and Clonal Diffusion of Ceftaroline Non-Susceptible MRSA in Two Hospitals in Central Italy. <i>Antibiotics</i> , 2021, 10, 1026.	1.5	1
18	Antifungal Combinations in Dermatophytes. <i>Journal of Fungi</i> (Basel, Switzerland), 2021, 7, 727.	1.5	17

#	ARTICLE	IF	CITATIONS
19	Detection of a chromosomal truncated cfr gene in a linezolid-susceptible LA-MRSA ST398 isolate of porcine origin, Italy. <i>Journal of Global Antimicrobial Resistance</i> , 2021, 26, 199-201.	0.9	3
20	Use of Dalbavancin in Skin, Bone and Joint Infections: A Real-Life Experience in an Italian Center. <i>Antibiotics</i> , 2021, 10, 1129.	1.5	11
21	Efficacy of Cathelicidin LL-37 in an MRSA Wound Infection Mouse Model. <i>Antibiotics</i> , 2021, 10, 1210.	1.5	10
22	Antimicrobial Activity of Aztreonam in Combination with Old and New β -Lactamase Inhibitors against MBL and ESBL Co-Producing Gram-Negative Clinical Isolates: Possible Options for the Treatment of Complicated Infections. <i>Antibiotics</i> , 2021, 10, 1341.	1.5	13
23	Candidemia: Evolution of Drug Resistance and Novel Therapeutic Approaches. <i>Infection and Drug Resistance</i> , 2021, Volume 14, 5543-5553.	1.1	37
24	Synergistic combinations of antimicrobial peptides against biofilms of methicillin-resistant <i>Staphylococcus aureus</i> (MRSA) on polystyrene and medical devices. <i>Journal of Global Antimicrobial Resistance</i> , 2020, 21, 203-210.	0.9	16
25	Trend of clinical vancomycin-resistant enterococci isolated in a regional Italian hospital from 2001 to 2018. <i>Brazilian Journal of Microbiology</i> , 2020, 51, 1607-1613.	0.8	5
26	Detection of Oxazolidinone Resistance Genes and Characterization of Genetic Environments in Enterococci of Swine Origin, Italy. <i>Microorganisms</i> , 2020, 8, 2021.	1.6	36
27	Zinc Chelators as Carbapenem Adjuvants for Metallo- β -Lactamase-Producing Bacteria: <i>In Vitro</i> and <i>In Vivo</i> Evaluation. <i>Microbial Drug Resistance</i> , 2020, 26, 1133-1143.	0.9	17
28	Species distribution and antifungal susceptibilities of bloodstream <i>Candida</i> isolates: a nine-years single center survey. <i>Journal of Chemotherapy</i> , 2020, 32, 244-250.	0.7	5
29	New Evidence and Insights on Dalbavancin and Wound Healing in a Mouse Model of Skin Infection. <i>Antimicrobial Agents and Chemotherapy</i> , 2020, 64, .	1.4	23
30	Witch Hazel Significantly Improves the Efficacy of Commercially Available Teat Dips. <i>Pathogens</i> , 2020, 9, 92.	1.2	5
31	Viscoelastic behaviour of hyaluronic acid formulations containing carvacrol prodrugs with antibacterial properties. <i>International Journal of Pharmaceutics</i> , 2020, 582, 119306.	2.6	8
32	whISOBAX™ Inhibits Bacterial Pathogenesis and Enhances the Effect of Antibiotics. <i>Antibiotics</i> , 2020, 9, 264.	1.5	7
33	Characterisation of candidemia in patients with recent surgery: A 7-year experience. <i>Mycoses</i> , 2019, 62, 1056-1063.	1.8	8
34	Characterization of Tn6349, a novel mosaic transposon carrying poxA, cfr and other resistance determinants, inserted in the chromosome of an ST5-MRSA-II strain of clinical origin. <i>Journal of Antimicrobial Chemotherapy</i> , 2019, 74, 2870-2875.	1.3	25
35	Clinical and epidemiological characteristics of KPC-producing <i>Klebsiella pneumoniae</i> from bloodstream infections in a tertiary referral center in Italy. <i>BMC Infectious Diseases</i> , 2019, 19, 611.	1.3	20
36	Validation of a universal DNA extraction method for human and microbial DNA analysis. <i>Forensic Science International: Genetics Supplement Series</i> , 2019, 7, 256-258.	0.1	3

#	ARTICLE	IF	CITATIONS
37	Characterization of a new transferable MDR plasmid carrying the <i>bp5</i> gene from a clade B commensal <i>Enterococcus faecium</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2019, 74, 843-850.	1.3	12
38	In vitro activity of Protegrin-1, alone and in combination with clinically useful antibiotics, against <i>Acinetobacter baumannii</i> strains isolated from surgical wounds. <i>Medical Microbiology and Immunology</i> , 2019, 208, 877-883.	2.6	26
39	Central venous catheter unrelated candidemia influences the outcome of infection in patients with solid tumors. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2019, 38, 1499-1505.	1.3	3
40	Increase and diversity of carbapenemase-producing <i>Escherichia coli</i> isolates, Italy. <i>Future Microbiology</i> , 2019, 14, 1035-1042.	1.0	11
41	Detection in Italy of a porcine <i>Enterococcus faecium</i> isolate carrying the novel phenicol-oxazolidinone-tetracycline resistance gene <i>poxtA</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2019, 74, 817-818.	1.3	39
42	Antimicrobial Activity of Different Antimicrobial Peptides (AMPs) Against Clinical Methicillin-resistant <i>Staphylococcus aureus</i> (MRSA). <i>Current Topics in Medicinal Chemistry</i> , 2019, 18, 2116-2126.	1.0	23
43	Efficacy of Pexiganan Combination with Tigecycline in a Mouse Model of <i>Pseudomonas aeruginosa</i> Sepsis. <i>Current Topics in Medicinal Chemistry</i> , 2019, 18, 2127-2132.	1.0	7
44	Therapy with Direct-Acting Antiviral Agents in Transplanted Patients with HCV Recurrence: A Retrospective Analysis. <i>Hepatitis Monthly</i> , 2019, 19, .	0.1	1
45	Characterization of <i>poxtA</i> , a novel phenicol-oxazolidinone-tetracycline resistance gene from an MRSA of clinical origin. <i>Journal of Antimicrobial Chemotherapy</i> , 2018, 73, 1763-1769.	1.3	191
46	Spread of colistin resistance gene <i>mcr-1</i> in Italy: characterization of the <i>mcr-1.2</i> allelic variant in a colistin-resistant blood isolate of <i>Escherichia coli</i> . <i>Diagnostic Microbiology and Infectious Disease</i> , 2018, 91, 66-68.	0.8	15
47	<i>Apis mellifera</i> vs <i>Melipona beecheii</i> Cuban polyfloral honeys: A comparison based on their physicochemical parameters, chemical composition and biological properties. <i>LWT - Food Science and Technology</i> , 2018, 87, 272-279.	2.5	101
48	Molecular Characterization of Italian Isolates of Fluoroquinolone-Resistant <i>Streptococcus agalactiae</i> and Relationships with Chloramphenicol Resistance. <i>Microbial Drug Resistance</i> , 2018, 24, 225-231.	0.9	12
49	High Rate of Ceftobiprole Resistance among Clinical Methicillin-Resistant <i>Staphylococcus aureus</i> Isolates from a Hospital in Central Italy. <i>Antimicrobial Agents and Chemotherapy</i> , 2018, 62, .	1.4	25
50	Characterization of a Multiresistance Plasmid Carrying the <i>optrA</i> and <i>cfr</i> Resistance Genes From an <i>Enterococcus faecium</i> Clinical Isolate. <i>Frontiers in Microbiology</i> , 2018, 9, 2189.	1.5	45
51	Comparison of the Antimicrobial Activities of Four Honeys From Three Countries (New Zealand, Cuba,) <i>TJ ETQq1 1 0.784314 ggBT /Ov</i>	1.5	46
52	In vitro and in vivo activity of fosfomycin alone and in combination with rifampin and tigecycline against Gram-positive cocci isolated from surgical wound infections. <i>Journal of Medical Microbiology</i> , 2018, 67, 139-143.	0.7	21
53	pH ² -promoted mobilization of non-conjugative resistance plasmids from <i>Enterococcus faecium</i> to <i>Enterococcus faecalis</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2017, 72, 2447-2453.	1.3	27
54	Commentary: Nationwide Surveillance of Novel Oxazolidinone Resistance Gene <i>optrA</i> in <i>Enterococcus</i> Isolates in China from 2004 to 2014. <i>Frontiers in Microbiology</i> , 2017, 8, 1631.	1.5	26

#	ARTICLE	IF	CITATIONS
55	A clone of linezolid-resistant <i>Staphylococcus epidermidis</i> bearing the G2576T mutation is endemic in an Italian hospital. <i>Journal of Hospital Infection</i> , 2016, 94, 203-206.	1.4	13
56	Stability of the cargo regions of the <i>cfr</i> -carrying, multiresistance plasmid pSP01 from <i>Staphylococcus epidermidis</i> . <i>International Journal of Medical Microbiology</i> , 2016, 306, 717-721.	1.5	5
57	<i>Enterococcus faecium</i> ST17 from Coastal Marine Sediment Carrying Transferable Multidrug Resistance Plasmids. <i>Microbial Drug Resistance</i> , 2016, 22, 523-530.	0.9	12
58	Detection in Italy of two clinical <i>Enterococcus faecium</i> isolates carrying both the oxazolidinone and phenicol resistance gene <i>optrA</i> and a silent multiresistance gene <i>cfr</i> : Table 1. <i>Journal of Antimicrobial Chemotherapy</i> , 2016, 71, 1118-1119.	1.3	81
59	Characterization of novel conjugative multiresistance plasmids carrying <i>cfr</i> from linezolid-resistant <i>Staphylococcus epidermidis</i> clinical isolates from Italy. <i>Journal of Antimicrobial Chemotherapy</i> , 2016, 71, 307-313.	1.3	47
60	ICE <i>Sp1116</i> , the Genetic Element Responsible for <i>erm</i> (B)-Mediated, Inducible Erythromycin Resistance in <i>Streptococcus pyogenes</i> , Belongs to the Tn <i>GBS</i> Family of Integrative and Conjugative Elements. <i>Antimicrobial Agents and Chemotherapy</i> , 2014, 58, 2479-2481.	1.4	4
61	Tn <i>5253</i> Family Integrative and Conjugative Elements Carrying <i>mef</i> (I) and <i>catQ</i> Determinants in <i>Streptococcus pneumoniae</i> and <i>Streptococcus pyogenes</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2014, 58, 5886-5893.	1.4	30
62	Transduction of the <i>Streptococcus pyogenes</i> bacteriophage λ m46.1, carrying resistance genes <i>mef</i> (A) and <i>tet</i> (O), to other <i>Streptococcus</i> species. <i>Frontiers in Microbiology</i> , 2014, 5, 746.	1.5	27