Ewa U Kurczyńska

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7550748/publications.pdf

Version: 2024-02-01

430874 477307 1,011 52 18 29 citations g-index h-index papers 53 53 53 1119 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	Ultrastructural Analysis and Three-Dimensional Reconstruction of Plasmodesmata. Methods in Molecular Biology, 2022, 2457, 75-94.	0.9	1
2	Analysis of the Distribution of Symplasmic Tracers During Zygotic and Somatic Embryogenesis. Methods in Molecular Biology, 2022, 2457, 351-365.	0.9	1
3	Morphological, Histological and Ultrastructural Changes in Hordeum vulgare (L.) Roots That Have Been Exposed to Negatively Charged Gold Nanoparticles. Applied Sciences (Switzerland), 2022, 12, 3265.	2.5	6
4	Cell wall epitopes in grasses of different novel ecosystem habitats on postâ€industrial sites. Land Degradation and Development, 2021, 32, 1680-1694.	3.9	9
5	Germline development and seed set of metallophyte Biscutella laevigata L. (Brassicaceae). Flora: Morphology, Distribution, Functional Ecology of Plants, 2021, 274, 151752.	1.2	O
6	Similarities and Differences in the GFP Movement in the Zygotic and Somatic Embryos of Arabidopsis. Frontiers in Plant Science, 2021, 12, 649806.	3.6	3
7	Inhibition of Carotenoid Biosynthesis by CRISPR/Cas9 Triggers Cell Wall Remodelling in Carrot. International Journal of Molecular Sciences, 2021, 22, 6516.	4.1	14
8	Nanoparticlesâ€"Plant Interaction: What We Know, Where We Are?. Applied Sciences (Switzerland), 2021, 11, 5473.	2.5	25
9	Gold Nanoparticles-Induced Modifications in Cell Wall Composition in Barley Roots. Cells, 2021, 10, 1965.	4.1	12
10	Qualitative and quantitative analyses of the plasmodesmata that accompany cell fate changes during the somatic embryogenesis of Arabidopsis thaliana. Functional Plant Biology, 2021, , .	2.1	1
11	Tocopherols mutual balance is a key player for maintaining Arabidopsis thaliana growth under salt stress. Plant Physiology and Biochemistry, 2020, 156, 369-383.	5.8	10
12	Cell Wall Composition as a Marker of the Reprogramming of the Cell Fate on the Example of a Daucus carota (L.) Hypocotyl in Which Somatic Embryogenesis Was Induced. International Journal of Molecular Sciences, 2020, 21, 8126.	4.1	8
13	Symplasmic Isolation Contributes to Somatic Embryo Induction and Development in the Tree Fern Cyathea delgadii Sternb. Plant and Cell Physiology, 2020, 61, 1273-1284.	3.1	7
14	Development of Embryo Suspensors for Five Genera of Crassulaceae with Special Emphasis on Plasmodesmata Distribution and Ultrastructure. Plants, 2020, 9, 320.	3.5	6
15	In Vitro Tissue Culture in Brachypodium: Applications and Challenges. International Journal of Molecular Sciences, 2020, 21, 1037.	4.1	9
16	Symplasmic isolation marks cell fate changes during somatic embryogenesis. Journal of Experimental Botany, 2020, 71, 2612-2628.	4.8	37
17	Extracellular matrix and wall composition are diverse in the organogenic and non-organogenic calli of Actinidia arguta. Plant Cell Reports, 2020, 39, 779-798.	5.6	8
18	Pyranine labeled polymer nanoparticles as fluorescent markers for cell wall staining and imaging of movement within apoplast. Sensors and Actuators B: Chemical, 2019, 297, 126789.	7.8	6

#	Article	IF	CITATIONS
19	Aluminum Alters the Histology and Pectin Cell Wall Composition of Barley Roots. International Journal of Molecular Sciences, 2019, 20, 3039.	4.1	34
20	Hydroxyproline-Rich Glycoproteins as Markers of Temperature Stress in the Leaves of Brachypodium distachyon. International Journal of Molecular Sciences, 2019, 20, 2571.	4.1	16
21	Unmethyl-esterified homogalacturonan and extensins seal Arabidopsis graft union. BMC Plant Biology, 2019, 19, 151.	3.6	15
22	The development of a hairless phenotype in barley roots treated with gold nanoparticles is accompanied by changes in the symplasmic communication. Scientific Reports, 2019, 9, 4724.	3.3	20
23	Effect of Nanoparticles Surface Charge on the Arabidopsis thaliana (L.) Roots Development and Their Movement into the Root Cells and Protoplasts. International Journal of Molecular Sciences, 2019, 20, 1650.	4.1	50
24	Stability and instability processes in the calli of Fagopyrum tataricum that have different morphogenic potentials. Plant Cell, Tissue and Organ Culture, 2019, 137, 343-357.	2.3	8
25	Composition of the Reconstituted Cell Wall in Protoplast-Derived Cells of Daucus is Affected by Phytosulfokine (PSK). International Journal of Molecular Sciences, 2019, 20, 5490.	4.1	11
26	Spatio-temporal localization of selected pectic and arabinogalactan protein epitopes and the ultrastructural characteristics of explant cells that accompany the changes in the cell fate during somatic embryogenesis in Arabidopsis thaliana. Plant Physiology and Biochemistry, 2018, 127, 573-589.	5.8	20
27	Cell Wall Epitopes and Endoploidy as Reporters of Embryogenic Potential in Brachypodium Distachyon Callus Culture. International Journal of Molecular Sciences, 2018, 19, 3811.	4.1	10
28	Unique chromoplast organisation and carotenoid gene expression in carotenoid-rich carrot callus. Planta, 2018, 248, 1455-1471.	3.2	28
29	Organ and Tissue-Specific Localisation of Selected Cell Wall Epitopes in the Zygotic Embryo of Brachypodium distachyon. International Journal of Molecular Sciences, 2018, 19, 725.	4.1	13
30	5-Azacitidine Induces Cell Death in a Tissue Culture of Brachypodium distachyon. International Journal of Molecular Sciences, 2018, 19, 1806.	4.1	18
31	Immunodetection of some pectic, arabinogalactan proteins and hemicellulose epitopes in the micropylar transmitting tissue of apomictic dandelions (Taraxacum, Asteraceae, Lactuceae). Protoplasma, 2017, 254, 657-668.	2.1	14
32	Distribution of some pectic and arabinogalactan protein epitopes during Solanum lycopersicum (L.) adventitious root development. BMC Plant Biology, 2017, 17, 25.	3.6	34
33	Identification of symplasmic domains in the embryo and seed of Sedum acre L. (Crassulaceae). Planta, 2017, 245, 491-505.	3.2	20
34	Fate of neutral-charged gold nanoparticles in the roots of the Hordeum vulgare L. cultivar Karat. Scientific Reports, 2017, 7, 3014.	3.3	56
35	Nuclear genome stability in long-term cultivated callus lines of Fagopyrum tataricum (L.) Gaertn. PLoS ONE, 2017, 12, e0173537.	2.5	20
36	Quantitative and qualitative characteristics of cell wall components and prenyl lipids in the leaves of Tilia x euchlora trees growing under salt stress. PLoS ONE, 2017, 12, e0172682.	2.5	22

#	Article	IF	CITATIONS
37	Spatial Distribution of Selected Chemical Cell Wall Components in the Embryogenic Callus of Brachypodium distachyon. PLoS ONE, 2016, 11, e0167426.	2.5	30
38	Histology and Histochemistry of Somatic Embryogenesis. , 2016, , 471-494.		11
39	Integument cell differentiation in dandelions (Taraxacum, Asteraceae, Lactuceae) with special attention paid to plasmodesmata. Protoplasma, 2016, 253, 1365-1372.	2.1	11
40	Diverse influence of nanoparticles on plant growth with a particular emphasis on crop plants. Acta Agrobotanica, 2016, 69, .	1.0	30
41	Importance of symplasmic communication in cell differentiation. Plant Signaling and Behavior, 2014, 9, e27931.	2.4	21
42	Cellular events during interfascicular cambium ontogenesis in inflorescence stems of Arabidopsis. Protoplasma, 2014, 251, 1125-1139.	2.1	30
43	Plasma membrane and cell wall properties of an aspen hybrid (Populus tremulaÂ×Âtremuloides) parenchyma cells under the influence of salt stress. Acta Physiologiae Plantarum, 2014, 36, 1155-1165.	2.1	24
44	Vessel differentiation in isolated stem segments of Fraxinus excelsior L. after treatment with auxin. Acta Societatis Botanicorum Poloniae, 2014, 61, 343-357.	0.8	5
45	Distribution of lipid transfer protein 1 (LTP1) epitopes associated with morphogenic events during somatic embryogenesis of Arabidopsis thaliana. Plant Cell Reports, 2012, 31, 2031-2045.	5.6	42
46	Rays, intrusive growth, and storied cambium in the inflorescence stems of Arabidopsis thaliana (L.) Heynh. Protoplasma, 2012, 249, 217-220.	2.1	20
47	Differences in protodermal cell wall structure in zygotic and somatic embryos of Daucus carota (L.) cultured on solid and in liquid media. Protoplasma, 2012, 249, 117-129.	2.1	16
48	Histology and symplasmic tracer distribution during development of barley androgenic embryos. Planta, 2011, 233, 873-881.	3.2	23
49	Perception of gravity expressed by production of cambial callus in ash (Fraxinus excelsior L) internodes. Acta Societatis Botanicorum Poloniae, 2011, 72, 207-211.	0.8	1
50	The anatomy of the chi-chi of Ginkgo biloba suggests a mode of elongation growth that is an alternative to growth driven by an apical meristem. Journal of Plant Research, 2007, 120, 269-280.	2.4	9
51	Histological analysis of direct somatic embryogenesis in Arabidopsis thaliana (L.) Heynh. Planta, 2007, 226, 619-628.	3.2	114
52	The Influence of Air Pollutants on Needles and Stems of Scots Pine (Pinus Sylvestris L.) Trees. Environmental Pollution, 1997, 98, 325-334.	7. 5	52