## Riki Kataoka

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7550952/publications.pdf

Version: 2024-02-01

759233 752698 35 464 12 20 h-index citations g-index papers 35 35 35 679 citing authors docs citations times ranked all docs

#	Article	IF	CITATIONS
1	Development of High Capacity Cathode Material for Sodium Ion Batteries Na $<$ sub $>0.95sub>Li<sub>0.15sub>(Ni<sub>0.15sub>Mn<sub>0.55sub>Co<sub>0.1</sub>)O<sub>2s Journal of the Electrochemical Society, 2013, 160, A933-A939.$	uzh.9.	58
2	High-pressure synthesis of novel compounds in an Mg–Ni system. Renewable Energy, 2008, 33, 221-225.	8.9	49
3	Improving the oxygen redox stability of NaCl-type cation disordered Li <sub>2</sub> MnO <sub>3</sub> in a composite structure of Li <sub>2</sub> MnO <sub>3</sub> and spinel-type LiMn <sub>2</sub> O <sub>4</sub> . Journal of Materials Chemistry A, 2019, 7, 5381-5390.	10.3	33
4	High Capacity Positive Electrode Material for Room Temperature Na Ion Battery: Na <sub><i>x</i></sub> Mn <sub>2/3</sub> Co <sub>1/6</sub> Ni <sub>1/6</sub> O <sub>2</sub> . Journal of the Electrochemical Society, 2015, 162, A553-A558.	2.9	30
5	High-strength clad current collector for silicon-based negative electrode in lithium ion battery. Journal of Power Sources, 2016, 301, 355-361.	7.8	24
6	Spinel-Type Sodium Titanium Oxide: A Promising Sodium-Insertion Material of Sodium-Ion Batteries. ACS Applied Energy Materials, 2019, 2, 4345-4353.	5.1	22
7	Electrochemical Property of Li-Mn Cation Disordered Li-Rich Li <sub>2</sub> MnO <sub>3</sub> with NaCl Type Structure. Journal of the Electrochemical Society, 2018, 165, A291-A296.	2.9	18
8	Realizing the Single-Phase Spinel-Type Sodium Titanium Oxide with the Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> -like Structure for Building Stable Sodium-Ion Batteries. ACS Applied Materials & Diterraces, 2020, 12, 9322-9331.	8.0	18
9	Spinel manganese oxide: A high capacity positive electrode material for the sodium ion battery. Electrochimica Acta, 2016, 212, 458-464.	5.2	17
10	Novel hydrides in Mg–TM systems synthesized by high pressure (TM=Zr, Nb, Hf and Ta). Journal of Alloys and Compounds, 2007, 446-447, 6-10.	5.5	14
11	Influence of the preparation methods on the electrochemical properties and structural changes of alpha-sodium iron oxide as a positive electrode material for rechargeable sodium batteries. Electrochimica Acta, 2015, 182, 871-877.	5.2	14
12	High-Pressure Synthesis of Novel Hydrides in Mg–TM Systems (TM = Zr, Nb and Mo). Materials Transactions, 2005, 46, 1798-1801.	1.2	13
13	High-Pressure Synthesis of Novel Hydride in Mg-Ni (-H) System. Materials Transactions, 2006, 47, 1957-1960.	1.2	13
14	Study of the interface between Na-rich and Li-rich phases in a Na-inserted spinel Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> crystal for an electrode of a sodium-ion battery. Physical Chemistry Chemical Physics, 2016, 18, 19888-19893.	2.8	12
15	Stabilization of Face-Centered Cubic High-Pressure Phase of REH <sub>3</sub> (RE = Y, Gd, Dy) at Ambient Pressure by Alkali or Alkaline-Earth Substitution. Inorganic Chemistry, 2018, 57, 4686-4692.	4.0	12
16	Design of a Sodium-ion Cell with a Carbon-free Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> Negative Electrode. Electrochemistry, 2015, 83, 989-992.	1.4	11
17	Development of Li-Ion Rechargeable Battery Using SnC <sub>2</sub> O <sub>4</sub> -Coated Si Anode Material and Its Safety Evaluation. Journal of the Electrochemical Society, 2013, 160, A1684-A1689.	2.9	10
18	High-pressure synthesis of novel hydride in Mg–Ni–H and Mg–Ni–Cu–H systems. Journal of Alloys and Compounds, 2007, 446-447, 142-146.	5.5	9

#	Article	IF	Citations
19	High Pressure Synthesis of Hydride in Li-Y System. Materials Transactions, 2009, 50, 2069-2072.	1.2	9
20	High Pressure Synthesis of Novel Li-TM Hydrides (TM=Nb, Ta). Energy Procedia, 2012, 29, 276-282.	1.8	9
21	Electrochemical In Situ Synthesis: A New Synthesis Route for Redox Active Manganese Oxides for Rechargeable Sodium Ion Battery through Initial Charge Process. Journal of the Electrochemical Society, 2017, 164, A226-A230.	2.9	9
22	Silicon micropowder negative electrode endures more than 1000 cycles when a surface-roughened clad current collector is used. Journal of Power Sources, 2017, 346, 128-133.	7.8	9
23	Structure and Electrochemical Properties of $\hat{l}\pm$ -NaFeO2 Obtained under Various Hydrothermal Conditions. Journal of the Electrochemical Society, 2019, 166, A2209-A2214.	2.9	9
24	Structural stability of Na-inserted spinel-type sodium titanium oxide. Journal of Alloys and Compounds, 2021, 853, 157211.	5.5	9
25	High-Pressure Synthesis of MgNi Intermetallic Compound and Its Thermal Stability. Materials Transactions, 2008, 49, 457-460.	1.2	7
26	Facile Synthesis of LiH-Stabilized Face-Centered-Cubic YH <sub>3</sub> High-Pressure Phase by Ball Milling Process. Inorganic Chemistry, 2019, 58, 13102-13107.	4.0	5
27	Synthesis of cubic silver titanium oxide with a spinel-based structure. Journal of Solid State Chemistry, 2021, 303, 122514.	2.9	5
28	Novel Hydrides in Li-TM Systems Synthesized by High Pressure Method (TM=Ti, Zr, Hf). Materials Transactions, 2011, 52, 49-53.	1.2	4
29	High Pressure Synthesis of Novel Mg(Ni <sub>1−<l>x</l></sub> Cu <l><sub>x</sub></l> ) <sub>2</sub> Hydrides ( <l>x</l> =0–0.2). Materials Transactions, 2009, 50, 1179-1182.	1.2	3
30	Face-centered-cubic yttrium trihydride high-pressure phase stabilized at ambient pressures by mechanical milling. Materialia, 2021, 15, 100956.	2.7	3
31	High-Pressure Synthesis of Novel Hydride in Ca-TM Systems. Advanced Materials Research, 2007, 26-28, 885-888.	0.3	2
32	Sodium insertion and de-insertion mechanism of spinel-type sodium titanium oxide studied by in situ XRD. Journal of Alloys and Compounds, 2022, 890, 161763.	<b>5.</b> 5	2
33	Zirconium hydride-stabilized yttrium hydride (ZSY): Stabilization of a face-centered cubic YH3 phase by Zr substitution. Journal of Alloys and Compounds, 2021, 851, 156071.	5.5	1
34	The origin of the highly crystallized face-centered cubic YH <mml:math altimg="si13.svg" display="inline" id="d1e294" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:msub><mml:mrow mml:mrow=""></mml:mrow></mml:msub><td>1.9</td><td>1</td></mml:math>	1.9	1
35	quenched to ambient condition. Materials Today Communications, 2022, 31, 103265.  Stability of Zirconium-Substituted Face-Centered Cubic Yttrium Hydride. Inorganic Chemistry, 2021, 60, 17715-17721.	4.0	0