

Lukasz Gaweda

List of Publications by Citations

Source: <https://exaly.com/author-pdf/755173/lukasz-gaweda-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

69

papers

993

citations

17

h-index

29

g-index

77

ext. papers

1,287

ext. citations

4.8

avg, IF

5.15

L-index

#	Paper	IF	Citations
69	Interactions Between Variation in Candidate Genes and Environmental Factors in the Etiology of Schizophrenia and Bipolar Disorder: a Systematic Review. <i>Molecular Neurobiology</i> , 2018 , 55, 5075-5100	6.2	79
68	F85. THE RELATIONSHIP BETWEEN JUMPING TO CONCLUSIONS AND NEUROPSYCHOLOGICAL FUNCTIONING IN SCHIZOPHRENIA. <i>Schizophrenia Bulletin</i> , 2018 , 44, S252-S253	1.3	78
67	T82. THE RELATIONSHIP BETWEEN SOURCE MONITORING DEFICITS AND NEUROPSYCHOLOGICAL FUNCTIONING IN SCHIZOPHRENIA. <i>Schizophrenia Bulletin</i> , 2018 , 44, S146-S147	1.3	78
66	M65. INTERPLAY OF TRAIT RESILIENCE WITH NEUROCOGNITIVE FUNCTIONING AND PERSONALITY CHARACTERISTICS IN YOUNG PEOPLE WITH PUTATIVE AT RISK MENTAL STATE <i>Schizophrenia Bulletin</i> , 2020 , 46, S159-S160	1.3	78
65	Impaired discrimination between imagined and performed actions in schizophrenia. <i>Psychiatry Research</i> , 2012 , 195, 1-8	9.9	48
64	Impaired action self-monitoring in schizophrenia patients with auditory hallucinations. <i>Schizophrenia Research</i> , 2013 , 144, 72-9	3.6	44
63	Adherence to safety and self-isolation guidelines, conspiracy and paranoia-like beliefs during COVID-19 pandemic in Poland - associations and moderators. <i>Psychiatry Research</i> , 2020 , 294, 113540	9.9	34
62	Cognitive biases mediate the relationship between temperament and character and psychotic-like experiences in healthy adults. <i>Psychiatry Research</i> , 2015 , 225, 50-57	9.9	33
61	Decreasing self-reported cognitive biases and increasing clinical insight through meta-cognitive training in patients with chronic schizophrenia. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2015 , 48, 98-104	2.6	32
60	A new paradigm to measure probabilistic reasoning and a possible answer to the question why psychosis-prone individuals jump to conclusions. <i>Journal of Abnormal Psychology</i> , 2017 , 126, 406-415	7	31
59	The role of self-disturbances and cognitive biases in the relationship between traumatic life events and psychosis proneness in a non-clinical sample. <i>Schizophrenia Research</i> , 2018 , 193, 218-224	3.6	31
58	Four reasons why early detection centers for psychosis should be renamed and their treatment targets reconsidered: we should not catastrophize a future we can neither reliably predict nor change. <i>Psychological Medicine</i> , 2019 , 49, 2134-2140	6.9	31
57	Mediating role of aberrant salience and self-disturbances for the relationship between childhood trauma and psychotic-like experiences in the general population. <i>Schizophrenia Research</i> , 2019 , 206, 149-156	3.6	24
56	Self-disturbances, cognitive biases and insecure attachment as mechanisms of the relationship between traumatic life events and psychotic-like experiences in non-clinical adults - A path analysis. <i>Psychiatry Research</i> , 2018 , 259, 571-578	9.9	24
55	A comparison of cognitive biases between schizophrenia patients with delusions and healthy individuals with delusion-like experiences. <i>European Psychiatry</i> , 2015 , 30, 943-9	6	20
54	Do better communication skills promote sheltered employment in schizophrenia?. <i>Schizophrenia Research</i> , 2016 , 176, 331-339	3.6	18
53	Impaired action self-monitoring and cognitive confidence among ultra-high risk for psychosis and first-episode psychosis patients. <i>European Psychiatry</i> , 2018 , 47, 67-75	6	17

52	The interplay between childhood trauma, cognitive biases, psychotic-like experiences and depression and their additive impact on predicting lifetime suicidal behavior in young adults. <i>Psychological Medicine</i> , 2020 , 50, 116-124	6.9	17
51	Mediating role of cognitive biases, resilience and depressive symptoms in the relationship between childhood trauma and psychotic-like experiences in young adults. <i>Microbial Biotechnology</i> , 2020 , 14, 87-96	3.3	17
50	The construct validity of the Inventory of Psychotic-Like Anomalous Self-Experiences (IPASE) as a measure of minimal self-disturbance: Preliminary data. <i>Microbial Biotechnology</i> , 2019 , 13, 686-691	3.3	16
49	The effectiveness of metacognitive training for patients with schizophrenia: a narrative systematic review of studies published between 2009 and 2015. <i>Psychiatria Polska</i> , 2016 , 50, 787-803	1.3	15
48	Resilience and cognitive biases mediate the relationship between early exposure to traumatic life events and depressive symptoms in young adults. <i>Journal of Affective Disorders</i> , 2019 , 254, 26-33	6.6	14
47	A Cross-National Investigation of Hallucination-Like Experiences in 10 Countries: The E-CLECTIC Study. <i>Schizophrenia Bulletin</i> , 2019 , 45, S43-S55	1.3	14
46	Self-reported cognitive distortions in the psychosis continuum: A Polish 18-item version of the Davos Assessment of Cognitive Biases Scale (DACOBS-18). <i>Schizophrenia Research</i> , 2018 , 192, 317-326	3.6	14
45	Testing a neurophenomenological model of basic self disturbance in early psychosis. <i>World Psychiatry</i> , 2019 , 18, 104-105	14.4	14
44	The mediating role of borderline personality features in the relationship between childhood trauma and psychotic-like experiences in a sample of help-seeking non-psychotic adolescents and young adults. <i>European Psychiatry</i> , 2019 , 56, 84-90	6	11
43	The relationship between jumping to conclusions and neuropsychological functioning in schizophrenia. <i>Psychiatry Research</i> , 2019 , 273, 443-449	9.9	11
42	Do specific metacognitive training modules lead to specific cognitive changes among patients diagnosed with schizophrenia? A single module effectiveness pilot study. <i>Psychosis</i> , 2017 , 9, 254-259	1.2	10
41	The role of unhelpful metacognitive beliefs in psychosis: Relationships with positive symptoms and negative affect. <i>Psychiatry Research</i> , 2016 , 246, 401-406	9.9	10
40	Meta-cognitive beliefs as a mediator for the relationship between Cloninger's temperament and character dimensions and depressive and anxiety symptoms among healthy subjects. <i>Comprehensive Psychiatry</i> , 2014 , 55, 1029-37	7.3	10
39	A relationship between hallucination proneness and character and temperament: a mediating role of meta-cognitive beliefs in a non-clinical sample. <i>Psychiatry Research</i> , 2013 , 208, 183-5	9.9	10
38	A combination of self-disturbances and psychotic-like experiences. A cluster analysis study on a non-clinical sample in Poland. <i>Psychiatry Research</i> , 2019 , 273, 394-401	9.9	9
37	Cognitive mechanisms of alexithymia in schizophrenia: Investigating the role of basic neurocognitive functioning and cognitive biases. <i>Psychiatry Research</i> , 2019 , 271, 573-580	9.9	8
36	The interplay between childhood trauma, cognitive biases, and cannabis use on the risk of psychosis in nonclinical young adults in Poland. <i>European Psychiatry</i> , 2020 , 63, e35	6	7
35	The relationship between cognitive biases and psychological dimensions of delusions: The importance of jumping to conclusions. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2017 , 56, 51-56	2.6	7

34	Depression and anxiety mediate the relationship between temperament and character and psychotic-like experiences in healthy subjects. <i>Psychiatry Research</i> , 2016 , 246, 195-202	9.9	6
33	The placement of anomalous self-experiences within schizotypal personality in a nonclinical sample. <i>Schizophrenia Research</i> , 2020 , 218, 219-225	3.6	5
32	Mental Well-Being During Pandemic: The Role of Cognitive Biases and Emotion Regulation Strategies in Risk Perception and Affective Response to COVID-19. <i>Frontiers in Psychiatry</i> , 2020 , 11, 5899573	5.7	5
31	Effects of traumatic life events, cognitive biases and variation in dopaminergic genes on psychosis proneness. <i>Microbial Biotechnology</i> , 2021 , 15, 248-255	3.3	5
30	Distinguishing schizophrenia spectrum from non-spectrum disorders among young patients with first episode psychosis and at high clinical risk: The role of basic self-disturbance and neurocognition. <i>Schizophrenia Research</i> , 2021 , 228, 19-28	3.6	5
29	Agoraphobic avoidance predicts emotional distress and increased physical concerns in chronic obstructive pulmonary disease. <i>Respiratory Medicine</i> , 2017 , 128, 7-12	4.6	4
28	Advice weighting as a novel measure for belief flexibility in people with psychotic-like experiences. <i>Schizophrenia Research</i> , 2020 , 216, 129-137	3.6	4
27	Do depression and anxiety mediate the relationship between meta-cognitive beliefs and psychological dimensions of auditory hallucinations and delusions in schizophrenia?. <i>Psychiatry Research</i> , 2013 , 210, 1316-9	9.9	4
26	Prevalence, dimensionality and clinical relevance of self-disturbances and psychotic-like experiences in Polish young adults: a latent class analysis approach. <i>International Journal of Methods in Psychiatric Research</i> , 2020 , 29, e1809	4.3	4
25	The impact of social and sensory stress on cognitive biases and delusions in schizophrenia. <i>Cognitive Neuropsychiatry</i> , 2019 , 24, 217-232	2	3
24	Does aging affect source monitoring and cognitive confidence in schizophrenia? Preliminary results. <i>Psychiatry Research</i> , 2015 , 228, 936-40	9.9	3
23	The role of expectancies and emotional load in false auditory perceptions among patients with schizophrenia spectrum disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 271, 713-722	5.1	3
22	Dysfunctional meta-cognitive beliefs mediate the relation between temperament traits and hallucination-proneness in non-clinical population. <i>Psychiatry Research</i> , 2015 , 229, 1047-51	9.9	2
21	Impaired self-recognition in individuals with no full-blown psychotic symptoms represented across the continuum of psychosis: a meta-analysis. <i>Psychological Medicine</i> , 2020 , 1-11	6.9	2
20	Effects of interactions between variation in dopaminergic genes, traumatic life events, and anomalous self-experiences on psychosis proneness: Results from a cross-sectional study in a nonclinical sample. <i>European Psychiatry</i> , 2020 , 63, e104	6	2
19	Implementation of virtual reality (VR) in diagnostics and therapy of nonaffective psychoses. <i>Psychiatria Polska</i> , 2020 , 54, 951-975	1.3	2
18	Persecutory beliefs predict adherence to epidemiological safety guidelines over time - a longitudinal study. <i>Psychological Medicine</i> , 2020 , 1-2	6.9	2
17	Experience-based knowledge increases confidence in discriminating our memories. <i>Current Psychology</i> , 2021 , 40, 840-852	1.4	2

16	The Polish version of the Peters et al. Delusions Inventory: factor analysis, reliability and the prevalence of delusion-like experiences in the Polish population. <i>Psychiatria Polska</i> , 2015 , 49, 1203-22	1.3	1
15	Monetary Incentives Increase Metacognitive Confidence in Source Memory Performance in Patients With Schizophrenia. <i>Frontiers in Psychiatry</i> , 2020 , 11, 725	5	1
14	The Indirect Effect of Trauma via Cognitive Biases and Self-Disturbances on Psychotic-Like Experiences. <i>Frontiers in Psychiatry</i> , 2021 , 12, 611069	5	1
13	The Impact of the Gene Polymorphisms on the Relationship between Traumatic Life Events and Psychotic-Like Experiences in Non-Clinical Adults. <i>Brain Sciences</i> , 2021 , 11,	3.4	1
12	Toward a Complex Network of Risks for Psychosis: Combining Trauma, Cognitive Biases, Depression, and Psychotic-like Experiences on a Large Sample of Young Adults. <i>Schizophrenia Bulletin</i> , 2021 , 47, 395-404	1.3	1
11	Early detection. A defense of our statement that we should not catastrophize a future we cannot reliably predict nor change. A plea for a faster transition of traditional 'early intervention' programs for psychosis into new treatment models. <i>Psychological Medicine</i> , 2021 , 51, 219-222	6.9	1
10	Mediating role of metacognitive beliefs and cognitive-attentional syndrome in the relationship between persecutory and coronavirus conspiracy beliefs in a community sample. <i>Schizophrenia Research</i> , 2021 , 237, 29-30	3.6	1
9	The role of insecure attachment and cognitive biases in the social functioning of schizophrenia spectrum patients. <i>Journal of Clinical Psychology</i> , 2021 , 77, 846-854	2.8	0
8	Mindreading and metacognition patterns in patients with borderline personality disorder: experimental study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 271, 1159-1168	5.1	0
7	Anomalous self-experiences (ASE) in relation to clinical high risk for psychosis (CHRP), childhood trauma and general psychopathology among adolescent and young adult help seekers. <i>Schizophrenia Research</i> , 2021 , 237, 182-189	3.6	0
6	Integrating trauma, self-disturbances, cognitive biases, and personality into a model for the risk of psychosis: a longitudinal study in a non-clinical sample. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 1	5.1	0
5	Thinking about Them is only making me feel worse The mediating role of metacognitive factors in the relationship between paranoia-like beliefs and psychopathology symptoms in a community sample. <i>Schizophrenia Research</i> , 2022 , 244, 84-90	3.6	0
4	The mediating effect of negative emotions on the relationship between subjective sleep quality and paranoia-like thoughts.. <i>Journal of Psychiatric Research</i> , 2021 , 145, 132-136	5.2	
3	Cognitive and personality predictors of trait resilience in young people with psychosis proneness: an exploratory study. <i>Psychosis</i> , 1-12	1.2	
2	The dimensional structure of the Yale-Brown Obsessive-Compulsive Scale for Pathological Gambling: functional differences between true compulsions and compulsive behavior. <i>International Gambling Studies</i> , 2021 , 21, 92-102	1.8	
1	Validation of the extended version of the Dissociative Experiences Scale (DES) in patients diagnosed with substance use disorders. <i>Journal of Substance Use</i> , 1-5	0.8	