

Arkusz GawÄda

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/755173/publications.pdf>

Version: 2024-02-01

73
papers

1,224
citations

361296

20
h-index

434063

31
g-index

77
all docs

77
docs citations

77
times ranked

1444
citing authors

#	ARTICLE	IF	CITATIONS
1	The mediating effect of negative emotions on the relationship between subjective sleep quality and paranoia-like thoughts. <i>Journal of Psychiatric Research</i> , 2022, 145, 132-136.	1.5	1
2	The Moderating Role of the FKBP5 Gene Polymorphisms in the Relationship between Attachment Style, Perceived Stress and Psychotic-like Experiences in Non-Clinical Young Adults. <i>Journal of Clinical Medicine</i> , 2022, 11, 1614.	1.0	0
3	Integrating trauma, self-disturbances, cognitive biases, and personality into a model for the risk of psychosis: a longitudinal study in a non-clinical sample. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 1073-1085.	1.8	2
4	“Thinking about Them is only making me feel worse”. The mediating role of metacognitive factors in the relationship between paranoia-like beliefs and psychopathology symptoms in a community sample. <i>Schizophrenia Research</i> , 2022, 244, 84-90.	1.1	3
5	Impaired self-recognition in individuals with no full-blown psychotic symptoms represented across the continuum of psychosis: a meta-analysis. <i>Psychological Medicine</i> , 2021, 51, 2864-2874.	2.7	6
6	Experience-based knowledge increases confidence in discriminating our memories. <i>Current Psychology</i> , 2021, 40, 840-852.	1.7	5
7	The role of insecure attachment and cognitive biases in the social functioning of schizophrenia spectrum patients. <i>Journal of Clinical Psychology</i> , 2021, 77, 846-854.	1.0	2
8	Toward a Complex Network of Risks for Psychosis: Combining Trauma, Cognitive Biases, Depression, and Psychotic-like Experiences on a Large Sample of Young Adults. <i>Schizophrenia Bulletin</i> , 2021, 47, 395-404.	2.3	15
9	The dimensional structure of the Yale-Brown Obsessive-Compulsive Scale for Pathological Gambling: functional differences between true compulsions and compulsive behavior. <i>International Gambling Studies</i> , 2021, 21, 92-102.	1.3	1
10	The role of expectancies and emotional load in false auditory perceptions among patients with schizophrenia spectrum disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 713-722.	1.8	9
11	Early detection. A defense of our statement that we should not catastrophize a future we cannot reliably predict nor change. A plea for a faster transition of traditional “early intervention” programs for psychosis into new treatment models. <i>Psychological Medicine</i> , 2021, 51, 219-222.	2.7	2
12	Effects of traumatic life events, cognitive biases and variation in dopaminergic genes on psychosis proneness. <i>Microbial Biotechnology</i> , 2021, 15, 248-255.	0.9	8
13	Mindreading and metacognition patterns in patients with borderline personality disorder: experimental study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 1159-1168.	1.8	2
14	Distinguishing schizophrenia spectrum from non-spectrum disorders among young patients with first episode psychosis and at high clinical risk: The role of basic self-disturbance and neurocognition. <i>Schizophrenia Research</i> , 2021, 228, 19-28.	1.1	11
15	The Indirect Effect of Trauma via Cognitive Biases and Self-Disturbances on Psychotic-Like Experiences. <i>Frontiers in Psychiatry</i> , 2021, 12, 611069.	1.3	5
16	The Impact of the FKBP5 Gene Polymorphisms on the Relationship between Traumatic Life Events and Psychotic-Like Experiences in Non-Clinical Adults. <i>Brain Sciences</i> , 2021, 11, 561.	1.1	3
17	Editorial: The Relationship Between Cognitive Biases and Psychosis: Searching for Mechanisms. <i>Frontiers in Psychiatry</i> , 2021, 12, 753317.	1.3	2
18	Neural Correlates of Aberrant Salience and Source Monitoring in Schizophrenia and At-Risk Mental States—A Systematic Review of fMRI Studies. <i>Journal of Clinical Medicine</i> , 2021, 10, 4126.	1.0	14

#	ARTICLE	IF	CITATIONS
19	Mediating role of metacognitive beliefs and cognitive-attentional syndrome in the relationship between persecutory and coronavirus conspiracy beliefs in a community sample. <i>Schizophrenia Research</i> , 2021, 237, 29-30.	1.1	3
20	Anomalous self-experiences (ASE) in relation to clinical high risk for psychosis (CHR P), childhood trauma and general psychopathology among adolescent and young adult help seekers. <i>Schizophrenia Research</i> , 2021, 237, 182-189.	1.1	4
21	The interplay between childhood trauma, cognitive biases, psychotic-like experiences and depression and their additive impact on predicting lifetime suicidal behavior in young adults. <i>Psychological Medicine</i> , 2020, 50, 116-124.	2.7	39
22	Mediating role of cognitive biases, resilience and depressive symptoms in the relationship between childhood trauma and psychotic-like experiences in young adults. <i>Microbial Biotechnology</i> , 2020, 14, 87-96.	0.9	31
23	Prevalence, dimensionality and clinical relevance of self-disturbances and psychotic-like experiences in Polish young adults: a latent class analysis approach.. <i>International Journal of Methods in Psychiatric Research</i> , 2020, 29, e1809.	1.1	9
24	M65. INTERPLAY OF TRAIT RESILIENCE WITH NEUROCOGNITIVE FUNCTIONING AND PERSONALITY CHARACTERISTICS IN YOUNG PEOPLE WITH PUTATIVE "AT RISK MENTAL STATE". <i>Schizophrenia Bulletin</i> , 2020, 46, S159-S160.	2.3	0
25	Mental Well-Being During Pandemic: The Role of Cognitive Biases and Emotion Regulation Strategies in Risk Perception and Affective Response to COVID-19. <i>Frontiers in Psychiatry</i> , 2020, 11, 589973.	1.3	19
26	Adherence to safety and self-isolation guidelines, conspiracy and paranoia-like beliefs during COVID-19 pandemic in Poland - associations and moderators. <i>Psychiatry Research</i> , 2020, 294, 113540.	1.7	63
27	Persecutory beliefs predict adherence to epidemiological safety guidelines over time " a longitudinal study. <i>Psychological Medicine</i> , 2020, , 1-2.	2.7	6
28	Monetary Incentives Increase Metacognitive Confidence in Source Memory Performance in Patients With Schizophrenia. <i>Frontiers in Psychiatry</i> , 2020, 11, 725.	1.3	2
29	The interplay between childhood trauma, cognitive biases, and cannabis use on the risk of psychosis in nonclinical young adults in Poland. <i>European Psychiatry</i> , 2020, 63, e35.	0.1	20
30	Shortcomings of calculating risk for psychosis: Critical remarks on predictive modelling in psychosis risk research. <i>Microbial Biotechnology</i> , 2020, 14, 145-146.	0.9	0
31	The placement of anomalous self-experiences within schizotypal personality in a nonclinical sample. <i>Schizophrenia Research</i> , 2020, 218, 219-225.	1.1	6
32	Advice weighting as a novel measure for belief flexibility in people with psychotic-like experiences. <i>Schizophrenia Research</i> , 2020, 216, 129-137.	1.1	9
33	Effects of interactions between variation in dopaminergic genes, traumatic life events, and anomalous self-experiences on psychosis proneness: Results from a cross-sectional study in a nonclinical sample. <i>European Psychiatry</i> , 2020, 63, e104.	0.1	7
34	Implementation of virtual reality (VR) in diagnostics and therapy of nonaffective psychoses. <i>Psychiatria Polska</i> , 2020, 54, 951-975.	0.2	3
35	The construct validity of the Inventory of Psychotic-Like Anomalous Self-Experiences (IPASE) as a measure of minimal self-disturbance: Preliminary data. <i>Microbial Biotechnology</i> , 2019, 13, 686-691.	0.9	24
36	Four reasons why early detection centers for psychosis should be renamed and their treatment targets reconsidered: we should not catastrophize a future we can neither reliably predict nor change. <i>Psychological Medicine</i> , 2019, 49, 2134-2140.	2.7	43

#	ARTICLE	IF	CITATIONS
37	Resilience and cognitive biases mediate the relationship between early exposure to traumatic life events and depressive symptoms in young adults. <i>Journal of Affective Disorders</i> , 2019, 254, 26-33.	2.0	23
38	The impact of social and sensory stress on cognitive biases and delusions in schizophrenia. <i>Cognitive Neuropsychiatry</i> , 2019, 24, 217-232.	0.7	7
39	A Cross-National Investigation of Hallucination-Like Experiences in 10 Countries: The E-CLECTIC Study. <i>Schizophrenia Bulletin</i> , 2019, 45, S43-S55.	2.3	15
40	Mediating role of aberrant salience and self-disturbances for the relationship between childhood trauma and psychotic-like experiences in the general population. <i>Schizophrenia Research</i> , 2019, 206, 149-156.	1.1	40
41	Testing a neurophenomenological model of basic self disturbance in Åearly psychosis. <i>World Psychiatry</i> , 2019, 18, 104-105.	4.8	23
42	The mediating role of borderline personality features in the relationship between childhood trauma and psychotic-like experiences in a sample of help-seeking non-psychotic adolescents and young adults. <i>European Psychiatry</i> , 2019, 56, 84-90.	0.1	21
43	The relationship between jumping to conclusions and neuropsychological functioning in schizophrenia. <i>Psychiatry Research</i> , 2019, 273, 443-449.	1.7	18
44	A combination of self-disturbances and psychotic-like experiences. A cluster analysis study on a non-clinical sample in Poland. <i>Psychiatry Research</i> , 2019, 273, 394-401.	1.7	13
45	Cognitive mechanisms of alexithymia in schizophrenia: Investigating the role of basic neurocognitive functioning and cognitive biases. <i>Psychiatry Research</i> , 2019, 271, 573-580.	1.7	24
46	Self-reported cognitive distortions in the psychosis continuum: A Polish 18-item version of the Davos Assessment of Cognitive Biases Scale (DACOBS-18). <i>Schizophrenia Research</i> , 2018, 192, 317-326.	1.1	23
47	The role of self-disturbances and cognitive biases in the relationship between traumatic life events and psychosis proneness in a non-clinical sample. <i>Schizophrenia Research</i> , 2018, 193, 218-224.	1.1	41
48	Impaired action self-monitoring and cognitive confidence among ultra-high risk for psychosis and first-episode psychosis patients. <i>European Psychiatry</i> , 2018, 47, 67-75.	0.1	29
49	Interactions Between Variation in Candidate Genes and Environmental Factors in the Etiology of Schizophrenia and Bipolar Disorder: a Systematic Review. <i>Molecular Neurobiology</i> , 2018, 55, 5075-5100.	1.9	117
50	Self-disturbances, cognitive biases and insecure attachment as mechanisms of the relationship between traumatic life events and psychotic-like experiences in non-clinical adults Å A path analysis. <i>Psychiatry Research</i> , 2018, 259, 571-578.	1.7	39
51	F85. THE RELATIONSHIP BETWEEN JUMPING TO CONCLUSIONS AND NEUROPSYCHOLOGICAL FUNCTIONING IN SCHIZOPHRENIA. <i>Schizophrenia Bulletin</i> , 2018, 44, S252-S253.	2.3	0
52	T82. THE RELATIONSHIP BETWEEN SOURCE MONITORING DEFICITS AND NEUROPSYCHOLOGICAL FUNCTIONING IN SCHIZOPHRENIA. <i>Schizophrenia Bulletin</i> , 2018, 44, S146-S147.	2.3	0
53	Agoraphobic avoidance predicts emotional distress and increased physical concerns in chronic obstructive pulmonary disease. <i>Respiratory Medicine</i> , 2017, 128, 7-12.	1.3	7
54	A new paradigm to measure probabilistic reasoning and a possible answer to the question why psychosis-prone individuals jump to conclusions.. <i>Journal of Abnormal Psychology</i> , 2017, 126, 406-415.	2.0	35

#	ARTICLE	IF	CITATIONS
55	Do specific metacognitive training modules lead to specific cognitive changes among patients diagnosed with schizophrenia? A single module effectiveness pilot study. <i>Psychosis</i> , 2017, 9, 254-259.	0.4	13
56	The relationship between cognitive biases and psychological dimensions of delusions: The importance of jumping to conclusions. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2017, 56, 51-56.	0.6	14
57	Depression and anxiety mediate the relationship between temperament and character and psychotic-like experiences in healthy subjects. <i>Psychiatry Research</i> , 2016, 246, 195-202.	1.7	12
58	Do better communication skills promote sheltered employment in schizophrenia?. <i>Schizophrenia Research</i> , 2016, 176, 331-339.	1.1	24
59	The role of unhelpful metacognitive beliefs in psychosis: Relationships with positive symptoms and negative affect. <i>Psychiatry Research</i> , 2016, 246, 401-406.	1.7	16
60	The effectiveness of metacognitive training for patients with schizophrenia: a narrative systematic review of studies published between 2009 and 2015. <i>Psychiatria Polska</i> , 2016, 50, 787-803.	0.2	23
61	Decreasing self-reported cognitive biases and increasing clinical insight through meta-cognitive training in patients with chronic schizophrenia. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2015, 48, 98-104.	0.6	43
62	Dysfunctional meta-cognitive beliefs mediate the relation between temperament traits and hallucination-proneness in non-clinical population. <i>Psychiatry Research</i> , 2015, 229, 1047-1051.	1.7	3
63	A comparison of cognitive biases between schizophrenia patients with delusions and healthy individuals with delusion-like experiences. <i>European Psychiatry</i> , 2015, 30, 943-949.	0.1	29
64	Does aging affect source monitoring and cognitive confidence in schizophrenia? Preliminary results. <i>Psychiatry Research</i> , 2015, 228, 936-940.	1.7	4
65	Cognitive biases mediate the relationship between temperament and character and psychotic-like experiences in healthy adults. <i>Psychiatry Research</i> , 2015, 225, 50-57.	1.7	42
66	The Polish version of the Peters et al. Delusions Inventory: factor analysis, reliability and the prevalence of delusion-like experiences in the Polish population. <i>Psychiatria Polska</i> , 2015, 49, 1203-1222.	0.2	6
67	Meta-cognitive beliefs as a mediator for the relationship between Cloninger's temperament and character dimensions and depressive and anxiety symptoms among healthy subjects. <i>Comprehensive Psychiatry</i> , 2014, 55, 1029-1037.	1.5	15
68	Do depression and anxiety mediate the relationship between meta-cognitive beliefs and psychological dimensions of auditory hallucinations and delusions in schizophrenia?. <i>Psychiatry Research</i> , 2013, 210, 1316-1319.	1.7	4
69	A relationship between hallucination proneness and character and temperament: A mediating role of meta-cognitive beliefs in a non-clinical sample. <i>Psychiatry Research</i> , 2013, 208, 183-185.	1.7	11
70	Impaired action self-monitoring in schizophrenia patients with auditory hallucinations. <i>Schizophrenia Research</i> , 2013, 144, 72-79.	1.1	52
71	Impaired discrimination between imagined and performed actions in schizophrenia. <i>Psychiatry Research</i> , 2012, 195, 1-8.	1.7	52
72	Cognitive and personality predictors of trait resilience in young people with psychosis proneness: an exploratory study. <i>Psychosis</i> , 0, , 1-12.	0.4	0

#	ARTICLE	IF	CITATIONS
73	Validation of the extended version of the Dissociative Experiences Scale (DES) in patients diagnosed with substance use disorders. Journal of Substance Use, 0, , 1-5.	0.3	0