Ramos, Mfs; Ramos, Mf; Ramos, MÃ'nio

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7551922/publications.pdf

Version: 2024-02-01

623734 794594 21 588 14 19 citations h-index g-index papers 21 21 21 961 docs citations all docs times ranked citing authors

#	Article	IF	CITATIONS
1	Copaiba Oil: Chemical Composition and Influence on In-vitro Cutaneous Permeability of Celecoxib. Current Drug Delivery, 2018, 15, 357-366.	1.6	1
2	Avanços no desenvolvimento de fitoterápicos no paÃs. Revista Fitos, 2018, 12, 204.	0.2	0
3	α-Bisabolol improves 5-aminolevulinic acid retention in buccal tissues: Potential application in the photodynamic therapy of oral cancer. Journal of Photochemistry and Photobiology B: Biology, 2017, 174, 298-305.	3.8	12
4	Leaf Essential Oil from Eugenia luschnathiana and Myrciaria tenella (Myrtaceae) from Two Different Accesses in Southeastern Brazil. Journal of Essential Oil-bearing Plants: JEOP, 2016, 19, 1675-1683.	1.9	8
5	Fish oil attenuates persistent inflammatory pain in rats through modulation of TNF- $\hat{l}\pm$ and resolvins. Life Sciences, 2016, 152, 30-37.	4.3	21
6	Influence of copaiba oil on in vitro cutaneous permeability of Celecoxib. Planta Medica, 2014, 80, .	1.3	0
7	Impact of Cross-linking and Drying Method on Drug Delivery Performance of Casein–Pectin Microparticles. AAPS PharmSciTech, 2013, 14, 1227-1235.	3.3	27
8	Anti-inflammatory activity of essential oils from <i>Syzygium cumini</i> and <i>Psidium guajava</i> . Pharmaceutical Biology, 2013, 51, 881-887.	2.9	52
9	Characterisation of the effects of leaf galls of Clusiamyia nitida (Cecidomyiidae) on Clusia lanceolata Cambess. (Clusiaceae): Anatomical aspects and chemical analysis of essential oil. Flora: Morphology, Distribution, Functional Ecology of Plants, 2013, 208, 165-173.	1.2	16
10	<i>Trans</i> - <i>2</i> -Caryophyllene: An Effective Antileishmanial Compound Found in Commercial Copaiba Oil (<i>Copaifera</i> >spp.). Evidence-based Complementary and Alternative Medicine, 2013, 2013, 1-13.	1.2	50
11	Genotoxicity assessment of Copaiba oil and its fractions in Swiss mice. Genetics and Molecular Biology, 2012, 35, 664-672.	1.3	27
12	Chemical Composition of South American Burseraceae Nonâ€volatile Oleoresins and Preliminary Solubility Assessment of their Commercial Blend. Phytochemical Analysis, 2012, 23, 529-539.	2.4	18
13	Essential oils of the Oleoresins fromProtium HeptaphyllumGrowing in the Brazilian Southeastern and their Cytotoxicity to Neoplasic Cells Lines. Journal of Essential Oil-bearing Plants: JEOP, 2011, 14, 373-378.	1.9	8
14	Essential oils of four Myrtaceae species from the Brazilian southeast. Biochemical Systematics and Ecology, 2010, 38, 1170-1175.	1.3	31
15	Análise quÃmica quantitativa para a padronização do óleo de copaÃba por cromatografia em fase gasosa de alta resolução. Quimica Nova, 2004, 27, 236-240.	0.3	36
16	Protium icicariba as a source of volatile essences. Biochemical Systematics and Ecology, 2004, 32, 477-489.	1.3	59
17	Volatile monoterpenes from the oleoresin of Trattinnickia rhoifolia. Biochemical Systematics and Ecology, 2003, 31, 309-311.	1.3	7
18	Linalool fromLippia alba:Â Study of the Reproducibility of the Essential Oil Profile and the Enantiomeric Purity. Journal of Agricultural and Food Chemistry, 2002, 50, 3518-3521.	5.2	31

#	Article	IF	CITATIONS
19	Rapid Screening of Polar Compounds in Brazilian Propolis by High-Temperature High-Resolution Gas Chromatographyâ^'Mass Spectrometry. Journal of Agricultural and Food Chemistry, 2000, 48, 5226-5230.	5.2	30
20	Volatile Constituents from Oleoresin of Protium heptaphyllum (Aubl.) March. Journal of Essential Oil Research, 1999, 11, 72-74.	2.7	25
21	Evaluation of anti-inflammatory-related activity of essential oils from the leaves and resin of species of Protium. Journal of Ethnopharmacology, 1999, 66, 57-69.	4.1	129