

Shunsaku Kimura

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7553195/shunsaku-kimura-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

185
papers

5,425
citations

38
h-index

68
g-index

189
ext. papers

5,709
ext. citations

5.4
avg, IF

5.64
L-index

#	Paper	IF	Citations
185	Construction and Piezoelectric Properties of a Single-Peptide Nanotube Composed of Cyclic Peptides with Helical Peptides on the Side Chains. <i>Biomacromolecules</i> , 2021 , 22, 2815-2821	6.9	2
184	Piezoelectric properties reflecting nanostructures of tetrathiafulvalene and chloranil complexes using cyclic peptide nanotube scaffolds. <i>Peptide Science</i> , 2021 , 113, e24192	3	1
183	Engineering pH-responsive switching of donor-acceptor chromophore alignments along a peptide nanotube scaffold.. <i>RSC Advances</i> , 2020 , 10, 3588-3592	3.7	3
182	A Novel Surface Modification and Immobilization Method of Anti-CD25 Antibody on Nonwoven Fabric Filter Removing Regulatory T Cells Selectively. <i>ACS Omega</i> , 2020 , 5, 772-780	3.9	3
181	Electronic Properties of Cyclic Peptide Nanotube Bundles Reflecting Structural Arrangement. <i>Chemistry Letters</i> , 2019 , 48, 322-324	1.7	5
180	The effect of macrodipole orientation on the piezoelectric response of cyclic peptide nanotube bundles on gold substrates. <i>Polymer Journal</i> , 2019 , 51, 601-609	2.7	6
179	Chiral and random arrangements of flavin chromophores along cyclic peptide nanotubes on gold influencing differently on surface potential and piezoelectricity.. <i>RSC Advances</i> , 2019 , 9, 3618-3624	3.7	7
178	Sterical Recognition at Helix-Helix Interface of Leu-Aib-Based Polypeptides with and without a GxxxG-Motif. <i>Langmuir</i> , 2019 , 35, 7249-7254	4	1
177	Primary to quaternary structures of molecular assemblies. <i>Polymer Journal</i> , 2019 , 51, 739-751	2.7	1
176	Synthesis of Polysaccharides I: Hydrolase as Catalyst. <i>Green Chemistry and Sustainable Technology</i> , 2019 , 15-46	1.1	2
175	Piezoelectric property of bundled peptide nanotubes stapled by bis-cyclic-peptide. <i>Journal of Peptide Science</i> , 2019 , 25, e3134	2.1	8
174	Osmotic-shock-resistant Vesicle Comprising Interdigitated Monolayer of Block Polypeptides. <i>Chemistry Letters</i> , 2018 , 47, 726-728	1.7	6
173	Flexible Modulation of Electronic Band Structures of Wide Band Gap GaN Semiconductors Using Bioinspired, Nonbiological Helical Peptides. <i>Advanced Functional Materials</i> , 2018 , 28, 1704034	15.6	5
172	Phase-Separated Molecular Assembly of a Nanotube Composed of Amphiphilic Polypeptides Having a Helical Hydrophobic Block. <i>ACS Omega</i> , 2018 , 3, 7158-7164	3.9	10
171	Polymeric Micelle of AB-Type Lactosome as a Vehicle for Targeting Meningeal Dissemination. <i>Nanomaterials</i> , 2018 , 8,	5.4	4
170	Reaction specificity of keratanase II in the transglycosylation using the sugar oxazolines having keratan sulfate repeating units. <i>Carbohydrate Research</i> , 2018 , 456, 61-68	2.9	3
169	Compartmentalized host spaces accommodating guest aromatic molecules in a chiral way in a helix-peptide-aromatic framework. <i>Chemical Communications</i> , 2018 , 54, 12483-12486	5.8	3

168	Immune responses against Lewis Y tumor-associated carbohydrate antigen displayed densely on self-assembling nanocarriers. <i>Organic and Biomolecular Chemistry</i> , 2018 , 16, 8095-8105	3.9	2
167	Joining Nanotubes Comprising Nucleobase-carrying Amphiphilic Polypeptides. <i>Chimia</i> , 2018 , 72, 842-847	1.3	1
166	PET Imaging Utilizing 89Zr-labeled Human Antibody Variant and Theranostic Technologies Provided by a Novel DDS Carrier. <i>Drug Delivery System</i> , 2018 , 33, 214-222	0	
165	Two one-dimensional arrays of naphthyl and anthryl groups along peptide nanotubes prepared from cyclic peptides comprising D and L amino acids. <i>Soft Matter</i> , 2018 , 14, 7597-7604	3.6	7
164	Effect of oscillation dynamics on long-range electron transfer in a helical peptide monolayer. <i>Physical Chemistry Chemical Physics</i> , 2018 , 20, 15216-15222	3.6	2
163	Selective Cell Capture and Release Using Antibody-Immobilized Polymer-Grafted Surface. <i>Kobunshi Ronbunshu</i> , 2018 , 75, 155-163	0	2
162	Temperature-Induced Phase Separation in Molecular Assembly of Nanotubes Comprising Amphiphilic Polypeptoid with Poly(N-ethyl glycine) in Water by a Hydrophilic-Region-Driven-Type Mechanism. <i>Journal of Physical Chemistry B</i> , 2018 , 122, 7178-7184	3.4	9
161	Immune activation with peptide assemblies carrying Lewis y tumor-associated carbohydrate antigen. <i>Journal of Peptide Science</i> , 2017 , 23, 189-197	2.1	6
160	Tuning the Viscoelasticity of Peptide Vesicles by Adjusting Hydrophobic Helical Blocks Comprising Amphiphilic Polypeptides. <i>Langmuir</i> , 2017 , 33, 5423-5429	4	5
159	Morphology Change from Nanotube to Vesicle and Monolayer/Bilayer Alteration by Amphiphilic Block Polypeptides Having Aromatic Groups at C Terminal. <i>Bulletin of the Chemical Society of Japan</i> , 2017 , 90, 568-573	5.1	18
158	Fusion and fission of molecular assemblies of amphiphilic polypeptides generating small vesicles from nanotubes. <i>Biopolymers</i> , 2017 , 108, e22903	2.2	3
157	Modulation of immunogenicity of poly(sarcosine) displayed on various nanoparticle surfaces due to different physical properties. <i>Journal of Peptide Science</i> , 2017 , 23, 889-898	2.1	4
156	Control of in vivo disposition and immunogenicity of polymeric micelles by adjusting poly(sarcosine) chain lengths on surface. <i>Journal of Nanoparticle Research</i> , 2017 , 19, 1	2.3	5
155	Accordion-like Oscillation Mode of Helical Peptides Analyzed by Terahertz Time-domain Spectroscopy. <i>Chemistry Letters</i> , 2017 , 46, 1576-1579	1.7	1
154	Peptide Membrane Displaying Membrane Fusion and Fission with Lipid Raft-Like Organization. <i>Membrane</i> , 2017 , 42, 84-89	0	
153	Enzymes as Green Catalysts for Precision Macromolecular Synthesis. <i>Chemical Reviews</i> , 2016 , 116, 2307-2331	6.8	318
152	O ₂ -Triggered Directional Switching of Photocurrent in Self-Assembled Monolayer Composed of Porphyrin- and Fullerene-Terminated Helical Peptides on Gold. <i>Journal of Physical Chemistry C</i> , 2016 , 120, 3684-3689	3.8	6
151	Synthesis of type 2 Lewis antigens via novel regioselective glycosylation of an orthogonally protected lactosamine diol derivative. <i>Carbohydrate Research</i> , 2016 , 422, 34-44	2.9	7

150	Electronic properties of tetrathiafulvalene-modified cyclic-peptide nanotube. <i>Biopolymers</i> , 2016 , 106, 275-82	2.2	12
149	Peptide nanotube aligning side chains onto one side. <i>Journal of Peptide Science</i> , 2016 , 22, 391-6	2.1	8
148	Inflammation-induced synergetic enhancement of nanoparticle treatments with DOXIL [®] and 90Y-Lactosome for orthotopic mammary tumor. <i>Journal of Nanoparticle Research</i> , 2016 , 18, 1	2.3	8
147	Prevailing Photocurrent Generation of D- π A Type Oligo(phenyleneethynylene) in Contact with Gold over Dexter-Type Energy-Transfer Quenching. <i>Journal of Physical Chemistry A</i> , 2016 , 120, 1190-6	2.8	3
146	Reduced immune response to polymeric micelles coating sialic acids. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2016 , 26, 4976-4982	2.9	10
145	A Novel Chemoenzymatic Synthesis of Sulfated Type 2 Tumor-Associated Carbohydrate Antigens by Transglycosylation of Sulfated Lewis X Oxazoline Catalyzed by Keratanase II. <i>ChemBioChem</i> , 2016 , 17, 1879-1886	3.8	5
144	Unsymmetric vesicles with a different design on each side for near-infrared fluorescence imaging of tumor tissues. <i>RSC Advances</i> , 2015 , 5, 14697-14703	3.7	4
143	Anodic Photocurrent Generation by Porphyrin-Terminated Helical Peptide Monolayers on Gold. <i>Journal of Physical Chemistry C</i> , 2015 , 119, 8054-8061	3.8	7
142	Precise control of nanoparticle surface by host-guest chemistry for delivery to tumor. <i>RSC Advances</i> , 2015 , 5, 35346-35351	3.7	5
141	Selective disruption of each part of Janus molecular assemblies by lateral diffusion of stimuli-responsive amphiphilic peptides. <i>Chemical Communications</i> , 2015 , 51, 1601-4	5.8	14
140	Activation of B1a cells in peritoneal cavity by T cell-independent antigen expressed on polymeric micelle. <i>Journal of Pharmaceutical Sciences</i> , 2015 , 104, 1839-47	3.9	13
139	Size control of core-shell-type polymeric micelle with a nanometer precision. <i>Langmuir</i> , 2014 , 30, 669-744		24
138	Morphology control between twisted ribbon, helical ribbon, and nanotube self-assemblies with his-containing helical peptides in response to pH change. <i>Langmuir</i> , 2014 , 30, 1022-8	4	40
137	Factors influencing in vivo disposition of polymeric micelles on multiple administrations. <i>ACS Medicinal Chemistry Letters</i> , 2014 , 5, 873-7	4.3	31
136	Facile and precise formation of unsymmetric vesicles using the helix dipole, stereocomplex, and steric effects of peptides. <i>Langmuir</i> , 2014 , 30, 4273-9	4	15
135	Solid tumor-targeting theranostic polymer nanoparticle in nuclear medicinal fields. <i>Scientific World Journal</i> , 2014 , 2014, 424513	2.2	7
134	Suppressive immune response of poly-(sarcosine) chains in peptide-nanosheets in contrast to polymeric micelles. <i>Journal of Peptide Science</i> , 2014 , 20, 570-7	2.1	42
133	Radiosynthesis and initial evaluation of (18)F labeled nanocarrier composed of poly(L-lactic acid)-block-poly(sarcosine) amphiphilic polydepsipeptide. <i>Nuclear Medicine and Biology</i> , 2013 , 40, 387-94 ^{2.1}		33

132 Molecular Architecture with Peptide Assembling for Nanomaterials **2013**, 149-170

131 Molecular direction dependence of single-molecule conductance of a helical peptide in molecular junction. *Physical Chemistry Chemical Physics*, **2013**, 15, 757-60 3.6 31

130 Photocurrent generation by helical peptide monolayers integrating light harvesting and charge-transport functions. *Biopolymers*, **2013**, 100, 1-13 2.2 3

129 Evasion from accelerated blood clearance of nanocarrier named as "Lactosome" induced by excessive administration of Lactosome. *Biochimica Et Biophysica Acta - General Subjects*, **2013**, 1830, 4046-52 4.52 21

128 Four-peptide-nanotube bundle formation by self-assembling of cyclic tetra- β peptide using G-quartet motif. *Biopolymers*, **2013**, 100, 141-7 2.2 12

127 Radionuclide therapy using nanoparticle of ¹³¹I-Lactosome in combination with percutaneous ethanol injection therapy. *Journal of Nanoparticle Research*, **2013**, 15, 1 2.3 14

126 Versatile peptide rafts for conjugate morphologies by self-assembling amphiphilic helical peptides. *Polymer Journal*, **2013**, 45, 509-515 2.7 24

125 Development of Novel Inhibitors Specific for Human Heparanase-1. *Chemistry Letters*, **2013**, 42, 797-798 1.7 1

124 Synthesis of a Heparan Sulfate Disaccharide Fluoride for Detection of Heparanase Activity. *Chemistry Letters*, **2013**, 42, 1168-1169 1.7 1

123 Nickel coating on peptide nanotubes by electroless plating. *Thin Solid Films*, **2012**, 520, 1837-1841 2.2 6

122 Control of in vivo blood clearance time of polymeric micelle by stereochemistry of amphiphilic polydepsiptides. *Journal of Controlled Release*, **2012**, 161, 821-5 11.7 34

121 Enzymatic Polymerization to Cellulose by Crosslinked Enzyme Immobilized on Gold Solid Surface. *Chemistry Letters*, **2012**, 41, 37-38 1.7 2

120 Vertical orientation with a narrow distribution of helical peptides immobilized on a quartz substrate by stereocomplex formation. *Soft Matter*, **2012**, 8, 3387 3.6 6

119 Self-assemblies of triskelion A2B-type amphiphilic polypeptide showing pH-responsive morphology transformation. *Langmuir*, **2012**, 28, 6006-12 4 14

118 Pharmacokinetic change of nanoparticulate formulation "Lactosome" on multiple administrations. *International Immunopharmacology*, **2012**, 14, 261-6 5.8 37

117 Molecular assembly composed of a dendrimer template and block polypeptides through stereocomplex formation. *Chemical Communications*, **2012**, 48, 6181-3 5.8 15

116 Peptide nanotube composed of cyclic tetra- β peptide having polydiacetylene. *Biopolymers*, **2012**, 98, 155-60 2.2 20

115 Tubulation on peptide vesicles by phase-separation of a binary mixture of amphiphilic right-handed and left-handed helical peptides. *Soft Matter*, **2011**, 7, 4143 3.6 37

114	Effective encapsulation of a new cationic gadolinium chelate into apoferritin and its evaluation as an MRI contrast agent. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2011 , 7, 638-46	6	31
113	Rational design of peptide nanotubes for varying diameters and lengths. <i>Journal of Peptide Science</i> , 2011 , 17, 94-9	2.1	41
112	Preparation of fibrous cellulose by enzymatic polymerization using cross-linked mutant endoglucanase II. <i>Chemical Communications</i> , 2011 , 47, 10127-9	5.8	6
111	Transformation of peptide nanotubes into a vesicle via fusion driven by stereo-complex formation. <i>Chemical Communications</i> , 2011 , 47, 3204-6	5.8	59
110	Temperature-triggered fusion of vesicles composed of right-handed and left-handed amphiphilic helical peptides. <i>Langmuir</i> , 2011 , 27, 4300-4	4	18
109	Ultra-long-range electron transfer through a self-assembled monolayer on gold composed of 120-Å long helices. <i>Langmuir</i> , 2011 , 27, 1530-5	4	43
108	Enzymatic polymerization catalyzed by immobilized endoglucanase on gold. <i>Biomacromolecules</i> , 2011 , 12, 785-90	6.9	10
107	Oligo(phenyleneethynylene) as a molecular lead for STM measurement of single molecule conductance of a helical peptide. <i>Chemical Physics Letters</i> , 2011 , 508, 281-284	2.5	4
106	Preparation of peptide- and protein-based molecular assemblies and their utilizations as nanocarriers for tumor imaging. <i>Reactive and Functional Polymers</i> , 2011 , 71, 272-279	4.6	12
105	Modulation of Band Bending of Gallium Arsenide with Oriented Helical Peptide Monolayers. <i>Journal of Physical Chemistry C</i> , 2010 , 114, 22677-22683	3.8	9
104	Electric Field Effect of Helical Peptide Dipole in Self-Assembled Monolayers on Electronic Structure of Oligo(Phenyleneethynylene). <i>Journal of Physical Chemistry C</i> , 2010 , 114, 4669-4674	3.8	12
103	Electron Hopping over 100 Å Along an α-Helix. <i>Angewandte Chemie</i> , 2010 , 122, 1844-1848	3.6	14
102	Electron hopping over 100 Å along an alpha helix. <i>Angewandte Chemie - International Edition</i> , 2010 , 49, 1800-4	16.4	85
101	Immobilization of His-tagged endoglucanase on gold via various Ni-NTA self-assembled monolayers and its hydrolytic activity. <i>Macromolecular Bioscience</i> , 2010 , 10, 1265-72	5.5	12
100	Nanofiber formation of amphiphilic cyclic tri-beta-peptide. <i>Journal of Peptide Science</i> , 2010 , 16, 110-4	2.1	25
99	Conformational properties and metal ion transport by synthetic cyclic octapeptide cyclo(D-Leu-L-Pro) ₄ . <i>International Journal of Peptide and Protein Research</i> , 2009 , 34, 14-20		
98	Cyclic hexapeptides bearing carboxyl groups. <i>International Journal of Peptide and Protein Research</i> , 2009 , 34, 97-103		8
97	Near-infrared fluorescence tumor imaging using nanocarrier composed of poly(L-lactic acid)-block-poly(sarcosine) amphiphilic polydepsipeptide. <i>Biomaterials</i> , 2009 , 30, 5156-60	15.6	110

96	Electron transfer through a self-assembled monolayer of a double-helix peptide with linking the terminals by ferrocene. <i>Langmuir</i> , 2009 , 25, 3297-304	4	42
95	Chirally twisted oligo(phenyleneethynylene) by cyclization with alpha-helical peptide. <i>Journal of Organic Chemistry</i> , 2009 , 74, 3462-8	4.2	11
94	Linker effects on monolayer formation and long-range electron transfer in helical peptide monolayers. <i>Journal of Physical Chemistry B</i> , 2009 , 113, 6256-66	3.4	43
93	Dipole effects on molecular and electronic structures in a novel conjugate of oligo(phenyleneethynylene) and helical peptide. <i>Physical Chemistry Chemical Physics</i> , 2009 , 11, 3967-76	3.6	7
92	Long-Range Electron Transfer through Self-Assembled Monolayers Composed of Helical Peptides Carrying a Ferrocene Unit at the Terminal. <i>Kobunshi Ronbunshu</i> , 2009 , 66, 406-418	0	1
91	Photocurrent Generation by Self-assembled Monolayers of Helical Peptides Carrying Naphthyl Groups and Ferrocene Unit as Hopping Sites. <i>Chemistry Letters</i> , 2009 , 38, 126-127	1.7	3
90	Enzymatic activities of novel mutant endoglucanases carrying sequential active sites. <i>International Journal of Biological Macromolecules</i> , 2008 , 43, 226-31	7.9	13
89	Molecular dipole engineering: new aspects of molecular dipoles in molecular architecture and their functions. <i>Organic and Biomolecular Chemistry</i> , 2008 , 6, 1143-8	3.9	58
88	Near-infrared fluorescent labeled peptosome for application to cancer imaging. <i>Bioconjugate Chemistry</i> , 2008 , 19, 109-17	6.3	102
87	Effects of monolayer structures on long-range electron transfer in helical peptide monolayer. <i>Journal of Physical Chemistry B</i> , 2008 , 112, 12840-50	3.4	79
86	Azobenzene-Helical Peptide Conjugate: Electronic Structure and Photoisomerization in Solution and on Surface. <i>Chemistry Letters</i> , 2008 , 37, 702-703	1.7	2
85	Distance dependence of long-range electron transfer through helical peptides. <i>Journal of Peptide Science</i> , 2008 , 14, 192-202	2.1	67
84	Nanotube and three-way nanotube formation with nonionic amphiphilic block peptides. <i>Macromolecular Bioscience</i> , 2008 , 8, 1026-33	5.5	61
83	Enhanced Photocurrent Generation by Electron Hopping through Regularly-Arranged Chromophores in a Helical Peptide Monolayer. <i>Polymer Journal</i> , 2008 , 40, 700-709	2.7	16
82	A novel polypseudorotaxane composed of cyclic beta-peptide as bead component. <i>Chemical Communications</i> , 2007 , 1023-5	5.8	10
81	Columnar assembly formation and metal binding of cyclic tri-beta-peptides having terpyridine ligands. <i>Organic Letters</i> , 2007 , 9, 793-6	6.2	29
80	Double assembly composed of lectin association with columnar molecular assembly of cyclic tri-beta-peptide having sugar units. <i>Biomacromolecules</i> , 2007 , 8, 611-6	6.9	22
79	Molecular assembly formation of cyclic hexa-beta-peptide composed of acetylated glycosamino acids. <i>Biopolymers</i> , 2007 , 88, 150-6	2.2	20

78	Preparation of Novel Polymer Assemblies, [lactosome] Composed of Poly(L-lactic acid) and Poly(sarcosine). <i>Chemistry Letters</i> , 2007 , 36, 1220-1221	1.7	46
77	Unique Helical Triangle Molecular Geometry Induced by Dipole-Dipole Interactions. <i>Bulletin of the Chemical Society of Japan</i> , 2007 , 80, 1483-1491	5.1	10
76	Parallel assembly of dipolar columns composed of a stacked cyclic tri-beta-peptide. <i>Organic and Biomolecular Chemistry</i> , 2006 , 4, 1896-901	3.9	40
75	Electron transport properties of helical peptide dithiol at a molecular level: Scanning tunneling microscope study. <i>Thin Solid Films</i> , 2006 , 509, 18-26	2.2	25
74	Fully Hydrophobic Artificial Protein but Water Dispersible due to Large Dipole. <i>Polymer Journal</i> , 2006 , 38, 381-386	2.7	7
73	Helix triangle: unique peptide-based molecular architecture. <i>Journal of the American Chemical Society</i> , 2006 , 128, 8034-41	16.4	18
72	Columnar assembly of cyclic beta-amino acid functionalized with pyranose rings. <i>Biomacromolecules</i> , 2006 , 7, 2394-400	6.9	33
71	Foldamer for novel peptide derivatives with pyrene units incorporated into the main chain. <i>Science and Technology of Advanced Materials</i> , 2006 , 7, 544-551	7.1	7
70	Molecular rectification of a helical peptide with a redox group in the metal-molecule-metal junction. <i>Journal of Physical Chemistry B</i> , 2005 , 109, 13906-11	3.4	59
69	Electron transfer in metal-molecule-metal junction composed of self-assembled monolayers of helical peptides carrying redox-active ferrocene units. <i>Langmuir</i> , 2005 , 21, 10624-31	4	61
68	pH-controlled switching of photocurrent direction by self-assembled monolayer of helical peptides. <i>Journal of the American Chemical Society</i> , 2005 , 127, 14564-5	16.4	73
67	Effects of dipole moment, linkers, and chromophores at side chains on long-range electron transfer through helical peptides. <i>Journal of Physical Chemistry B</i> , 2005 , 109, 14416-25	3.4	65
66	Photoresponsive Change of the Surface Potential Generated by Helical Peptide Self-Assembled Monolayers. <i>Polymer Journal</i> , 2005 , 37, 599-607	2.7	6
65	Formation and electronic properties of two-dimensional PbS nanostructure composed of an [helical peptide/crown ether conjugate]. <i>Thin Solid Films</i> , 2005 , 479, 261-268	2.2	7
64	A helical molecule that exhibits two lengths in response to an applied potential. <i>Angewandte Chemie - International Edition</i> , 2005 , 44, 6330-3	16.4	47
63	A Helical Molecule That Exhibits Two Lengths in Response to an Applied Potential. <i>Angewandte Chemie</i> , 2005 , 117, 6488-6491	3.6	20
62	Enzymatic polymerization behavior using cellulose-binding domain deficient endoglucanase II. <i>Macromolecular Bioscience</i> , 2005 , 5, 623-8	5.5	23
61	A molecular photodiode system that can switch photocurrent direction. <i>Science</i> , 2004 , 304, 1944-7	33.3	284

60	Formation of gold nanoparticles in microreactor composed of helical peptide assembly in water. <i>Journal of Colloid and Interface Science</i> , 2004 , 280, 506-10	9.3	13
59	Observation of Single Helical Peptide Molecule Incorporated into Alkanethiol Self-Assembled Monolayer on Gold by Scanning Tunneling Microscopy. <i>Journal of Physical Chemistry B</i> , 2004 , 108, 15090-15095	3.4	33
58	Efficient photocurrent generation by self-assembled monolayers composed of 3 10-helical peptides carrying linearly spaced naphthyl groups at the side chains. <i>Journal of the American Chemical Society</i> , 2004 , 126, 12780-1	16.4	64
57	Spontaneous Assembly Formation of Cyclic Dimer of α -Amino Acid in Water. <i>Chemistry Letters</i> , 2004 , 33, 810-811	1.7	3
56	Electric properties of self-assembled monolayers of helical peptides by scanning tunneling spectroscopy. <i>Journal of Polymer Science Part A</i> , 2003 , 41, 3493-3500	2.5	18
55	Synthesis of glycosaminoglycans via enzymatic polymerization. <i>Journal of Polymer Science Part A</i> , 2003 , 41, 3541-3548	2.5	7
54	Long-range electron transfer over 4 nm governed by an inelastic hopping mechanism in self-assembled monolayers of helical peptides. <i>Journal of the American Chemical Society</i> , 2003 , 125, 8732-8734	16.4	165
53	Generation of a strong dipole layer and its function by using helical peptide molecular assemblies 2003 , 253-267		
52	Influence of subphase on the orientation of helical peptides at interface. <i>Polymer</i> , 2002 , 43, 3533-3540	3.9	4
51	Multilayer formation of oriented helical peptides glued by hydrogen bonding. <i>Thin Solid Films</i> , 2001 , 393, 59-65	2.2	11
50	In vitro synthesis of cellulose and related polysaccharides. <i>Progress in Polymer Science</i> , 2001 , 26, 1525-1566	5.9	94
49	Controlled release from amphiphilic polymer aggregates. <i>Polymers for Advanced Technologies</i> , 2001 , 12, 85-95	3.2	23
48	Enzymatic polymerization. <i>Chemical Reviews</i> , 2001 , 101, 3793-818	68.1	813
47	Enzymatic polymerization to artificial hyaluronan: a novel method to synthesize a glycosaminoglycan using a transition state analogue monomer. <i>Journal of the American Chemical Society</i> , 2001 , 123, 11825-6	16.4	65
46	Photocurrent Generation by the Self-Assembled Monolayers Integrating a Photoenergy-Harvesting System and an Electron-Transport System of Helical Peptide. <i>Chemistry Letters</i> , 2000 , 29, 676-677	1.7	10
45	Cation recognition by self-assembled monolayers of oriented helical peptides having a crown ether unit. <i>Biopolymers</i> , 2000 , 55, 391-8	2.2	16
44	Spontaneous Vesicle Formation by Helical Glycopeptides in Water. <i>Journal of Colloid and Interface Science</i> , 2000 , 222, 265-267	9.3	19
43	Preparation and functions of self-assembled monolayers of helix peptides. <i>Journal of Polymer Science Part A</i> , 2000 , 38, 4826-4831	2.5	5

42	Artificial Chitin Spherulites Composed of Single Crystalline Ribbons of β -Chitin via Enzymatic Polymerization. <i>Macromolecules</i> , 2000 , 33, 4155-4160	5.5	63
41	Photocurrent Generation under a Large Dipole Moment Formed by Self-Assembled Monolayers of Helical Peptides Having an N-Ethylcarbazolyl Group. <i>Journal of the American Chemical Society</i> , 2000 , 122, 2850-2859	16.4	105
40	Formation and structure of artificial cellulose spherulites via enzymatic polymerization. <i>Biomacromolecules</i> , 2000 , 1, 168-73	6.9	70
39	Mechanistic Findings of Green Tea as Cancer Preventive for Humans. <i>Experimental Biology and Medicine</i> , 1999 , 220, 225-228	3.7	40
38	Negative surface potential produced by self-assembled monolayers of helix peptides oriented vertically to a surface. <i>Chemical Physics Letters</i> , 1999 , 315, 1-6	2.5	52
37	Mechanistic findings of green tea as cancer preventive for humans. <i>Proceedings of the Society for Experimental Biology and Medicine</i> , 1999 , 220, 225-8		93
36	Spherical Self-Assembly of a Synthetic β -Helical Peptide in Water. <i>Langmuir</i> , 1999 , 15, 4377-4379	4	38
35	Oriented Helical Peptide Layer on the Carboxylate-Terminated Alkanethiol Immobilized on a Gold Surface. <i>Langmuir</i> , 1999 , 15, 1155-1160	4	40
34	Vesicular Self-Assembly of a Helical Peptide in Water. <i>Langmuir</i> , 1999 , 15, 4461-4463	4	60
33	Surface potential generation by helical peptide monolayers and multilayers on gold surface. <i>Proceedings of the Japan Academy Series B: Physical and Biological Sciences</i> , 1999 , 75, 287-290	4	8
32	Amphiphilic poly(Ala)-b-poly(Sar) microspheres loaded with hydrophobic drug. <i>Journal of Controlled Release</i> , 1998 , 51, 241-8	11.7	38
31	Incorporation of hydrophobic helix-bundle peptides into lipid bilayer membranes facilitated by a peptide-umbrella structure. <i>Chemical Communications</i> , 1998 , 363-364	5.8	6
30	In Situ Fluorescence Spectroscopic Studies of Energy Migration and Energy Transfer in the Monolayer of N-Ethylcarbazole-Containing Amphiphile. <i>Langmuir</i> , 1998 , 14, 171-175	4	12
29	Self-Assembly of β -Helix Peptide/Crown Ether Conjugate upon Complexation with Ammonium-Terminated Alkanethiolate. <i>Langmuir</i> , 1998 , 14, 2761-2767	4	33
28	Formation of Oriented Helical Peptide Layers on a Gold Surface Due to the Self-Assembling Properties of Peptides. <i>Langmuir</i> , 1998 , 14, 6935-6940	4	99
27	Functionality of Polypeptide by Induction of Specific Tertiary Structure. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 1997 , 34, 2073-2084	2.2	0
26	Photoenergy Migration and Hole Transfer in a Bilayer Membrane Composed of Amphiphilic Compounds Carrying an N-Ethylcarbazolyl Group. <i>Journal of Physical Chemistry B</i> , 1997 , 101, 4536-4538	3.4	4
25	Lipid-induced secondary structures and orientations of (Leu5)-enkephalin: helical and crystallographic double-bend conformers revealed by IRATR and molecular modelling. <i>Journal of Peptide Science</i> , 1997 , 3, 65-81	2.1	15

24	Opioid receptor affinity of multivalent ligand system consisting of polymerized liposome. <i>International Journal of Peptide and Protein Research</i> , 1996 , 48, 95-101		5
23	Supramolecular systems composed of α -helical peptides. <i>Supramolecular Science</i> , 1996 , 3, 13-18		12
22	Multivalent ligand system carrying enkephalin and neurotensin coimmobilized on liposomes. <i>Journal of Peptide Science</i> , 1996 , 2, 245-51	2.1	3
21	Two-Dimensional Assembly Formation of Hydrophobic Helical Peptides at the Air/Water Interface: Fluorescence Microscopic Study. <i>Langmuir</i> , 1995 , 11, 253-258	4	21
20	Monolayer Formation and Molecular Orientation of Various Helical Peptides at the Air/Water Interface. <i>Langmuir</i> , 1995 , 11, 1675-1679	4	24
19	Synthesis and Cell Adhesion of Poly(Arg-Gly-Asp-Ser-Pro).. <i>Proceedings of the Japan Academy Series B: Physical and Biological Sciences</i> , 1995 , 71, 299-303	4	1
18	Binding of enkephalin/dextran conjugates to opioid receptors. <i>International Journal of Peptide and Protein Research</i> , 1994 , 43, 219-24		9
17	Monolayer Properties of Hydrophobic α -Helical Peptides Having Various End Groups at the Air/Water Interface. <i>Langmuir</i> , 1994 , 10, 2731-2735	4	25
16	Orientation and aggregation of hydrophobic helical peptides in phospholipid bilayer membrane. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1993 , 1150, 1-8	3.8	17
15	Effects of cation binding to hydrophobic helical peptides on orientation, aggregation, and ion-channel activity in phospholipid bilayer membranes. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1993 , 3011		14
14	Architecture of Peptide Assembly in Liposome. <i>Journal of Liposome Research</i> , 1993 , 3, 805-816	6.1	1
13	Chain length dependent transition of 310- to α -helix of Boc-(Ala-Aib) _n -OMe. <i>Biopolymers</i> , 1993 , 33, 1337-1345		79
12	Interaction of glucagon with artificial lipid bilayer membranes. <i>International Journal of Peptide and Protein Research</i> , 1992 , 39, 431-42		19
11	Peptide Self-Assembly in Phospholipid Bilayer Membrane.. <i>Proceedings of the Japan Academy Series B: Physical and Biological Sciences</i> , 1992 , 68, 121-126	4	7
10	Cell interactions of enkephalin/polypeptide conjugates. <i>Journal of Molecular Recognition</i> , 1991 , 4, 35-41	2.6	5
9	Interaction of gramicidin S analogs with lipid bilayer membrane. <i>International Journal of Peptide and Protein Research</i> , 1990 , 36, 18-25		16
8	Receptor selectivity of enkephalin analogs carrying artificial address peptides. <i>International Journal of Peptide and Protein Research</i> , 1990 , 35, 550-6		7
7	Synthesis and interaction with metal ions of cyclic oligopeptides bearing carboxyl groups. <i>International Journal of Peptide and Protein Research</i> , 1989 , 34, 104-10		9

6	Conformation and complexation with metal ions of cyclic hexapeptides: cyclo (L-Leu-L-Phe-L-Pro) ₂ and cyclo [L-Cys(Acm)-L-Phe-L-Pro] ₂ . <i>International Journal of Peptide and Protein Research</i> , 1989 , 34, 111-7		12
5	Ca ²⁺ binding cyclic octapeptides having an alternating Sar and a hydrophobic amino acid in the sequence. <i>Biopolymers</i> , 1989 , 28, 1235-46	2.2	8
4	Ca ²⁺ transport through lipid membrane by diastereomer cyclic octapeptides. <i>Biopolymers</i> , 1989 , 28, 1247-57	2.2	5
3	Ion transport through liquid membrane by cyclic octapeptides. <i>Biopolymers</i> , 1984 , 23, 563-573	2.2	16
2	Synthesis and conformation of the cyclic octapeptides cyclo(Phe-Pro) ₄ , cyclo(Leu-Pro) ₄ , and cyclo[Lys(Z)-Pro] ₄ . <i>Biopolymers</i> , 1983 , 22, 2191-2206	2.2	14
1	Complex formation with alkali and alkaline earth metal ions of cyclic octapeptides, cyclo(Phe-Pro) ₄ , cyclo(Leu-Pro) ₄ , and cyclo[Lys(Z)-Pro] ₄ . <i>Biopolymers</i> , 1983 , 22, 2383-2395	2.2	14