

Gregory L Blatch

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7553624/publications.pdf>

Version: 2024-02-01

112
papers

6,039
citations

76326

40
h-index

76900

74
g-index

114
all docs

114
docs citations

114
times ranked

7455
citing authors

#	ARTICLE	IF	CITATIONS
1	Synthesis of 2,3-dihydroxy-3-(N-substituted carbamoyl)propylphosphonic acid derivatives as hybrid DOXP-fosmidomycin analogues. <i>Journal of Molecular Structure</i> , 2022, 1256, 132453.	3.6	2
2	<i>Plasmodium falciparum</i> Molecular Chaperones: Guardians of the Malaria Parasite Proteome and Renovators of the Host Proteome. <i>Frontiers in Cell and Developmental Biology</i> , 2022, 10, .	3.7	6
3	Exported plasmodial J domain protein, PFE0055c, and PfHsp70-x form a specific co-chaperone-chaperone partnership. <i>Cell Stress and Chaperones</i> , 2021, 26, 355-366.	2.9	14
4	Heat Shock Proteins of Malaria: Highlights and Future Prospects. <i>Advances in Experimental Medicine and Biology</i> , 2021, 1340, 237-246.	1.6	3
5	Role of the J Domain Protein Family in the Survival and Pathogenesis of <i>Plasmodium falciparum</i> . <i>Advances in Experimental Medicine and Biology</i> , 2021, 1340, 97-123.	1.6	8
6	STIP1/HOP Regulates the Actin Cytoskeleton through Interactions with Actin and Changes in Actin-Binding Proteins Cofilin and Profilin. <i>International Journal of Molecular Sciences</i> , 2020, 21, 3152.	4.1	7
7	Screening for Small Molecule Modulators of <i>Trypanosoma brucei</i> Hsp70 Chaperone Activity Based upon Alcyonarian Coral-Derived Natural Products. <i>Marine Drugs</i> , 2020, 18, 81.	4.6	5
8	Proteomic analysis of <i>Plasmodium falciparum</i> histone deacetylase 1 complex proteins. <i>Experimental Parasitology</i> , 2019, 198, 7-16.	1.2	8
9	Vitamin D enzymes (CYP27A1, CYP27B1, and CYP24A1) and receptor expression in non-melanoma skin cancer. <i>Acta Biochimica Et Biophysica Sinica</i> , 2019, 51, 444-447.	2.0	10
10	Netrin-1-like-immunoreactivity Coexpresses With DCC and Has a Differential Level in the Myenteric Cholinergic and Nitroergic Neurons of the Adult Mouse Colon. <i>Journal of Histochemistry and Cytochemistry</i> , 2019, 67, 335-349.	2.5	0
11	Heat shock proteins as modulators and therapeutic targets of chronic disease: an integrated perspective. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2018, 373, 20160521.	4.0	46
12	Is there a Link between Vitamin B and Multiple Sclerosis?. <i>Medicinal Chemistry</i> , 2018, 14, 170-180.	1.5	42
13	HOP expression is regulated by p53 and RAS and characteristic of a cancer gene signature. <i>Cell Stress and Chaperones</i> , 2017, 22, 213-223.	2.9	6
14	Plasmodial Hsp40s: New Avenues for Antimalarial Drug Discovery. <i>Current Pharmaceutical Design</i> , 2017, 23, 4555-4570.	1.9	18
15	The Malarial Exported PFA0660w Is an Hsp40 Co-Chaperone of PfHsp70-x. <i>PLoS ONE</i> , 2016, 11, e0148517.	2.5	25
16	<i>Plasmodium falciparum</i> Hep1 Is Required to Prevent the Self Aggregation of PfHsp70-3. <i>PLoS ONE</i> , 2016, 11, e0156446.	2.5	8
17	The complex immunological and inflammatory network of adipose tissue in obesity. <i>Molecular Nutrition and Food Research</i> , 2016, 60, 43-57.	3.3	139
18	Plasmodial HSP70s are functionally adapted to the malaria parasite life cycle. <i>Frontiers in Molecular Biosciences</i> , 2015, 2, 34.	3.5	45

#	ARTICLE	IF	CITATIONS
19	Hsp70/Hsp90 Organising Protein (Hop): Beyond Interactions with Chaperones and Prion Proteins. <i>Sub-Cellular Biochemistry</i> , 2015, 78, 69-90.	2.4	53
20	The Proteolytic Profile of Human Cancer Procoagulant Suggests That It Promotes Cancer Metastasis at the Level of Activation Rather Than Degradation. <i>Protein Journal</i> , 2015, 34, 338-348.	1.6	6
21	Trypanosoma brucei J protein 2 is a stress inducible and essential Hsp40. <i>International Journal of Biochemistry and Cell Biology</i> , 2015, 60, 93-98.	2.8	9
22	Hsp40 Co-chaperones as Drug Targets: Towards the Development of Specific Inhibitors. <i>Topics in Medicinal Chemistry</i> , 2015, , 163-195.	0.8	6
23	PFB0595w is a Plasmodium falciparum J protein that co-localizes with PfHsp70-1 and can stimulate its in vitro ATP hydrolysis activity. <i>International Journal of Biochemistry and Cell Biology</i> , 2015, 62, 47-53.	2.8	17
24	Plasmodial Hsp40 and Hsp70 chaperones: current and future perspectives. <i>Parasitology</i> , 2014, 141, 1167-1176.	1.5	34
25	Sequence and domain conservation of the coelacanth Hsp40 and Hsp90 chaperones suggests conservation of function. <i>Journal of Experimental Zoology Part B: Molecular and Developmental Evolution</i> , 2014, 322, 359-378.	1.3	9
26	Selective modulation of plasmodial Hsp70s by small molecules with antimalarial activity. <i>Biological Chemistry</i> , 2014, 395, 1353-1362.	2.5	50
27	Plasmodium falciparum Hsp70-x: a heat shock protein at the host-parasite interface. <i>Journal of Biomolecular Structure and Dynamics</i> , 2014, 32, 1766-1779.	3.5	25
28	Netrin-1 as a potential target for metastatic cancer: focus on colorectal cancer. <i>Cancer and Metastasis Reviews</i> , 2014, 33, 101-113.	5.9	26
29	Role of the Hsp40 Family of Proteins in the Survival and Pathogenesis of the Malaria Parasite. , 2014, , 71-85.		4
30	Heat Shock Proteins of Malaria: What Do We Not Know, and What Should the Future Focus Be?. , 2014, , 207-211.		1
31	Assessment of potential anti-cancer stem cell activity of marine algal compounds using an in vitro mammosphere assay. <i>Cancer Cell International</i> , 2013, 13, 39.	4.1	36
32	The African coelacanth genome provides insights into tetrapod evolution. <i>Nature</i> , 2013, 496, 311-316.	27.8	612
33	Exploring DOXP-reductoisomerase binding limits using phosphonated N-aryl and N-heteroarylcarboxamides as DXR inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2013, 21, 4332-4341.	3.0	16
34	Knockdown of Hop downregulates RhoC expression, and decreases pseudopodia formation and migration in cancer cell lines. <i>Cancer Letters</i> , 2013, 328, 252-260.	7.2	32
35	The Druggable Antimalarial Target PfDXR: Overproduction Strategies and Kinetic Characterization. <i>Protein and Peptide Letters</i> , 2013, 20, 115-124.	0.9	5
36	Hsp70s and J Proteins of Plasmodium Parasites Infecting Rodents and Primates: Structure, Function, Clinical Relevance, and Drug Targets. <i>Current Pharmaceutical Design</i> , 2013, 19, 387-403.	1.9	47

#	ARTICLE	IF	CITATIONS
37	Heat Shock Proteins. , 2013, , 1-9.		0
38	<i>Plasmodium falciparum</i> -encoded exported hsp70/hsp40 chaperone/co-chaperone complexes within the host erythrocyte. Cellular Microbiology, 2012, 14, 1784-1795.	2.1	137
39	The effect of cancer procoagulant on expression of metastatic and angiogenic markers in breast cancer and embryonic stem cell lines. Biological Chemistry, 2012, 393, 113-121.	2.5	4
40	Quinones and halogenated monoterpenes of algal origin show anti-proliferative effects against breast cancer cells in vitro. Investigational New Drugs, 2012, 30, 2187-2200.	2.6	55
41	STAT3 interacts directly with Hsp90. IUBMB Life, 2012, 64, 266-273.	3.4	31
42	Characterisation of the <i>Plasmodium falciparum</i> Hsp70/Hsp90 organising protein (PfHop). Cell Stress and Chaperones, 2012, 17, 191-202.	2.9	63
43	Gold nanoparticle-based fluorescence immunoassay for malaria antigen detection. Analytical and Bioanalytical Chemistry, 2012, 402, 1019-1027.	3.7	69
44	Targeting Conserved Pathways as a Strategy for Novel Drug Development: Disabling the Cellular Stress Response. , 2012, , 85-99.		1
45	Hsp70s and J Proteins of <i>Plasmodium</i> Parasites Infecting Rodents and Primates: Structure, Function, Clinical Relevance, and Drug Targets. Current Pharmaceutical Design, 2012, 19, 387-403.	1.9	0
46	The Druggable Antimalarial Target PfDXR: Overproduction Strategies and Kinetic Characterization. Protein and Peptide Letters, 2012, 20, 115-124.	0.9	0
47	Human DNAJ in cancer and stem cells. Cancer Letters, 2011, 312, 129-142.	7.2	89
48	Hsp90 α / β associates with the GSK3 β /axin1/phospho- β -catenin complex in the human MCF-7 epithelial breast cancer model. Biochemical and Biophysical Research Communications, 2011, 413, 550-554.	2.1	30
49	Heat shock protein 40 (Hsp40) plays a key role in the virus life cycle. Virus Research, 2011, 160, 15-24.	2.2	41
50	Co-expression of the <i>Plasmodium falciparum</i> molecular chaperone, PfHsp70, improves the heterologous production of the antimalarial drug target GTP cyclohydrolase I, PfGCHI. Protein Expression and Purification, 2011, 77, 159-165.	1.3	21
51	Intracellular Protozoan Parasites of Humans: The Role of Molecular Chaperones in Development and Pathogenesis. Protein and Peptide Letters, 2011, 18, 143-157.	0.9	115
52	<i>Plasmodium falciparum</i> encodes a single cytosolic type I Hsp40 that functionally interacts with Hsp70 and is upregulated by heat shock. Cell Stress and Chaperones, 2011, 16, 389-401.	2.9	54
53	Theiler's murine encephalomyelitis virus infection induces a redistribution of heat shock proteins 70 and 90 in BHK-21 cells, and is inhibited by novobiocin and geldanamycin. Cell Stress and Chaperones, 2011, 16, 505-515.	2.9	8
54	The PINIT domain of PIAS3: structure/function analysis of its interaction with STAT3. Journal of Molecular Recognition, 2011, 24, 795-803.	2.1	2

#	ARTICLE	IF	CITATIONS
55	Synthesis and evaluation of phosphonated N-heteroarylcarboxamides as DOXP-reductoisomerase (DXR) inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2011, 19, 1321-1327.	3.0	25
56	Protein biochemistry: Don't forget the cell biology. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2011, 1814, 456.	2.3	3
57	Screening for small molecule modulators of Hsp70 chaperone activity using protein aggregation suppression assays: inhibition of the plasmodial chaperone PfHsp70-1. <i>Biological Chemistry</i> , 2011, 392, 431-8.	2.5	55
58	Leukemia inhibitory factor promotes Hsp90 association with STAT3 in mouse embryonic stem cells. <i>IUBMB Life</i> , 2010, 62, 61-66.	3.4	16
59	The role of gaping behaviour in habitat partitioning between coexisting intertidal mussels. <i>BMC Ecology</i> , 2010, 10, 17.	3.0	64
60	Parasite-encoded Hsp40 proteins define novel mobile structures in the cytosol of the <i>P. falciparum</i> -infected erythrocyte. <i>Cellular Microbiology</i> , 2010, 12, 1398-1420.	2.1	117
61	The Malarial Drug Target Plasmodium falciparum 1-Deoxy-D-Xylulose-5- Phosphate Reductoisomerase (PfDXR): Development of a 3-D Model for Identification of Novel, Structural and Functional Features and for Inhibitor Screening (Supplementary Information). <i>Protein and Peptide Letters</i> , 2010, 17, 109-120.	0.9	14
62	The Hsp70 chaperones of the Tritryps are characterized by unusual features and novel members. <i>Parasitology International</i> , 2010, 59, 497-505.	1.3	39
63	Overproduction, purification and characterisation of Tbj1, a novel Type III Hsp40 from <i>Trypanosoma brucei</i> , the African sleeping sickness parasite. <i>Protein Expression and Purification</i> , 2010, 69, 168-177.	1.3	9
64	3-Substituted Anilines as Scaffolds for the Construction of Glutamine Synthetase and DXP-Reductoisomerase Inhibitors. <i>Synthetic Communications</i> , 2009, 39, 2723-2736.	2.1	8
65	The ataxia protein saccin is a functional co-chaperone that protects against polyglutamine-expanded ataxin-1. <i>Human Molecular Genetics</i> , 2009, 18, 1556-1565.	2.9	153
66	A novel twist to protein secretion in eukaryotes. <i>Trends in Parasitology</i> , 2009, 25, 147-150.	3.3	17
67	Knockdown of the co-chaperone Hop promotes extranuclear accumulation of Stat3 in mouse embryonic stem cells. <i>European Journal of Cell Biology</i> , 2009, 88, 153-166.	3.6	37
68	Chaperoning stem cells: a role for heat shock proteins in the modulation of stem cell self-renewal and differentiation?. <i>BioEssays</i> , 2009, 31, 370-377.	2.5	62
69	Isolation of a <i>Latimeria menadoensis</i> heat shock protein 70 (Lmhsp70) that has all the features of an inducible gene and encodes a functional molecular chaperone. <i>Molecular Genetics and Genomics</i> , 2009, 282, 185-196.	2.1	6
70	Cancer stem cells in breast cancer and metastasis. <i>Breast Cancer Research and Treatment</i> , 2009, 118, 241-254.	2.5	113
71	Dimerization of the yeast eukaryotic translation initiation factor eIF5A requires hypusine and is RNA dependent. <i>FEBS Journal</i> , 2009, 276, 695-706.	4.7	17
72	The TPR2B Domain of the Hsp70/Hsp90 Organizing Protein (Hop) May Contribute Towards Its Dimerization. <i>Protein and Peptide Letters</i> , 2009, 16, 402-407.	0.9	4

#	ARTICLE	IF	CITATIONS
73	Stress Protein Responses in South African Freshwater Invertebrates Exposed to Detergent Surfactant Linear Alkylbenzene Sulfonate (LAS). <i>Water, Air, and Soil Pollution</i> , 2008, 193, 123-130.	2.4	4
74	Nuclear translocation of the phosphoprotein Hop (Hsp70/Hsp90 organizing protein) occurs under heat shock, and its proposed nuclear localization signal is involved in Hsp90 binding. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2008, 1783, 1003-1014.	4.1	51
75	Heterologous expression of plasmodial proteins for structural studies and functional annotation. <i>Malaria Journal</i> , 2008, 7, 197.	2.3	60
76	The <i>Agrobacterium tumefaciens</i> DnaK: ATPase cycle, oligomeric state and chaperone properties. <i>International Journal of Biochemistry and Cell Biology</i> , 2008, 40, 804-812.	2.8	8
77	The <i>Plasmodium falciparum</i> heat shock protein 40, Pfj4, associates with heat shock protein 70 and shows similar heat induction and localisation patterns. <i>International Journal of Biochemistry and Cell Biology</i> , 2008, 40, 2914-2926.	2.8	55
78	Structure-Function Study of a <i>Plasmodium falciparum</i> Hsp70 Using Three Dimensional Modelling and in Vitro Analyses. <i>Protein and Peptide Letters</i> , 2008, 15, 1117-1125.	0.9	55
79	Cytosolic and ER J-domains of mammalian and parasitic origin can functionally interact with DnaK. <i>International Journal of Biochemistry and Cell Biology</i> , 2007, 39, 736-751.	2.8	32
80	The Hsp40 proteins of <i>Plasmodium falciparum</i> and other apicomplexa: Regulating chaperone power in the parasite and the host. <i>International Journal of Biochemistry and Cell Biology</i> , 2007, 39, 1781-1803.	2.8	125
81	The structural and functional diversity of Hsp70 proteins from <i>Plasmodium falciparum</i> . <i>Protein Science</i> , 2007, 16, 1803-1818.	7.6	115
82	Chaperones as Parts of Cellular Networks. , 2007, 594, 55-63.		22
83	Hop: An Hsp70/Hsp90 Co-Chaperone That Functions Within and Beyond Hsp70/Hsp90 Protein Folding Pathways. , 2007, , 26-37.		2
84	Approaches to the isolation and characterization of molecular chaperones. <i>Protein Expression and Purification</i> , 2006, 46, 1-15.	1.3	16
85	Environmental physiology of three species of <i>Collembola</i> at Cape Hallett, North Victoria Land, Antarctica. <i>Journal of Insect Physiology</i> , 2006, 52, 29-50.	2.0	73
86	Not all J domains are created equal: Implications for the specificity of Hsp40-Hsp70 interactions. <i>Protein Science</i> , 2005, 14, 1697-1709.	7.6	265
87	<i>Plasmodium falciparum</i> heat shock protein 70 is able to suppress the thermosensitivity of an <i>Escherichia coli</i> DnaK mutant strain. <i>Molecular Genetics and Genomics</i> , 2005, 274, 70-78.	2.1	60
88	Rational mutagenesis of a 40 kDa heat shock protein from <i>Agrobacterium tumefaciens</i> identifies amino acid residues critical to its in vivo function. <i>International Journal of Biochemistry and Cell Biology</i> , 2005, 37, 177-191.	2.8	33
89	Nuclear translocation of the Hsp70/Hsp90 organizing protein mST11 is regulated by cell cycle kinases. <i>Journal of Cell Science</i> , 2004, 117, 701-710.	2.0	100
90	Hop: more than an Hsp70/Hsp90 adaptor protein. <i>BioEssays</i> , 2004, 26, 1058-1068.	2.5	200

#	ARTICLE	IF	CITATIONS
91	A Trypanosoma cruzi heat shock protein 40 is able to stimulate the adenosine triphosphate hydrolysis activity of heat shock protein 70 and can substitute for a yeast heat shock protein 40. International Journal of Biochemistry and Cell Biology, 2004, 36, 1585-1598.	2.8	26
92	Overproduction, purification, and characterization of the Plasmodium falciparum heat shock protein 70. Protein Expression and Purification, 2004, 33, 214-222.	1.3	76
93	The in vivo and in vitro characterization of DnaK from Agrobacterium tumefaciens RUOR. Protein Expression and Purification, 2004, 38, 161-169.	1.3	16
94	Tetratricopeptide Repeat Motif-mediated Hsc70-mSTI1 Interaction. Journal of Biological Chemistry, 2003, 278, 6896-6904.	3.4	88
95	Binding and Activation by the Zinc Cluster Transcription Factors of Saccharomyces cerevisiae. Journal of Biological Chemistry, 2002, 277, 45977-45983.	3.4	14
96	A novel type of co-chaperone mediates transmembrane recruitment of DnaK-like chaperones to ribosomes. EMBO Journal, 2002, 21, 2958-2967.	7.8	67
97	The Cochaperone Murine Stress-Inducible Protein 1: Overexpression, Purification, and Characterization. Protein Expression and Purification, 2001, 21, 462-469.	1.3	14
98	Identification and characterization of a human mitochondrial homologue of the bacterial co-chaperone GrpE. Gene, 2001, 267, 125-134.	2.2	24
99	DFT study of a substrate and inhibitors of 1-deoxy-2-xylulose-5-phosphate reductoisomerase ? the potential novel target molecule for anti-malaria drug development. Journal of Molecular Modeling, 2001, 7, 378-383.	1.8	2
100	Heat shock cognate protein 70 chaperone-binding site in the co-chaperone murine stress-inducible protein 1 maps to within three consecutive tetratricopeptide repeat motifs. Biochemical Journal, 2000, 345, 645.	3.7	27
101	Heat shock cognate protein 70 chaperone-binding site in the co-chaperone murine stress-inducible protein 1 maps to within three consecutive tetratricopeptide repeat motifs. Biochemical Journal, 2000, 345, 645-651.	3.7	41
102	Analysis of the levels of conservation of the J domain among the various types of DnaJ-like proteins. Cell Stress and Chaperones, 2000, 5, 347.	2.9	74
103	The in Vitro Phosphorylation of the Co-Chaperone mSTI1 by Cell Cycle Kinases Substantiates a Predicted Casein Kinase II-p34cdc2-NLS (CcN) Motif. Biological Chemistry, 2000, 381, 1133-8.	2.5	27
104	The tetratricopeptide repeat: a structural motif mediating protein-protein interactions. BioEssays, 1999, 21, 932-939.	2.5	1,040
105	The tetratricopeptide repeat: a structural motif mediating protein-protein interactions. BioEssays, 1999, 21, 932-939.	2.5	17
106	A topologically conserved aliphatic residue in α -helix 6 stabilizes the hydrophobic core in domain II of glutathione transferases and is a structural determinant for the unfolding pathway. Biochemical Journal, 1998, 336, 413-418.	3.7	11
107	Stress-inducible, Murine Protein mSTI1. Journal of Biological Chemistry, 1997, 272, 1876-1884.	3.4	141
108	Isolation of a mouse cDNA encoding mSTI1, a stress-inducible protein containing the TPR motif. Gene, 1997, 194, 277-282.	2.2	51

#	ARTICLE	IF	CITATIONS
109	Isolation of a mouse cDNA encoding MTJ1, a new murine member of the DnaJ family of proteins. <i>Gene</i> , 1995, 153, 249-254.	2.2	72
110	Nucleotide sequence and analysis of the <i>Vibrio alginolyticus</i> scr repressor-encoding gene (scrR). <i>Gene</i> , 1991, 101, 45-50.	2.2	16
111	Nucleotide sequence and analysis of the <i>Vibrio alginolyticus</i> sucrose uptake-encoding region. <i>Gene</i> , 1990, 95, 17-23.	2.2	48
112	The tetratricopeptide repeat: a structural motif mediating protein-protein interactions. , 0, .		3