

Caroline E Morton

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7555603/publications.pdf>

Version: 2024-02-01

31
papers

7,007
citations

471061

17
h-index

476904

29
g-index

58
all docs

58
docs citations

58
times ranked

15581
citing authors

#	ARTICLE	IF	CITATIONS
1	Severity of Severe Acute Respiratory System Coronavirus 2 (SARS-CoV-2) Alpha Variant (B.1.1.7) in England. <i>Clinical Infectious Diseases</i> , 2022, 75, e1120-e1127.	2.9	71
2	OpenSAFELY NHS Service Restoration Observatory 1: primary care clinical activity in England during the first wave of COVID-19. <i>British Journal of General Practice</i> , 2022, 72, e63-e74.	0.7	22
3	Trends and clinical characteristics of COVID-19 vaccine recipients: a federated analysis of 57.9 million patients' primary care records <i>in situ</i> using OpenSAFELY. <i>British Journal of General Practice</i> , 2022, 72, e51-e62.	0.7	75
4	Mortality among Care Home Residents in England during the first and second waves of the COVID-19 pandemic: an observational study of 4.3 million adults over the age of 65. <i>Lancet Regional Health - Europe, The</i> , 2022, 14, 100295.	3.0	38
5	Overall and cause-specific hospitalisation and death after COVID-19 hospitalisation in England: A cohort study using linked primary care, secondary care, and death registration data in the OpenSAFELY platform. <i>PLoS Medicine</i> , 2022, 19, e1003871.	3.9	39
6	Potentially inappropriate prescribing of DOACs to people with mechanical heart valves: A federated analysis of 57.9 million patients' primary care records in situ using OpenSAFELY. <i>Thrombosis Research</i> , 2022, 211, 150-153.	0.8	6
7	Association between oral anticoagulants and COVID-19-related outcomes: a population-based cohort study. <i>British Journal of General Practice</i> , 2022, 72, e456-e463.	0.7	3
8	Comparison of methods for predicting COVID-19-related death in the general population using the OpenSAFELY platform. <i>Diagnostic and Prognostic Research</i> , 2022, 6, 6.	0.8	2
9	Effect of pre-exposure use of hydroxychloroquine on COVID-19 mortality: a population-based cohort study in patients with rheumatoid arthritis or systemic lupus erythematosus using the OpenSAFELY platform. <i>Lancet Rheumatology, The</i> , 2021, 3, e19-e27.	2.2	49
10	Use of non-steroidal anti-inflammatory drugs and risk of death from COVID-19: an OpenSAFELY cohort analysis based on two cohorts. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 943-951.	0.5	66
11	HIV infection and COVID-19 death: a population-based cohort analysis of UK primary care data and linked national death registrations within the OpenSAFELY platform. <i>Lancet HIV,the</i> , 2021, 8, e24-e32.	2.1	340
12	Barely sufficient practices in scientific computing. <i>Patterns</i> , 2021, 2, 100206.	3.1	5
13	Effectiveness of a serious game addressing guideline adherence: cohort study with 1.5-year follow-up. <i>BMC Medical Education</i> , 2021, 21, 189.	1.0	11
14	Association between living with children and outcomes from covid-19: OpenSAFELY cohort study of 12 million adults in England. <i>BMJ, The</i> , 2021, 372, n628.	3.0	56
15	Hydroxychloroquine treatment does not reduce COVID-19 mortality; underdosing to the wrong patients? " Authors' reply. <i>Lancet Rheumatology, The</i> , 2021, 3, e172-e173.	2.2	1
16	Case fatality risk of the SARS-CoV-2 variant of concern B.1.1.7 in England, 16 November to 5 February. <i>Eurosurveillance</i> , 2021, 26, .	3.9	156
17	Identifying Care Home Residents in Electronic Health Records - An OpenSAFELY Short Data Report. <i>Wellcome Open Research</i> , 2021, 6, 90.	0.9	18
18	Ethnic differences in SARS-CoV-2 infection and COVID-19-related hospitalisation, intensive care unit admission, and death in 17 million adults in England: an observational cohort study using the OpenSAFELY platform. <i>Lancet, The</i> , 2021, 397, 1711-1724.	6.3	332

#	ARTICLE	IF	CITATIONS
19	Clinical coding of long COVID in English primary care: a federated analysis of 58 million patient records <i>in situ</i> using OpenSAFELY. British Journal of General Practice, 2021, 71, e806-e814.	0.7	74
20	Ethnic disparities in COVID-19: increased risk of infection or severe disease? â€œ Authors' reply. Lancet, The, 2021, 398, 390.	6.3	12
21	Risks of covid-19 hospital admission and death for people with learning disability: population based cohort study using the OpenSAFELY platform. BMJ, The, 2021, 374, n1592.	3.0	70
22	Factors associated with deaths due to COVID-19 versus other causes: population-based cohort analysis of UK primary care data and linked national death registrations within the OpenSAFELY platform. Lancet Regional Health - Europe, The, 2021, 6, 100109.	3.0	121
23	Association between warfarin and COVID-19-related outcomes compared with direct oral anticoagulants: population-based cohort study. Journal of Hematology and Oncology, 2021, 14, 172.	6.9	8
24	OpenSAFELY: impact of national guidance on switching anticoagulant therapy during COVID-19 pandemic. Open Heart, 2021, 8, e001784.	0.9	17
25	Factors associated with COVID-19-related death using OpenSAFELY. Nature, 2020, 584, 430-436.	13.7	4,674
26	Risk of COVID-19-related death among patients with chronic obstructive pulmonary disease or asthma prescribed inhaled corticosteroids: an observational cohort study using the OpenSAFELY platform. Lancet Respiratory Medicine,the, 2020, 8, 1106-1120.	5.2	211
27	Assessing K-Nearest Neighbours Algorithm for Simple, Interpretable Time-to-Event Survival Predictions Over a Range of Simulated Datasets. , 2019, , .		0
28	Clinical teaching fellowships â€œ enhancing the out of programme experience through a peer network. Clinical Medicine, 2019, 19, 259-259.	0.8	5
29	Why researchers should share their analytic code. BMJ, The, 2019, 367, l6365.	3.0	35
30	Computer Programming: Should Medical Students Be Learning It?. JMIR Medical Education, 2019, 5, e11940.	1.2	11
31	Blended learning: how can we optimise undergraduate student engagement?. BMC Medical Education, 2016, 16, 195.	1.0	93