

Dapeng Tao

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7555835/dapeng-tao-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

112
papers

2,698
citations

30
h-index

48
g-index

127
ext. papers

3,308
ext. citations

5.3
avg, IF

5.83
L-index

#	Paper	IF	Citations
112	Interference Distillation for Underwater Fish Recognition. <i>Lecture Notes in Computer Science</i> , 2022 , 62-74	6.9	1
111	Key point-aware occlusion suppression and semantic alignment for occluded person re-identification. <i>Information Sciences</i> , 2022 , 606, 669-687	7.7	1
110	Adversarial UV-Transformation Texture Estimation for 3D Face Aging. <i>IEEE Transactions on Circuits and Systems for Video Technology</i> , 2021 , 1-1	6.4	3
109	RiFeGAN2: Rich Feature Generation for Text-to-Image Synthesis from Constrained Prior Knowledge. <i>IEEE Transactions on Circuits and Systems for Video Technology</i> , 2021 , 1-1	6.4	0
108	Dynamic Graph Learning Convolutional Networks for Semi-supervised Classification. <i>ACM Transactions on Multimedia Computing, Communications and Applications</i> , 2021 , 17, 1-13	3.4	2
107	Cross adversarial consistency self-prediction learning for unsupervised domain adaptation person re-identification. <i>Information Sciences</i> , 2021 , 559, 46-60	7.7	9
106	Deep features for person re-identification on metric learning. <i>Pattern Recognition</i> , 2021 , 110, 107424	7.7	22
105	Triple Adversarial Learning and Multi-view Imaginative Reasoning for Unsupervised Domain Adaptation Person Re-identification. <i>IEEE Transactions on Circuits and Systems for Video Technology</i> , 2021 , 1-1	6.4	11
104	A Contour Co-Tracking Method for Image Pairs. <i>IEEE Transactions on Image Processing</i> , 2021 , 30, 5402-5412	3.7	0
103	Attribute-Aligned Domain-Invariant Feature Learning for Unsupervised Domain Adaptation Person Re-Identification. <i>IEEE Transactions on Information Forensics and Security</i> , 2021 , 16, 1480-1494	8	25
102	Equidistant distribution loss for person re-identification. <i>Neurocomputing</i> , 2021 , 455, 255-264	5.4	1
101	Output Layer Multiplication for Class Imbalance Problem in Convolutional Neural Networks. <i>Neural Processing Letters</i> , 2020 , 52, 2637-2653	2.4	
100	Hetero-Center loss for cross-modality person Re-identification. <i>Neurocomputing</i> , 2020 , 386, 97-109	5.4	35
99	Attribute-Identity Embedding and Self-Supervised Learning for Scalable Person Re-Identification. <i>IEEE Transactions on Circuits and Systems for Video Technology</i> , 2020 , 30, 3472-3485	6.4	16
98	HesGCN: Hessian graph convolutional networks for semi-supervised classification. <i>Information Sciences</i> , 2020 , 514, 484-498	7.7	30
97	. <i>IEEE Transactions on Multimedia</i> , 2020 , 22, 2977-2989	6.6	18
96	Transferring fashion to surveillance with weak labels. <i>Neural Computing and Applications</i> , 2020 , 1	4.8	

95	Image Hallucination From Attribute Pairs. <i>IEEE Transactions on Cybernetics</i> , 2020 ,	10.2	1
94	Discriminative Dictionary Learning-Based Multiple Component Decomposition for Detail-Preserving Noisy Image Fusion. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2020 , 69, 1082-1102	5.2	45
93	Online learning using projections onto shrinkage closed balls for adaptive brain-computer interface. <i>Pattern Recognition</i> , 2020 , 97, 107017	7.7	3
92	. <i>IEEE Transactions on Multimedia</i> , 2020 , 22, 885-896	6.6	26
91	Domain Adaptation with Few Labeled Source Samples by Graph Regularization. <i>Neural Processing Letters</i> , 2020 , 51, 23-39	2.4	0
90	Constrained Discriminative Projection Learning for Image Classification. <i>IEEE Transactions on Image Processing</i> , 2020 , 29, 186-198	8.7	11
89	Hessian-Regularized Multitask Dictionary Learning for Remote Sensing Image Recognition. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2019 , 16, 821-825	4.1	7
88	Top distance regularized projection and dictionary learning for person re-identification. <i>Information Sciences</i> , 2019 , 502, 472-491	7.7	20
87	Ensemble p-Laplacian Regularization for Scene Image Recognition. <i>Cognitive Computation</i> , 2019 , 11, 841-854	4.4	9
86	p-Laplacian Regularization for Scene Recognition. <i>IEEE Transactions on Cybernetics</i> , 2019 , 49, 2927-2940	10.2	43
85	Domain-Weighted Majority Voting for Crowdsourcing. <i>IEEE Transactions on Neural Networks and Learning Systems</i> , 2019 , 30, 163-174	10.3	26
84	Hessian Regularized Distance Metric Learning for People Re-Identification. <i>Neural Processing Letters</i> , 2019 , 50, 2087-2100	2.4	4
83	Student Becoming the Master: Knowledge Amalgamation for Joint Scene Parsing, Depth Estimation, and More 2019 ,		21
82	A Deep Multi-view Learning method for Rice Grading 2019 ,		1
81	A tensor framework for geosensor data forecasting of significant societal events. <i>Pattern Recognition</i> , 2019 , 88, 27-37	7.7	7
80	A flexible vehicle surround view camera system by central-around coordinate mapping model. <i>Multimedia Tools and Applications</i> , 2019 , 78, 11983-12006	2.5	2
79	Hypergraph \mathcal{L}_p -Laplacian Regularization for Remotely Sensed Image Recognition. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2019 , 57, 1585-1595	8.1	38
78	Effective human action recognition by combining manifold regularization and pairwise constraints. <i>Multimedia Tools and Applications</i> , 2019 , 78, 13313-13329	2.5	3

77	Person re-identification by discriminant analytical least squares metric learning. <i>Machine Vision and Applications</i> , 2018 , 29, 1019-1031	2.8	2
76	Joint medical image fusion, denoising and enhancement via discriminative low-rank sparse dictionaries learning. <i>Pattern Recognition</i> , 2018 , 79, 130-146	7.7	121
75	Reinforcement online learning for emotion prediction by using physiological signals. <i>Pattern Recognition Letters</i> , 2018 , 107, 123-130	4.7	22
74	Deep Multi-View Feature Learning for Person Re-Identification. <i>IEEE Transactions on Circuits and Systems for Video Technology</i> , 2018 , 28, 2657-2666	6.4	49
73	Multiview dimension reduction via Hessian multiset canonical correlations. <i>Information Fusion</i> , 2018 , 41, 119-128	16.7	73
72	Skeleton embedded motion body partition for human action recognition using depth sequences. <i>Signal Processing</i> , 2018 , 143, 56-68	4.4	53
71	Action Parsing-Driven Video Summarization Based on Reinforcement Learning. <i>IEEE Transactions on Circuits and Systems for Video Technology</i> , 2018 , 1-1	6.4	27
70	Asymmetric Projection and Dictionary Learning With Listwise and Identity Consistency Constraints for Person Re-Identification. <i>IEEE Access</i> , 2018 , 6, 37977-37990	3.5	9
69	Ensemble One-Dimensional Convolution Neural Networks for Skeleton-Based Action Recognition. <i>IEEE Signal Processing Letters</i> , 2018 , 25, 1044-1048	3.2	33
68	Tensor Rank Preserving Discriminant Analysis for Facial Recognition. <i>IEEE Transactions on Image Processing</i> , 2018 , 27, 325-334	8.7	57
67	Deep-Rice: Deep Multi-sensor Image Recognition for Grading Rice* 2018 ,		4
66	CAS-YNU Multi-modal Cross-view Human Action Dataset 2018 ,		2
65	Clustering Multivariate Time Series Data via Multi-Nonnegative Matrix Factorization in Multi-Relational Networks. <i>IEEE Access</i> , 2018 , 6, 74747-74761	3.5	5
64	Color Transfer Pulse-Coupled Neural Networks for Underwater Robotic Visual Systems. <i>IEEE Access</i> , 2018 , 6, 32850-32860	3.5	11
63	Robust Sparse Coding for Mobile Image Labeling on the Cloud. <i>IEEE Transactions on Circuits and Systems for Video Technology</i> , 2017 , 27, 62-72	6.4	25
62	Cauchy Estimator Discriminant Learning for RGB-D Sensor-based Scene Classification. <i>Multimedia Tools and Applications</i> , 2017 , 76, 4471-4489	2.5	1
61	. <i>IEEE Transactions on Circuits and Systems for Video Technology</i> , 2017 , 27, 1895-1908	6.4	13
60	Canonical correlation analysis networks for two-view image recognition. <i>Information Sciences</i> , 2017 , 385-386, 338-352	7.7	75

59	The spatial Laplacian and temporal energy pyramid representation for human action recognition using depth sequences. <i>Knowledge-Based Systems</i> , 2017 , 122, 64-74	7.3	38
58	An adaptive semi-supervised clustering approach via multiple density-based information. <i>Neurocomputing</i> , 2017 , 257, 193-205	5.4	10
57	Large Sparse Cone Non-negative Matrix Factorization for Image Annotation. <i>ACM Transactions on Intelligent Systems and Technology</i> , 2017 , 8, 1-21	8	13
56	Coherent Semantic-Visual Indexing for Large-Scale Image Retrieval in the Cloud. <i>IEEE Transactions on Image Processing</i> , 2017 , 26, 4128-4138	8.7	79
55	LMAE: A large margin Auto-Encoders for classification. <i>Signal Processing</i> , 2017 , 141, 137-143	4.4	22
54	Support vector machine active learning by Hessian regularization. <i>Journal of Visual Communication and Image Representation</i> , 2017 , 49, 47-56	2.7	13
53	Multiview Canonical Correlation Analysis Networks for Remote Sensing Image Recognition. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2017 , 14, 1855-1859	4.1	11
52	. <i>IEEE Transactions on Multimedia</i> , 2017 , 19, 519-529	6.6	73
51	Multiview Cauchy Estimator Feature Embedding for Depth and Inertial Sensor-Based Human Action Recognition. <i>IEEE Transactions on Systems, Man, and Cybernetics: Systems</i> , 2017 , 47, 617-627	7.3	35
50	Real-time action recognition by feature-level fusion of depth and inertial sensor 2017 ,		3
49	Diversified shared latent structure based localization for blind persons 2017 ,		4
48	Road Detection by Using a Generalized Hough Transform. <i>Remote Sensing</i> , 2017 , 9, 590	5	22
47	Manifold Ranking-Based Matrix Factorization for Saliency Detection. <i>IEEE Transactions on Neural Networks and Learning Systems</i> , 2016 , 27, 1122-34	10.3	81
46	Real-time tracking-by-learning with high-order regularization fusion for big video abstraction. <i>Signal Processing</i> , 2016 , 124, 246-258	4.4	3
45	Principal Component 2-D Long Short-Term Memory for Font Recognition on Single Chinese Characters. <i>IEEE Transactions on Cybernetics</i> , 2016 , 46, 756-65	10.2	74
44	Ensemble Manifold Rank Preserving for Acceleration-Based Human Activity Recognition. <i>IEEE Transactions on Neural Networks and Learning Systems</i> , 2016 , 27, 1392-404	10.3	50
43	Multicolumn Bidirectional Long Short-Term Memory for Mobile Devices-Based Human Activity Recognition. <i>IEEE Internet of Things Journal</i> , 2016 , 3, 1124-1134	10.7	47
42	Data-driven facial animation via semi-supervised local patch alignment. <i>Pattern Recognition</i> , 2016 , 57, 1-20	7.7	11

41	HSAE: A Hessian regularized sparse auto-encoders. <i>Neurocomputing</i> , 2016 , 187, 59-65	5.4	40
40	Online tracking based on efficient transductive learning with sample matching costs. <i>Neurocomputing</i> , 2016 , 175, 166-176	5.4	7
39	Occluded Object Imaging Based on Collaborative Synthetic Aperture Photography. <i>Communications in Computer and Information Science</i> , 2016 , 3-11	0.3	
38	Deep Similarity Feature Learning for Person Re-identification. <i>Lecture Notes in Computer Science</i> , 2016 , 386-396	0.9	1
37	Feature fusion of triaxial acceleration signals and depth maps for human action recognition 2016 ,		5
36	Weakly Supervised Hand Pose Recovery with Domain Adaptation by Low-Rank Alignment 2016 ,		1
35	Recent developments on deep big vision. <i>Neurocomputing</i> , 2016 , 187, 1-3	5.4	11
34	Hessian regularization by patch alignment framework. <i>Neurocomputing</i> , 2016 , 204, 183-188	5.4	1
33	Person Re-Identification by Dual-Regularized KISS Metric Learning. <i>IEEE Transactions on Image Processing</i> , 2016 , 25, 2726-2738	8.7	104
32	Deep Neural Networks with Relativity Learning for facial expression recognition 2016 ,		2
31	Upper limb motion tracking with the integration of IMU and Kinect. <i>Neurocomputing</i> , 2015 , 159, 207-218	5.4	59
30	Local structure preserving discriminative projections for RGB-D sensor-based scene classification. <i>Information Sciences</i> , 2015 , 320, 383-394	7.7	21
29	Human pose recovery by supervised spectral embedding. <i>Neurocomputing</i> , 2015 , 166, 301-308	5.4	20
28	Anti-counterfeiting digital watermarking algorithm for printed QR barcode. <i>Neurocomputing</i> , 2015 , 167, 625-635	5.4	28
27	Multi-view ensemble manifold regularization for 3D object recognition. <i>Information Sciences</i> , 2015 , 320, 395-405	7.7	62
26	DLANet: A manifold-learning-based discriminative feature learning network for scene classification. <i>Neurocomputing</i> , 2015 , 157, 11-21	5.4	24
25	Chart classification by combining deep convolutional networks and deep belief networks 2015 ,		3
24	Person reidentification by minimum classification error-based KISS metric learning. <i>IEEE Transactions on Cybernetics</i> , 2015 , 45, 242-52	10.2	65

23	A general framework for co-training and its applications. <i>Neurocomputing</i> , 2015 , 167, 112-121	5.4	7
22	2015 ,		4
21	Multiview Hessian regularized logistic regression for action recognition. <i>Signal Processing</i> , 2015 , 110, 101-107	4.4	60
20	Hessian Regularized Sparse Coding for Human Action Recognition. <i>Lecture Notes in Computer Science</i> , 2015 , 502-511	0.9	8
19	Motionlet LLC coding for discriminative human pose estimation. <i>Multimedia Tools and Applications</i> , 2014 , 73, 327-344	2.5	5
18	Single-layer Unsupervised Feature Learning with l2 regularized sparse filtering 2014 ,		2
17	Genetic algorithm for spanning tree construction in P2P distributed interactive applications. <i>Neurocomputing</i> , 2014 , 140, 185-192	5.4	11
16	Sparse frontal face image synthesis from an arbitrary profile image. <i>Neurocomputing</i> , 2014 , 128, 466-475	5.4	6
15	Sparse Discriminative Information Preservation for Chinese character font categorization. <i>Neurocomputing</i> , 2014 , 129, 159-167	5.4	11
14	Similar handwritten Chinese character recognition by kernel discriminative locality alignment. <i>Pattern Recognition Letters</i> , 2014 , 35, 186-194	4.7	12
13	Co-regularization for classification 2014 ,		1
12	Grassmann multimodal implicit feature selection. <i>Multimedia Systems</i> , 2014 , 20, 659-674	2.2	4
11	Rank Preserving Discriminant Analysis for Human Behavior Recognition on Wireless Sensor Networks. <i>IEEE Transactions on Industrial Informatics</i> , 2014 , 10, 813-823	11.9	63
10	. <i>IEEE Transactions on Multimedia</i> , 2013 , 15, 833-844	6.6	96
9	Person Re-Identification by Regularized Smoothing KISS Metric Learning. <i>IEEE Transactions on Circuits and Systems for Video Technology</i> , 2013 , 23, 1675-1685	6.4	132
8	Skeleton correspondence construction and its applications in animation style reusing. <i>Neurocomputing</i> , 2013 , 120, 461-468	5.4	1
7	Rank preserving sparse learning for Kinect based scene classification. <i>IEEE Transactions on Cybernetics</i> , 2013 , 43, 1406-17	10.2	112
6	High-level attributes modeling for indoor scenes classification. <i>Neurocomputing</i> , 2013 , 121, 337-343	5.4	9

5	Color-to-gray based on chance of happening preservation. <i>Neurocomputing</i> , 2013 , 119, 222-231	5.4	24
4	Automatic local exposure correction using bright channel prior for under-exposed images. <i>Signal Processing</i> , 2013 , 93, 3227-3238	4.4	26
3	Discriminative information preservation for face recognition. <i>Neurocomputing</i> , 2012 , 91, 11-20	5.4	22
2	A Comparative Study of Several Feature Extraction Methods for Person Re-identification. <i>Lecture Notes in Computer Science</i> , 2012 , 268-277	0.9	3
1	Similar Handwritten Chinese Character Recognition Using Discriminative Locality Alignment Manifold Learning 2011 ,		11