

Yubo Luo

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7556696/yubo-luo-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

131
papers

4,105
citations

37
h-index

56
g-index

138
ext. papers

5,157
ext. citations

10.3
avg, IF

5.67
L-index

#	Paper	IF	Citations
131	Thermoelectric Performance of the 2D BiSiTe Semiconductor.. <i>Journal of the American Chemical Society</i> , 2022 ,	16.4	7
130	Extraordinary role of Zn in enhancing thermoelectric performance of Ga-doped n-type PbTe. <i>Energy and Environmental Science</i> , 2022 , 15, 368-375	35.4	12
129	Two-dimensional layered architecture constructing energy and phonon blocks for enhancing thermoelectric performance of InSb. <i>Science China Materials</i> , 2022 , 65, 1353	7.1	0
128	High-performance and long-term thermal management material of MIL-101Cr@GO. <i>Materials Today Physics</i> , 2022 , 22, 100572	8	1
127	Effects of La doping induced carrier concentration regulation and band structure modification on thermoelectric properties of PbSe. <i>Scripta Materialia</i> , 2022 , 208, 114360	5.6	3
126	High Power Factor and Thermoelectric Figure of Merit in Sb ₂ Si ₂ Te ₆ through Synergetic Effect of Ca Doping. <i>Chemistry of Materials</i> , 2021 , 33, 8097-8105	9.6	8
125	High Thermoelectric Performance through Crystal Symmetry Enhancement in Triply Doped Diamondoid Compound Cu ₂ SnSe ₃ . <i>Advanced Energy Materials</i> , 2021 , 11, 2100661	21.8	11
124	High-Efficiency and Durable Inverted Perovskite Solar Cells with Thermally-Induced Phase-Change Electron Extraction Layer. <i>Advanced Energy Materials</i> , 2021 , 11, 2102844	21.8	4
123	Local Distortions and Metal-Semiconductor-Metal Transition in Quasi-One-Dimensional Nanowire Compounds AV ₃ Q ₃ O ₄ (A = K, Rb, Cs and Q = Se, Te). <i>Chemistry of Materials</i> , 2021 , 33, 2611-2623	9.6	1
122	Improving the Photovoltaic Performance of Flexible Solar Cells with Semitransparent Inorganic Perovskite Active Layers by Interface Engineering. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 20034-20042	9.5	4
121	High Entropy Semiconductor AgMnGeSbTe ₄ with Desirable Thermoelectric Performance. <i>Advanced Functional Materials</i> , 2021 , 31, 2103197	15.6	16
120	Accelerated discovery of a large family of quaternary chalcogenides with very low lattice thermal conductivity. <i>Npj Computational Materials</i> , 2021 , 7,	10.9	7
119	Enhanced thermoelectric performance of orientated and defected SnTe. <i>Journal of Alloys and Compounds</i> , 2021 , 858, 157634	5.7	3
118	Strong Valence Band Convergence to Enhance Thermoelectric Performance in PbSe with Two Chemically Independent Controls. <i>Angewandte Chemie</i> , 2021 , 133, 272-277	3.6	6
117	Strong Valence Band Convergence to Enhance Thermoelectric Performance in PbSe with Two Chemically Independent Controls. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 268-273	16.4	11
116	Band Matching Strategy for All-Inorganic CsAgBiBr Double Perovskite Solar Cells with High Photovoltage. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 37027-37034	9.5	7
115	High thermoelectric performance enabled by convergence of nested conduction bands in PbBiSe with low thermal conductivity. <i>Nature Communications</i> , 2021 , 12, 4793	17.4	15

114	Cubic AgMnSbTe Semiconductor with a High Thermoelectric Performance. <i>Journal of the American Chemical Society</i> , 2021 , 143, 13990-13998	16.4	14
113	Defect engineering in thermoelectric materials: what have we learned?. <i>Chemical Society Reviews</i> , 2021 , 50, 9022-9054	58.5	45
112	Ultralow Thermal Conductivity and Thermoelectric Properties of Rb ₂ Bi ₈ Se ₁₃ . <i>Chemistry of Materials</i> , 2020 , 32, 3561-3569	9.6	14
111	Recent advances, design guidelines, and prospects of flexible organic/inorganic thermoelectric composites. <i>Materials Advances</i> , 2020 , 1, 1038-1054	3.3	14
110	High Thermoelectric Performance in SnTe Nanocomposites with All-Scale Hierarchical Structures. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 23102-23109	9.5	26
109	In Situ Reaction Induced Core-Shell Structure to Ultralow and High Thermoelectric Performance of SnTe. <i>Advanced Science</i> , 2020 , 7, 1903493	13.6	19
108	Tactfully decoupling interdependent electrical parameters via interstitial defects for SnTe thermoelectrics. <i>Nano Energy</i> , 2020 , 67, 104292	17.1	23
107	Improvement of photovoltaic performance of perovskite solar cells by interface modification with CaTiO ₃ . <i>Journal of Power Sources</i> , 2020 , 449, 227504	8.9	5
106	High-Performance Thermoelectrics from Cellular Nanostructured Sb ₂ Si ₂ Te ₆ . <i>Joule</i> , 2020 , 4, 159-175	27.8	55
105	Ecofriendly Highly Robust AgSiSe-Based Thermoelectric Composites with Excellent Performance Near Room Temperature. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 54653-54661	9.5	7
104	High Thermoelectric Performance in the New Cubic Semiconductor AgSnSbSe by High-Entropy Engineering. <i>Journal of the American Chemical Society</i> , 2020 , 142, 15187-15198	16.4	40
103	High Figure of Merit in Gallium-Doped Nanostructured n-Type PbTe-GeTe with Midgap States. <i>Journal of the American Chemical Society</i> , 2019 , 141, 16169-16177	16.4	44
102	Tuning the Thermoelectric Performance of SnTe via Dual-Site Electronic Donation and Super-Saturation Solution. <i>ACS Applied Energy Materials</i> , 2019 , 2, 7490-7496	6.1	6
101	Significant average ZT enhancement in Cu ₃ SbSe ₄ -based thermoelectric material via softening p-d hybridization. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 17648-17654	13	15
100	Facile Route to High-Performance SnTe-Based Thermoelectric Materials: Synergistic Regulation of Electrical and Thermal Transport by In Situ Chemical Reactions. <i>Chemistry of Materials</i> , 2019 , 31, 3491-3497	9.6	22
99	Enhancement of Thermoelectric Performance for n-Type PbS through Synergy of Gap State and Fermi Level Pinning. <i>Journal of the American Chemical Society</i> , 2019 , 141, 6403-6412	16.4	48
98	Synergy of Nb Doping and Surface Alloy Enhanced on Water-Alkali Electrocatalytic Hydrogen Generation Performance in Ti-Based MXene. <i>Advanced Science</i> , 2019 , 6, 1900116	13.6	43
97	Tailoring the Carrier and Phonon Scattering to Enhanced Thermoelectric Performance of SnTe by Cation/Anion Codoping with Eco-Benign CaI ₂ . <i>ACS Applied Energy Materials</i> , 2019 , 2, 1997-2003	6.1	19

96	All-scale Architecturing of Microstructure in Chalcogenide Thermoelectric Materials. <i>Microscopy and Microanalysis</i> , 2019 , 25, 2236-2237	0.5	1
95	Synergistical Tuning Interface Barrier and Phonon Propagation in Au-SbTe Nanoplate for Boosting Thermoelectric Performance. <i>Journal of Physical Chemistry Letters</i> , 2019 , 10, 4903-4909	6.4	14
94	All-Inorganic CsPbBr Perovskite Solar Cells with 10.45% Efficiency by Evaporation-Assisted Deposition and Setting Intermediate Energy Levels. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 29746-29752	9.5	79
93	Interfacing Epitaxial Dinickel Phosphide to 2D Nickel Thiophosphate Nanosheets for Boosting Electrocatalytic Water Splitting. <i>ACS Nano</i> , 2019 , 13, 7975-7984	16.7	104
92	Thermoelectric Performance of Rapidly Microwave-Synthesized δ MgAgSb with SnTe Nano-inclusions. <i>Chemistry of Materials</i> , 2019 , 31, 2421-2430	9.6	14
91	High-Performance Flexible Perovskite Solar Cells with a Metal Sulfide Electron Transport Layer of SnS ₂ by Room-Temperature Vacuum Deposition. <i>ACS Applied Energy Materials</i> , 2019 , 2, 382-388	6.1	24
90	High Thermoelectric Performance in Polycrystalline SnSe Via Dual-Doping with Ag/Na and Nanostructuring With Ag ₈ SnSe ₆ . <i>Advanced Energy Materials</i> , 2019 , 9, 1803072	21.8	64
89	Effect of Sn doping on thermoelectric properties of p-type manganese telluride. <i>Journal of Alloys and Compounds</i> , 2019 , 777, 968-973	5.7	8
88	Enhancement of photovoltaic performance and moisture stability of perovskite solar cells by modification of tin phthalocyanine (SnPc). <i>Electrochimica Acta</i> , 2019 , 296, 799-805	6.7	10
87	Reinforced bond covalency and multiscale hierarchical architecture to high performance eco-friendly MnTe-based thermoelectric materials. <i>Nano Energy</i> , 2019 , 57, 703-710	17.1	17
86	Enhanced thermoelectric performance of SnTe: High efficient cation - anion Co-doping, hierarchical microstructure and electro-acoustic decoupling. <i>Nano Energy</i> , 2018 , 47, 81-88	17.1	48
85	Achieving highly efficient electrocatalytic oxygen evolution with ultrathin 2D Fe-doped nickel thiophosphate nanosheets. <i>Nano Energy</i> , 2018 , 47, 257-265	17.1	88
84	Enhancement of photovoltaic performance of flexible perovskite solar cells by means of ionic liquid interface modification in a low temperature all solution process. <i>Applied Surface Science</i> , 2018 , 440, 1116-1122 ²⁰	6.7	20
83	Improved densification and thermoelectric performance of In ₅ SnSbO ₁₂ via Ga doping. <i>Journal of Materials Science</i> , 2018 , 53, 6741-6751	4.3	0
82	Enhancement of the thermoelectric performance of CuInTe ₂ via SnO ₂ in situ replacement. <i>Journal of Materials Science: Materials in Electronics</i> , 2018 , 29, 4732-4737	2.1	4
81	The improvement of thermoelectric property of bulk ZnO via ZnS addition: Influence of intrinsic defects. <i>Ceramics International</i> , 2018 , 44, 6461-6465	5.1	16
80	Low temperature processed ternary oxide as an electron transport layer for efficient and stable perovskite solar cells. <i>Electrochimica Acta</i> , 2018 , 261, 474-481	6.7	16
79	Self-Assemble and In Situ Formation of Ni _{1-x} Fe _x PS ₃ Nanomosaic-Decorated MXene Hybrids for Overall Water Splitting. <i>Advanced Energy Materials</i> , 2018 , 8, 1801127	21.8	131

78	An in situ eutectic remelting and oxide replacement reaction for superior thermoelectric performance of InSb. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 17049-17056	13	15
77	Low-Temperature Solution-Processed ZnSe Electron Transport Layer for Efficient Planar Perovskite Solar Cells with Negligible Hysteresis and Improved Photostability. <i>ACS Nano</i> , 2018 , 12, 5605-5614	16.7	66
76	n-Type SnSe ₂ Oriented-Nanoplate-Based Pellets for High Thermoelectric Performance. <i>Advanced Energy Materials</i> , 2018 , 8, 1702167	21.8	76
75	Electrochemical deposition of PbI ₂ for perovskite solar cells. <i>Solar Energy</i> , 2018 , 159, 300-305	6.8	15
74	Simultaneous regulation of electrical and thermal transport properties in MnTe chalcogenides via the incorporation of p-type Sb ₂ Te ₃ . <i>Journal of Materials Chemistry A</i> , 2018 , 6, 23473-23477	13	10
73	Thermoelectric Performance: Enhancement of Thermoelectric Performance in CuSbSe ₂ Nanoplate-Based Pellets by Texture Engineering and Carrier Concentration Optimization (Small 50/2018). <i>Small</i> , 2018 , 14, 1870241	11	2
72	Asymmetric-Layered Tin Thiophosphate: An Emerging 2D Ternary Anode for High-Performance Sodium Ion Full Cell. <i>ACS Nano</i> , 2018 , 12, 12902-12911	16.7	26
71	Porous MXene Frameworks Support Pyrite Nanodots toward High-Rate Pseudocapacitive Li/Na-Ion Storage. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 33779-33784	9.5	42
70	Enhancement of Thermoelectric Performance in CuSbSe Nanoplate-Based Pellets by Texture Engineering and Carrier Concentration Optimization. <i>Small</i> , 2018 , 14, e1803092	11	9
69	Mosaic-Structured Cobalt Nickel Thiophosphate Nanosheets Incorporated N-doped Carbon for Efficient and Stable Electrocatalytic Water Splitting. <i>Advanced Functional Materials</i> , 2018 , 28, 1805075	15.6	38
68	Investigation on the microstructure and thermoelectric performance of magnetic ions doped Bi _{0.5} Sb _{1.5} Te ₃ solidified under a magnetostatic field. <i>Acta Materialia</i> , 2017 , 127, 185-191	8.4	13
67	New insight into InSb-based thermoelectric materials: from a divorced eutectic design to a remarkably high thermoelectric performance. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 5163-5170	13	48
66	Multi-cations compound Cu ₂ CoSnS ₄ : DFT calculating, band engineering and thermoelectric performance regulation. <i>Nano Energy</i> , 2017 , 36, 156-165	17.1	32
65	Synergistic effect by Na doping and S substitution for high thermoelectric performance of p-type MnTe. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 5076-5082	7.1	27
64	Simultaneous regulation of electrical and thermal transport properties in CuInTe ₂ by directly incorporating excess ZnX (X=S, Se). <i>Nano Energy</i> , 2017 , 32, 80-87	17.1	32
63	Hexagonal-Phase Cobalt Monophosphosulfide for Highly Efficient Overall Water Splitting. <i>ACS Nano</i> , 2017 , 11, 11031-11040	16.7	239
62	Recent advances in printable secondary batteries. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 22442-22458	3	40
61	Thermoelectric performance of SnTe with ZnO carrier compensation, energy filtering, and multiscale phonon scattering. <i>Journal of the American Ceramic Society</i> , 2017 , 100, 5723-5730	3.8	30

60	Combination of Carrier Concentration Regulation and High Band Degeneracy for Enhanced Thermoelectric Performance of CuSbSe. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 28558-28565	9.5	21
59	Fe-Doped Ni ₃ C Nanodots in N-Doped Carbon Nanosheets for Efficient Hydrogen-Evolution and Oxygen-Evolution Electrocatalysis. <i>Angewandte Chemie</i> , 2017 , 129, 12740-12744	3.6	43
58	Designing hybrid architectures for advanced thermoelectric materials. <i>Materials Chemistry Frontiers</i> , 2017 , 1, 2457-2473	7.8	30
57	Fe-Doped Ni C Nanodots in N-Doped Carbon Nanosheets for Efficient Hydrogen-Evolution and Oxygen-Evolution Electrocatalysis. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 12566-12570	16.4	240
56	General and Scalable Solid-State Synthesis of 2D MPS ₃ (M = Fe, Co, Ni) Nanosheets and Tuning Their Li/Na Storage Properties. <i>Small Methods</i> , 2017 , 1, 1700304	12.8	57
55	Synergistic Effect to High-Performance Perovskite Solar Cells with Reduced Hysteresis and Improved Stability by the Introduction of Na-Treated TiO and Spraying-Deposited CuI as Transport Layers. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 41354-41362	9.5	64
54	Simultaneous optimization of the overall thermoelectric properties of Cu ₃ SbSe ₄ by band engineering and phonon blocking. <i>Journal of Alloys and Compounds</i> , 2017 , 724, 597-602	5.7	10
53	Enhanced photovoltaic performance and stability in mixed-cation perovskite solar cells via compositional modulation. <i>Electrochimica Acta</i> , 2017 , 247, 460-467	6.7	32
52	Carriers concentration tailoring and phonon scattering from n-type zinc oxide (ZnO) nano-inclusion in p- and n-type bismuth telluride (Bi ₂ Te ₃): Leading to ultra low thermal conductivity and excellent thermoelectric properties. <i>Journal of Alloys and Compounds</i> , 2017 , 694, 864-868	5.7	20
51	Improvement of photovoltaic performance of perovskite solar cells with a ZnO/Zn ₂ SnO ₄ composite compact layer. <i>Solar Energy Materials and Solar Cells</i> , 2017 , 159, 143-150	6.4	27
50	Thermal Stability of P-Type BiSbTe Alloys Prepared by Melt Spinning and Rapid Sintering. <i>Materials</i> , 2017 , 10,	3.5	18
49	Improvement of Thermoelectric Properties of Bi _{0.4} Sb _{1.6} Te ₃ with Addition of Nanoscale Zinc Oxide Particles. <i>Journal of Electronic Materials</i> , 2016 , 45, 1266-1270	1.9	13
48	Thermoelectric Performance Enhancement of CeFe ₄ Sb ₁₂ p-Type Skutterudite by Disorder on the Sb ₄ Rings Induced by Te Doping and Nanopores. <i>Journal of Electronic Materials</i> , 2016 , 45, 1240-1244	1.9	8
47	Preparation and Photovoltaic Properties of Ternary AgBiS ₂ Quantum Dots Sensitized TiO ₂ Nanorods Photoanodes by Electrochemical Atomic Layer Deposition. <i>Journal of the Electrochemical Society</i> , 2016 , 163, D63-D67	3.9	19
46	Large improvement of device performance by a synergistic effect of photovoltaics and thermoelectrics. <i>Nano Energy</i> , 2016 , 22, 120-128	17.1	24
45	Ternary CuSbSe ₂ chalcostibite: facile synthesis, electronic-structure and thermoelectric performance enhancement. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 4188-4193	13	53
44	Electrochemical atomic layer deposition of Bi ₂ S ₃ /Sb ₂ S ₃ quantum dots co-sensitized TiO ₂ nanorods solar cells. <i>Journal of Power Sources</i> , 2016 , 307, 690-696	8.9	40
43	Improvement of thermoelectric properties of Cu ₃ SbSe ₄ compound by In doping. <i>Materials and Design</i> , 2016 , 98, 150-154	8.1	46

42	Progressive Regulation of Electrical and Thermal Transport Properties to High-Performance CuInTe ₂ Thermoelectric Materials. <i>Advanced Energy Materials</i> , 2016 , 6, 1600007	21.8	96
41	A new method for simultaneous measurement of Seebeck coefficient and resistivity. <i>Review of Scientific Instruments</i> , 2016 , 87, 124901	1.7	7
40	Enhancement of photovoltaic performance of perovskite solar cells by modification of the interface between the perovskite and mesoporous TiO ₂ film. <i>Solar Energy Materials and Solar Cells</i> , 2016 , 155, 101-107	6.4	46
39	Effect of cooling rate on the thermoelectric and mechanical performance of Bi _{0.5} Sb _{1.5} Te ₃ prepared under a high magnetic field. <i>Intermetallics</i> , 2016 , 72, 62-68	3.5	9
38	Microstructure tailoring in nanostructured thermoelectric materials. <i>Journal of Advanced Dielectrics</i> , 2016 , 06, 1630002	1.3	21
37	Enhanced thermoelectric performance of MnTe via Cu doping with optimized carrier concentration. <i>Journal of Materiomics</i> , 2016 , 2, 172-178	6.7	18
36	Enhancement of thermoelectric properties of Ce _{0.9} Fe _{3.75} Ni _{0.25} Sb ₁₂ p-type skutterudite by tellurium addition. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 16499-16506	13	10
35	Multiple effects of Bi doping in enhancing the thermoelectric properties of SnTe. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 13171-13175	13	91
34	Multi-role of Sodium Doping in BiCuSeO on High Thermoelectric Performance. <i>Journal of Electronic Materials</i> , 2015 , 44, 2849-2855	1.9	19
33	Bi-layer of nanorods and three-dimensional hierarchical structure of TiO ₂ for high efficiency dye-sensitized solar cells. <i>Journal of Power Sources</i> , 2015 , 284, 428-434	8.9	20
32	Synergistic tuning of carrier and phonon scattering for high performance of n-type Bi ₂ Te _{2.5} Se _{0.5} thermoelectric material. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 22332-22338	13	19
31	Large enhancement of thermoelectric performance of CuInTe ₂ via a synergistic strategy of point defects and microstructure engineering. <i>Nano Energy</i> , 2015 , 18, 37-46	17.1	59
30	Enhancement of thermoelectric properties of Yb-filled skutterudites by an Ni-Induced Core-Shell structure. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 1010-1016	13	50
29	Multiple heteroatom induced carrier engineering and hierarchical nanostructures for high thermoelectric performance of polycrystalline In ₄ Se _{2.5} . <i>Journal of Materials Chemistry A</i> , 2015 , 3, 1251-1257	12.57	37
28	Effect of TiC Nanoinclusions on Thermoelectric and Mechanical Performance of Polycrystalline In ₄ Se _{2.65} . <i>Journal of the American Ceramic Society</i> , 2015 , 98, 3813-3817	3.8	9
27	CuCrSe ₂ Ternary Chromium Chalcogenide: Facile Fabrication, Doping and Thermoelectric Properties. <i>Journal of the American Ceramic Society</i> , 2015 , 98, 3975-3980	3.8	13
26	Melting and solidification of bismuth antimony telluride under a high magnetic field: A new route to high thermoelectric performance. <i>Nano Energy</i> , 2015 , 15, 709-718	17.1	29
25	Fabrication of CdSe/CdTe Quantum Dots Co-Sensitized TiO ₂ Nanorods by Electrochemical Atomic Layer Deposition Method. <i>Journal of the Electrochemical Society</i> , 2015 , 162, D137-D141	3.9	3

24	Enhanced thermoelectric and mechanical performance of polycrystalline p-type Bi _{0.5} Sb _{1.5} Te ₃ by a traditional physical metallurgical strategy. <i>Intermetallics</i> , 2014 , 50, 20-27	3.5	22
23	Enhancement of the Thermoelectric Performance of Polycrystalline In ₄ Se _{2.5} by Copper Intercalation and Bromine Substitution. <i>Advanced Energy Materials</i> , 2014 , 4, 1300599	21.8	64
22	Enhanced photovoltaic performance of CdS quantum dots sensitized highly oriented two-end-opened TiO ₂ nanotubes array membrane. <i>Journal of Power Sources</i> , 2014 , 250, 174-180	8.9	16
21	Electrochemical Atomic Layer Deposition of Ag ₂ S Quantum Dots Sensitized TiO ₂ Nanorods Array Photoanodes and Cu ₂ S Counter Electrode for Solar Cells. <i>Journal of the Electrochemical Society</i> , 2014 , 161, D510-D514	3.9	11
20	A study of Yb _{0.2} Co ₄ Sb ₁₂ AgSbTe ₂ nanocomposites: simultaneous enhancement of all three thermoelectric properties. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 73-79	13	40
19	Improve photovoltaic performance of titanium dioxide nanorods based dye-sensitized solar cells by Ca-doping. <i>Materials Research Bulletin</i> , 2014 , 57, 177-183	5.1	26
18	Fabrication of CdTe Quantum Dots Sensitized TiO ₂ Nanorod-Array-Film Photoanodes via the Route of Electrochemical Atomic Layer Deposition. <i>Journal of the Electrochemical Society</i> , 2014 , 161, D55-D58	3.9	25
17	A simultaneous increase in the ZT and the corresponding critical temperature of p-type Bi _{0.4} Sb _{1.6} Te ₃ by a combined strategy of dual nano-inclusions and carrier engineering. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 20288-20294	13	32
16	AgSbTe ₂ nano-inclusion in Yb _{0.2} Co ₄ Sb ₁₂ for high performance thermoelectrics. <i>Intermetallics</i> , 2013 , 43, 79-84	3.5	15
15	Hierarchical double-layered SnO ₂ film as a photoanode for dye-sensitized solar cells. <i>New Journal of Chemistry</i> , 2013 , 37, 1002	3.6	8
14	Improvement of Thermoelectric Properties of In ₄ Se ₃ Bulk Materials with Cu Nano-inclusions. <i>Journal of the American Ceramic Society</i> , 2013 , 96, 2703-2705	3.8	21
13	Composite photoanodes of Zn ₂ SnO ₄ nanoparticles modified SnO ₂ hierarchical microspheres for dye-sensitized solar cells. <i>Materials Letters</i> , 2012 , 76, 215-218	3.3	33
12	CdS quantum dots sensitized TiO ₂ nanorod-array-film photoelectrode on FTO substrate by electrochemical atomic layer epitaxy method. <i>Electrochimica Acta</i> , 2012 , 83, 321-326	6.7	31
11	Characterization and Thermoelectric Properties of La _{0.4} Ni _{0.2} Co _{3.8} Sb ₁₂ Filled Skutterudite Prepared by the MA-HP Method. <i>Journal of the American Ceramic Society</i> , 2011 , 94, 277-280	3.8	2
10	Coaxial heterogeneous structure of TiO ₂ nanotube arrays with CdS as a superthin coating synthesized via modified electrochemical atomic layer deposition. <i>Journal of the American Chemical Society</i> , 2010 , 132, 12619-26	16.4	152
9	Electrodeposition and characterization of Bi ₂ Se ₃ thin films by electrochemical atomic layer epitaxy (ECALE). <i>Electrochimica Acta</i> , 2009 , 54, 6821-6826	6.7	32
8	Effect of processing parameters on formation and thermoelectric properties of La _{0.4} FeCo ₃ Sb ₁₂ skutterudite by MAHP method. <i>Journal of Alloys and Compounds</i> , 2009 , 476, 802-806	5.7	13
7	Thermoelectric properties of silver-doped n-type Bi ₂ Te ₃ -based material prepared by mechanical alloying and subsequent hot pressing. <i>Journal of Alloys and Compounds</i> , 2006 , 407, 330-333	5.7	58

6	Preparation and thermoelectric properties of $\text{La}_x\text{FeCo}_3\text{Sb}_{12}$ skutterudites by mechanical alloying and hot pressing. <i>Journal of Alloys and Compounds</i> , 2006 , 421, 105-108	5-7	16
5	Effect of La filling on thermoelectric properties of $\text{La}_x\text{Co}_{3.6}\text{Ni}_{0.4}\text{Sb}_{12}$ -filled skutterudite prepared by MABP method. <i>Journal of Solid State Chemistry</i> , 2006 , 179, 212-216	3-3	17
4	Synthesis of CoSb_3 skutterudite by mechanical alloying. <i>Journal of Alloys and Compounds</i> , 2004 , 375, 229-232	5-7	62
3	Preparation and characterization of Fe substituted CoSb_3 skutterudite by mechanical alloying and annealing. <i>Journal of Alloys and Compounds</i> , 2004 , 381, 313-316	5-7	37
2	Study on mechanical alloying and subsequent heat treatment of the TiBi system. <i>Physica B: Condensed Matter</i> , 2000 , 279, 241-245	2-8	40
1	Cold-Sintered Bi_2Te_3 -Based Materials for Engineering Nanograined Thermoelectrics. <i>ACS Applied Energy Materials</i> ,	6-1	2