

Dai Kato

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7557547/dai-kato-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

83

papers

1,719

citations

21

h-index

39

g-index

89

ext. papers

1,848

ext. citations

5.3

avg, IF

4.38

L-index

#	Paper	IF	Citations
83	Structure and Electrochemical Properties of Nitrogen Containing Nanocarbon Films and Their Electroanalytical Application. <i>Bunseki Kagaku</i> , 2021 , 70, 511-520	0.2	
82	Lipophilic Vitamin E Diffusion through Bicontinuous Microemulsions. <i>Analytical Chemistry</i> , 2021 , 93, 14231-14237		
81	Highly Sensitive Electrochemical Detection of Heavy Metal Ions Using Carbon Film-based Electrodes. <i>Bunseki Kagaku</i> , 2021 , 70, 101-109	0.2	1
80	Suppression of Surface Oxygen on Nanocarbon Film Electrodes for Maintaining Electrode Activity. <i>Analytical Sciences</i> , 2021 , 37, 865-870	1.7	
79	Electrochemical measurements with nanocarbon film electrodes. <i>Denki Kagaku</i> , 2021 , 89, 167-177	0	
78	Supporting effects of a N-doped carbon film electrode on an electrodeposited Ni@Ni(OH) core-shell nanocatalyst in accelerating electrocatalytic oxidation of oligosaccharides.. <i>RSC Advances</i> , 2021 , 11, 13311-13315	3.7	2
77	Hybrid Carbon Film Electrodes for Electroanalysis. <i>Analytical Sciences</i> , 2021 , 37, 37-47	1.7	6
76	Oxidation potential-dependent selective detection of epigenetic 5-hydroxymethylcytosine using nanocarbon film. <i>Sensors and Actuators B: Chemical</i> , 2020 , 314, 128092	8.5	4
75	Monolithic Au Nanoscale Films with Tunable Nanoporosity Prepared via Dynamic Soft Templating for Electrocatalytic Oxidation of Methanol. <i>ACS Applied Nano Materials</i> , 2020 , 3, 7750-7760	5.6	3
74	Stand-Alone Semi-Solid-State Electrochemical Systems Based on Bicontinuous Microemulsion Gel Films. <i>Analytical Chemistry</i> , 2020 , 92, 14031-14037	7.8	1
73	Controlling Surface Oxygen Concentration of a Nanocarbon Film Electrode for Improvement of Target Analytes. <i>Analytical Sciences</i> , 2020 , 36, 441-446	1.7	2
72	Electrochemical performance at sputter-deposited nanocarbon film with different surface nitrogen-containing groups. <i>Nanoscale</i> , 2019 , 11, 10239-10246	7.7	7
71	Increased electrode activity during geosmin oxidation provided by Pt nanoparticle-embedded nanocarbon film. <i>Nanoscale</i> , 2019 , 11, 8845-8854	7.7	3
70	Selective Au Electrodeposition on Au Nanoparticles Embedded in Carbon Film Electrode for Se(IV) Detection. <i>Sensors and Materials</i> , 2019 , 31, 1135	1.5	4
69	Gas-phase Treatment Methods for Chemical Termination of Sputtered Nanocarbon Film Electrodes to Suppress Surface Fouling by Proteins. <i>Journal of Photopolymer Science and Technology = [Fotoporima Konwakai Shi]</i> , 2019 , 32, 523-528	0.7	5
68	Chromatographic Determination of Sugar Probes Used for Gastrointestinal Permeability Test by Employing Nickel-Copper Nanoalloy Embedded in Carbon Film Electrodes. <i>Electroanalysis</i> , 2018 , 30, 1407-1415	3.3	3
67	Amplified Zinc Signal at a Nanocarbon Film Electrode for Lipopolysaccharide Detection. <i>ACS Applied Nano Materials</i> , 2018 , 1, 5425-5429	5.6	5

66	Nanocarbon Film Electrodes Can Expand the Possibility of Electroanalysis. <i>Bunseki Kagaku</i> , 2018 , 67, 635-645	0.2	
65	On-Chip Evaluation of DNA Methylation with Electrochemical Combined Bisulfite Restriction Analysis Utilizing a Carbon Film Containing a Nanocrystalline Structure. <i>Analytical Chemistry</i> , 2017 , 89, 5976-5982	7.8	9
64	Composite Sulfur Electrode Prepared by High-Temperature Mechanical Milling for use in an All-Solid-State Lithium Sulfur Battery with a $\text{Li}_3.25\text{Ge}_0.25\text{P}_0.75\text{S}_4$ Electrolyte. <i>Electrochimica Acta</i> , 2017 , 258, 110-115	6.7	33
63	Electroanalysis with Carbon Film-based Electrodes 2017 , 1-25		0
62	Electrochemical microfluidic devices for evaluation of drug metabolism. <i>Journal of Electroanalytical Chemistry</i> , 2016 , 779, 86-91	4.1	7
61	Electrochemistry in bicontinuous microemulsions based on control of dynamic solution structures on electrode surfaces. <i>Current Opinion in Colloid and Interface Science</i> , 2016 , 25, 13-26	7.6	19
60	Co-sputter deposited nickel-copper bimetallic nanoalloy embedded carbon films for electrocatalytic biomarker detection. <i>Nanoscale</i> , 2016 , 8, 12887-91	7.7	7
59	Fluorinated Nanocarbon Film Electrode Capable of Signal Amplification for Lipopolysaccharide Detection. <i>Electrochimica Acta</i> , 2016 , 197, 152-158	6.7	13
58	Au Nanoparticle-Embedded Carbon Films for Electrochemical As(3+) Detection with High Sensitivity and Stability. <i>Analytical Chemistry</i> , 2016 , 88, 2944-51	7.8	58
57	Direct Analysis of Lipophilic Antioxidants of Olive Oils Using Bicontinuous Microemulsions. <i>Analytical Chemistry</i> , 2016 , 88, 1202-9	7.8	10
56	Simultaneous electrochemical analysis of hydrophilic and lipophilic antioxidants in bicontinuous microemulsion. <i>Analytical Chemistry</i> , 2015 , 87, 1489-93	7.8	20
55	Effect of the sp(2)/sp(3) Ratio in a Hybrid Nanocarbon Thin Film Electrode for Anodic Stripping Voltammetry Fabricated by Unbalanced Magnetron Sputtering Equipment. <i>Analytical Sciences</i> , 2015 , 31, 635-41	1.7	10
54	Structure and Electroanalytical Application of Nitrogen-doped Carbon Thin Film Electrode with Lower Nitrogen Concentration. <i>Analytical Sciences</i> , 2015 , 31, 651-6	1.7	10
53	Graphene Modified Electrode for the Direct Electron Transfer of Bilirubin Oxidase. <i>Electrochemistry</i> , 2015 , 83, 332-334	1.2	10
52	Nanocarbon Film-Based Electrochemical Detectors and Biosensors 2015 , 121-136		
51	Structure and electrochemical characterization of carbon films formed by unbalanced magnetron (UBM) sputtering method. <i>Diamond and Related Materials</i> , 2014 , 49, 25-32	3.5	44
50	High Performance of DET-type Bioelectrocatalysis of Cytochrome c on Indium Tin Oxide Film Electrode with Enzyme-sized Nanostructure. <i>Electrochemistry</i> , 2014 , 82, 322-324	1.2	5
49	Anodic Stripping Voltammetric Determination of Cd and Pb with Nanocarbon Film Electrode Fabricated by Unbalanced Magnetron Sputtering. <i>Electrochemistry</i> , 2014 , 82, 949-953	1.2	8

48	Poly-Lysine Modified Nanocarbon Film Electrodes for LPS Detection. <i>Electroanalysis</i> , 2014 , 26, 618-624	3	7
47	Development of a sputter-deposited nanocarbon thin film electrode for use as a biosensor. <i>Tanso</i> , 2014 , 2014, 133-139		0.1
46	Cytochrome P450 modified polycrystalline indium tin oxide film as a drug metabolizing electrochemical biosensor with a simple configuration. <i>Analytical Chemistry</i> , 2013 , 85, 9996-9	7.8	22
45	Structure and electrochemical performance of nitrogen-doped carbon film formed by electron cyclotron resonance sputtering. <i>Analytical Chemistry</i> , 2013 , 85, 9845-51	7.8	46
44	Human cytochrome P450 3A4 and a carbon nanofiber modified film electrode as a platform for the simple evaluation of drug metabolism and inhibition reactions. <i>Analyst, The</i> , 2013 , 138, 6463-8	5	18
43	ONO-2506 inhibits spike-wave discharges in a genetic animal model without affecting traditional convulsive tests via gliotransmission regulation. <i>British Journal of Pharmacology</i> , 2013 , 168, 1088-100	8.6	51
42	Carbon-based electrode materials for DNA electroanalysis. <i>Analytical Sciences</i> , 2013 , 29, 385-92	1.7	19
41	Improved direct electrochemistry for proteins adsorbed on a UV/ozone-treated carbon nanofiber electrode. <i>Analytical Sciences</i> , 2013 , 29, 611-8	1.7	13
40	4.?????????????????????????????????. <i>Electrochemistry</i> , 2013 , 81, 36-42	1.2	1
39	An sp ² and sp ³ hybrid nanocrystalline carbon film electrode for anodic stripping voltammetry and its application for electrochemical immunoassay. <i>Analytical Sciences</i> , 2012 , 28, 13-20	1.7	7
38	Evaluation of electrokinetic parameters for all DNA bases with sputter deposited nanocarbon film electrode. <i>Analytical Chemistry</i> , 2012 , 84, 10607-13	7.8	17
37	Determination of DNA methylation using electrochemiluminescence with surface accumulable coreactant. <i>Analytical Chemistry</i> , 2012 , 84, 1799-803	7.8	70
36	Electron Cyclotron Resonance-Sputtered Nanocarbon Film Electrode Compared with Diamond-Like Carbon and Glassy Carbon Electrodes as Regards Electrochemical Properties and Biomolecule Adsorption. <i>Japanese Journal of Applied Physics</i> , 2012 , 51, 090124	1.4	8
35	Electron Cyclotron Resonance-Sputtered Nanocarbon Film Electrode Compared with Diamond-Like Carbon and Glassy Carbon Electrodes as Regards Electrochemical Properties and Biomolecule Adsorption. <i>Japanese Journal of Applied Physics</i> , 2012 , 51, 090124	1.4	3
34	Efficient direct electron transfer with enzyme on a nanostructured carbon film fabricated with a maskless top-down UV/ozone process. <i>Journal of the American Chemical Society</i> , 2011 , 133, 4840-6	16.4	57
33	Electrochemical DNA methylation detection for enzymatically digested CpG oligonucleotides. <i>Analytical Chemistry</i> , 2011 , 83, 7595-9	7.8	84
32	Electrochemical determination of oxidative damaged DNA with high sensitivity and stability using a nanocarbon film. <i>Analytical Sciences</i> , 2011 , 27, 703	1.7	26
31	Development of a Sputtered Nanocarbon Film Based Microdisk Array Electrode for the Highly Stable Detection of Serotonin. <i>Electroanalysis</i> , 2011 , 23, 827-831	3	8

30	Enzymatically amplified electrochemical detection for lipopolysaccharide using ferrocene-attached polymyxin B and its analogue. <i>Biosensors and Bioelectronics</i> , 2011 , 26, 2080-4	11.8	19
29	Development of electrogenerated chemiluminescence-based enzyme linked immunosorbent assay for sub-pM detection. <i>Analytical Chemistry</i> , 2010 , 82, 1692-7	7.8	79
28	Direct electrochemical detection of DNA methylation for retinoblastoma and CpG fragments using a nanocarbon film. <i>Analytical Biochemistry</i> , 2010 , 405, 59-66	3.1	47
27	Fabrication of electrochemically stable fluorinated nano-carbon film compared with other fluorinated carbon materials. <i>Carbon</i> , 2009 , 47, 1943-1952	10.4	40
26	Local imaging of an electrochemical active/inactive region on a conductive carbon surface by using scanning electrochemical microscopy. <i>Analytical Sciences</i> , 2009 , 25, 645-51	1.7	4
25	Surface Accumulable Coreactant for Bright Electrogenerated Chemiluminescence at Trace Level Concentrations. <i>Chemistry Letters</i> , 2009 , 38, 804-805	1.7	6
24	?????????????????????. <i>Electrochemistry</i> , 2009 , 77, 73-78	1.2	
23	A nanocarbon film electrode as a platform for exploring DNA methylation. <i>Journal of the American Chemical Society</i> , 2008 , 130, 3716-7	16.4	155
22	Newly developed chemical probes and nano-devices for cellular analysis. <i>Analytical Sciences</i> , 2008 , 24, 55-66	1.7	14
21	Highly-sensitive Biosensors with Chemically-amplified Responses. <i>Electrochemistry</i> , 2008 , 76, 515-521	1.2	4
20	Nanohybrid carbon film for electrochemical detection of SNPs without hybridization or labeling. <i>Angewandte Chemie - International Edition</i> , 2008 , 47, 6681-4	16.4	77
19	Nanohybrid Carbon Film for Electrochemical Detection of SNPs without Hybridization or Labeling. <i>Angewandte Chemie</i> , 2008 , 120, 6783-6786	3.6	13
18	Surface modification of thin polyion complex film for surface plasmon resonance immunosensor. <i>Sensors and Actuators B: Chemical</i> , 2008 , 130, 320-325	8.5	12
17	Improved detection limit for an electrochemical β -aminobutyric acid sensor based on stable NADPH detection using an electron cyclotron resonance sputtered carbon film electrode. <i>Sensors and Actuators B: Chemical</i> , 2008 , 129, 442-449	8.5	22
16	Controllable electrode activities of nano-carbon films while maintaining surface flatness by electrochemical pretreatment. <i>Carbon</i> , 2008 , 46, 1918-1926	10.4	55
15	Structure and electrochemical properties of carbon films prepared by a electron cyclotron resonance sputtering method. <i>Analytical Chemistry</i> , 2007 , 79, 98-105	7.8	84
14	Heavy phosphate adsorption on amorphous ITO film electrodes: nano-barrier effect for highly selective exclusion of anionic species. <i>Langmuir</i> , 2007 , 23, 8400-5	4	14
13	Electrochemically amplified detection for lipopolysaccharide using ferrocenylboronic acid. <i>Biosensors and Bioelectronics</i> , 2007 , 22, 1527-31	11.8	42

12	Electrochemical performance of angstrom level flat sputtered carbon film consisting of sp ² and sp ³ mixed bonds. <i>Journal of the American Chemical Society</i> , 2006 , 128, 7144-5	16.4	163
11	A Highly Sensitive Assay to Determine Atrial Natriuretic Peptides by Electrochemical Enzyme Immunoassays. <i>Electrochemistry</i> , 2006 , 74, 138-140	1.2	4
10	Surface Modification of Thin Polyion Complex Film with a High Specific Binding Affinity and Prevention of Non-specific Adsorption in Surface Plasmon Resonance Immunoassay. <i>Electrochemistry</i> , 2006 , 74, 121-124	1.2	10
9	Electrochemical Chemiluminescence Responses on Gold Electrodes Modified with Ferrocenylundecanethiol Monolayer and Poly(divinylferrocene) Film. <i>Electrochemistry</i> , 2006 , 74, 202-204 ^{1,2}	1.2	1
8	Simultaneous determination of glucose and ascorbic acid by using gold electrode modified with ferrocenylundecanethiol monolayer. <i>Sensors and Actuators B: Chemical</i> , 2005 , 108, 617-621	8.5	14
7	Amperometric nitric oxide microsensor using two-dimensional cross-linked Langmuir-Blodgett films of polysiloxane copolymer. <i>Sensors and Actuators B: Chemical</i> , 2005 , 108, 384-388	8.5	9
6	Electrochemical nitric oxide microsensors based on two-dimensional cross-linked polymeric LB films of oligo(dimethylsiloxane) copolymer. <i>Electrochimica Acta</i> , 2005 , 51, 938-942	6.7	7
5	The design of polymer microcarrier surfaces for enhanced cell growth. <i>Biomaterials</i> , 2003 , 24, 4253-64	15.6	36
4	Selective Permeation of Nitric Oxide through Two Dimensional Cross-linked Polysiloxane LB Films. <i>Chemistry Letters</i> , 2002 , 31, 1190-1191	1.7	5
3	Permselective monolayer membrane based on two-dimensional cross-linked polysiloxane LB films for hydrogen peroxide detecting glucose sensors. <i>Chemical Communications</i> , 2002 , 2616-7	5.8	9
2	Effect of pKa of Polymer Microcarriers on Growth of Mouse L Cell. <i>Chemistry Letters</i> , 2000 , 29, 1056-1057	1.7	6
1	Electrochemical Detection of Tryptophan Metabolites via Kynurenine Pathway by Using Nanocarbon Films. <i>Electroanalysis</i> ,	3	1