

Curtis T Thompson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7558165/publications.pdf>

Version: 2024-02-01

26
papers

396
citations

1040056

9
h-index

794594

19
g-index

26
all docs

26
docs citations

26
times ranked

759
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Coronavirus (COVID-19) infection-induced chilblains: A case report with histopathologic findings. <i>JAAD Case Reports</i> , 2020, 6, 489-492. | 0.8 | 215 |
| 2 | Clusters of CD123+ plasmacytoid dendritic cells help distinguish lupus alopecia from lichen planopilaris. <i>Journal of the American Academy of Dermatology</i> , 2016, 74, 1267-1269. | 1.2 | 20 |
| 3 | Distinguishing diffuse alopecia areata (AA) from pattern hair loss (PHL) using CD3+ T cells. <i>Journal of the American Academy of Dermatology</i> , 2016, 74, 937-944. | 1.2 | 18 |
| 4 | Identification of titanium dioxide on the hair shaft of patients with and without frontal fibrosing alopecia: a pilot study of 20 patients. <i>British Journal of Dermatology</i> , 2019, 181, 216-217. | 1.5 | 17 |
| 5 | Absence of catagen/telogen phase and loss of cytokeratin 15 expression in hair follicles in lichen planopilaris. <i>Journal of the American Academy of Dermatology</i> , 2014, 71, 969-972. | 1.2 | 16 |
| 6 | A clinicopathological description of COVID-19-induced chilblains (COVID-toes) correlated with a published literature review. <i>Journal of Cutaneous Pathology</i> , 2022, 49, 17-28. | 1.3 | 16 |
| 7 | Primary scalp alopecia: new histopathological tools, new concepts and a practical guide to diagnosis. <i>Journal of Cutaneous Pathology</i> , 2017, 44, 53-69. | 1.3 | 15 |
| 8 | Macular arteritis associated with concurrent HIV and hepatitis B infections: a case report and evidence for a disease spectrum association with cutaneous polyarteritis nodosa. <i>Journal of Cutaneous Pathology</i> , 2015, 42, 416-419. | 1.3 | 13 |
| 9 | How to Submit a Nail Specimen. <i>Dermatologic Clinics</i> , 2015, 33, 303-307. | 1.7 | 11 |
| 10 | Clinicopathologic and immunophenotypic characterization of lichen planopilaris and central centrifugal cicatricial alopecia: A comparative study of 51 cases. <i>Journal of Cutaneous Pathology</i> , 2020, 47, 128-134. | 1.3 | 10 |
| 11 | The depth of follicular extension in actinic keratosis correlates with the depth of invasion in squamous cell carcinoma: implication for clinical treatment. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, 1657-1661. | 2.4 | 9 |
| 12 | Immunohistochemical characterization of benign activation of junctional melanocytes and melanoma in situ of the nail unit. <i>Journal of Cutaneous Pathology</i> , 2019, 46, 479-483. | 1.3 | 9 |
| 13 | Loss of cytokeratin-15 (CK15) expression is not specific for lichen planopilaris (LPP). <i>Journal of the American Academy of Dermatology</i> , 2016, 75, 428-429. | 1.2 | 8 |
| 14 | Pseudoangiomatous xanthelasmoid mastocytosis: two case reports showing the hypervascularity of this rare variant of cutaneous mastocytosis. <i>Journal of Cutaneous Pathology</i> , 2016, 43, 388-393. | 1.3 | 4 |
| 15 | Histologic Patterns and Clues to Autoinflammatory Diseases in Children: What a Cutaneous Biopsy Can Tell Us. <i>Dermatopathology (Basel, Switzerland)</i> , 2021, 8, 202-220. | 1.5 | 4 |
| 16 | Alopecia areata-like pattern: A new unifying concept. <i>Journal of Cutaneous Pathology</i> , 2021, 48, 351-355. | 1.3 | 3 |
| 17 | Epidermal thickness is useful in distinguishing lichen planopilaris from neutrophil-poor/lymphocyte-predominant folliculitis decalvans. <i>Journal of Cutaneous Pathology</i> , 2021, 48, 816-818. | 1.3 | 3 |
| 18 | A method for more precise sampling of the scalp and eyebrows in frontal fibrosing alopecia. <i>Journal of the American Academy of Dermatology</i> , 2019, 80, e155-e156. | 1.2 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Cutaneous lymphocytic thrombophilic (macular) arteritis. Clinics in Dermatology, 2021, 39, 278-282. | 1.6 | 2 |
| 20 | Three-dimensional imaging of a peripilar cast and compound follicle in frontal fibrosing alopecia. JAAD Case Reports, 2022, 23, 46-48. | 0.8 | 1 |
| 21 | Porokeratosis Causing Change in Melanocytic Nevi. Journal of Cutaneous Pathology, 2005, 32, 118-118. | 1.3 | 0 |
| 22 | Scalp Histology in RAPPâ€Hodgkin Syndrome. Journal of Cutaneous Pathology, 2005, 32, 118-119. | 1.3 | 0 |
| 23 | Subungual debris cytopathology increases sensitivity of fungus detection in onychomycosis. Journal of the American Academy of Dermatology, 2016, 75, 222-224. | 1.2 | 0 |
| 24 | Reply to: â€œLack of specificity of cytokeratin-15 loss in scarring alopeciasâ€ Journal of the American Academy of Dermatology, 2017, 76, e137-e138. | 1.2 | 0 |
| 25 | Reply to: â€œPlasmacytoid dendritic cell content, clustering, and distribution pattern are useful parameters in differentiating lupus alopecia from lichen planopilarisâ€ Journal of the American Academy of Dermatology, 2017, 76, e65. | 1.2 | 0 |
| 26 | Hair analysis in the diagnosis of argyria. International Journal of Dermatology, 0, , . | 1.0 | 0 |