

Curtis T Thompson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7558165/publications.pdf>

Version: 2024-02-01

26
papers

396
citations

1040056

9
h-index

794594

19
g-index

26
all docs

26
docs citations

26
times ranked

759
citing authors

#	ARTICLE	IF	CITATIONS
1	A clinicopathological description of COVID-19-induced chilblains (COVID-toes) correlated with a published literature review. <i>Journal of Cutaneous Pathology</i> , 2022, 49, 17-28.	1.3	16
2	Three-dimensional imaging of a peripilar cast and compound follicle in frontal fibrosing alopecia. <i>JAAD Case Reports</i> , 2022, 23, 46-48.	0.8	1
3	Alopecia areata-like pattern: A new unifying concept. <i>Journal of Cutaneous Pathology</i> , 2021, 48, 351-355.	1.3	3
4	Cutaneous lymphocytic thrombophilic (macular) arteritis. <i>Clinics in Dermatology</i> , 2021, 39, 278-282.	1.6	2
5	Epidermal thickness is useful in distinguishing lichen planopilaris from neutrophil-poor/lymphocyte-predominant folliculitis decalvans. <i>Journal of Cutaneous Pathology</i> , 2021, 48, 816-818.	1.3	3
6	Histologic Patterns and Clues to Autoinflammatory Diseases in Children: What a Cutaneous Biopsy Can Tell Us. <i>Dermatopathology (Basel, Switzerland)</i> , 2021, 8, 202-220.	1.5	4
7	Clinicopathologic and immunophenotypic characterization of lichen planopilaris and central centrifugal cicatricial alopecia: A comparative study of 51 cases. <i>Journal of Cutaneous Pathology</i> , 2020, 47, 128-134.	1.3	10
8	Coronavirus (COVID-19) infection-induced chilblains: A case report with histopathologic findings. <i>JAAD Case Reports</i> , 2020, 6, 489-492.	0.8	215
9	Identification of titanium dioxide on the hair shaft of patients with and without frontal fibrosing alopecia: a pilot study of 20 patients. <i>British Journal of Dermatology</i> , 2019, 181, 216-217.	1.5	17
10	A method for more precise sampling of the scalp and eyebrows in frontal fibrosing alopecia. <i>Journal of the American Academy of Dermatology</i> , 2019, 80, e155-e156.	1.2	2
11	Immunohistochemical characterization of benign activation of junctional melanocytes and melanoma in situ of the nail unit. <i>Journal of Cutaneous Pathology</i> , 2019, 46, 479-483.	1.3	9
12	The depth of follicular extension in actinic keratosis correlates with the depth of invasion in squamous cell carcinoma: implication for clinical treatment. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, 1657-1661.	2.4	9
13	Reply to: "Lack of specificity of cytokeratin-15 loss in scarring alopecias". <i>Journal of the American Academy of Dermatology</i> , 2017, 76, e137-e138.	1.2	0
14	Reply to: "Plasmacytoid dendritic cell content, clustering, and distribution pattern are useful parameters in differentiating lupus alopecia from lichen planopilaris". <i>Journal of the American Academy of Dermatology</i> , 2017, 76, e65.	1.2	0
15	Primary scalp alopecia: new histopathological tools, new concepts and a practical guide to diagnosis. <i>Journal of Cutaneous Pathology</i> , 2017, 44, 53-69.	1.3	15
16	Pseudoangiomatous xanthelasmoid mastocytosis: two case reports showing the hypervascularity of this rare variant of cutaneous mastocytosis. <i>Journal of Cutaneous Pathology</i> , 2016, 43, 388-393.	1.3	4
17	Clusters of CD123+ plasmacytoid dendritic cells help distinguish lupus alopecia from lichen planopilaris. <i>Journal of the American Academy of Dermatology</i> , 2016, 74, 1267-1269.	1.2	20
18	Loss of cytokeratin-15 (CK15) expression is not specific for lichen planopilaris (LPP). <i>Journal of the American Academy of Dermatology</i> , 2016, 75, 428-429.	1.2	8

#	ARTICLE	IF	CITATIONS
19	Subungual debris cytopathology increases sensitivity of fungus detection in onychomycosis. Journal of the American Academy of Dermatology, 2016, 75, 222-224.	1.2	0
20	Distinguishing diffuse alopecia areata (AA) from pattern hair loss (PHL) using CD3+ TÂcells. Journal of the American Academy of Dermatology, 2016, 74, 937-944.	1.2	18
21	Macular arteritis associated with concurrent <scp>HIV</scp> and hepatitis B infections: a case report and evidence for a disease spectrum association with cutaneous polyarteritis nodosa. Journal of Cutaneous Pathology, 2015, 42, 416-419.	1.3	13
22	How to Submit a Nail Specimen. Dermatologic Clinics, 2015, 33, 303-307.	1.7	11
23	Absence of catagen/telogen phase and loss of cytokeratin 15 expression in hair follicles in lichen planopilaris. Journal of the American Academy of Dermatology, 2014, 71, 969-972.	1.2	16
24	Porokeratosis Causing Change in Melanocytic Nevi. Journal of Cutaneous Pathology, 2005, 32, 118-118.	1.3	0
25	Scalp Histology in RAPPâ€Hodgkin Syndrome. Journal of Cutaneous Pathology, 2005, 32, 118-119.	1.3	0
26	Hair analysis in the diagnosis of argyria. International Journal of Dermatology, 0, , .	1.0	0