

Yves RouillÃ©

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7558464/publications.pdf>

Version: 2024-02-01

97
papers

5,740
citations

125106

35
h-index

90395

73
g-index

103
all docs

103
docs citations

103
times ranked

6794
citing authors

#	ARTICLE	IF	CITATIONS
1	A Photoactivable Natural Product with Broad Antiviral Activity against Enveloped Viruses, Including Highly Pathogenic Coronaviruses. <i>Antimicrobial Agents and Chemotherapy</i> , 2022, 66, AAC0158121.	1.4	16
2	Processing and Subcellular Localization of the Hepatitis E Virus Replicase: Identification of Candidate Viral Factories. <i>Frontiers in Microbiology</i> , 2022, 13, 828636.	1.5	16
3	Clofoctol inhibits SARS-CoV-2 replication and reduces lung pathology in mice. <i>PLoS Pathogens</i> , 2022, 18, e1010498.	2.1	8
4	Ultrastructural modifications induced by SARS-CoV-2 in Vero cells: a kinetic analysis of viral factory formation, viral particle morphogenesis and virion release. <i>Cellular and Molecular Life Sciences</i> , 2021, 78, 3565-3576.	2.4	55
5	Comparative Analysis of Hepatitis C Virus NS5A Dynamics and Localization in Assembly-Deficient Mutants. <i>Pathogens</i> , 2021, 10, 172.	1.2	2
6	Secretory Vesicles Are the Principal Means of SARS-CoV-2 Egress. <i>Cells</i> , 2021, 10, 2047.	1.8	37
7	Anti-HCV Tannins From Plants Traditionally Used in West Africa and Extracted With Green Solvents. <i>Frontiers in Pharmacology</i> , 2021, 12, 789688.	1.6	2
8	The C-terminal domain of the MERS coronavirus M protein contains a trans-Golgi network localization signal. <i>Journal of Biological Chemistry</i> , 2019, 294, 14406-14421.	1.6	100
9	Dehydrojuncusol, a Natural Phenanthrene Compound Extracted from <i>Juncus maritimus</i> , Is a New Inhibitor of Hepatitis C Virus RNA Replication. <i>Journal of Virology</i> , 2019, 93, .	1.5	24
10	QuantIF: An ImageJ Macro to Automatically Determine the Percentage of Infected Cells after Immunofluorescence. <i>Viruses</i> , 2019, 11, 165.	1.5	33
11	Functional and Physical Interaction between the Arf Activator GBF1 and Hepatitis C Virus NS3 Protein. <i>Journal of Virology</i> , 2019, 93, .	1.5	16
12	Identification of Piperazinylbenzenesulfonamides as New Inhibitors of Claudin-1 Trafficking and Hepatitis C Virus Entry. <i>Journal of Virology</i> , 2018, 92, .	1.5	12
13	Natural Products and Hepatitis C Virus. <i>Sustainable Development and Biodiversity</i> , 2018, , 289-327.	1.4	4
14	Identification of GBF1 as a cellular factor required for hepatitis E virus RNA replication. <i>Cellular Microbiology</i> , 2018, 20, e12804.	1.1	28
15	Theaflavins, polyphenols of black tea, inhibit entry of hepatitis C virus in cell culture. <i>PLoS ONE</i> , 2018, 13, e0198226.	1.1	63
16	Investigation of the role of GBF1 in the replication of positive-sense single-stranded RNA viruses. <i>Journal of General Virology</i> , 2018, 99, 1086-1096.	1.3	18
17	Endospanin-2 enhances skeletal muscle energy metabolism and running endurance capacity. <i>JCI Insight</i> , 2018, 3, .	2.3	4
18	Endospanin1 affects oppositely body weight regulation and glucose homeostasis by differentially regulating central leptin signaling. <i>Molecular Metabolism</i> , 2017, 6, 159-172.	3.0	11

#	ARTICLE	IF	CITATIONS
19	Identification of Novel Functions for Hepatitis C Virus Envelope Glycoprotein E1 in Virus Entry and Assembly. <i>Journal of Virology</i> , 2017, 91, .	1.5	29
20	Novel replicons and trans -encapsidation systems for Hepatitis C Virus proteins live imaging and virus-host interaction proteomics. <i>Journal of Virological Methods</i> , 2017, 246, 42-50.	1.0	1
21	An ecological approach to discover new bioactive extracts and products: the case of extremophile plants. <i>Journal of Pharmacy and Pharmacology</i> , 2017, 69, 1041-1055.	1.2	14
22	Entry and Release of Hepatitis C Virus in Polarized Human Hepatocytes. <i>Journal of Virology</i> , 2017, 91, .	1.5	18
23	Identification of a New Benzimidazole Derivative as an Antiviral against Hepatitis C Virus. <i>Journal of Virology</i> , 2016, 90, 8422-8434.	1.5	33
24	Recent advances in human viruses imaging studies. <i>Journal of Basic Microbiology</i> , 2016, 56, 591-607.	1.8	5
25	Identification of class II ADP-ribosylation factors as cellular factors required for hepatitis C virus replication. <i>Cellular Microbiology</i> , 2016, 18, 1121-1133.	1.1	28
26	Khaya grandifoliola C.DC: a potential source of active ingredients against hepatitis C virus in vitro. <i>Archives of Virology</i> , 2016, 161, 1169-1181.	0.9	14
27	Hexim1, a Novel Regulator of Leptin Function, Modulates Obesity and Glucose Disposal. <i>Molecular Endocrinology</i> , 2016, 30, 314-324.	3.7	7
28	Morphology and Molecular Composition of Purified Bovine Viral Diarrhea Virus Envelope. <i>PLoS Pathogens</i> , 2016, 12, e1005476.	2.1	50
29	Plant extracts from Cameroonian medicinal plants strongly inhibit hepatitis C virus infection in vitro. <i>Frontiers in Microbiology</i> , 2015, 6, 488.	1.5	22
30	New Insights into the Understanding of Hepatitis C Virus Entry and Cell-to-Cell Transmission by Using the Ionophore Monensin A. <i>Journal of Virology</i> , 2015, 89, 8346-8364.	1.5	18
31	Polyphenols Inhibit Hepatitis C Virus Entry by a New Mechanism of Action. <i>Journal of Virology</i> , 2015, 89, 10053-10063.	1.5	116
32	Regulation of core expression during the hepatitis C virus life cycle. <i>Journal of General Virology</i> , 2015, 96, 311-321.	1.3	13
33	FTO contributes to hepatic metabolism regulation through regulation of leptin action and STAT3 signalling in liver. <i>Cell Communication and Signaling</i> , 2014, 12, 4.	2.7	47
34	Potent antiviral activity of <i>Solanum rantonnetii</i> and the isolated compounds against hepatitis C virus in vitro. <i>Journal of Functional Foods</i> , 2014, 11, 185-191.	1.6	9
35	Structure-activity studies of (âˆ™)-epigallocatechin gallate derivatives as HCV entry inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2014, 24, 4162-4165.	1.0	16
36	Hepatitis C Virus Life Cycle and Lipid Metabolism. <i>Biology</i> , 2014, 3, 892-921.	1.3	83

#	ARTICLE	IF	CITATIONS
37	Hepatitis C Virus Capsid Protein and Intracellular Lipids Interplay and its Association With Hepatic Steatosis. <i>Hepatitis Monthly</i> , 2014, 14, e17812.	0.1	6
38	Hepatitis C Virus Replication and Golgi Function in Brefeldin A-Resistant Hepatoma-Derived Cells. <i>PLoS ONE</i> , 2013, 8, e74491.	1.1	9
39	Hepatitis C Virus and Natural Compounds: A New Antiviral Approach?. <i>Viruses</i> , 2012, 4, 2197-2217.	1.5	118
40	Role of low-density lipoprotein receptor in the hepatitis C virus life cycle. <i>Hepatology</i> , 2012, 55, 998-1007.	3.6	140
41	(âˆ™)-Epigallocatechin-3-gallate is a new inhibitor of hepatitis C virus entry. <i>Hepatology</i> , 2012, 55, 720-729.	3.6	221
42	HCV replication and assembly: a play in one act. <i>Future Virology</i> , 2011, 6, 985-995.	0.9	3
43	Hepatocyte-derived cultured cells with unusual cytoplasmic keratin-rich spheroid bodies. <i>Experimental Cell Research</i> , 2011, 317, 2683-2694.	1.2	1
44	Endospanins Regulate a Postinternalization Step of the Leptin Receptor Endocytic Pathway. <i>Journal of Biological Chemistry</i> , 2011, 286, 17968-17981.	1.6	39
45	Hepatitis C Virus Assembly Imaging. <i>Viruses</i> , 2011, 3, 2238-2254.	1.5	20
46	NS2 Protein of Hepatitis C Virus Interacts with Structural and Non-Structural Proteins towards Virus Assembly. <i>PLoS Pathogens</i> , 2011, 7, e1001278.	2.1	142
47	Identification of a dominant endoplasmic reticulum-retention signal in yellow fever virus pre-membrane protein. <i>Journal of General Virology</i> , 2010, 91, 404-414.	1.3	13
48	Identification of Basic Amino Acids at the N-Terminal End of the Core Protein That Are Crucial for Hepatitis C Virus Infectivity. <i>Journal of Virology</i> , 2010, 84, 12515-12528.	1.5	31
49	Identification of GBF1 as a Cellular Factor Required for Hepatitis C Virus RNA Replication. <i>Journal of Virology</i> , 2010, 84, 773-787.	1.5	121
50	LEPROT and LEPROTL1 cooperatively decrease hepatic growth hormone action in mice. <i>Journal of Clinical Investigation</i> , 2009, 119, 3830-3838.	3.9	47
51	Silencing of OB-RGRP in mouse hypothalamic arcuate nucleus increases leptin receptor signaling and prevents diet-induced obesity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 19476-19481.	3.3	92
52	Robust production of infectious viral particles in Huh-7 cells by introducing mutations in hepatitis C virus structural proteins. <i>Journal of General Virology</i> , 2007, 88, 2495-2503.	1.3	133
53	Ubiquitylation of leptin receptor OB-Ra regulates its clathrin-mediated endocytosis. <i>EMBO Journal</i> , 2006, 25, 932-942.	3.5	59
54	Subcellular Localization of Hepatitis C Virus Structural Proteins in a Cell Culture System That Efficiently Replicates the Virus. <i>Journal of Virology</i> , 2006, 80, 2832-2841.	1.5	178

#	ARTICLE	IF	CITATIONS
55	Hepatitis C Virus Entry Depends on Clathrin-Mediated Endocytosis. <i>Journal of Virology</i> , 2006, 80, 6964-6972.	1.5	480
56	Significance of Prohormone Convertase 2, PC2, Mediated Initial Cleavage at the Proglucagon Interdomain Site, Lys70-Arg71, to Generate Glucagon. <i>Endocrinology</i> , 2005, 146, 713-727.	1.4	37
57	Interactions Between Virus Proteins and Host Cell Membranes During the Viral Life Cycle. <i>International Review of Cytology</i> , 2005, 245, 171-244.	6.2	50
58	Bovine Viral Diarrhea Virus Entry Is Dependent on Clathrin-Mediated Endocytosis. <i>Journal of Virology</i> , 2005, 79, 10826-10829.	1.5	72
59	Low Levels of Expression of Leptin Receptor at the Cell Surface Result from Constitutive Endocytosis and Intracellular Retention in the Biosynthetic Pathway. <i>Journal of Biological Chemistry</i> , 2004, 279, 28499-28508.	1.6	74
60	The Transmembrane Domains of the prM and E Proteins of Yellow Fever Virus Are Endoplasmic Reticulum Localization Signals. <i>Journal of Virology</i> , 2004, 78, 12591-12602.	1.5	35
61	Visualization of TGN to Endosome Trafficking through Fluorescently Labeled MPR and AP-1 in Living Cells. <i>Molecular Biology of the Cell</i> , 2003, 14, 142-155.	0.9	171
62	Yeast Vps55p, a Functional Homolog of Human Obesity Receptor Gene-related Protein, Is Involved in Late Endosome to Vacuole Trafficking. <i>Molecular Biology of the Cell</i> , 2002, 13, 1694-1708.	0.9	40
63	Dynamic Processing of Neuropeptides. <i>Journal of Molecular Neuroscience</i> , 2002, 18, 223-228.	1.1	50
64	Targeting of lysosomal proteins. <i>Seminars in Cell and Developmental Biology</i> , 2000, 11, 165-171.	2.3	37
65	Unique evolution of neurohypophysial hormones in cartilaginous fishes: Possible implications for urea-based osmoregulation. , 1999, 284, 475-484.		31
66	Role of the Prohormone Convertase PC3 in the Processing of Proglucagon to Glucagon-like Peptide 1. <i>Journal of Biological Chemistry</i> , 1997, 272, 32810-32816.	1.6	88
67	Defective prohormone processing and altered pancreatic islet morphology in mice lacking active SPC2. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997, 94, 6646-6651.	3.3	404
68	Role of the prohormone convertase PC2 in the processing of proglucagon to glucagon. <i>FEBS Letters</i> , 1997, 413, 119-123.	1.3	61
69	Title is missing!. <i>Fish Physiology and Biochemistry</i> , 1997, 17, 325-332.	0.9	13
70	Adaptive evolution of water homeostasis regulation in amphibians: Vasotocin and hydrins. , 1997, 89, 283.		10
71	Internal cleavage of the inhibitory 7B2 carboxyl-terminal peptide by PC2: a potential mechanism for its inactivation.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996, 93, 4919-4924.	3.3	87
72	Hyperproinsulinaemia in obese fat/fat mice associated with a carboxypeptidase E mutation which reduces enzyme activity. <i>Nature Genetics</i> , 1995, 10, 135-142.	9.4	662

#	ARTICLE	IF	CITATIONS
73	Distinct hydro-osmotic receptors for the neurohypophysial peptides vasotocin and hydrins in the frog <i>Rana esculenta</i> . <i>Neuropeptides</i> , 1995, 29, 301-307.	0.9	8
74	Proteolytic Processing Mechanisms in the Biosynthesis of Neuroendocrine Peptides: The Subtilisin-like Proprotein Convertases. <i>Frontiers in Neuroendocrinology</i> , 1995, 16, 322-361.	2.5	334
75	Differential Processing of Proglucagon by the Subtilisin-like Prohormone Convertases PC2 and PC3 to Generate either Glucagon or Glucagon-like Peptide. <i>Journal of Biological Chemistry</i> , 1995, 270, 26488-26496.	1.6	193
76	Proglucagon is processed to glucagon by prohormone convertase PC2 in alpha TC1-6 cells.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1994, 91, 3242-3246.	3.3	212
77	Action of neurohypophysial granule Lys-Arg endopeptidase on synthetic polypeptides comprising the processing sequence of provasopressin-neurophysin. <i>Bioscience Reports</i> , 1994, 14, 171-178.	1.1	2
78	Special evolution of neurohypophysial hormones in cartilaginous fishes: asvatocin and phasvatocin, two oxytocin-like peptides isolated from the spotted dogfish (<i>Scyliorhinus caniculus</i>).. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1994, 91, 11266-11270.	3.3	21
79	Evidence for distinct dibasic processing endopeptidases with Lys-Arg and Arg-Arg specificities in neurohypophysial secretory granules. <i>Biochemical and Biophysical Research Communications</i> , 1992, 183, 128-137.	1.0	11
80	Processing endopeptidase deficiency in neurohypophysial secretory granules of the diabetes insipidus (Brattleboro) rat. <i>Bioscience Reports</i> , 1992, 12, 445-451.	1.1	4
81	A neurosecretory granule Lys-Arg Ca ²⁺ -dependent endopeptidase putatively involved in prooxytocin and provasopressin processing. <i>Neuropeptides</i> , 1992, 22, 223-228.	0.9	7
82	The differential posttranslational processing of prohormones: The vasotocin/hydrin-neurophysin model. <i>The Protein Journal</i> , 1992, 11, 385-386.	1.1	0
83	Neurohypophysial hormones as molecular evolutionary tracers: investigations on the sturgeons <i>Acipenser stellatus</i> and <i>Acipenser guldenstadti</i> . <i>Comparative Biochemistry and Physiology Part B: Comparative Biochemistry</i> , 1991, 100, 721-726.	0.2	2
84	Heterologue Conversion of Amphibian Hydrin 2 into Vasotocin Through Bovine Granule Alpha-Amidating Enzyme. <i>Journal of Neuroendocrinology</i> , 1991, 3, 15-20.	1.2	9
85	Study of frog (<i>Rana esculenta</i>) proopiomelanocortin processing in the intermediate pituitary Identification of $\hat{1}$ -melanotropin, $\hat{2}$ -melanotropin, Lys ¹³ -melanotropin, and corticotropin-like intermediate lobe peptide. <i>International Journal of Peptide and Protein Research</i> , 1991, 37, 236-240.		3
86	Occurrence of Hydrin 2 (Vasotocinyl-GLY), a New Hydroosmotic Neurohypophysial Peptide, in Secretory Granules Isolated from the Frog (<i>Rana esculenta</i>) Neurointermediate Pituitary. <i>Neuroendocrinology</i> , 1990, 51, 233-236.	1.2	16
87	Identification of two types of neurophysins in <i>Xenopus laevis</i> neurointermediate pituitary homologous to mammalian MSEL- and VLDV-neurophysins. <i>Neuropeptides</i> , 1990, 15, 123-127.	0.9	3
88	Evolutionary specificity of hydrins, new hydroosmotic neuropeptides: occurrence of hydrin 2 (vasotocinyl-Gly) in the toad <i>Bufo marinus</i> but not in the viper <i>Vipera aspis</i> . <i>FEBS Letters</i> , 1990, 264, 135-137.	1.3	16
89	Isolation of neurosecretory granules containing vasotocin, mesotocin, MSEL- and VLDV-neurophysins from goose neurohypophysial. <i>Neuropeptides</i> , 1989, 13, 187-190.	0.9	12
90	Particular processing of pro-opiomelanocortin in <i>Xenopus laevis</i> intermediate pituitary Sequencing of $\hat{1}$ - and $\hat{2}$ -melanocyte-stimulating hormones. <i>FEBS Letters</i> , 1989, 245, 215-218.	1.3	13

#	ARTICLE	IF	CITATIONS
91	Hydrins, hydroosmotic neurohypophysial peptides: osmoregulatory adaptation in amphibians through vasotocin precursor processing.. Proceedings of the National Academy of Sciences of the United States of America, 1989, 86, 5272-5275.	3.3	43
92	The distribution of lysine vasopressin (Lysipressin) in placental mammals: A reinvestigation of the hippopotamidae (Hippopotamus amphibius) and tayassuidae (Tayassu angulatus) families. General and Comparative Endocrinology, 1988, 71, 475-483.	0.8	6
93	Dual duplication of neurohypophysial hormones in an Australian marsupial: Mesotocin, oxytocin, lysine vasopressin and arginine vasopressin in a single gland of the Northern bandicoot (Isoodon) Tj ETQq1 1 0.784R04 rgBT 40verloc	1.3	9
94	Neurohypophysial hormones of the 1-month-old bovine fetus: Absence of vasotocin during mammal development. FEBS Letters, 1988, 234, 345-348.	1.3	0
95	Isolation of neurosecretory granules containing vasopressin and MSEL-neurophysin from guinea pig neurointermediate pituitary. Neuropeptides, 1988, 11, 33-37.	0.9	9
96	Guinea pig neurohypophysial hormones. FEBS Letters, 1987, 210, 40-44.	1.3	9
97	Evolution of marsupials traced by their neurohypophyseal hormones: Microidentification of mesotocin and arginine vasopressin in two Australian families, Dasyuridae and Phascolarctidae. General and Comparative Endocrinology, 1987, 67, 399-408.	0.8	11