

Erik Johnsen

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7560190/erik-johnsen-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

72
papers

1,599
citations

22
h-index

39
g-index

74
ext. papers

2,064
ext. citations

4.2
avg, IF

5.16
L-index

#	Paper	IF	Citations
72	Stratified medicine for mental disorders. <i>European Neuropsychopharmacology</i> , 2014 , 24, 5-50	1.2	121
71	S2. CHILDHOOD TRAUMA SUBTYPES IN RELATION TO COGNITIVE FUNCTIONING IN SCHIZOPHRENIA SPECTRUM DISORDERS. <i>Schizophrenia Bulletin</i> , 2019 , 45, S306-S306	1.3	78
70	F108. PSYCHOTIC EXPERIENCES IN A NORWEGIAN SAMPLE - TENTATIVE RESULTS OF A QUESTIONNAIRE VALIDATION. <i>Schizophrenia Bulletin</i> , 2018 , 44, S261-S262	1.3	78
69	T16. SCHIZOPHRENIA SPECTRUM DISORDER: DEPRESSION TRAJECTORIES AND IMMUNE MARKERS. <i>Schizophrenia Bulletin</i> , 2020 , 46, S237-S237	1.3	78
68	T206. ANTIPSYCHOTIC EFFECTIVENESS FOCUSING ON INSIGHT. <i>Schizophrenia Bulletin</i> , 2020 , 46, S310-S311	1.3	78
67	M41. TRAJECTORIES AND PREDICTORS OF OUTCOME IN SCHIZOPHRENIA: THE BENEFICIAL ROLE OF AMISULPRIDE. <i>Schizophrenia Bulletin</i> , 2020 , 46, S149-S150	1.3	78
66	M140. WHAT HAPPENS IN THE BRAIN A FEW SECONDS BEFORE THE ONSET AND OFFSET OF AN HALLUCINATORY EPISODE?. <i>Schizophrenia Bulletin</i> , 2020 , 46, S188-S189	1.3	78
65	M146. NEUROCHEMICAL MODULATION OF AUDITORY CORTEX FUNCTIONAL CONNECTIVITY IN PATIENTS WITH AUDITORY VERBAL HALLUCINATIONS. <i>Schizophrenia Bulletin</i> , 2020 , 46, S191-S191	1.3	78
64	S57. TREATMENT SATISFACTION IN ACUTE PHASE PSYCHOSIS: COMPARISON BETWEEN ANTIPSYCHOTIC NAÏVE AND PREVIOUSLY MEDICATED PATIENTS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S346-S346	1.3	78
63	S87. THE INITIAL CHANGE IN THE SERUM LEVEL OF C-REACTIVE PROTEIN IN ACUTE PSYCHOSIS IS ASSOCIATED WITH COGNITIVE PERFORMANCE IN LATER PHASES. <i>Schizophrenia Bulletin</i> , 2018 , 44, S358-S359	1.3	78
62	S3. CHILDHOOD TRAUMA AND COGNITIVE FUNCTIONING IN SCHIZOPHRENIA SPECTRUM DISORDERS: EFFECT OF FREQUENCY AND TYPE OF CHILDHOOD TRAUMA. <i>Schizophrenia Bulletin</i> , 2018 , 44, S324-S325	1.3	78
61	Effectiveness of second generation antipsychotics: a systematic review of randomized trials. <i>BMC Psychiatry</i> , 2008 , 8, 31	4.2	57
60	Effectiveness of second-generation antipsychotics: a naturalistic, randomized comparison of olanzapine, quetiapine, risperidone, and ziprasidone. <i>BMC Psychiatry</i> , 2010 , 10, 26	4.2	50
59	Glutamate as a mediating transmitter for auditory hallucinations in schizophrenia: a (1)H MRS study. <i>Schizophrenia Research</i> , 2015 , 161, 252-60	3.6	45
58	The serum level of C-reactive protein (CRP) is associated with cognitive performance in acute phase psychosis. <i>BMC Psychiatry</i> , 2016 , 16, 60	4.2	43
57	Impact of glutamate levels on neuronal response and cognitive abilities in schizophrenia. <i>NeuroImage: Clinical</i> , 2014 , 4, 576-84	5.3	40
56	Constructing the Immune Signature of Schizophrenia for Clinical Use and Research; An Integrative Review Translating Descriptives Into Diagnostics. <i>Frontiers in Psychiatry</i> , 2018 , 9, 753	5	36

55	Antipsychotic-induced hyperprolactinemia: a cross-sectional survey. <i>Journal of Clinical Psychopharmacology</i> , 2008 , 28, 686-90	1.7	34
54	Cannabis use is associated with 3years earlier onset of schizophrenia spectrum disorder in a naturalistic, multi-site sample (N=1119). <i>Schizophrenia Research</i> , 2016 , 170, 217-21	3.6	29
53	Efficacy of different types of cognitive enhancers for patients with schizophrenia: a meta-analysis. <i>NPJ Schizophrenia</i> , 2018 , 4, 22	5.5	27
52	A critical review of pro-cognitive drug targets in psychosis: convergence on myelination and inflammation. <i>Frontiers in Psychiatry</i> , 2014 , 5, 11	5	26
51	The Cannabis Pathway to Non-Affective Psychosis may Reflect Less Neurobiological Vulnerability. <i>Frontiers in Psychiatry</i> , 2014 , 5, 159	5	26
50	Patient satisfaction after acute admission for psychosis. <i>Nordic Journal of Psychiatry</i> , 2016 , 70, 321-8	2.3	20
49	Trends in utilization and dosing of antipsychotic drugs in Scandinavia: Comparison of 2006 and 2016. <i>British Journal of Clinical Pharmacology</i> , 2019 , 85, 1598-1606	3.8	16
48	Childhood trauma in schizophrenia spectrum disorders as compared to substance abuse disorders. <i>Psychiatry Research</i> , 2018 , 261, 481-487	9.9	16
47	The Course of Neurocognitive Changes in Acute Psychosis: Relation to Symptomatic Improvement. <i>PLoS ONE</i> , 2016 , 11, e0167390	3.7	16
46	Amisulpride, aripiprazole, and olanzapine in patients with schizophrenia-spectrum disorders (BeSt InTro): a pragmatic, rater-blind, semi-randomised trial. <i>Lancet Psychiatry</i> , 2020 , 7, 945-954	23.3	15
45	Time to discontinuation of antipsychotic drugs in a schizophrenia cohort: influence of current treatment strategies. <i>Therapeutic Advances in Psychopharmacology</i> , 2014 , 4, 228-39	4.9	14
44	Intra-Regional Glu-GABA vs Inter-Regional Glu-Glu Imbalance: A 1H-MRS Study of the Neurochemistry of Auditory Verbal Hallucinations in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2020 , 46, 633-642	1.3	14
43	Borderline Personality Disorder and Posttraumatic Stress Disorder at Psychiatric Discharge Predict General Hospital Admission for Self-Harm. <i>Journal of Traumatic Stress</i> , 2015 , 28, 556-62	3.8	12
42	Brain Age Prediction Reveals Aberrant Brain White Matter in Schizophrenia and Bipolar Disorder: A Multisample Diffusion Tensor Imaging Study. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2020 , 5, 1095-1103	3.4	12
41	The Beliefs about Voices Questionnaire - Revised: A factor structure from 450 participants. <i>Psychiatry Research</i> , 2018 , 259, 95-103	9.9	11
40	Associations between C-reactive protein levels and cognition during the first 6 months after acute psychosis. <i>Acta Neuropsychiatrica</i> , 2019 , 31, 36-45	3.9	11
39	Dynamic Functional Connectivity Patterns in Schizophrenia and the Relationship With Hallucinations. <i>Frontiers in Psychiatry</i> , 2020 , 11, 227	5	10
38	Increased circulating IL-18 levels in severe mental disorders indicate systemic inflammasome activation. <i>Brain, Behavior, and Immunity</i> , 2022 , 99, 299-306	16.6	9

37	Sexual dysfunction and hyperprolactinemia in male psychotic inpatients: a cross-sectional study. <i>Advances in Urology</i> , 2011 , 2011, 686924	1.6	8
36	Hallucinations in acutely admitted patients with psychosis, and effectiveness of risperidone, olanzapine, quetiapine, and ziprasidone: a pragmatic, randomized study. <i>BMC Psychiatry</i> , 2013 , 13, 241	4.2	7
35	QTc Prolongation in Patients Acutely Admitted to Hospital for Psychosis and Treated with Second Generation Antipsychotics. <i>Schizophrenia Research and Treatment</i> , 2013 , 2013, 375020	0.6	7
34	Neuropsychopharmacology of auditory hallucinations: insights from pharmacological functional MRI and perspectives for future research. <i>Expert Review of Neurotherapeutics</i> , 2013 , 13, 23-36	4.3	7
33	Cardiovascular risk in patients admitted for psychosis compared with findings from a population-based study. <i>Nordic Journal of Psychiatry</i> , 2011 , 65, 192-202	2.3	7
32	Drug treatment developments in schizophrenia and bipolar mania: latest evidence and clinical usefulness. <i>Therapeutic Advances in Chronic Disease</i> , 2012 , 3, 287-300	4.9	7
31	Influence of different second generation antipsychotics on the QTc interval: A pragmatic study. <i>World Journal of Psychiatry</i> , 2016 , 6, 442-448	3	7
30	The influence of substance use on the effectiveness of antipsychotic medication: a prospective, pragmatic study. <i>Nordic Journal of Psychiatry</i> , 2019 , 73, 281-287	2.3	5
29	Cognitive Profile in Ultra High Risk for Psychosis and Schizophrenia: A Comparison Using Coordinated Norms. <i>Frontiers in Psychiatry</i> , 2019 , 10, 695	5	5
28	Cognitive changes in patients with acute phase psychosis--effects of illicit drug use. <i>Psychiatry Research</i> , 2014 , 220, 818-24	9.9	5
27	Sex differences in antipsychotic efficacy and side effects in schizophrenia spectrum disorder: results from the BeSt InTro study. <i>NPJ Schizophrenia</i> , 2021 , 7, 39	5.5	5
26	Mortality and non-use of antipsychotic drugs after acute admission in schizophrenia: A prospective total-cohort study. <i>Schizophrenia Research</i> , 2021 , 235, 29-35	3.6	5
25	Hallucinating schizophrenia patients have longer left arcuate fasciculus fiber tracks: a DTI tractography study. <i>Psychiatry Research - Neuroimaging</i> , 2020 , 302, 111088	2.9	4
24	The influence of glutamatergic antagonism on motor variability, and comparison to findings in schizophrenia patients. <i>Acta Neuropsychiatrica</i> , 2013 , 25, 105-12	3.9	4
23	White Matter Microstructural Differences between Hallucinating and Non-Hallucinating Schizophrenia Spectrum Patients. <i>Diagnostics</i> , 2021 , 11,	3.8	4
22	Different response patterns in hallucinations and delusions to antipsychotic treatment. <i>Nordic Journal of Psychiatry</i> , 2020 , 74, 497-504	2.3	3
21	Supported accommodation for people with schizophrenia. <i>Nordic Journal of Psychiatry</i> , 2019 , 73, 211-218.	3	3
20	Predictors of treatment satisfaction in antipsychotic-naïve and previously medicated patients with acute-phase psychosis. <i>Nordic Journal of Psychiatry</i> , 2019 , 73, 349-356	2.3	2

19	Plasma Levels of the Cytokines B Cell-Activating Factor (BAFF) and A Proliferation-Inducing Ligand (APRIL) in Schizophrenia, Bipolar, and Major Depressive Disorder: A Cross Sectional, Multisite Study. <i>Schizophrenia Bulletin</i> , 2021 ,	1.3	2
18	Negative valence of hallucinatory voices as predictor of cortical glutamatergic metabolite levels in schizophrenia patients. <i>Brain and Behavior</i> , 2021 , e32446	3.4	2
17	Review: second generation antipsychotics are a heterogeneous drug class. <i>Evidence-Based Mental Health</i> , 2009 , 12, 90	11.1	1
16	T134. THE ROLE OF THE DEFAULT MODE NETWORK IN SCHIZOPHRENIA AND AUDITORY VERBAL HALLUCINATIONS [AN INVESTIGATION OF DYNAMIC FMRI RESTING STATE CONNECTIVITY]. <i>Schizophrenia Bulletin</i> , 2020 , 46, S281-S282	1.3	1
15	Brain age prediction reveals aberrant brain white matter in schizophrenia and bipolar disorder: A multi-sample diffusion tensor imaging study		1
14	M47. AKATHISIA AND ATYPICAL ANTIPSYCHOTICS: EXPLORING ASSOCIATIONS TO SUICIDALITY AND AGITATION. <i>Schizophrenia Bulletin</i> , 2020 , 46, S151-S152	1.3	1
13	Mapping psychotic-like experiences: Results from an online survey. <i>Scandinavian Journal of Psychology</i> , 2021 , 62, 237-248	2.2	1
12	Glutamate- and GABA-Modulated Connectivity in Auditory Hallucinations-A Combined Resting State fMRI and MR Spectroscopy Study. <i>Frontiers in Psychiatry</i> , 2021 , 12, 643564	5	1
11	Lower circulating neuron-specific enolase concentrations in adults and adolescents with severe mental illness.. <i>Psychological Medicine</i> , 2021 , 1-10	6.9	1
10	Cognitive change and antipsychotic medications: Results from a pragmatic rater-blind RCT. <i>Schizophrenia Research: Cognition</i> , 2021 , 26, 100204	2.8	1
9	Quality of clinical management of cardiometabolic risk factors in patients with severe mental illness in a specialist mental health care setting.. <i>Nordic Journal of Psychiatry</i> , 2022 , 1-8	2.3	1
8	Review: metabolic side effects of second-generation antipsychotics. <i>Evidence-Based Mental Health</i> , 2011 , 14, 47	11.1	1
7	Elderly patients with no previous psychiatric history: suicidality and other factors relating to psychiatric acute admissions. <i>BJPsych Open</i> , 2020 , 6, e63	5	0
6	The association between cytokines and psychomotor speed in a spectrum of psychotic disorders: A longitudinal study. <i>Brain, Behavior, & Immunity - Health</i> , 2021 , 18, 100392	5.1	0
5	Trajectories of response in schizophrenia-spectrum disorders: A one-year prospective cohort study of antipsychotic effectiveness.. <i>World Journal of Psychiatry</i> , 2022 , 12, 521-532	3	0
4	Association between C-reactive protein levels and antipsychotic treatment during 12-months follow-up period after acute psychosis.. <i>Schizophrenia Research</i> , 2022 , 241, 174-183	3.6	
3	Pragmatic antipsychotics trial-caution in interpretation - AuthorsReply. <i>Lancet Psychiatry</i> , 2021 , 8, 101	23.3	
2	The Influence of Substance Use on Side Effects of Olanzapine, Quetiapine, Risperidone, and Ziprasidone in Psychosis. <i>Substance Use and Misuse</i> , 2021 , 56, 1880-1891	2.2	

- 1 Akathisia and atypical antipsychotics. Relation to suicidality, agitation and depression in a clinical trial.. *Acta Neuropsychiatrica*, **2022**, 1-21

3.9