

Shuichi Matsuda

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7564909/publications.pdf>

Version: 2024-02-01

534
papers

14,005
citations

25034

57
h-index

39675

94
g-index

557
all docs

557
docs citations

557
times ranked

13010
citing authors

#	ARTICLE	IF	CITATIONS
1	<i>In vivo</i> evidence that erythropoietin protects neurons from ischemic damage. Proceedings of the National Academy of Sciences of the United States of America, 1998, 95, 4635-4640.	7.1	904
2	Effect of pore size on bone ingrowth into porous titanium implants fabricated by additive manufacturing: An <i>in vivo</i> experiment. Materials Science and Engineering C, 2016, 59, 690-701.	7.3	629
3	Bone lengthening in rabbits by callus distraction. The role of periosteum and endosteum. Journal of Bone and Joint Surgery: British Volume, 1988, 70-B, 543-549.	3.4	335
4	Neofunction of ACVR1 in fibrodysplasia ossificans progressiva. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, 15438-15443.	7.1	252
5	Postoperative Alignment and ROM Affect Patient Satisfaction After TKA. Clinical Orthopaedics and Related Research, 2013, 471, 127-133.	1.5	250
6	Effect of Indirect Neural Decompression Through Oblique Lateral Interbody Fusion for Degenerative Lumbar Disease. Spine, 2015, 40, E175-E182.	2.0	230
7	Generation of Scaffoldless Hyaline Cartilaginous Tissue from Human iPSCs. Stem Cell Reports, 2015, 4, 404-418.	4.8	224
8	Comprehensive microRNA Analysis Identifies miR-24 and miR-125a-5p as Plasma Biomarkers for Rheumatoid Arthritis. PLoS ONE, 2013, 8, e69118.	2.5	148
9	Anatomic variations should be considered in total knee arthroplasty. Journal of Orthopaedic Science, 2000, 5, 232-237.	1.1	147
10	Quantifying the natural history of biofilm formation <i>in vivo</i> during the establishment of chronic implant-associated <i>Staphylococcus aureus</i> osteomyelitis in mice to identify critical pathogen and host factors. Journal of Orthopaedic Research, 2015, 33, 1311-1319.	2.3	147
11	CXCR4 and VEGF expression in the primary site and the metastatic site of human osteosarcoma: analysis within a group of patients, all of whom developed lung metastasis. Modern Pathology, 2006, 19, 738-745.	5.5	141
12	Reliability of the anteroposterior axis and the posterior condylar axis for determining rotational alignment of the femoral component in total knee arthroplasty**An Abstract of this paper was presented at the 70th Annual Meeting of the Japanese Orthopaedic Association at Sapporo, held in June 1997. Journal of Orthopaedic Science, 1998, 3, 194-198.	1.1	130
13	Asymmetry of mediolateral laxity of the normal knee. Journal of Orthopaedic Science, 2006, 11, 264-266.	1.1	128
14	Acetabular Retroversion in Developmental Dysplasia of the Hip. Journal of Bone and Joint Surgery - Series A, 2010, 92, 895-903.	3.0	127
15	Anatomical analysis of the femoral condyle in normal and osteoarthritic knees. Journal of Orthopaedic Research, 2004, 22, 104-109.	2.3	123
16	Patellofemoral joint after total knee arthroplasty. Journal of Arthroplasty, 1997, 12, 790-797.	3.1	114
17	Posterior tibial slope in the normal and varus knee. The American Journal of Knee Surgery, 1999, 12, 165-8.	0.2	110
18	Periosteal cells are a major source of soft callus in bone fracture. Journal of Bone and Mineral Metabolism, 2013, 31, 390-398.	2.7	109

#	ARTICLE	IF	CITATIONS
19	Kinematic alignment produces near-normal knee motion but increases contact stress after total knee arthroplasty: A case study on a single implant design. <i>Knee</i> , 2015, 22, 206-212.	1.6	106
20	Long-term care insurance and integrated care for the aged in Japan. <i>International Journal of Integrated Care</i> , 2001, 1, e28.	0.2	106
21	Effect of femoral and tibial component position on patellar tracking following total knee arthroplasty: 10-year follow-up of Miller-Galante I knees. <i>The American Journal of Knee Surgery</i> , 2001, 14, 152-6.	0.2	102
22	MicroRNA-451 Downregulates Neutrophil Chemotaxis via p38 MAPK. <i>Arthritis and Rheumatology</i> , 2014, 66, 549-559.	5.6	101
23	The evaluation of post-operative alignment in total knee replacement using a CT-based navigation system. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2008, 90-B, 1025-1031.	3.4	100
24	The efficacy of a scaffold-free Bio 3D conduit developed from human fibroblasts on peripheral nerve regeneration in a rat sciatic nerve model. <i>PLoS ONE</i> , 2017, 12, e0171448.	2.5	100
25	Inhibition of miR-92a Enhances Fracture Healing via Promoting Angiogenesis in a Model of Stabilized Fracture in Young Mice. <i>Journal of Bone and Mineral Research</i> , 2014, 29, 316-326.	2.8	97
26	β -catenin nuclear expression correlates with cyclin D1 overexpression in sporadic desmoid tumours. <i>Journal of Pathology</i> , 2001, 195, 222-228.	4.5	88
27	Detection of T cell responses to a ubiquitous cellular protein in autoimmune disease. <i>Science</i> , 2014, 346, 363-368.	12.6	86
28	Downregulation and forced expression of EWS-Flt1 fusion gene results in changes in the expression of G1regulatory genes. <i>British Journal of Cancer</i> , 2001, 84, 768-775.	6.4	84
29	Contact stress at the post-cam mechanism in posterior-stabilised total knee arthroplasty. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2005, 87-B, 483-488.	3.4	82
30	Contact stress analysis in meniscal bearing total knee arthroplasty. <i>Journal of Arthroplasty</i> , 1998, 13, 699-706.	3.1	80
31	Combined landscape of single-nucleotide variants and copy number alterations in clonal hematopoiesis. <i>Nature Medicine</i> , 2021, 27, 1239-1249.	30.7	78
32	Possible Involvement of the Vascular Endothelial Growth Factor-Flt-1-Focal Adhesion Kinase Pathway in Chemotaxis and the Cell Proliferation of Osteoclast Precursor Cells in Arthritic Joints. <i>Journal of Immunology</i> , 2002, 168, 5824-5831.	0.8	77
33	Femoral anteversion is correlated with acetabular version and coverage in Asian women with anterior and global deficient subgroups of hip dysplasia: a CT study. <i>Skeletal Radiology</i> , 2012, 41, 1411-1418.	2.0	77
34	Changes in knee alignment after total knee arthroplasty. <i>Journal of Arthroplasty</i> , 1999, 14, 566-570.	3.1	75
35	Medial rather than lateral knee instability correlates with inferior patient satisfaction and knee function after total knee arthroplasty. <i>Knee</i> , 2017, 24, 1478-1484.	1.6	74
36	Medial Torsion of the Tibia in Japanese Patients With Osteoarthritis of the Knee. <i>Clinical Orthopaedics and Related Research</i> , 2003, 408, 218-224.	1.5	73

#	ARTICLE	IF	CITATIONS
37	A Distinct Human CD4+ T Cell Subset That Secretes CXCL13 in Rheumatoid Synovium. <i>Arthritis and Rheumatism</i> , 2013, 65, 3063-3072.	6.7	73
38	Correlations between patient satisfaction and ability to perform daily activities after total knee arthroplasty: why aren't patients satisfied?. <i>Journal of Orthopaedic Science</i> , 2015, 20, 87-92.	1.1	73
39	Low-grade fibromyxoid sarcoma versus low-grade myxofibrosarcoma in the extremities and trunk. A comparison of clinicopathological and immunohistochemical features. <i>Histopathology</i> , 2004, 45, 29-38.	2.9	72
40	Arthroscopic Resection of the Discoid Lateral Meniscus: Long-term Follow-up for 16 Years. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2006, 22, 967-971.	2.7	72
41	Minimally Invasive versus Standard Approach in Total Knee Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2007, 463, 144-150.	1.5	72
42	The O-C2 angle established at occipito-cervical fusion dictates the patient's destiny in terms of postoperative dyspnea and/or dysphagia. <i>European Spine Journal</i> , 2014, 23, 328-336.	2.2	71
43	Femoral Condyle Geometry in the Normal and Varus Knee. <i>Clinical Orthopaedics and Related Research</i> , 1998, 349, 183-188.	1.5	70
44	Lateral Soft Tissue Laxity Increases but Medial Laxity Does Not Contract With Varus Deformity in Total Knee Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2013, 471, 1334-1342.	1.5	70
45	Factors affecting patellar tracking after total knee arthroplasty. <i>Journal of Arthroplasty</i> , 2002, 17, 942-947.	3.1	68
46	Frequent alteration of p16INK4a/p14ARF and p53 pathways in the round cell component of myxoid/round cell liposarcoma: p53 gene alterations and reduced p14ARF expression both correlate with poor prognosis. <i>Journal of Pathology</i> , 2005, 207, 410-421.	4.5	68
47	Mevastatin reduces cartilage degradation in rabbit experimental osteoarthritis through inhibition of synovial inflammation. <i>Osteoarthritis and Cartilage</i> , 2009, 17, 235-243.	1.3	68
48	Malrotated tibial component increases medial collateral ligament tension in total knee arthroplasty. <i>Journal of Orthopaedic Research</i> , 2014, 32, 1658-1666.	2.3	68
49	Bioactivity of sol-gel-derived TiO ₂ coating on polyetheretherketone: In vitro and in vivo studies. <i>Acta Biomaterialia</i> , 2016, 35, 305-317.	8.3	68
50	Primitive Neuroectodermal Tumor and Extraskeletal Ewing Sarcoma Arising Primarily Around the Spinal Column. <i>Spine</i> , 2003, 28, E408-E412.	2.0	66
51	The effects of kinematically aligned total knee arthroplasty on stress at the medial tibia. <i>Bone and Joint Research</i> , 2017, 6, 43-51.	3.6	66
52	MCP/CCR2 Signaling Is Essential for Recruitment of Mesenchymal Progenitor Cells during the Early Phase of Fracture Healing. <i>PLoS ONE</i> , 2014, 9, e104954.	2.5	66
53	Quantitative Assessment of Rotatory Instability after Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2009, 37, 909-916.	4.2	65
54	TGF- β ² induces the differentiation of human CXCL13-producing CD4 ⁺ T cells. <i>European Journal of Immunology</i> , 2016, 46, 360-371.	2.9	65

#	ARTICLE	IF	CITATIONS
55	Internal Rotation of Femoral Component Affects Functional Activities After TKA Survey With The 2011 Knee Society Score. <i>Journal of Arthroplasty</i> , 2014, 29, 2319-2323.	3.1	64
56	Knee Stability in Posterior Cruciate Ligament Retaining Total Knee Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 1999, 366, 169-173.	1.5	63
57	Upsizing the femoral component increases patellofemoral contact force in total knee replacement. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2012, 94-B, 56-61.	3.4	63
58	Human Sox4 facilitates the development of CXCL13-producing helper T cells in inflammatory environments. <i>Nature Communications</i> , 2018, 9, 3762.	12.8	62
59	The anatomy of the coracohumeral ligament and its relation to the subscapularis muscle. <i>Journal of Shoulder and Elbow Surgery</i> , 2014, 23, 1575-1581.	2.6	61
60	Strontium and magnesium ions released from bioactive titanium metal promote early bone bonding in a rabbit implant model. <i>Acta Biomaterialia</i> , 2017, 63, 383-392.	8.3	58
61	In vitro bone-like nodules generated from patient-derived iPSCs recapitulate pathological bone phenotypes. <i>Nature Biomedical Engineering</i> , 2019, 3, 558-570.	22.5	57
62	Small GTP-binding Protein, Rho, Both Increased and Decreased Cellular Motility, Activation of Matrix Metalloproteinase 2 and Invasion of Human Osteosarcoma Cells. <i>Japanese Journal of Cancer Research</i> , 2001, 92, 429-438.	1.7	56
63	Analysis of the Flexion Gap on In Vivo Knee Kinematics Using Fluoroscopy. <i>Journal of Arthroplasty</i> , 2015, 30, 1237-1242.	3.1	56
64	New Suture Method for Radial Tears of the Meniscus. <i>American Journal of Sports Medicine</i> , 2012, 40, 414-418.	4.2	55
65	Mutant IDH1 Dysregulates the Differentiation of Mesenchymal Stem Cells in Association with Gene-Specific Histone Modifications to Cartilage- and Bone-Related Genes. <i>PLoS ONE</i> , 2015, 10, e0131998.	2.5	55
66	Intraoperative medial joint laxity in flexion decreases patient satisfaction after total knee arthroplasty. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2018, 138, 1143-1150.	2.4	55
67	Prognostic Significance of <i>p14ARF</i> , <i>p15INK4b</i> , and <i>p16INK4a</i> Inactivation in Malignant Peripheral Nerve Sheath Tumors. <i>Clinical Cancer Research</i> , 2011, 17, 3771-3782.	7.0	53
68	Knee pain during activities of daily living and its relationship with physical activity in patients with early and severe knee osteoarthritis. <i>Clinical Rheumatology</i> , 2016, 35, 2307-2316.	2.2	53
69	APC mutations in synovial sarcoma. <i>Journal of Pathology</i> , 2002, 196, 445-449.	4.5	52
70	Discordance and accordance between patient's and physician's assessments in rheumatoid arthritis. <i>Scandinavian Journal of Rheumatology</i> , 2014, 43, 291-295.	1.1	52
71	Cross-cultural adaptation and validation of the Japanese version of the new Knee Society Scoring System for osteoarthritic knee with total knee arthroplasty. <i>Journal of Orthopaedic Science</i> , 2015, 20, 849-853.	1.1	52
72	E-cadherin mutation and Snail overexpression as alternative mechanisms of E-cadherin inactivation in synovial sarcoma. <i>Oncogene</i> , 2004, 23, 8629-8638.	5.9	51

#	ARTICLE	IF	CITATIONS
73	Effect of Total Knee Arthroplasty Implant Position on Flexion Angle Before Implant-Bone Impingement. <i>Journal of Arthroplasty</i> , 2011, 26, 721-727.	3.1	51
74	The Akt/mammalian target of rapamycin pathway is activated and associated with adverse prognosis in soft tissue leiomyosarcomas. <i>Cancer</i> , 2012, 118, 1637-1648.	4.1	51
75	Arthroscopic Hip Surgery in the Elite Athlete: Comparison of Female and Male Competitive Athletes. <i>American Journal of Sports Medicine</i> , 2017, 45, 1730-1739.	4.2	50
76	Importance of the lateral anatomic tibial slope as a guide to the tibial cut in total knee arthroplasty in Japanese patients. <i>Journal of Orthopaedic Science</i> , 2005, 10, 42-47.	1.1	49
77	Adult T Cell Leukemia-like Disease Experimentally Induced in Rabbits. <i>Japanese Journal of Cancer Research</i> , 1988, 79, 335-341.	1.7	48
78	Secondary malignant giant-cell tumour of bone: molecular abnormalities of p53 and H-ras gene correlated with malignant transformation. <i>Histopathology</i> , 2001, 39, 629-637.	2.9	48
79	Vertebral Endplate Cyst as a Predictor of Nonunion After Lumbar Interbody Fusion. <i>Spine</i> , 2016, 41, E1216-E1222.	2.0	48
80	Effect of tibial component alignment on knee kinematics and ligament tension in medial unicompartmental knee arthroplasty. <i>Bone and Joint Research</i> , 2019, 8, 126-135.	3.6	48
81	Possible Association Between Higher β -Catenin mRNA Expression and Mutated β -Catenin in Sporadic Desmoid Tumors: Real-Time Semiquantitative Assay by TaqMan Polymerase Chain Reaction. <i>Laboratory Investigation</i> , 2002, 82, 97-103.	3.7	47
82	Psychological health is associated with knee pain and physical function in patients with knee osteoarthritis: an exploratory cross-sectional study. <i>BMC Psychology</i> , 2018, 6, 19.	2.1	47
83	E-Cadherin Gene Mutations Frequently Occur in Synovial Sarcoma as a Determinant of Histological Features. <i>American Journal of Pathology</i> , 2001, 159, 2117-2124.	3.8	46
84	Flexion Contracture Persists If the Contracture is More Than 15° at 3 Months After Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2011, 26, 639-643.	3.1	46
85	Quadriceps strength affects patient satisfaction after total knee arthroplasty. <i>Journal of Orthopaedic Science</i> , 2016, 21, 38-43.	1.1	46
86	Indirect decompression via oblique lateral interbody fusion for severe degenerative lumbar spinal stenosis: a comparative study with direct decompression transforaminal/posterior lumbar interbody fusion. <i>Spine Journal</i> , 2021, 21, 963-971.	1.3	46
87	Preoperative Prediction of Ambulatory Status at 6 Months After Total Hip Arthroplasty. <i>Physical Therapy</i> , 2013, 93, 88-93.	2.4	45
88	Patellar Tracking and Patellofemoral Geometry in Deep Knee Flexion. <i>Clinical Orthopaedics and Related Research</i> , 2002, 394, 161-168.	1.5	44
89	Classification of osteonecrosis of the femoral head. <i>Bone and Joint Research</i> , 2019, 8, 451-458.	3.6	44
90	The accuracy of image-guided knee replacement based on computed tomography. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2004, 86-B, 366-371.	3.4	43

#	ARTICLE	IF	CITATIONS
91	Comparison of Rotatory Stability After Anterior Cruciate Ligament Reconstruction Between Single-Bundle and Double-Bundle Techniques. <i>American Journal of Sports Medicine</i> , 2011, 39, 1470-1477.	4.2	43
92	A pilot study of regenerative therapy using controlled release of recombinant human fibroblast growth factor for patients with pre-collapse osteonecrosis of the femoral head. <i>International Orthopaedics</i> , 2016, 40, 1747-1754.	1.9	43
93	Multiple intramuscular metastases 15 years after radical nephrectomy in a patient with stage IV renal cell carcinoma. <i>Journal of Orthopaedic Science</i> , 2001, 6, 189-192.	1.1	42
94	Tibial shaft axis does not always serve as a correct coronal landmark in total knee arthroplasty for varus knees. <i>Journal of Arthroplasty</i> , 2003, 18, 56-62.	3.1	42
95	Kinematic analysis of kneeling in cruciate-retaining and posterior-stabilized total knee arthroplasties. <i>Journal of Orthopaedic Research</i> , 2008, 26, 435-442.	2.3	42
96	Osteoinduction on Acid and Heat Treated Porous Ti Metal Samples in Canine Muscle. <i>PLoS ONE</i> , 2014, 9, e88366.	2.5	42
97	Anterior border of the tibia as a landmark for extramedullary alignment guide in total knee arthroplasty for varus knees. <i>Journal of Orthopaedic Research</i> , 2011, 29, 919-924.	2.3	41
98	Articular cartilage of the posterior condyle can affect rotational alignment in total knee arthroplasty. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2012, 20, 1463-1469.	4.2	41
99	Long-Term Durability of Ceramic Tri-Condylar Knee Implants: A Minimum 15-Year Follow-Up. <i>Journal of Arthroplasty</i> , 2017, 32, 1874-1879.	3.1	40
100	The Effect of Ankle Rotation on Cutting of the Tibia in Total Knee Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2006, 88, 2632-2636.	3.0	39
101	Clinical application of injectable growth factor for bone regeneration: a systematic review. <i>Inflammation and Regeneration</i> , 2019, 39, 20.	3.7	39
102	Developing a novel custom cutting guide for curved peri-acetabular osteotomy. <i>International Orthopaedics</i> , 2013, 37, 1033-1038.	1.9	38
103	Extension gap needs more than 1-mm laxity after implantation to avoid post-operative flexion contracture in total knee arthroplasty. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2014, 22, 3174-3180.	4.2	38
104	Bioactive treatment promotes osteoblast differentiation on titanium materials fabricated by selective laser melting technology. <i>Dental Materials Journal</i> , 2016, 35, 118-125.	1.8	38
105	Chemokine receptor <i>CXCR4</i> expression is correlated with <i>VEGF</i> expression and poor survival in soft-tissue sarcoma. <i>International Journal of Cancer</i> , 2009, 124, 1852-1859.	5.1	37
106	Enlarged post-operative posterior condyle tightens extension gap in total knee arthroplasty. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2011, 93-B, 1210-1216.	3.4	37
107	Clinical results of open synovectomy for treatment of diffuse pigmented villonodular synovitis of the knee: Case series and review of literature. <i>Knee</i> , 2012, 19, 684-687.	1.6	37
108	Clinical Phenotype Classifications Based on Static Varus Alignment and Varus Thrust in Japanese Patients With Medial Knee Osteoarthritis. <i>Arthritis and Rheumatology</i> , 2015, 67, 2354-2362.	5.6	37

#	ARTICLE	IF	CITATIONS
109	Diffuse idiopathic skeletal hyperostosis (DISH) is a risk factor for further surgery in short-segment lumbar interbody fusion. <i>European Spine Journal</i> , 2015, 24, 2514-2519.	2.2	37
110	Is there a distinct pattern to the acetabular labrum and articular cartilage damage in the non-dysplastic hip with instability?. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 84-93.	4.2	37
111	Elderly onset of early rheumatoid arthritis is a risk factor for bone erosions, refractory to treatment: KURAMA cohort. <i>International Journal of Rheumatic Diseases</i> , 2019, 22, 1084-1093.	1.9	37
112	Tibial tubercle malposition in patellar joint instability: A computed tomography study in full extension and at 30° flexion. <i>Acta Orthopaedica</i> , 2000, 71, 286-291.	1.4	36
113	Mobile-bearing prosthesis did not improve mid-term clinical results of total knee arthroplasty. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2010, 18, 1311-1316.	4.2	36
114	Is the Bone-bonding Ability of a Cementless Total Hip Prosthesis Enhanced by Alkaline and Heat Treatments?. <i>Clinical Orthopaedics and Related Research</i> , 2013, 471, 3847-3855.	1.5	36
115	Medial sixth of the patellar tendon at the tibial attachment is useful for the anterior reference in rotational alignment of the tibial component. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2014, 22, 1070-1075.	4.2	36
116	Reference values for the locomotive syndrome risk test quantifying mobility of 8681 adults aged 20–89 years: A cross-sectional nationwide study in Japan. <i>Journal of Orthopaedic Science</i> , 2020, 25, 1084-1092.	1.1	36
117	Altered expression of cell cycle regulators in myxofibrosarcoma, with special emphasis on their prognostic implications. <i>Human Pathology</i> , 2003, 34, 1035-1042.	2.0	35
118	Reduction of Atlantoaxial Subluxation Causes Airway Stenosis. <i>Spine</i> , 2013, 38, E513-E520.	2.0	35
119	Bone bonding ability of a chemically and thermally treated low elastic modulus Ti alloy: gum metal. <i>Journal of Materials Science: Materials in Medicine</i> , 2014, 25, 635-643.	3.6	35
120	The KSS 2011 Reflects Symptoms, Physical Activities, and Radiographic Grades in a Japanese Population. <i>Clinical Orthopaedics and Related Research</i> , 2015, 473, 70-75.	1.5	35
121	The Effect of Varus Tilt on Contact Stresses in Total Knee Arthroplasty: A Biomechanical Study. <i>Orthopedics</i> , 1999, 22, 303-307.	1.1	35
122	Five-year evolution of a telangiectatic osteosarcoma initially managed as an aneurysmal bone cyst. <i>Skeletal Radiology</i> , 2005, 34, 290-294.	2.0	34
123	How exactly can computer simulation predict the kinematics and contact status after TKA? Examination in individualized models. <i>Clinical Biomechanics</i> , 2016, 39, 65-70.	1.2	34
124	In vivo and in vitro bioactivity of a ß precursor of apatite treatment on polyetheretherketone. <i>Acta Biomaterialia</i> , 2019, 91, 48-59.	8.3	34
125	Evaluation of impingement of the anterior tibial post during gait in a posteriorly-stabilised total knee replacement. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2008, 90-B, 1180-1185.	3.4	33
126	Three-dimensional Analysis of Computed Tomography-Based Navigation System for Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2009, 24, 1103-1110.	3.1	33

#	ARTICLE	IF	CITATIONS
127	The coronal alignment after medial unicompartmental knee arthroplasty can be predicted: usefulness of full-length valgus stress radiography for evaluating correctability. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2014, 22, 3142-3149.	4.2	33
128	Seasonality of Preterm Births in Japan. <i>International Journal of Epidemiology</i> , 1992, 21, 91-100.	1.9	32
129	Three-dimensional knee joint kinematics during golf swing and stationary cycling after total knee arthroplasty. <i>Journal of Orthopaedic Research</i> , 2008, 26, 1556-1561.	2.3	31
130	Contact Stress Analysis of the Conforming Post-Cam Mechanism in Posterior-Stabilized Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2008, 23, 736-743.	3.1	31
131	Human C-reactive protein enhances thrombus formation after neointimal balloon injury in transgenic rabbits. <i>Journal of Thrombosis and Haemostasis</i> , 2011, 9, 201-208.	3.8	30
132	Patient-Specific Computer Model of Dynamic Squatting After Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2015, 30, 870-874.	3.1	30
133	Knee stability in meniscal bearing total knee arthroplasty. <i>Journal of Arthroplasty</i> , 1999, 14, 82-90.	3.1	29
134	PTEN/MMAC1 gene mutation is a rare event in soft tissue sarcomas without specific balanced translocations. <i>International Journal of Cancer</i> , 2003, 104, 175-178.	5.1	29
135	High-dose antibiotic infusion for infected knee prosthesis without implant removal. <i>Journal of Orthopaedic Science</i> , 2010, 15, 470-476.	1.1	29
136	Clinical outcome for patients with dedifferentiated chondrosarcoma: a report of 9 cases at a single institute. <i>Journal of Orthopaedic Surgery and Research</i> , 2012, 7, 38.	2.3	29
137	Risk factors for implant removal after spinal surgical site infection. <i>European Spine Journal</i> , 2018, 27, 2481-2490.	2.2	29
138	Hip-Spine Syndrome: Acetabular Anteversion Angle Is Associated with Anterior Pelvic Tilt and Lumbar Hyperlordosis in Patients with Acetabular Dysplasia. <i>JBJS Open Access</i> , 2019, 4, e0025.	1.5	29
139	Knee Kinematics of Posterior Cruciate Ligament Sacrificed Total Knee Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 1997, 341, 257-266.	1.5	28
140	Changes in anteroposterior stability following total knee arthroplasty. <i>Journal of Orthopaedic Science</i> , 2003, 8, 526-531.	1.1	28
141	Sagittal Cutting Error Changes Femoral Anteroposterior Sizing in Total Knee Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2012, 470, 3560-3565.	1.5	28
142	In vivo experimental study of anterior cervical fusion using bioactive polyetheretherketone in a canine model. <i>PLoS ONE</i> , 2017, 12, e0184495.	2.5	28
143	Chromosomal aberrations and microsatellite instability of malignant peripheral nerve sheath tumors: a study of 10 tumors from nine patients. <i>Cancer Genetics and Cytogenetics</i> , 2006, 165, 98-105.	1.0	27
144	A Nerve Conduit Containing a Vascular Bundle and Implanted with Bone Marrow Stromal Cells and Decellularized Allogenic Nerve Matrix. <i>Cell Transplantation</i> , 2017, 26, 215-228.	2.5	27

#	ARTICLE	IF	CITATIONS
145	Clinical efficacy of preoperative 3D planning for reducing surgical errors during open-wedge high tibial osteotomy. <i>Journal of Orthopaedic Research</i> , 2019, 37, 898-907.	2.3	27
146	Age-related changes in kinematics of the knee joint during deep squat. <i>Knee</i> , 2012, 19, 208-212.	1.6	26
147	Osteoinductive potential of highly purified porous β -TCP in mice. <i>Journal of Materials Science: Materials in Medicine</i> , 2015, 26, 132.	3.6	26
148	Effects of Lumbar Stiffness After Lumbar Fusion Surgery on Activities of Daily Living. <i>Spine</i> , 2016, 41, 719-727.	2.0	26
149	Clinical Impact of Coexisting Patellofemoral Osteoarthritis in Japanese Patients With Medial Knee Osteoarthritis. <i>Arthritis Care and Research</i> , 2016, 68, 493-501.	3.4	26
150	Health systems strengthening to arrest the global disability burden: empirical development of prioritised components for a global strategy for improving musculoskeletal health. <i>BMJ Global Health</i> , 2021, 6, e006045.	4.7	26
151	Joint-preserving regenerative therapy for patients with early-stage osteonecrosis of the femoral head. <i>Inflammation and Regeneration</i> , 2016, 36, 4.	3.7	25
152	Seasonality of mean birth weight and mean gestational period in Japan. <i>Human Biology</i> , 1993, 65, 481-501.	0.2	25
153	Relationship between the tibial anteroposterior axis and the surgical epicondylar axis in varus and valgus knees. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2012, 20, 2077-2081.	4.2	24
154	Cutting Error of the Distal Femur in Total Knee Arthroplasty by Use of a Navigation System. <i>Journal of Arthroplasty</i> , 2012, 27, 1119-1122.	3.1	24
155	Osteoconduction of porous Ti metal enhanced by acid and heat treatments. <i>Journal of Materials Science: Materials in Medicine</i> , 2013, 24, 1707-1715.	3.6	24
156	Tibial Rotational Alignment Was Significantly Improved by Use of a CT-Navigated Control Device in Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2014, 29, 2352-2356.	3.1	24
157	Minimum 10-Year Wear Analysis of Highly Cross-Linked Polyethylene in Cementless Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2015, 30, 2224-2226.	3.1	24
158	Ligament balancing in total knee arthroplasty—Medial stabilizing technique. <i>Asia-Pacific Journal of Sports Medicine, Arthroscopy, Rehabilitation and Technology</i> , 2015, 2, 108-113.	1.0	24
159	Prevalence and Location of Neuropathic Pain in Lumbar Spinal Disorders. <i>Spine</i> , 2016, 41, 1224-1231.	2.0	24
160	Spatiotemporal gait characteristic changes with gait training using the hybrid assistive limb for chronic stroke patients. <i>Gait and Posture</i> , 2019, 71, 205-210.	1.4	24
161	Geographic differences in seasonal variation of mean birth weight in Japan. <i>Human Biology</i> , 1995, 67, 641-56.	0.2	24
162	The effect of varus tilt on contact stresses in total knee arthroplasty: a biomechanical study. <i>Orthopedics</i> , 1999, 22, 303-7.	1.1	24

#	ARTICLE	IF	CITATIONS
163	High-dose chemotherapy and autologous peripheral blood stem-cell transfusion after conventional chemotherapy for patients with high-risk Ewingâ€™s tumors. <i>Journal of Orthopaedic Science</i> , 2002, 7, 477-482.	1.1	23
164	A Comparison of Rotational Landmarks in the Distal Femur and the Tibial Shaft. <i>Clinical Orthopaedics and Related Research</i> , 2003, 414, 183-188.	1.5	23
165	Rehabilitation Program After Mesenchymal Stromal Cell Transplantation Augmented by Vascularized Bone Grafts for Idiopathic Osteonecrosis of the Femoral Head: A Preliminary Study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015, 96, 532-539.	0.9	23
166	Association of Varus Thrust With Pain and Stiffness and Activities of Daily Living in Patients With Medial Knee Osteoarthritis. <i>Physical Therapy</i> , 2016, 96, 167-175.	2.4	23
167	Association of bilateral flat feet with knee pain and disability in patients with knee osteoarthritis: A cross-sectional study. <i>Journal of Orthopaedic Research</i> , 2017, 35, 2490-2498.	2.3	23
168	Genome-wide Association Study of Idiopathic Osteonecrosis of the Femoral Head. <i>Scientific Reports</i> , 2017, 7, 15035.	3.3	23
169	The minimum clinically important difference for the Japanese version of the new Knee Society Score (2011KSS) after total knee arthroplasty. <i>Journal of Orthopaedic Science</i> , 2019, 24, 1053-1057.	1.1	23
170	Effect of the severity of acute graft-versus-host disease on physical function after allogeneic hematopoietic stem cell transplantation. <i>Supportive Care in Cancer</i> , 2020, 28, 3189-3196.	2.2	23
171	The Oblique Posterior Femoral Condylar Radiographic View Following Total Knee Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2004, 86, 47-50.	3.0	23
172	Indirect decompression with lateral interbody fusion for severe degenerative lumbar spinal stenosis: minimum 1-year MRI follow-up. <i>Journal of Neurosurgery: Spine</i> , 2020, 33, 27-34.	1.7	23
173	Geographical Differences and Time Trends in the Seasonality of Birth in Japan. <i>International Journal of Epidemiology</i> , 1994, 23, 107-118.	1.9	22
174	Metastasis to the gluteus maximus muscle from renal cell carcinoma with special emphasis on MRI features. <i>World Journal of Surgical Oncology</i> , 2007, 5, 88.	1.9	22
175	Clinical outcome following surgical intervention for a solitary bone cyst: emphasis on treatment by curettage and steroid injection. <i>Journal of Orthopaedic Science</i> , 2010, 15, 553-559.	1.1	22
176	TNF α , PDGF, and TGF β synergistically induce synovial lining hyperplasia via inducible PI3K γ . <i>Modern Rheumatology</i> , 2015, 25, 72-78.	1.8	22
177	Preoperative assessment of the ureter with dual-phase contrast-enhanced computed tomography for lateral lumbar interbody fusion procedures. <i>Journal of Orthopaedic Science</i> , 2017, 22, 420-424.	1.1	22
178	H-ras Oncogene Mutation in Dedifferentiated Chondrosarcoma: Polymerase Chain Reaction-Restriction Fragment Length Polymorphism Analysis. <i>Modern Pathology</i> , 2001, 14, 343-349.	5.5	21
179	Anteroposterior Stability in Posterior Cruciate Ligamentâ€™Retaining Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2006, 21, 592-598.	3.1	21
180	Total knee arthroplasty following failed high tibial osteotomy: mid-term comparison of posterior cruciate-retaining versus posterior stabilized prosthesis. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2009, 17, 795-799.	4.2	21

#	ARTICLE	IF	CITATIONS
181	Contact Stress at the Anterior Aspect of the Tibial Post in Posterior-Stabilized Total Knee Replacement. <i>Journal of Bone and Joint Surgery - Series A</i> , 2010, 92, 1765-1773.	3.0	21
182	Chronic Expanding Hematoma in the Extremities: A Clinical Problem of Adhesion to the Surrounding Tissues. <i>BioMed Research International</i> , 2017, 2017, 1-5.	1.9	21
183	Analysis of the Factors Affecting Lumbar Segmental Lordosis After Lateral Lumbar Interbody Fusion. <i>Spine</i> , 2020, 45, E839-E846.	2.0	21
184	Prevalence and predictive factors of difficult-to-treat rheumatoid arthritis: the KURAMA cohort. <i>Immunological Medicine</i> , 2022, 45, 35-44.	2.6	21
185	Antioxidants inhibit TNFalpha-induced motility and invasion of human osteosarcoma cells: possible involvement of NFkappaB activation. <i>Clinical and Experimental Metastasis</i> , 2000, 18, 121-129.	3.3	20
186	Comparison between alkali heat treatment and sprayed hydroxyapatite coating on thermally-sprayed rough Ti surface in rabbit model: Effects on bone-bonding ability and osteoconductivity. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2015, 103, 1069-1081.	3.4	20
187	Knee Pain and Low Back Pain Additively Disturb Sleep in the General Population: A Cross-Sectional Analysis of the Nagahama Study. <i>PLoS ONE</i> , 2015, 10, e0140058.	2.5	20
188	Preoperative gluteus medius muscle atrophy as a predictor of walking ability after total hip arthroplasty. <i>Physical Therapy Research</i> , 2016, 19, 8-12.	0.9	20
189	The dural repair using the combination of polyglycolic acid mesh and fibrin glue and postoperative management in spine surgery. <i>Journal of Orthopaedic Science</i> , 2016, 21, 586-590.	1.1	20
190	Hip external rotator exercise contributes to improving physical functions in the early stage after total hip arthroplasty using an anterolateral approach: a randomized controlled trial. <i>Disability and Rehabilitation</i> , 2016, 38, 2178-2183.	1.8	20
191	A multi-center study of reoperations within 30 days of spine surgery. <i>European Spine Journal</i> , 2016, 25, 828-835.	2.2	20
192	Distinct biomarkers for different bones in osteoporosis with rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2019, 21, 174.	3.5	20
193	Classical target coronal alignment in high tibial osteotomy demonstrates validity in terms of knee kinematics and kinetics in a computer model. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 1568-1578.	4.2	20
194	Desmoplastic fibroblastoma (collagenous fibroma) with a specific breakpoint of 11q12. <i>Histopathology</i> , 2007, 51, 859-860.	2.9	19
195	Is the Medial Wall of the Intercondylar Notch Useful for Tibial Rotational Reference in Unicompartamental Knee Arthroplasty?. <i>Clinical Orthopaedics and Related Research</i> , 2012, 470, 1177-1184.	1.5	19
196	Increased circulating adiponectin is an independent disease activity marker in patients with rheumatoid arthritis: A cross-sectional study using the KURAMA database. <i>PLoS ONE</i> , 2020, 15, e0229998.	2.5	19
197	Anteroposterior weight-bearing radiography of the knee with both knees in semiflexion, using new equipment. <i>Journal of Orthopaedic Science</i> , 2001, 6, 475-480.	1.1	18
198	Nuclear β -catenin correlates with cyclin D1 expression in spindle and pleomorphic sarcomas but not in synovial sarcoma. <i>Human Pathology</i> , 2006, 37, 689-697.	2.0	18

#	ARTICLE	IF	CITATIONS
199	The Importance of Bony Impingement in Restricting Flexion After Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2012, 27, 1710-1716.	3.1	18
200	Rotatory laxity evaluation of the knee using modified Slocum's test in open magnetic resonance imaging. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2012, 20, 679-685.	4.2	18
201	Phosphorylation of signal transducer and activator of transcription 3 in soft tissue leiomyosarcoma is associated with a better prognosis. <i>International Journal of Cancer</i> , 2013, 132, 109-115.	5.1	18
202	Compensation by nonoperated joints in the lower limbs during walking after endoprosthetic knee replacement following bone tumor resection. <i>Clinical Biomechanics</i> , 2013, 28, 898-903.	1.2	18
203	Clinical and radiological features of spinal extradural arachnoid cysts: Valve-like mechanism involving the nerve root fiber as a possible cause of cyst expansion. <i>Journal of Orthopaedic Science</i> , 2018, 23, 464-469.	1.1	18
204	Occipital and external acoustic meatus to axis angle as a predictor of the oropharyngeal space in healthy volunteers: a novel parameter for craniocervical junction alignment. <i>Spine Journal</i> , 2018, 18, 811-817.	1.3	18
205	Accuracy of image-free navigation for severely deformed knees. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2010, 18, 763-768.	4.2	17
206	Changes in patellar alignment after total knee arthroplasty. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2011, 19, 99-104.	4.2	17
207	Improved design decreases wear in total knee arthroplasty with varus malalignment. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2014, 22, 2635-2640.	4.2	17
208	The effect of walking speed on gait kinematics and kinetics after endoprosthetic knee replacement following bone tumor resection. <i>Gait and Posture</i> , 2014, 40, 622-627.	1.4	17
209	Bridging a 30 mm defect in the canine ulnar nerve using vessel-containing conduits with implantation of bone marrow stromal cells. <i>Microsurgery</i> , 2016, 36, 316-324.	1.3	17
210	Utility of a custom screw insertion guide and a full-scale, color-coded 3D plaster model for guiding safe surgical exposure and screw insertion during spine revision surgery. <i>Journal of Neurosurgery: Spine</i> , 2016, 25, 94-102.	1.7	17
211	No condylar lift-off occurs because of excessive lateral soft tissue laxity in neutrally aligned total knee arthroplasty: a computer simulation study. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2016, 24, 2517-2524.	4.2	17
212	No differences in patient-reported outcomes between medial pivot insert and symmetrical insert in total knee arthroplasty: A randomized analysis. <i>Knee</i> , 2018, 25, 1254-1261.	1.6	17
213	Control of articular synovitis for bone and cartilage regeneration in rheumatoid arthritis. <i>Inflammation and Regeneration</i> , 2018, 38, 7.	3.7	17
214	Biofilm Producing <i>Staphylococcus epidermidis</i> (RP62A Strain) Inhibits Osseous Integration Without Osteolysis and Histopathology in a Murine Septic Implant Model. <i>Journal of Orthopaedic Research</i> , 2020, 38, 852-860.	2.3	17
215	Femoral shaft bowing influences the correction angle for high tibial osteotomy. <i>Journal of Orthopaedic Science</i> , 2007, 12, 214-218.	1.1	16
216	Posterior tibial slope and femoral sizing affect posterior cruciate ligament tension in posterior cruciate-retaining total knee arthroplasty. <i>Clinical Biomechanics</i> , 2015, 30, 676-681.	1.2	16

#	ARTICLE	IF	CITATIONS
217	Spontaneous anterior arch fracture of the atlas following C1 laminectomy without fusion: A report of three cases and finite element analysis. <i>Journal of Orthopaedic Science</i> , 2016, 21, 306-315.	1.1	16
218	Incidence and Risk Factors of Anterior Arch Fracture of the Atlas Following C1 Laminectomy Without Fusion. <i>Spine</i> , 2018, 43, 667-674.	2.0	16
219	Intraoperative physiological lateral laxity in extension and flexion for varus knees did not affect short-term clinical outcomes and patient satisfaction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 3888-3898.	4.2	16
220	Analysis of factors associated with birth weight.. <i>Japanese Journal of Hygiene</i> , 1990, 45, 752-761.	0.6	15
221	Bizarre parosteal osteochondromatous proliferation with an inversion of chromosome 7. <i>Skeletal Radiology</i> , 2011, 40, 1487-1490.	2.0	15
222	Evaluation of bioactivity of alkali- and heat-treated titanium using fluorescent mouse osteoblasts. <i>Journal of Bone and Mineral Metabolism</i> , 2014, 32, 660-670.	2.7	15
223	Underhang of the tibial component increases tibial bone resorption after total knee arthroplasty. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 1270-1279.	4.2	15
224	<i>In vitro</i> study of antibacterial and osteogenic activity of titanium metal releasing strontium and silver ions. <i>Journal of Biomaterials Applications</i> , 2021, 35, 670-680.	2.4	15
225	In vivo study of the early bone-bonding ability of Ti meshes formed with calcium titanate via chemical treatments. <i>Journal of Materials Science: Materials in Medicine</i> , 2015, 26, 271.	3.6	14
226	The Dimensions of the Scapula Glenoid in Japanese Rotator Cuff Tear Patients. <i>Clinics in Orthopedic Surgery</i> , 2017, 9, 207.	2.2	14
227	Medial tilting of the joint line in posterior stabilized total knee arthroplasty increases contact force and stress. <i>Clinical Biomechanics</i> , 2018, 53, 54-59.	1.2	14
228	Induced pluripotent stem cell-derived mesenchymal stem cells prolong hind limb survival in a rat vascularized composite allotransplantation model. <i>Microsurgery</i> , 2019, 39, 737-747.	1.3	14
229	Number of Levels of Spinal Fusion Associated with the Rate of Joint-Space Narrowing in the Hip. <i>Journal of Bone and Joint Surgery - Series A</i> , 2021, 103, 953-960.	3.0	14
230	H-rasOncogene Mutation in Dedifferentiated Liposarcoma. <i>American Journal of Clinical Pathology</i> , 2001, 115, 235-242.	0.7	13
231	Adventitial Cystic Disease of the Popliteal Vein: Report of a Case. <i>Surgery Today</i> , 2006, 36, 1098-1100.	1.5	13
232	Dedifferentiated liposarcoma with leukocytosis. A case report of G-CSF-producing soft-tissue tumors, possible association with undifferentiated liposarcoma lineage. <i>World Journal of Surgical Oncology</i> , 2007, 5, 131.	1.9	13
233	Role of the VEGF-Flt-1-FAK pathway in the pathogenesis of osteoclastic bone destruction of giant cell tumors of bone. <i>Journal of Orthopaedic Surgery and Research</i> , 2010, 5, 85.	2.3	13
234	Anatomical study for SLAP lesion repair. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2014, 22, 435-441.	4.2	13

#	ARTICLE	IF	CITATIONS
235	Accuracy of Proximal Tibial Bone Cut Using Anterior Border of Tibia as Bony Landmark in Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2015, 30, 2121-2124.	3.1	13
236	Modified Mostardi approach with ultra-high-molecular-weight polyethylene tape for total hip arthroplasty provides a good rate of union of osteotomized fragments. <i>Journal of Orthopaedic Science</i> , 2015, 20, 633-641.	1.1	13
237	Influence of Posterior Cruciate Ligament Tension on Knee Kinematics and Kinetics. <i>Journal of Knee Surgery</i> , 2016, 29, 684-689.	1.6	13
238	Superior-inferior position of patellar component affects patellofemoral kinematics and contact forces in computer simulation. <i>Clinical Biomechanics</i> , 2017, 45, 19-24.	1.2	13
239	Vascularized Bone Graft to the Lunate Combined With Temporary Scaphocapitate Fixation for Treatment of Stage III Kienbock Disease: A Report of the Results, a Minimum of 2 Years After Surgery. <i>Journal of Hand Surgery</i> , 2018, 43, 773.e1-773.e7.	1.6	13
240	How precisely does ultrasonographic evaluation reflect the histological status of the articular cartilage of the knee joint?. <i>Journal of Orthopaedics</i> , 2018, 15, 636-640.	1.3	13
241	Low back pain precedes the development of new knee pain in the elderly population; a novel predictive score from a longitudinal cohort study. <i>Arthritis Research and Therapy</i> , 2019, 21, 98.	3.5	13
242	Relative antigenicity of components in vascularized composite allotransplants: An experimental study of microRNAs expression in rat hind limb transplantation model. <i>Microsurgery</i> , 2019, 39, 340-348.	1.3	13
243	A scaffold-free Bio 3D nerve conduit for repair of a 10mm peripheral nerve defect in the rats. <i>Microsurgery</i> , 2020, 40, 207-216.	1.3	13
244	Posterior Displacement of the Tibia Increases in Deep Flexion of the Knee. <i>Clinical Orthopaedics and Related Research</i> , 2010, 468, 1107-1114.	1.5	12
245	Ultrasound Can Detect Macroscopically Undetectable Changes in Osteoarthritis Reflecting the Superficial Histological and Biochemical Degeneration: Ex Vivo Study of Rabbit and Human Cartilage. <i>PLoS ONE</i> , 2014, 9, e89484.	2.5	12
246	Factors associated with ambulatory status 6 months after total hip arthroplasty. <i>Physiotherapy</i> , 2014, 100, 263-267.	0.4	12
247	Mid- and long-term results of femoral component revision using the cement-in-cement technique: Average 10.8-year follow-up study. <i>Journal of Orthopaedic Science</i> , 2016, 21, 810-814.	1.1	12
248	Periarticular osteoporosis of the forearm correlated with joint destruction and functional impairment in patients with rheumatoid arthritis. <i>Osteoporosis International</i> , 2016, 27, 691-701.	3.1	12
249	Relationship Between Pedometer-Based Physical Activity and Physical Function in Patients With Osteoarthritis of the Knee: A Cross-Sectional Study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017, 98, 1382-1388.e4.	0.9	12
250	Coexisting lateral tibiofemoral osteoarthritis is associated with worse knee pain in patients with mild medial osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2017, 25, 1274-1281.	1.3	12
251	Influence of spinopelvic alignment and morphology on deviation in the course of the psoas major muscle. <i>Journal of Orthopaedic Science</i> , 2017, 22, 1001-1008.	1.1	12
252	Large medial proximal tibial angles cause excessively medial tibiofemoral contact forces and abnormal knee kinematics following open-wedge high tibial osteotomy. <i>Clinical Biomechanics</i> , 2020, 80, 105190.	1.2	12

#	ARTICLE	IF	CITATIONS
253	Extracellular-to-intracellular water ratios are associated with functional disability levels in patients with knee osteoarthritis: results from the Nagahama Study. <i>Clinical Rheumatology</i> , 2021, 40, 2889-2896.	2.2	12
254	Urinary sodium-to-potassium ratio associates with hypertension and current disease activity in patients with rheumatoid arthritis: a cross-sectional study. <i>Arthritis Research and Therapy</i> , 2021, 23, 96.	3.5	12
255	Habitual fish intake negatively correlates with prevalence of frailty among patients with rheumatoid arthritis. <i>Scientific Reports</i> , 2021, 11, 5104.	3.3	12
256	Factors affecting walking ability in female patients with rheumatoid arthritis. <i>PLoS ONE</i> , 2018, 13, e0195059.	2.5	12
257	Serum vitamin D status inversely associates with a prevalence of severe sarcopenia among female patients with rheumatoid arthritis. <i>Scientific Reports</i> , 2021, 11, 20485.	3.3	12
258	The limitations of mono- and combination antibiotic therapies on immature biofilms in a murine model of implant-associated osteomyelitis. <i>Journal of Orthopaedic Research</i> , 2021, 39, 449-457.	2.3	12
259	Vascular compression caused by solitary osteochondroma: useful diagnostic methods of magnetic resonance angiography and Doppler ultrasonography. <i>Journal of Orthopaedic Science</i> , 2002, 7, 439-443.	1.1	11
260	Chondromyxoid fibroma of the clavicle. <i>Journal of Orthopaedic Science</i> , 2006, 11, 533-536.	1.1	11
261	Morphology of the Proximal Tibia at Different Levels of Bone Resection in Japanese Knees. <i>Journal of Arthroplasty</i> , 2015, 30, 2323-2327.	3.1	11
262	Delayed wound healing after forefoot surgery in patients with rheumatoid arthritis. <i>Modern Rheumatology</i> , 2015, 25, 367-372.	1.8	11
263	Patient- and Surgery-Related Factors that Affect Patient-Reported Outcomes after Total Hip Arthroplasty. <i>Journal of Clinical Medicine</i> , 2018, 7, 358.	2.4	11
264	Outcomes of lumbar decompression surgery in patients with diffuse idiopathic skeletal hyperostosis (DISH). <i>Journal of Orthopaedic Science</i> , 2019, 24, 957-962.	1.1	11
265	Higher exercise tolerance early after allogeneic hematopoietic stem cell transplantation is the predictive marker for higher probability of later social reintegration. <i>Scientific Reports</i> , 2021, 11, 7190.	3.3	11
266	Difference in Therapeutic Strategies for Joint-Preserving Surgery for Non-Traumatic Osteonecrosis of the Femoral Head between the United States and Japan: A Review of the Literature. <i>Orthopaedic Surgery</i> , 2021, 13, 742-748.	1.8	11
267	Prophylactic treatment of rapamycin ameliorates naturally developing and episode-induced heterotopic ossification in mice expressing human mutant ACVR1. <i>Orphanet Journal of Rare Diseases</i> , 2020, 15, 122.	2.7	11
268	Strategy for salvage pedicle screw placement: A technical note. <i>International Journal of Spine Surgery</i> , 2013, 7, e67-e71.	1.5	10
269	Varus femoral and tibial coronal alignments result in different kinematics and kinetics after total knee arthroplasty. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 3459-3466.	4.2	10
270	Factors influencing spinal sagittal balance, bone mineral density, and Oswestry Disability Index outcome measures in patients with rheumatoid arthritis. <i>European Spine Journal</i> , 2018, 27, 406-415.	2.2	10

#	ARTICLE	IF	CITATIONS
271	Impact of intraoperative adjustment method for increased flexion gap on knee kinematics after posterior cruciate ligament-sacrificing total knee arthroplasty. <i>Clinical Biomechanics</i> , 2019, 63, 85-94.	1.2	10
272	Fluctuation in anti-cyclic citrullinated protein antibody level predicts relapse from remission in rheumatoid arthritis: KURAMA cohort. <i>Arthritis Research and Therapy</i> , 2020, 22, 268.	3.5	10
273	Lower Activity and Function Scores Are Associated with a Higher Risk of Preoperative Deep Venous Thrombosis in Patients Undergoing Total Hip Arthroplasty. <i>Journal of Clinical Medicine</i> , 2020, 9, 1257.	2.4	10
274	Indirect Decompression Through Oblique Lateral Interbody Fusion for Revision Surgery After Lumbar Decompression. <i>World Neurosurgery</i> , 2020, 141, e389-e399.	1.3	10
275	Preoperative Factors Associated With Low Back Pain Improvement After Total Hip Arthroplasty in a Japanese Population. <i>Journal of Arthroplasty</i> , 2022, 37, 69-74.	3.1	10
276	Solitary Muscle Metastasis of Hepatocellular Carcinoma to the Biceps Femoris Muscle with Only Elevated Serum PIVKA-II: A Case Report. <i>American Journal of Case Reports</i> , 2019, 20, 306-309.	0.8	10
277	Primary leiomyosarcoma of the patella. <i>Skeletal Radiology</i> , 2001, 30, 530-533.	2.0	9
278	Validity of an oblique posterior condylar radiographic view for revision total knee arthroplasty. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2005, 87-B, 1643-1646.	3.4	9
279	Utility of the Analysis of Intracranial Venous Sinuses Using Preoperative Computed Tomography Venography for Safe Occipital Screw Insertion. <i>Spine</i> , 2013, 38, E1149-E1155.	2.0	9
280	Impact of obesity on outcomes of paediatric acute pancreatitis based on a national administrative database. <i>Pediatric Obesity</i> , 2016, 11, 174-180.	2.8	9
281	Plasma microRNAs Are Potential Biomarkers of Acute Rejection After Hindlimb Transplantation in Rats. <i>Transplantation Direct</i> , 2016, 2, e108.	1.6	9
282	Changes in clinical symptoms and functional disability in patients with coexisting patellofemoral and tibiofemoral osteoarthritis: a 1-year prospective cohort study. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 126.	1.9	9
283	Recipient bone marrow-derived stromal cells prolong graft survival in a rat hind limb allotransplantation model. <i>Microsurgery</i> , 2017, 37, 632-640.	1.3	9
284	Nardilysin is involved in autoimmune arthritis via the regulation of tumour necrosis factor alpha secretion. <i>RMD Open</i> , 2017, 3, e000436.	3.8	9
285	Correlation Between Intraoperative Anterior Stability and Flexion Gap in Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2018, 33, 2480-2484.	3.1	9
286	Bone-ferrometal component interface gap after sagittal mechanical axis alignment is filled with new bone after cementless total knee arthroplasty. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 1478-1484.	4.2	9
287	THRAP3 interacts with and inhibits the transcriptional activity of SOX9 during chondrogenesis. <i>Journal of Bone and Mineral Metabolism</i> , 2018, 36, 410-419.	2.7	9
288	Analysis of detailed clinical characteristics of spinal subdural hematoma following lumbar decompression surgery. <i>Journal of Orthopaedic Science</i> , 2018, 23, 857-864.	1.1	9

#	ARTICLE	IF	CITATIONS
289	Tibial Tubercle-Trochlear Groove Distance Influences Patellar Tilt After Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2019, 34, 3080-3087.	3.1	9
290	The use of a bioactive bone cement containing apatite-wollastonite glass-ceramic filler and bisphenol-a-glycidyl methacrylate resin for acetabular fixation in total hip arthroplasty. <i>Bone and Joint Journal</i> , 2019, 101-B, 787-792.	4.4	9
291	Long-term outcome of cemented total hip arthroplasty with the Charnley-type femoral stem made of titanium alloy. <i>Journal of Orthopaedic Science</i> , 2019, 24, 1047-1052.	1.1	9
292	Serological and Progression Differences of Joint Destruction in the Wrist and the Feet in Rheumatoid Arthritis - A Cross-Sectional Cohort Study. <i>PLoS ONE</i> , 2015, 10, e0136611.	2.5	9
293	Estimation of Minimum Biofilm Eradication Concentration (MBEC) on In Vivo Biofilm on Orthopedic Implants in a Rodent Femoral Infection Model. <i>Frontiers in Cellular and Infection Microbiology</i> , 0, 12, .	3.9	9
294	Revision total hip replacement with a cemented long femoral component: minimum 9-year follow-up results. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2013, 133, 869-874.	2.4	8
295	Spontaneous Reduction in Ossification of the Posterior Longitudinal Ligament of the Thoracic Spine After Posterior Spinal Fusion Without Decompression. <i>Spine</i> , 2014, 39, E417-E419.	2.0	8
296	Proximal femoral reconstruction with impaction bone grafting and circumferential metal mesh. <i>Journal of Orthopaedic Science</i> , 2015, 20, 331-339.	1.1	8
297	Plasma sLOX-1 is a potent biomarker of clinical remission and disease activity in patients with seropositive RA. <i>Modern Rheumatology</i> , 2016, 26, 696-701.	1.8	8
298	Valgus position of the femoral component causes abnormal kinematics in the presence of medial looseness in total knee arthroplasty: a computer simulation model of TKA for valgus knee osteoarthritis. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 2051-2060.	4.2	8
299	Quantity and quality of antigravity muscles in patients undergoing living-donor lobar lung transplantation: 1-year longitudinal analysis using chest computed tomography images. <i>ERJ Open Research</i> , 2020, 6, 00205-2019.	2.6	8
300	Incidence and Clinical Features of Postoperative Symptomatic Hematoma after Spine Surgery: A Multicenter Study of 45 Patients. <i>Spine Surgery and Related Research</i> , 2020, 4, 130-134.	0.7	8
301	Sacroiliac joint degeneration is common in patients with end-stage hip osteoarthritis secondary to unilateral developmental dysplasia of the hip: Factors associated with its severity and laterality. <i>Journal of Orthopaedic Science</i> , 2021, 26, 135-140.	1.1	8
302	Intractable Fractures of the Bilateral Proximal Ulnae After 8 Years of Zoledronate Treatment for Breast Cancer Bone Metastasis. <i>Journal of Hand Surgery</i> , 2022, 47, 393.e1-393.e7.	1.6	8
303	Hip Abductor Strength and Lower Limb Load on Nonoperating Predict Functional Mobility in Women Patients With Total Hip Arthroplasty. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2021, 100, 72-76.	1.4	8
304	THE EFFECT OF ANKLE ROTATION ON CUTTING OF THE TIBIA IN TOTAL KNEE ARTHROPLASTY. <i>Journal of Bone and Joint Surgery - Series A</i> , 2006, 88, 2632-2636.	3.0	8
305	Changes in Patellar Tracking After Total Knee Arthroplasty: 10-Year Follow-Up of Miller-Galante I Knees. <i>Orthopedics</i> , 2002, 25, 811-813.	1.1	8
306	Alignment in total knee arthroplasty following failed high tibial osteotomy. <i>Journal of Knee Surgery</i> , 2003, 16, 168-72.	1.6	8

#	ARTICLE	IF	CITATIONS
307	Differential efficacy of TNF inhibitors with or without the immunoglobulin fragment crystallizable (Fc) portion in rheumatoid arthritis: the ANSWER cohort study. <i>Rheumatology International</i> , 2022, 42, 1227-1234.	3.0	8
308	Effect of patellar meniscus on patellofemoral contact stress in total knee arthroplasty. <i>Journal of Arthroplasty</i> , 1998, 13, 722-727.	3.1	7
309	Low-grade fibrosarcoma of the proximal humerus. <i>Pathology International</i> , 2003, 53, 115-120.	1.3	7
310	Alternative Surgical Treatment for Giant-Cell Reparative Granuloma in the Metacarpal, Using Phenol and Ethanol Adjuvant Therapy. <i>Journal of Hand Surgery</i> , 2007, 32, 887-892.	1.6	7
311	Low-grade dedifferentiated liposarcoma of the neck: magnetic resonance imaging and pathological correlation. <i>Journal of Orthopaedic Science</i> , 2010, 15, 148-152.	1.1	7
312	Outcome of shortened extra-small ulnar component in linked total elbow arthroplasty for patients with rheumatoid arthritis. <i>Modern Rheumatology</i> , 2015, 25, 849-853.	1.8	7
313	A Report on Three Consecutive Cases using Computer Tomography 3D Preoperative Planning for Conversion of Arthrodesed Hips to Total Hip Replacements. <i>HSS Journal</i> , 2015, 11, 76-83.	1.7	7
314	Isometric muscle activation of the serratus anterior and trapezius muscles varies by arm position: a pilot study with healthy volunteers with implications for rehabilitation. <i>Journal of Shoulder and Elbow Surgery</i> , 2017, 26, 1166-1174.	2.6	7
315	Association of varus thrust with prevalent patellofemoral osteoarthritis: A cross-sectional study. <i>Gait and Posture</i> , 2017, 58, 394-400.	1.4	7
316	Noise Generation With Good Range of Motion but Without Femorotibial Instability Has Small Effect on Patient Satisfaction After Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2017, 32, 407-412.	3.1	7
317	Long-term results of total hip arthroplasty using Charnley Elite-Plus stem and the effect of stem geometry on radiographic distal femoral cortical hypertrophy. <i>Journal of Orthopaedic Science</i> , 2018, 23, 365-370.	1.1	7
318	Effects of walking distance over robot-assisted training on walking ability in chronic stroke patients. <i>Journal of Clinical Neuroscience</i> , 2020, 81, 279-283.	1.5	7
319	Bio 3D Conduits Derived from Bone Marrow Stromal Cells Promote Peripheral Nerve Regeneration. <i>Cell Transplantation</i> , 2020, 29, 096368972095155.	2.5	7
320	Self-quarantine programme and pre-operative SARS-CoV-2 PCR screening for orthopaedic elective surgery: experience from Japan. <i>International Orthopaedics</i> , 2021, 45, 1147-1153.	1.9	7
321	Recombinant human FGF-2 therapy for osteonecrosis of the femoral head: 5-year follow-up. <i>Regenerative Medicine</i> , 2020, 15, 2261-2271.	1.7	7
322	Non-ossifying fibromas: Case series, including in uncommon upper extremity sites. <i>World Journal of Orthopedics</i> , 2017, 8, 561.	1.8	7
323	Repair of Iliac Crest Defects with a Hydroxyapatite/Collagen Composite. <i>Asian Spine Journal</i> , 2020, 14, 808-813.	2.0	7
324	Recovery of Muscle Atrophy and Fatty Infiltration in Patients With Acetabular Dysplasia After Total Hip Arthroplasty. <i>Journal of the American Academy of Orthopaedic Surgeons</i> , The, 2022, 30, e317-e326.	2.5	7

#	ARTICLE	IF	CITATIONS
325	Evaluation of Tibial Component Fixation in Specimens Retrieved at Autopsy. <i>Clinical Orthopaedics and Related Research</i> , 1999, 363, 249-257.	1.5	6
326	Disassembly of a Howmedica Modular Resection system. <i>Journal of Arthroplasty</i> , 2000, 15, 934-937.	3.1	6
327	Good short-term outcome of primary total hip arthroplasty with cementless bioactive glass ceramic bottom-coated implants. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2012, 83, 599-603.	3.3	6
328	Is a "sulcus cut" technique effective for determining the level of distal femoral resection in total knee arthroplasty?. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2014, 22, 3060-3066.	4.2	6
329	A new cervical nerve root avulsion model using a posterior extra-vertebral approach in rats. <i>Journal of Brachial Plexus and Peripheral Nerve Injury</i> , 2014, 08, e19-e27.	1.0	6
330	Low-Intensity Pulsed Ultrasound Therapy Stimulates Callus Formation between Host Femur and Cortical Onlay Strut Allograft. <i>Ultrasound in Medicine and Biology</i> , 2014, 40, 1197-1203.	1.5	6
331	Open treatment of dysplasia "other than PAO: does it have to be a PAO?. <i>Journal of Hip Preservation Surgery</i> , 2015, 4, hnv028.	1.3	6
332	Successful Total En Bloc Spondylectomy of T7 Vertebra for Hepatocellular Carcinoma Metastasis After Living Donor Liver Transplantation. <i>Spine</i> , 2015, 40, E944-E947.	2.0	6
333	Simultaneous occurrence of a severe Morel-Lavallée lesion and gluteal muscle necrosis as a sequela of transcatheter angiographic embolization following pelvic fracture: a case report. <i>Journal of Medical Case Reports</i> , 2015, 9, 69.	0.8	6
334	Percutaneous Fixation for Scaphoid Nonunion with Bone Grafting Through the Distal Insertion Hole of a Fully Threaded Headless Screw. <i>Journal of hand surgery Asian-Pacific volume, The</i> , 2016, 21, 357-363.	0.4	6
335	Extremely early stage osteonecrosis of the femoral head in a patient with hip pain secondary systemic steroid pulse therapy for Vogt-Koyanagi-Harada syndrome: A case report. <i>International Journal of Surgery Case Reports</i> , 2016, 25, 97-101.	0.6	6
336	Unsintered Hydroxyapatite and Poly-L-Lactide Composite Screws/Plates for Stabilizing β -Tricalcium Phosphate Bone Implants. <i>Clinics in Orthopedic Surgery</i> , 2018, 10, 253.	2.2	6
337	Implantable composite devices of unsintered hydroxyapatite and poly-L-lactide with dispersive marbling morphology to enhance in vivo bioactivity and bioresorbability. <i>Materials Science and Engineering C</i> , 2019, 97, 698-706.	7.3	6
338	Macroscopic and microscopic anatomy of the rotator cable in the shoulder. <i>Journal of Orthopaedic Science</i> , 2020, 25, 229-234.	1.1	6
339	Abnormal knee kinematics caused by mechanical alignment in symmetric bicruciate-retaining total knee arthroplasty are alleviated by kinematic alignment. <i>Knee</i> , 2020, 27, 1385-1395.	1.6	6
340	Varus alignment after total knee arthroplasty results in greater axial rotation during deep knee bend activity. <i>Clinical Biomechanics</i> , 2020, 77, 105051.	1.2	6
341	Excessive flexed position of the femoral component was associated with poor new Knee Society Score after total knee arthroplasty with the Bi-Surface knee prosthesis. <i>Bone and Joint Journal</i> , 2020, 102-B, 36-42.	4.4	6
342	Generation of Monkey Induced Pluripotent Stem Cell-Derived Cartilage Lacking Major Histocompatibility Complex Class I Molecules on the Cell Surface. <i>Tissue Engineering - Part A</i> , 2022, 28, 94-106.	3.1	6

#	ARTICLE	IF	CITATIONS
343	High dose teriparatide (rPTH1-34) therapy increases callus volume and enhances radiographic healing at 8-weeks in a massive canine femoral allograft model. <i>PLoS ONE</i> , 2017, 12, e0185446.	2.5	6
344	Mechanism of Peripheral Nerve Regeneration Using a Bio 3D Conduit Derived from Normal Human Dermal Fibroblasts. <i>Journal of Reconstructive Microsurgery</i> , 2021, 37, 357-364.	1.8	6
345	Wear resistance of first-generation highly cross-linked annealed polyethylene in cementless total hip arthroplasty is maintained 20 years after surgery. <i>Bone and Joint Journal</i> , 2022, 104-B, 200-205.	4.4	6
346	Recombinant human erythropoietin therapy for autologous blood donation in rheumatoid arthritis patients undergoing total hip or knee arthroplasty. <i>Orthopedics</i> , 2001, 24, 41-4.	1.1	6
347	Changes in patellar tracking after total knee arthroplasty: 10-year follow-up of Miller-Galante I knees. <i>Orthopedics</i> , 2002, 25, 811-3.	1.1	6
348	Radiological assessment of the position of the tibial tuberosity by means of a marking wire in knees with patellofemoral arthritis. <i>Skeletal Radiology</i> , 1999, 28, 27-32.	2.0	5
349	Solitary lymphangioma of the femur. A case report. <i>Journal of Orthopaedic Science</i> , 2002, 7, 501-504.	1.1	5
350	Development of a novel calcium phosphate cement composed mainly of calcium sodium phosphate with high osteoconductivity. <i>Journal of Materials Science: Materials in Medicine</i> , 2014, 25, 1505-1517.	3.6	5
351	The neuroprotective effect of erythropoietin on spinal motor neurons after nerve root avulsion injury in rats. <i>Restorative Neurology and Neuroscience</i> , 2015, 33, 461-470.	0.7	5
352	Clinical and radiographic evaluation of cemented socket fixation concomitant to acetabular bone grafting fixed with absorbable hydroxyapatite-poly-L-lactide composite screws. <i>Journal of Orthopaedic Science</i> , 2016, 21, 57-62.	1.1	5
353	MicroRNAs are potential objective and early biomarkers for acute rejection of transplanted limbs in a rat model. <i>Microsurgery</i> , 2017, 37, 930-936.	1.3	5
354	Subsidence of total ankle component associated with deterioration of an ankle scale in non-inflammatory arthritis but not in rheumatoid arthritis. <i>Modern Rheumatology</i> , 2017, 27, 417-424.	1.8	5
355	Preoperative factors related to the ambulatory status at 1 year after total knee arthroplasty. <i>Disability and Rehabilitation</i> , 2018, 40, 1929-1932.	1.8	5
356	Pretreatment of nerve grafts with resveratrol improves axonal regeneration following replantation surgery for nerve root avulsion injury in rats. <i>Restorative Neurology and Neuroscience</i> , 2018, 36, 647-658.	0.7	5
357	Does Prophylactic Administration of Edoxaban Increase D-Dimer Levels after Total Hip Arthroplasty?. <i>Journal of Clinical Medicine</i> , 2019, 8, 678.	2.4	5
358	Long-Term Survivorship and Clinical Outcomes of Osteochondral Autologous Transplantation for Steroid-Induced Osteonecrosis of the Knee. <i>Cartilage</i> , 2021, 13, 1156S-1164S.	2.7	5
359	A VCP modulator, KUS121, as a promising therapeutic agent for post-traumatic osteoarthritis. <i>Scientific Reports</i> , 2020, 10, 20787.	3.3	5
360	Percutaneous autologous impaction bone graft for advanced femoral head osteonecrosis: a retrospective observational study of unsatisfactory short-term outcomes. <i>Journal of Orthopaedic Surgery and Research</i> , 2021, 16, 141.	2.3	5

#	ARTICLE	IF	CITATIONS
361	Physical function after lung transplantation for late-onset noninfectious pulmonary complications after allogeneic hematopoietic stem cell transplantation. <i>Supportive Care in Cancer</i> , 2021, 29, 5447-5454.	2.2	5
362	Possible Association of Pedicle Screw Diameter on Pseudoarthrosis Rate After Transforaminal Lumbar Interbody Fusion. <i>World Neurosurgery</i> , 2021, 150, e155-e161.	1.3	5
363	Recombinant human FGF-2 for the treatment of early-stage osteonecrosis of the femoral head: TRION, a single-arm, multicenter, Phase II trial. <i>Regenerative Medicine</i> , 2021, 16, 535-548.	1.7	5
364	Stand-Alone Anterior Cervical Discectomy and Fusion Using an Additive Manufactured Individualized Bioactive Porous Titanium Implant without Bone Graft: Results of a Prospective Clinical Trial. <i>Asian Spine Journal</i> , 2021, 15, 373-380.	2.0	5
365	Salvage Oblique Lateral Interbody Fusion for Pseudarthrosis after Posterior/Transforaminal Lumbar Interbody Fusion: A Technical Note. <i>World Neurosurgery</i> , 2021, 152, 107-112.	1.3	5
366	Optimizing the layer thickness of sol-gel-derived TiO ₂ coating on polyetheretherketone. <i>Scientific Reports</i> , 2021, 11, 15875.	3.3	5
367	Assessment of neurocognitive function in association with WHO grades in gliomas. <i>Clinical Neurology and Neurosurgery</i> , 2021, 208, 106824.	1.4	5
368	Functional characteristics associated with hip abductor torque in severe hip osteoarthritis. <i>Musculoskeletal Science and Practice</i> , 2021, 55, 102431.	1.3	5
369	Oxycodone Resistance Due to Rifampin Use in an Osteosarcoma Patient with Tuberculosis. <i>American Journal of Case Reports</i> , 2017, 18, 1130-1134.	0.8	5
370	Pes Anserinus Syndrome Caused by Osteochondroma in Paediatrics: A Case Series Study. <i>The Open Orthopaedics Journal</i> , 2017, 11, 397-403.	0.2	5
371	Pain catastrophizing hinders Disease Activity Score 28 erythrocyte sedimentation rate remission of rheumatoid arthritis in patients with normal C-reactive protein levels. <i>International Journal of Rheumatic Diseases</i> , 2021, 24, 1520-1529.	1.9	5
372	Long-term outcome of primary total hip arthroplasty with cementless bioactive glass ceramic bottom-coated implants and highly cross-linked polyethylene: A minimum 10-year analysis. <i>Journal of Orthopaedic Science</i> , 2023, 28, 385-390.	1.1	5
373	PTEN and other tumor suppressor gene mutations as secondary genetic alterations in synovial sarcoma. <i>Oncology Reports</i> , 2004, 11, 1011.	2.6	4
374	Fibrocartilaginous mesenchymoma arising in the pubic bone: A case report. <i>Pathology International</i> , 2013, 63, 226-229.	1.3	4
375	Distal femoral condyle is more internally rotated to the patellar tendon at 90° of flexion in normal knees. <i>Journal of Orthopaedic Surgery and Research</i> , 2015, 10, 54.	2.3	4
376	Polyethylene and highly cross-linked polyethylene for cemented total hip arthroplasty: A comparison of over ten-year clinical and radiographic results. <i>Journal of Orthopaedics</i> , 2017, 14, 520-524.	1.3	4
377	Chronic expanding hematoma: a late complication 45 years after thoracoplasty. <i>Journal of Thoracic Disease</i> , 2017, 9, E6-E9.	1.4	4
378	Utility of Thoracolumbar Low-Dose CT With Model-Based Iterative Reconstruction for Measuring Pedicle Diameter Using a Radiation Dose Less Than a One-Time Lumbar X-Ray. <i>Spine</i> , 2020, 45, 38-47.	2.0	4

#	ARTICLE	IF	CITATIONS
379	An Observational Survey of Nail and Skin of Spine Surgeons-Possible Damage by Occupational Ionizing Radiation Exposure. <i>Spine Surgery and Related Research</i> , 2021, 5, 359-364.	0.7	4
380	Predictive Value of Heterogeneously Enhanced Magnetic Resonance Imaging Findings With Computed Tomography Evidence of Calcification for Severe Motor Deficits in Spinal Meningioma. <i>Neurospine</i> , 2021, 18, 163-169.	2.9	4
381	Analysis of factors associated with patient-reported physical functioning scores at discharge of allogeneic hematopoietic stem cell transplantation patients: a cross-sectional study. <i>Supportive Care in Cancer</i> , 2021, 29, 7569-7576.	2.2	4
382	Ten-year results of mesenchymal stromal cell transplantation augmented with vascularised bone grafts for advanced osteonecrosis of the femoral head. <i>Journal of Orthopaedics</i> , 2021, 26, 67-71.	1.3	4
383	Neutrophil count reduction 1 month after initiating tocilizumab can predict clinical remission within 1 year in rheumatoid arthritis patients. <i>Rheumatology International</i> , 2022, 42, 1983-1991.	3.0	4
384	Influence of dietary habits on depression among patients with rheumatoid arthritis: A cross-sectional study using KURAMA cohort database. <i>PLoS ONE</i> , 2021, 16, e0255526.	2.5	4
385	Radiolucent lines do not affect the longevity of highly cross-linked polyethylene cemented components in total hip arthroplasty. <i>Bone and Joint Journal</i> , 2021, 103-B, 1604-1610.	4.4	4
386	Extra-Articular Tenosynovial Chondromatosis of the Finger: A Case Series Study of Three Cases, One Including Excessive Osseous Invasion. <i>The Open Orthopaedics Journal</i> , 2017, 11, 417-423.	0.2	4
387	Pyogenic arthritis of a lumbar facet joint, a rare cause of retroperitoneal abscess: a case report. <i>Spine Surgery and Related Research</i> , 2018, 2, 159-162.	0.7	4
388	Accuracy of fluoroscopic guidance with the coaxial view of the pedicle for percutaneous insertion of lumbar pedicle screws and risk factors for pedicle breach. <i>Journal of Neurosurgery: Spine</i> , 2020, , 1-8.	1.7	4
389	Chronic Expanding Hematoma in the Thigh: A Late Complication 32 Years After Treatment of Synovial Sarcoma: A Case Report. <i>American Journal of Case Reports</i> , 2019, 20, 1449-1453.	0.8	4
390	The real-world effectiveness of anti-RANKL antibody denosumab on the clinical fracture prevention in patients with rheumatoid arthritis: The ANSWER cohort study. <i>Modern Rheumatology</i> , 2022, 32, 834-838.	1.8	4
391	Long-term Radiographic Outcome of Occipitocervical Fixation. <i>Spine</i> , 2021, 46, 152-159.	2.0	4
392	Ultrasonographic Changes of the Knee Joint Reflect Symptoms of Early Knee Osteoarthritis in General Population; The Nagahama Study. <i>Cartilage</i> , 2022, 13, 194760352210774.	2.7	4
393	How do the Japanese medical students evaluate the effectiveness of anti-smoking strategies?- an application of the Analytic Hierarchy Process. <i>Environmental Health and Preventive Medicine</i> , 1998, 3, 73-77.	3.4	3
394	Leiomyosarcoma in the humerus with leukocytosis and elevation of serum G-CSF. <i>Skeletal Radiology</i> , 2012, 41, 719-723.	2.0	3
395	Peripheral nerve regeneration through a silicone chamber implanted with negative carbon ions: Possibility to clinical application. <i>Applied Surface Science</i> , 2014, 310, 19-23.	6.1	3
396	A-674563 increases chondrocyte marker expression in cultured chondrocytes by inhibiting Sox9 degradation. <i>Biochemical and Biophysical Research Communications</i> , 2018, 495, 1468-1475.	2.1	3

#	ARTICLE	IF	CITATIONS
397	Insufficiency fracture at an osteochondroma bridging the proximal fibula and the tibia: Case report. <i>Journal of Orthopaedics</i> , 2018, 15, 384-387.	1.3	3
398	Resection-Induced Leveling of Elevated Plug Cartilage in Osteochondral Autologous Transplantation of the Knee Achieves Acceptable Clinical Results. <i>American Journal of Sports Medicine</i> , 2018, 46, 617-622.	4.2	3
399	Subcutaneous lipomas: A minimally invasive method for resection of subcutaneous lipomas preserving retaining ligaments. <i>European Journal of Plastic Surgery</i> , 2018, 41, 173-176.	0.6	3
400	Unexpected dislocation following accurate total hip arthroplasty caused by excessive hip joint laxity during myasthenic crisis: a case report. <i>Journal of Medical Case Reports</i> , 2018, 12, 331.	0.8	3
401	Dose optimization of topical tranexamic acid for primary total hip arthroplasty: A prospective cohort study. <i>Journal of Orthopaedic Science</i> , 2019, 24, 275-279.	1.1	3
402	A clinical trial for Kienbock disease by cultured autologous multipotent mesenchymal stromal cells augmented with vascularized bone grafts: A report of five cases. <i>Journal of Orthopaedic Science</i> , 2019, 24, 750-756.	1.1	3
403	The family history of rheumatoid arthritis in anti-cyclic citrullinated peptide antibody-positive patient is not a predictor of poor clinical presentation and treatment response with modern classification criteria and treatment strategy: the ANSWER cohort study. <i>Rheumatology International</i> , 2020, 40, 217-225.	3.0	3
404	Length of anterior cruciate ligament affects knee kinematics and kinetics using a musculoskeletal computer simulation model. <i>Journal of Orthopaedics</i> , 2020, 21, 370-374.	1.3	3
405	Total Hip Arthroplasty Combined With Subtrochanteric Transverse Shortening Osteotomy: Factors Associated With Delayed Union at the Osteotomy Site. <i>Journal of the American Academy of Orthopaedic Surgeons Global Research and Reviews</i> , 2020, 4, e20.00056.	0.7	3
406	Domino osteochondral autograft transplantation for osteonecrosis of the knee and femoral head: A case based review. <i>Journal of Orthopaedic Science</i> , 2021, 26, 196-199.	1.1	3
407	Anatomical evaluation of the femoral attachment of the posterior oblique ligament. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2021, 141, 1035-1041.	2.4	3
408	Rigid reconstruction with periacetabular multiple screws after the resection of malignant pelvic tumours involving the sacroiliac joint. <i>International Orthopaedics</i> , 2021, 45, 1793-1802.	1.9	3
409	Radiological follow-up of the degenerated facet joints after lateral lumbar interbody fusion with percutaneous pedicle screw fixation: Focus on spontaneous facet joint fusion. <i>Journal of Orthopaedic Science</i> , 2021, , .	1.1	3
410	Perceptions and behaviours related to COVID-19 in patients with rheumatoid arthritis: a cross-sectional study. <i>Clinical Rheumatology</i> , 2022, 41, 45-51.	2.2	3
411	Persistent Symptoms of Ganglion Cysts in the Dorsal Foot. <i>The Open Orthopaedics Journal</i> , 2017, 11, 1308-1313.	0.2	3
412	Tenderness of the knee is associated with thinning of the articular cartilage evaluated with ultrasonography in a community-based cohort: The Nagahama study. <i>Modern Rheumatology</i> , 2021, , .	1.8	3
413	Evaluation of indices for predicting recovery of exercise tolerance in patients surviving allogeneic hematopoietic stem cell transplantation. <i>Supportive Care in Cancer</i> , 2022, 30, 4027-4034.	2.2	3
414	Discrepancy in the Responsiveness to Hip Range of Motion Between Harris and Oxford Hip Scores. <i>Arthroplasty Today</i> , 2022, 13, 157-164.	1.6	3

#	ARTICLE	IF	CITATIONS
415	Biomechanical Comparison of Kinematic and Mechanical Knee Alignment Techniques in a Computer Simulation Medial Pivot Total Knee Arthroplasty Model. <i>Journal of Knee Surgery</i> , 2021, , .	1.6	3
416	Clinical Experience with Sparfloxacin in the Treatment of Gynaecological Infection. <i>Drugs</i> , 1993, 45, 384.	10.9	2
417	Dedifferentiated chondrosarcoma with leukocytosis and elevation of serum G-CSF. A case report. <i>World Journal of Surgical Oncology</i> , 2006, 4, 37.	1.9	2
418	Functional evaluation of four patients treated with V-Y quadricepsplasty in total knee arthroplasty. <i>Journal of Orthopaedic Science</i> , 2006, 11, 394-400.	1.1	2
419	CORR Insights®: The Value of Valgus Stress Radiographs in the Workup for Medial Unicompartmental Arthritis. <i>Clinical Orthopaedics and Related Research</i> , 2013, 471, 4004-4005.	1.5	2
420	Anterior tibial border as a landmark for extramedullary alignment guides for total knee arthroplasty in valgus knees. <i>Journal of Orthopaedic Research</i> , 2015, 33, 1897-1899.	2.3	2
421	Complete Resection of a Massive Synovial Osteochondromatosis of the Hip Using an Anterior Approach: A Report of Two Cases. <i>Case Reports in Orthopedics</i> , 2017, 2017, 1-4.	0.3	2
422	A long-term comparative study between two different designs of cemented stems: Distal-cylindrical versus distal-taper. <i>Journal of Orthopaedics</i> , 2018, 15, 190-195.	1.3	2
423	Bilateral osteonecrosis of the femoral head associated with corticosteroid therapy for alopecia areata: a case report and review of the literature. <i>Therapeutics and Clinical Risk Management</i> , 2018, Volume 14, 1399-1405.	2.0	2
424	Flord reactive periostitis of the metacarpal bone: a case of resolution without resection. <i>Journal of Hand Surgery: European Volume</i> , 2018, 43, 1118-1119.	1.0	2
425	Presacral myelolipoma as a possible parasymptom of cancer: A case report. <i>Rare Tumors</i> , 2018, 10, 203636131877212.	0.6	2
426	MRI examination of resected malignant bone tumor can be an option for assessment of the osseous surgical margin. <i>British Journal of Radiology</i> , 2019, 92, 20190518.	2.2	2
427	Titania-containing bioactive bone cement for total hip arthroplasty in dogs. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2019, 107, 1238-1245.	3.4	2
428	Doxorubicin-Immersed Skeletal Muscle Grafts Promote Peripheral Nerve Regeneration Across a 10-mm Defect in the Rat Sciatic Nerve. <i>Journal of Reconstructive Microsurgery</i> , 2020, 36, 041-052.	1.8	2
429	Reconstruction with β -tricalcium phosphate for giant cell tumor of the talus. <i>Foot</i> , 2020, 42, 101643.	1.1	2
430	Thoracoabdominal flap reconstruction after resection of superficial soft-tissue sarcomas in the chest wall. <i>Journal of Surgical Case Reports</i> , 2021, 2021, rjaa571.	0.4	2
431	Chronic Expanding Hematomas That Occurred 20 Years or More After Primary Total Hip Arthroplasty. <i>JBJS Case Connector</i> , 2021, 11, .	0.3	2
432	Corticosteroid-associated osteonecrosis of the femoral head after orthotopic liver transplantation and the outcomes of subsequent total hip arthroplasty. <i>Journal of Orthopaedic Science</i> , 2021, , .	1.1	2

#	ARTICLE	IF	CITATIONS
433	Differences in impact on adjacent compartments in medial unicompartmental knee arthroplasty versus high tibial osteotomy with identical valgus alignment. <i>Knee</i> , 2021, 29, 241-250.	1.6	2
434	Anterior chest wall reconstruction after resection of a sternal tumor with a single mandibular plate and Gore-Tex® sheet. <i>Asian Journal of Surgery</i> , 2021, 44, 563-565.	0.4	2
435	Kinematic comparison between asymmetrical and symmetrical polyethylene inserts during deep knee bend activity. <i>Journal of Orthopaedic Science</i> , 2022, 27, 810-814.	1.1	2
436	Femoral head collapse rate among Japanese patients with pre-collapse osteonecrosis of the femoral head. <i>Journal of International Medical Research</i> , 2021, 49, 030006052110233.	1.0	2
437	Differential Contribution of the Medial and the Lateral Side of the Joint to Symptoms in Knee Osteoarthritis: A Radiographic and Laboratory Analysis in the Nagahama Study. <i>Cartilage</i> , 2021, , 194760352110258.	2.7	2
438	Ischemic Fasciitis of the Left Buttock in a 40-Year-Old Woman with Beta-Propeller Protein-Associated Neurodegeneration (BPAN). <i>American Journal of Case Reports</i> , 2018, 19, 1249-1252.	0.8	2
439	Posterior Dural Shifts Following Spinous Process-Splitting Multi-Level Intervertebral Lumbar Laminectomies. <i>Asian Spine Journal</i> , 2019, 13, 801-808.	2.0	2
440	Functional characteristics of female patients based on ambulatory ability 1 year after total knee arthroplasty. <i>Knee</i> , 2021, 33, 298-304.	1.6	2
441	Bone Involvement Mimicking an Aggressive Bone Lesion in a Diffuse-type Tenosynovial Giant Cell Tumor in the Thoracic Vertebral Lamina: A Case Report. <i>Journal of Orthopaedic Case Reports</i> , 2018, 8, 14-17.	0.1	2
442	Hinge fractures reaching the tibial plateau can be caused by forcible opening of insufficient posterior osteotomy during open-wedge high tibial osteotomy. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2023, 31, 1533-1545.	4.2	2
443	Protective effects of calcium antagonist (nitrendipine) on calcium ionophore A23187-induced liver cell injury. <i>The Bulletin of Tokyo Medical and Dental University</i> , 1991, 38, 35-44.	0.1	2
444	Physical and financial impacts caused by the COVID-19 pandemic exacerbate knee pain: A longitudinal study of a large-scale general population. <i>Modern Rheumatology</i> , 2022, , .	1.8	2
445	Closed suction drainage is not beneficial in hybrid total hip arthroplasty with intra-articular administration of tranexamic acid: a propensity score-matched cohort study. <i>International Orthopaedics</i> , 2022, 46, 1281-1287.	1.9	2
446	Development of a Clinical Prediction Rule to Identify Physical Activity After Total Hip Arthroplasty. <i>Archives of Physical Medicine and Rehabilitation</i> , 2022, 103, 1975-1982.	0.9	2
447	Predictors of the need for rib resection in minimally invasive retroperitoneal approach for oblique lateral interbody fusion at upper lumbar spine (L1-2 and L2-3). <i>Journal of Orthopaedic Science</i> , 2023, 28, 752-757.	1.1	2
448	Residual anterior cord compression after laminoplasty for cervical spondylotic myelopathy: evaluation of risk factors according to the most severely stenotic vertebral segment. <i>Journal of Neurosurgery: Spine</i> , 2022, 37, 794-801.	1.7	2
449	Twenty-Six-Degree Anteroposterior flexion Standing Radiograph of knee.. <i>Orthopedics & Traumatology</i> , 2000, 49, 750-753.	0.1	1
450	Suprapatellar Synovial Plica with Complete Type of Septum —A Report of Three Cases. <i>Orthopedics & Traumatology</i> , 2012, 61, 623-626.	0.1	1

#	ARTICLE	IF	CITATIONS
451	Free functional muscle transplantation of an anomalous femoral adductor with a very large muscle belly: a case report. <i>Journal of Brachial Plexus and Peripheral Nerve Injury</i> , 2014, 08, e47-e50.	1.0	1
452	A Proximally Based Sural Fasciocutaneous Flap for the Treatment of Recurrent Peroneal Neuropathy. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2016, 4, e815.	0.6	1
453	Varus thrust visualized during gait was associated with inverted foot in patients with knee osteoarthritis: An exploratory study. <i>Gait and Posture</i> , 2018, 61, 269-275.	1.4	1
454	Reply to the letter to the editor by Kayaalp. <i>Journal of Orthopaedic Science</i> , 2019, 24, 954-955.	1.1	1
455	A posterior approach for curettage in giant cell tumor of bone in the proximal fibula. <i>Journal of Surgical Case Reports</i> , 2019, 2019, rjz252.	0.4	1
456	Subvastus approach for resection of subvastus osteochondroma in the distal femur. <i>Asian Journal of Surgery</i> , 2019, 42, 842-843.	0.4	1
457	Effects of interaction between varus thrust and ambulatory physical activity on knee pain in individuals with knee osteoarthritis: an exploratory study with 12-month follow-up. <i>Clinical Rheumatology</i> , 2019, 38, 1721-1729.	2.2	1
458	Unicameral bone cyst in the pelvis: report of a case treated by placement of screws made from a composite of unsintered hydroxyapatite particles and poly-l-lactide. <i>Rare Tumors</i> , 2019, 11, 203636131989507.	0.6	1
459	Sagittal imbalance treated with L5 pedicle subtraction osteotomy with short lumbar fusion from L4 to sacrum using four screws into L4 for enhanced fixation two additional vertebral screws: a technical note. <i>European Spine Journal</i> , 2019, 28, 121-126.	2.2	1
460	Soluble Lectin-like Oxidized Low-Density Lipoprotein Receptor 1 Predicts the Changes of Rheumatoid Factor Titers in Rheumatoid Arthritis. <i>Journal of Clinical Rheumatology</i> , 2020, 26, 295-300.	0.9	1
461	The spontaneous restoration of the course of psoas muscles after corrective surgery for adult spinal deformity. <i>Journal of Orthopaedic Science</i> , 2020, 25, 73-81.	1.1	1
462	Hemangioma in the patella " A case report. <i>Journal of Clinical Orthopaedics and Trauma</i> , 2020, 11, S892-S895.	1.5	1
463	Osteochondral Autograft Transplant as a Potential Salvage Procedure for Articular Cartilage Defects of the Lateral Compartment in Lateral Meniscus"Deficient Knees: Results From a Country With Limited Availability of Meniscal Transplant. <i>Orthopaedic Journal of Sports Medicine</i> , 2020, 8, 232596712096275.	1.7	1
464	Cervical spinal computed tomography utilizing model-based iterative reconstruction reduces radiation to an equivalent of three cervical X-rays. <i>European Spine Journal</i> , 2020, 29, 2804-2813.	2.2	1
465	A histoanatomical study of the fiber bundle forming the "Comma Sign," a critical marker of the torn edge of the subscapularis tendon. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2021, 141, 1231-1239.	2.4	1
466	Multifidus muscle retracted and preserved in resection of malignant bone tumor in the sacral ala. <i>Journal of Surgical Case Reports</i> , 2021, 2021, rjab439.	0.4	1
467	Association between quantitative lower limb arterial calcification and bilateral severe knee osteoarthritis. <i>Modern Rheumatology</i> , 2021, 31, 1059-1065.	1.8	1
468	Titania-Containing Bone Cement Shows Excellent Osteoconductivity in A Synovial Fluid Environment and Bone-Bonding Strength in Osteoporosis. <i>Materials</i> , 2021, 14, 1110.	2.9	1

#	ARTICLE	IF	CITATIONS
469	Coexistence of low back pain and lumbar kyphosis is associated with increased functional disability in knee osteoarthritis: the Nagahama Study. <i>Arthritis Care and Research</i> , 2021, , .	3.4	1
470	Arthroscopic evaluation after osteochondral autogenous transfer with osteotomy of medial malleolus for osteochondral lesion of the talar dome. <i>Foot and Ankle Surgery</i> , 2022, 28, 25-29.	1.7	1
471	Bone Coverage around Hydroxyapatite/Poly(L-Lactide) Composite Is Determined According to Depth from Cortical Bone Surface in Rabbits. <i>Materials</i> , 2021, 14, 1458.	2.9	1
472	Effects of periodic robot rehabilitation using the Hybrid Assistive Limb for a year on gait function in chronic stroke patients. <i>Journal of Clinical Neuroscience</i> , 2021, 92, 17-21.	1.5	1
473	Occipital and external acoustic meatus to axis angle: a useful predictor of oropharyngeal space in rheumatoid arthritis patients with atlantoaxial subluxation. <i>Journal of Neurosurgery: Spine</i> , 2019, 31, 534-541.	1.7	1
474	<i><i>Salmonella</i></i>, osteomyelitis of the distal radius in a healthy pregnant woman. <i>Journal of Bone and Joint Infection</i> , 2020, 6, 1-5.	1.5	1
475	Changes in the health-related quality of life and social reintegration status after lung transplantation following hematopoietic stem cell transplantation. <i>Supportive Care in Cancer</i> , 2022, 30, 1831-1839.	2.2	1
476	Preoperative Hyperthermoradiotherapy for Myxoid Liposarcoma Arising from Lower Extremity: A Preliminary Report.. <i>Thermal Medicine(Japanese Journal of Hyperthermic Oncology)</i> , 2001, 17, 69-76.	0.4	1
477	Multicentric reticulohistiocytosis with hydrarthrosis in both knee joints: disease stabilization with synovectomy, and medication with a steroid and low-dose methotrexate. <i>Modern Rheumatology</i> , 2002, 12, 155-159.	1.8	1
478	Focal Periphyseal Edema Zone on Magnetic Resonance Imaging in the Greater Trochanter Apophysis: A Case Report. <i>Journal of Orthopaedic Case Reports</i> , 2017, 7, 29-31.	0.1	1
479	Femoral bowing affects varus femoral alignment but not patient satisfaction in mechanically aligned total knee arthroplasty. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2021, , 1.	1.4	1
480	Distinct Pathogenesis of Clonal Hematopoiesis Revealed By Single Cell RNA Sequencing Integrated with Highly Sensitive Genotyping Method. <i>Blood</i> , 2020, 136, 34-34.	1.4	1
481	A Transposition Flap Reconstruction after Resection of a Soft-Tissue Sarcoma in the Buttock. <i>Journal of Orthopaedic Case Reports</i> , 2021, 11, 38-40.	0.1	1
482	Association Between the Amount of Limb Lengthening and Hip Range of Motion After Total Hip Arthroplasty. <i>Journal of the American Academy of Orthopaedic Surgeons, The</i> , 2022, 30, e599-e606.	2.5	1
483	Paraplegia Caused by Multifocal Osteosarcoma With Spinal Lesions. <i>International Journal of Spine Surgery</i> , 2021, 15, 1234-1237.	1.5	1
484	Static Mediolateral Tilt of the Joint Line after Total Knee Arthroplasty Does Not Reflect Dynamic Tilt during a Stair Ascent Activity. <i>Journal of Knee Surgery</i> , 2021, , .	1.6	1
485	Comparative Study of Circumferential Decompression and Posterior Decompression in Palliative Surgery for Metastatic Thoracic Spinal Tumors. <i>Clinical Spine Surgery</i> , 2022, Publish Ahead of Print, .	1.3	1
486	High Subsidence Rate After Primary Total Hip Arthroplasty Using a ZweymÄ¼ller-type Noncemented Implant With a Matte Surface. <i>Journal of the American Academy of Orthopaedic Surgeons Global Research and Reviews</i> , 2022, 6, .	0.7	1

#	ARTICLE	IF	CITATIONS
487	Visualization of Affected Lesion in Arthroscopic Surgery Using Augmented Reality Navigation System. Journal of Japan Society of Computer Aided Surgery, 2011, 13, 453-459.	0.0	0
488	Mid-term Clinical Results of Total Knee Arthroplasty with NexGen LPS. Orthopedics & Traumatology, 2012, 61, 840-842.	0.1	0
489	Three Cases of Osteomyelitis and Arthritis as a Complication of BCG Vaccination. Orthopedics & Traumatology, 2012, 61, 229-233.	0.1	0
490	Radiographic Evaluation of NexGen LPS to Knee Prosthesis in Minimum Five Years. Orthopedics & Traumatology, 2012, 61, 120-123.	0.1	0
491	Recurrent Hemarthrosis after Total Knee Arthroplasty: A Case Report. Orthopedics & Traumatology, 2012, 61, 843-845.	0.1	0
492	Osteoconductivity of New Sodium Calcium Phosphate Pastes. Key Engineering Materials, 0, 529-530, 304-308.	0.4	0
493	Two-Stage Reconstruction for Ankylosed Hip with Severe Limb Shortening: A Case Report. HIP International, 2014, 24, 660-663.	1.7	0
494	SAT0200â€¦Clinical Application of the Soluble Lectin-Like Oxidized LDL Receptor-1 (SLOX-1) in Rheumatoid Arthritis: from Bench to Bedside. Annals of the Rheumatic Diseases, 2014, 73, 662.1-662.	0.9	0
495	Limited extension after linked total elbow arthroplasty in patients with rheumatoid arthritis. Modern Rheumatology, 2016, 26, 347-351.	1.8	0
496	An anatomical investigation of clock face landmarks around the glenoid for shoulder arthroscopy orientation. Journal of Orthopaedic Science, 2016, 21, 727-731.	1.1	0
497	Shoulder Bankart lesion with posterior instability: A case report of ultrasound detection. Skeletal Radiology, 2017, 46, 1137-1141.	2.0	0
498	In Patients Having Hip or Knee Arthroplasty, Intravenous and Oral Acetaminophen Did Not Differ for 24-Hour Pain or Narcotic Use. Journal of Bone and Joint Surgery - Series A, 2017, 99, 1392-1392.	3.0	0
499	Distal defect of the humerus, a possible normal variant: a case report. Journal of Medical Case Reports, 2017, 11, 241.	0.8	0
500	CORR InsightsÂ®: Femoral Component External Rotation Affects Knee Biomechanics: A Computational Model of Posterior-stabilized TKA. Clinical Orthopaedics and Related Research, 2018, 476, 124-125.	1.5	0
501	Opening Wedge Osteotomy for Valgus Deformity of the Little Finger after Proximal Phalangeal Fracture in Children: Two Case Reports. Case Reports in Orthopedics, 2018, 2018, 1-6.	0.3	0
502	Inverted Rearfoot posture in subjects with coexisting patellofemoral osteoarthritis in medial knee osteoarthritis: an exploratory study. Journal of Foot and Ankle Research, 2018, 11, 17.	1.9	0
503	Keyhole resection of intra-articular osteoid osteoma in the ulnar trochlear notch using 3-dimensional computed tomography-based navigation. Journal of Shoulder and Elbow Surgery, 2019, 28, e57-e61.	2.6	0
504	Preserving the Pelvic Ring at the Sciatic Notch During Resection of Malignant Bone Tumors at the Posterior Ilium. Orthopaedic Surgery, 2020, 12, 2013-2017.	1.8	0

#	ARTICLE	IF	CITATIONS
505	Anatomic limitations of biceps tenodesis using an interference screw for Asian people: a cadaveric study. <i>JSES International</i> , 2020, 4, 422-426.	1.6	0
506	Implanted $\hat{1}^2$ -Tricalcium Phosphate Blocks Can Function as a Placeholder in Recurrent Giant Cell Tumor of Bone. <i>Case Reports in Orthopedics</i> , 2020, 2020, 1-4.	0.3	0
507	Recombinant Human Fibroblast Growth Factor-2 Treatment to Prevent Femoral Head Collapse in Patients With Osteonecrosis of the Femoral Head: Trion, a Single-Arm, Historical Control, Multicenter, Phase II Trial. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
508	Preserving the posterior cortex of the sternum during resection of a superficial anterior chest wall sarcoma. <i>Journal of Surgical Case Reports</i> , 2021, 2021, rjab450.	0.4	0
509	Similarity in Sequential Bilateral Transient Osteoporosis of the Hip. <i>JBJS Case Connector</i> , 2021, 11, .	0.3	0
510	Subtotal En Bloc Resection of the Fourth Lumbar Vertebra for Giant Cell Tumor Using Combined Posterior and Lateral Retroperitoneal Approach. <i>Spine Surgery and Related Research</i> , 2021, 5, 442-445.	0.7	0
511	The 3M TM Cavilon TM barrier prevents erasure of surgical skin markings with removal of povidone iodine adhesive draping. <i>Skin Health and Disease</i> , 2021, 1, e31.	1.5	0
512	Solitary Metastasis of Hepatocellular Carcinoma to the Rectus Abdominis 13 Years After the Initial Treatment. <i>ACG Case Reports Journal</i> , 2021, 8, e00607.	0.4	0
513	A Case Report of a Team Approach for a Rheumatoid Arthritis Patient with Above-knee Amputation to Acquire Activities of Daily Living with a Prosthetic Leg. <i>The Japanese Journal of Rehabilitation Medicine</i> , 2021, 58, 692-698.	0.0	0
514	Chondrosarcoma Arising from the Posterior Iliac Crest Extending into the Spinal Canal. <i>Case Reports in Orthopedics</i> , 2021, 2021, 1-5.	0.3	0
515	Remaining spine deformity after revision surgery for pelvic reconstruction and spinopelvic fixation: illustrative case. <i>Journal of Neurosurgery Case Lessons</i> , 2021, 2, .	0.3	0
516	Region specificity of rheumatoid foot symptoms associated with ultrasound-detected synovitis and joint destruction. <i>Modern Rheumatology</i> , 2022, 32, 127-135.	1.8	0
517	Total Knee Arthroplasty for Osteoarthritis. , 2011, , 493-499.		0
518	PS7-8 Bio rapid prototyping project : Influence of passage culture of spheroids for cells construct(PS7: Poster Short Presentation VII,Poster Session). <i>The Proceedings of the Asian Pacific Conference on Biomechanics Emerging Science and Technology in Biomechanics</i> , 2015, 2015.8, 344.	0.0	0
519	Rehabilitation for Impairments after Total Knee Arthroplasty. <i>The Japanese Journal of Rehabilitation Medicine</i> , 2017, 54, 201-204.	0.0	0
520	Soft Tissue Balance, Kinematics, and Patient Satisfaction. , 2017, , 205-216.		0
521	Analysis of Clonal Evolution/Heterogeneity of MDS By Simultaneous Detection of Both Mutation and Gene Expression By Single Cell Sequencing. <i>Blood</i> , 2018, 132, 1800-1800.	1.4	0
522	Cervical Myelopathy Caused by Invagination of Floating Anomalous C2 and C3 Laminae in the Spinal Canal. <i>Spine Surgery and Related Research</i> , 2020, 4, 274-276.	0.7	0

#	ARTICLE	IF	CITATIONS
523	Rapid Spontaneous Resolution of Lumbar Intraspinal Facet Cyst after Lateral Lumbar Interbody Fusion. Spine Surgery and Related Research, 2020, 4, 328-332.	0.7	0
524	Curettage Using Soft-wire for Enchondroma in the Hand: A Technical Note. Journal of Orthopaedic Case Reports, 2017, 7, 67-70.	0.1	0
525	A Minimally Invasive Novel Technique Using a New Device to Treat Proximal Femoral Cystic Lesions. Journal of Orthopaedic Case Reports, 2020, 10, 23-26.	0.1	0
526	Regenerative Rehabilitation. The Japanese Journal of Rehabilitation Medicine, 2021, 58, 1149-1155.	0.0	0
527	Distinct Pathogenesis of Clonal Hematopoiesis Revealed By Single Cell RNA Sequencing Integrated with Highly Sensitive Genotyping Method. Blood, 2021, 138, 1092-1092.	1.4	0
528	Anteromedial Tibial Attachment in Single-Bundle Anterior Cruciate Ligament Reconstruction Can Represent Normal Kinematics in Computer Simulation. Journal of Knee Surgery, 2022, , .	1.6	0
529	The effect of a rehabilitation program after mesenchymal stromal cell transplantation for advanced osteonecrosis of the femoral head: a 10-year follow-up study. Archives of Rehabilitation Research and Clinical Translation, 2022, 4, 100179.	0.9	0
530	The superior accuracy of a novel method in total hip wear calculations following radiographic measurement. BMC Musculoskeletal Disorders, 2022, 23, 130.	1.9	0
531	The efficacy of combining a vascularized biogenic conduit and a decellularized nerve graft in the treatment of peripheral nerve defects: An experimental study using the rat sciatic nerve defect model. Microsurgery, 2022, 42, 254-264.	1.3	0
532	Reproducibility, criterion-related validity, and minimal clinically important difference of the stair negotiation test after total Hip arthroplasty. Physiotherapy Theory and Practice, 2022, , 1-8.	1.3	0
533	Comparative Study Of The Usage Of Closed Suction And Nonsuction Drains In Cervical Laminoplasty. Spine Surgery and Related Research, 2022, , .	0.7	0
534	Muscle Grafts with Doxorubicin Pretreatment Produce "Empty Tubes" in the Basal Laminae, Promote Contentious Maturation of the Regenerated Axons, and Bridge 20-mm Sciatic Nerve Defects in Rats. Journal of Reconstructive Microsurgery, 0, , .	1.8	0