


## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7565134/publications.pdf Version: 2024-02-01



SUHAS

#	Article	IF	CITATIONS
1	Hybridization of ANFIS and fuzzy logic for groundwater quality assessment. Groundwater for Sustainable Development, 2022, 18, 100777.	2.3	4
2	Nanoporous carbon materials as a sustainable alternative for the remediation of toxic impurities and environmental contaminants: A review. Science of the Total Environment, 2022, 838, 155943.	3.9	7
3	Utilization of Phyllanthus emblica fruitÂstone as a Potential Biomaterial for Sustainable Remediation of Lead and Cadmium Ions from Aqueous Solutions. Molecules, 2022, 27, 3355.	1.7	9
4	A novel approach to develop activated carbon by an ingenious hydrothermal treatment methodology using Phyllanthus emblica fruit stone. Journal of Cleaner Production, 2021, 288, 125643.	4.6	27
5	Microporous activated carbon as adsorbent for the removal of noxious anthraquinone acid dyes: Role of adsorbate functionalization. Journal of Environmental Chemical Engineering, 2021, 9, 106308.	3.3	13
6	A Comparative Study of Fuzzy Logic and WQI for Groundwater Quality Assessment. Procedia Computer Science, 2020, 171, 1194-1203.	1.2	24
7	Estimation of groundwater contamination using fuzzy logic: A case study of Haridwar, India. Groundwater for Sustainable Development, 2019, 8, 644-653.	2.3	5
8	An innovative approach to develop microporous activated carbons in oxidising atmosphere. Journal of Cleaner Production, 2017, 156, 549-555.	4.6	35
9	Cellulose: A review as natural, modified and activated carbon adsorbent. Bioresource Technology, 2016, 216, 1066-1076.	4.8	538
10	Removal of Ni (II) ions from water using scrap tire. Journal of Molecular Liquids, 2014, 190, 215-222.	2.3	121
11	Biosynthesis of silver nanoparticles using chitosan immobilized Bacillus cereus: Nanocatalytic studies. Journal of Molecular Liquids, 2013, 188, 81-88.	2.3	23
12	Comparison of the Dubinin–Radushkevich and Quenched Solid Density Functional Theory approaches for the characterisation of narrow microporosity in activated carbons obtained by chemical activation with KOH or NaOH of Kraft and hydrolytic lignins. Carbon, 2010, 48, 4162-4169.	5.4	25
13	Application of low-cost adsorbents for dye removal – A review. Journal of Environmental Management, 2009, 90, 2313-2342.	3.8	2,877
14	Phenol removal onto novel activated carbons made from lignocellulosic precursors: Influence of surface properties. Journal of Hazardous Materials, 2009, 167, 904-910.	6.5	76
15	Using alkali metals to control reactivity and porosity during physical activation of demineralised kraft lignin. Carbon, 2009, 47, 1012-1017.	5.4	33
16	Low-Cost Adsorbents: Growing Approach to Wastewater Treatment—a Review. Critical Reviews in Environmental Science and Technology, 2009, 39, 783-842.	6.6	873
17	Reactivity and porosity development during pyrolysis and physical activation in CO2 or steam of kraft and hydrolytic lignins. Journal of Analytical and Applied Pyrolysis, 2008, 82, 264-271.	2.6	73
18	Characterisation of Surface Ionisation and Adsorption of Phenol and 4-Nitrophenol on Non-Porous Carbon Blacks. Adsorption Science and Technology, 2008, 26, 827-841.	1.5	10

Suhas

#	Article	IF	CITATIONS
19	Lignin – from natural adsorbent to activated carbon: A review. Bioresource Technology, 2007, 98, 2301-2312.	4.8	882
20	Removal of 2-Aminophenol Using Novel Adsorbents. Industrial & Engineering Chemistry Research, 2006, 45, 1113-1122.	1.8	38
21	Adsorption of 2,4-D and carbofuran pesticides using fertilizer and steel industry wastes. Journal of Colloid and Interface Science, 2006, 299, 556-563.	5.0	252
22	Removal of Rhodamine B, Fast Green, and Methylene Blue from Wastewater Using Red Mud, an Aluminum Industry Waste. Industrial & Engineering Chemistry Research, 2004, 43, 1740-1747.	1.8	367
23	Removal of 2â€fluoro and 2â€iodophenol from aqueous solutions using industrial wastes. Environmental Technology (United Kingdom), 2004, 25, 15-22.	1.2	7
24	Removal of Chlorophenols Using Industrial Wastes. Environmental Science & Technology, 2004, 38, 1195-1200.	4.6	241
25	Equilibrium uptake and sorption dynamics for the removal of a basic dye (basic red) using low-cost adsorbents. Journal of Colloid and Interface Science, 2003, 265, 257-264.	5.0	334
26	Utilization of industrial waste products as adsorbents for the removal of dyes. Journal of Hazardous Materials, 2003, 101, 31-42.	6.5	434
27	A Comparative Study of Adsorbents Prepared from Industrial Wastes for Removal of Dyes. Separation Science and Technology, 2003, 38, 463-481.	1.3	374
28	Methylphenols Removal from Water by Low-Cost Adsorbents. Journal of Colloid and Interface Science, 2002, 251, 39-45.	5.0	59
29	Reactivity of Cork and Lignin for the Production of Activated Carbons. Materials Science Forum, 0, 587-588, 618-622.	0.3	5