

# Yacov Shacham

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/7566470/yacov-shacham-publications-by-citations.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

87

papers

985

citations

18

h-index

28

g-index

104

ext. papers

1,234

ext. citations

3.1

avg, IF

4.24

L-index

| #  | Paper  | IF  | Citations |
|----|--|-----|-----------|
| 87 | SAT-LB014 Subclinical Hypothyroidism and All-cause Mortality among Patients with Myocardial Infarction. <i>Journal of the Endocrine Society</i> , <b>2019</b> , 3,   | 0.4 | 78        |
| 86 | Higher neutrophil/lymphocyte ratio is related to lower ejection fraction and higher long-term all-cause mortality in ST-elevation myocardial infarction patients. <i>Canadian Journal of Cardiology</i> , <b>2014</b> , 30, 1177-82  | 3.8 | 56        |
| 85 | Frequency and correlates of early left ventricular thrombus formation following anterior wall acute myocardial infarction treated with primary percutaneous coronary intervention. <i>American Journal of Cardiology</i> , <b>2013</b> , 111, 667-70                       | 3   | 50        |
| 84 | Renal impairment according to acute kidney injury network criteria among ST elevation myocardial infarction patients undergoing primary percutaneous intervention: a retrospective observational study. <i>Clinical Research in Cardiology</i> , <b>2014</b> , 103, 525-32 | 6.1 | 47        |
| 83 | Vascular complications after transcatheter aortic valve implantation and their association with mortality reevaluated by the valve academic research consortium definitions. <i>American Journal of Cardiology</i> , <b>2015</b> , 115, 100-6                              | 3   | 45        |
| 82 | Acute kidney injury among ST elevation myocardial infarction patients treated by primary percutaneous coronary intervention: a multifactorial entity. <i>Journal of Nephrology</i> , <b>2016</b> , 29, 169-174   | 4.8 | 43        |
| 81 | Periprocedural bleeding, acute kidney injury, and long-term mortality after transcatheter aortic valve implantation. <i>Canadian Journal of Cardiology</i> , <b>2015</b> , 31, 56-62   | 3.8 | 37        |
| 80 | High sensitive C-reactive protein and the risk of acute kidney injury among ST elevation myocardial infarction patients undergoing primary percutaneous intervention. <i>Clinical and Experimental Nephrology</i> , <b>2015</b> , 19, 838-43                               | 2.5 | 32        |
| 79 | Acute Cardio-Renal Syndrome as a Cause for Renal Deterioration Among Myocardial Infarction Patients Treated With Primary Percutaneous Intervention. <i>Canadian Journal of Cardiology</i> , <b>2015</b> , 31, 1240-4   | 2.8 | 30        |
| 78 | Incidence and outcomes of early left ventricular thrombus following ST-elevation myocardial infarction treated with primary percutaneous coronary intervention. <i>Clinical Research in Cardiology</i> , <b>2017</b> , 106, 695-701  | 6.1 | 28        |
| 77 | Association of admission hemoglobin levels and acute kidney injury among myocardial infarction patients treated with primary percutaneous intervention. <i>Canadian Journal of Cardiology</i> , <b>2015</b> , 31, 50-5   | 3.8 | 28        |
| 76 | Red blood cell distribution width (RDW) and long-term survival in patients with ST elevation myocardial infarction. <i>Thrombosis Research</i> , <b>2014</b> , 134, 976-9  | 8.2 | 25        |
| 75 | Admission Glucose Levels and the Risk of Acute Kidney Injury in Nondiabetic ST Segment Elevation Myocardial Infarction Patients Undergoing Primary Percutaneous Coronary Intervention. <i>CardioRenal Medicine</i> , <b>2015</b> , 5, 191-8                                | 2.8 | 25        |
| 74 | Assessment of Respiratory Distress by the Roth Score. <i>Clinical Cardiology</i> , <b>2016</b> , 39, 636-639   | 3.3 | 22        |
| 73 | Relation of time to coronary reperfusion and the development of acute kidney injury after ST-segment elevation myocardial infarction. <i>American Journal of Cardiology</i> , <b>2014</b> , 114, 1131-5  | 3   | 22        |
| 72 | Association of left ventricular function and acute kidney injury among ST-elevation myocardial infarction patients treated by primary percutaneous intervention. <i>American Journal of Cardiology</i> , <b>2015</b> , 115, 293-7  | 3   | 21        |
| 71 | Acute kidney injury based on the KDIGO criteria among ST elevation myocardial infarction patients treated by primary percutaneous intervention. <i>Journal of Nephrology</i> , <b>2018</b> , 31, 423-428   | 4.8 | 20        |

|    |   |     |    |
|----|---|-----|----|
| 70 | Lower admission hemoglobin levels are associated with longer symptom duration in acute ST-elevation myocardial infarction. <i>Clinical Cardiology</i> , <b>2014</b> , 37, 73-7  | 3.3 | 18 |
| 69 | Long term prognosis of atrial fibrillation in ST-elevation myocardial infarction patients undergoing percutaneous coronary intervention. <i>International Journal of Cardiology</i> , <b>2017</b> , 240, 228-233  | 3.2 | 17 |
| 68 | Norton scale for predicting prognosis in elderly patients undergoing trans-catheter aortic valve implantation: A historical prospective study. <i>Journal of Cardiology</i> , <b>2016</b> , 67, 519-25  | 3   | 16 |
| 67 | Prognostic Implications of Mid-Range Left Ventricular Ejection Fraction on Patients Presenting With ST-Segment Elevation Myocardial Infarction. <i>American Journal of Cardiology</i> , <b>2017</b> , 120, 186-190  | 3   | 15 |
| 66 | Sex-based differences in prevalence and clinical presentation among pericarditis and myopericarditis patients. <i>American Journal of Emergency Medicine</i> , <b>2017</b> , 35, 201-205  | 2.9 | 15 |
| 65 | Usefulness of urine output criteria for early detection of acute kidney injury after transcatheter aortic valve implantation. <i>CardioRenal Medicine</i> , <b>2014</b> , 4, 155-60   | 2.8 | 14 |
| 64 | Comparison of C-reactive protein and fibrinogen levels in patients having anterior wall ST-Segment elevation myocardial infarction with versus without left ventricular thrombus (from a primary percutaneous coronary intervention cohort). <i>American Journal of Cardiology</i> , <b>2013</b> , 112, 57-60 | 3   | 13 |
| 63 | Echocardiographic correlates of left ventricular filling pressures and acute cardio-renal syndrome in ST segment elevation myocardial infarction patients. <i>Clinical Research in Cardiology</i> , <b>2017</b> , 106, 120-126  | 6.1 | 13 |
| 62 | Outcomes of Transfemoral Transcatheter Aortic Valve Implantation in Patients With Previous Coronary Bypass. <i>American Journal of Cardiology</i> , <b>2015</b> , 116, 431-5  | 3   | 12 |
| 61 | Prognostic Implications of Acute Renal Impairment among ST Elevation Myocardial Infarction Patients with Preserved Left Ventricular Function. <i>CardioRenal Medicine</i> , <b>2016</b> , 6, 143-9  | 2.8 | 12 |
| 60 | Comparison of 30-Day and Long-Term Outcomes and Hospital Complications Among Patients Aged . <i>American Journal of Cardiology</i> , <b>2017</b> , 119, 1897-1901   | 3   | 11 |
| 59 | Relation of lowering door-to-balloon time and mortality in ST segment elevation myocardial infarction patients undergoing percutaneous coronary intervention. <i>Clinical Research in Cardiology</i> , <b>2019</b> , 108, 1053-1058   | 6.1 | 11 |
| 58 | Long-term renal outcomes and mortality following renal injury among myocardial infarction patients treated by primary percutaneous intervention. <i>Coronary Artery Disease</i> , <b>2019</b> , 30, 87-92   | 1.4 | 11 |
| 57 | CRP velocity and short-term mortality in ST segment elevation myocardial infarction. <i>Biomarkers</i> , <b>2017</b> , 22, 383-386  | 2.6 | 10 |
| 56 | Prognostic implications of fluid balance in ST elevation myocardial infarction complicated by cardiogenic shock. <i>European Heart Journal: Acute Cardiovascular Care</i> , <b>2017</b> , 6, 462-467  | 4.3 | 8  |
| 55 | Association between central venous pressure as assessed by echocardiography, left ventricular function and acute cardio-renal syndrome in patients with ST segment elevation myocardial infarction. <i>Clinical Research in Cardiology</i> , <b>2018</b> , 107, 937-944                                       | 6.1 | 8  |
| 54 | Relation of in-hospital serum creatinine change patterns and outcomes among ST-segment elevation myocardial infarction patients undergoing primary percutaneous coronary intervention. <i>Clinical Cardiology</i> , <b>2015</b> , 38, 274-9   | 3.3 | 8  |
| 53 | Incidence and mortality of acute kidney injury in acute myocardial infarction patients: a comparison between AKIN and RIFLE criteria. <i>International Urology and Nephrology</i> , <b>2014</b> , 46, 2371-7  | 2.3 | 8  |

|    |  |     |   |
|----|--|-----|---|
| 52 | Acute myocardial infarction in the Covid-19 era: Incidence, clinical characteristics and in-hospital outcomes-A multicenter registry. <i>PLoS ONE</i> , <b>2021</b> , 16, e0253524   | 3.7 | 8 |
| 51 | C-reactive protein velocity and the risk of acute kidney injury among ST elevation myocardial infarction patients undergoing primary percutaneous intervention. <i>Journal of Nephrology</i> , <b>2019</b> , 32, 437-443   | 4.8 | 7 |
| 50 | CHA DS -VASc score and clinical outcomes of patients with chest pain discharged from internal medicine wards following acute coronary syndrome rule-out. <i>Clinical Cardiology</i> , <b>2018</b> , 41, 539-543  | 3.3 | 7 |
| 49 | Hyperglycemia in patients referred for cardiac catheterization is associated with preexisting diabetes rather than a stress-related phenomenon: a prospective cross-sectional study. <i>Clinical Cardiology</i> , <b>2014</b> , 37, 479-84   | 3.3 | 7 |
| 48 | Prognostic Implications of Chronic Kidney Disease on Patients Presenting with ST-Segment Elevation Myocardial Infarction with versus without Stent Thrombosis. <i>CardioRenal Medicine</i> , <b>2017</b> , 7, 150-157  | 2.8 | 6 |
| 47 | Relation of subclinical serum creatinine elevation to adverse in-hospital outcomes among myocardial infarction patients. <i>European Heart Journal: Acute Cardiovascular Care</i> , <b>2018</b> , 7, 732-738   | 4.3 | 6 |
| 46 | Target Hemoglobin May Be Achieved with Intravenous Iron Alone in Anemic Patients with Cardiorenal Syndrome: An Observational Study. <i>CardioRenal Medicine</i> , <b>2015</b> , 5, 246-53  | 2.8 | 6 |
| 45 | Comparison of left ventricular function following first ST-segment elevation myocardial infarction treated with primary percutaneous coronary intervention in men versus women. <i>American Journal of Cardiology</i> , <b>2014</b> , 113, 1941-6                                      | 3   | 6 |
| 44 | Serum Uric Acid Levels and Renal Impairment among ST-Segment Elevation Myocardial Infarction Patients Undergoing Primary Percutaneous Intervention. <i>CardioRenal Medicine</i> , <b>2016</b> , 6, 191-7   | 2.8 | 6 |
| 43 | Acute renal impairment in older adults treated with percutaneous coronary intervention for ST-segment elevation myocardial infarction. <i>Coronary Artery Disease</i> , <b>2019</b> , 30, 564-568  | 1.4 | 6 |
| 42 | Association between time to reperfusion and echocardiography assessed left ventricular filling pressure in patients with first ST-segment elevation myocardial infarction undergoing primary coronary intervention. <i>Cardiology Journal</i> , <b>2014</b> , 21, 357-63               | 1.4 | 5 |
| 41 | A rare case of acute contrast-induced sialadenitis after percutaneous coronary intervention. <i>Israel Medical Association Journal</i> , <b>2013</b> , 15, 652-3   | 0.9 | 5 |
| 40 | Effect of Statin Therapy and Long-Term Mortality Following Transcatheter Aortic Valve Implantation. <i>American Journal of Cardiology</i> , <b>2019</b> , 123, 1978-1982   | 3   | 4 |
| 39 | Trends and predictors of prehospital delay in patients undergoing primary coronary intervention. <i>Coronary Artery Disease</i> , <b>2018</b> , 29, 373-377  | 1.4 | 4 |
| 38 | Effectiveness and Safety of Transcatheter Aortic Valve Implantation in Patients With Aortic Stenosis and Variable Ejection Fractions (50%). <i>American Journal of Cardiology</i> , <b>2020</b> , 125, 583-588   | 3   | 4 |
| 37 | Relation of Pulmonary Artery Pressure and Renal Impairment in ST Segment Elevation Myocardial Infarction Patients. <i>Echocardiography</i> , <b>2016</b> , 33, 956-61  | 1.5 | 4 |
| 36 | Serial Echocardiographic Assessment of Left Ventricular Filling Pressure and Remodeling among ST-Segment Elevation Myocardial Infarction Patients Treated by Primary Percutaneous Intervention. <i>Journal of the American Society of Echocardiography</i> , <b>2016</b> , 29, 745-749 | 5.8 | 4 |
| 35 | Family history of coronary artery disease and adverse clinical outcomes in patients suffering from acute ST-segment elevation myocardial infarction. <i>Coronary Artery Disease</i> , <b>2018</b> , 29, 657-662  | 1.4 | 4 |

|    |   |      |   |
|----|---|------|---|
| 34 | Left ventricular thrombus formation and bleeding complications during continuous in-hospital anticoagulation for acute anterior myocardial infarction. <i>Israel Medical Association Journal</i> , <b>2012</b> , 14, 742-6  | 0.9  | 4 |
| 33 | Relation of positive fluid balance to the severity of renal impairment and recovery among ST elevation myocardial infarction complicated by cardiogenic shock. <i>Journal of Critical Care</i> , <b>2017</b> , 40, 184-188  | 4.88 | 3 |
| 32 | Elevated Neutrophil Gelatinase-Associated Lipocalin for the Assessment of Structural versus Functional Renal Damage among ST-Segment Elevation Myocardial Infarction Patients. <i>Blood Purification</i> , <b>2020</b> , 49, 560-566  | 3.1  | 3 |
| 31 | Association between C-reactive protein level and echocardiography assessed left ventricular function in first ST-segment elevation myocardial infarction patients who underwent primary coronary intervention. <i>Journal of Cardiology</i> , <b>2014</b> , 63, 402-8         | 3    | 3 |
| 30 | Long-term cardiovascular and cerebrovascular morbidity in Israeli thyroid cancer survivors. <i>Endocrine Connections</i> , <b>2019</b> , 8, 398-406   | 3.5  | 3 |
| 29 | Blood acetylcholinesterase activity is associated with increased 10 year all-cause mortality following coronary angiography. <i>Atherosclerosis</i> , <b>2020</b> , 313, 144-149  | 3.1  | 3 |
| 28 | Neutrophil gelatinase-associated lipocalin (NGAL) for the prediction of acute kidney injury in chronic kidney disease patients treated with primary percutaneous coronary intervention. <i>IJC Heart and Vasculature</i> , <b>2021</b> , 32, 100695                           | 2.4  | 3 |
| 27 | Real-time survival prediction in emergency situations with unbalanced cardiac patient data. <i>Health and Technology</i> , <b>2019</b> , 9, 277-287   | 2.1  | 2 |
| 26 | Expediting Time from Symptoms to Medical Contact Utilizing a Telemedicine Call Center. <i>Telemedicine Journal and E-Health</i> , <b>2015</b> , 21, 801-7   | 5.9  | 2 |
| 25 | Neutrophil Gelatinase-Associated Lipocalin for the Early Prediction of Acute Kidney Injury in ST-Segment Elevation Myocardial Infarction Patients Treated with Primary Percutaneous Coronary Intervention. <i>CardioRenal Medicine</i> , <b>2020</b> , 10, 154-161            | 2.8  | 2 |
| 24 | Prevention of pruritus with ethyl-chloride in skin prick test: a double-blind placebo-controlled prospective study. <i>Allergy, Asthma and Clinical Immunology</i> , <b>2015</b> , 11, 25   | 3.2  | 2 |
| 23 | Association between C-Reactive Protein Velocity and Left Ventricular Function in Patients with ST-Elevated Myocardial Infarction.. <i>Journal of Clinical Medicine</i> , <b>2022</b> , 11,  | 5.1  | 2 |
| 22 | Elevated neutrophil gelatinase-associated lipocalin levels before contrast media administration among ST-segment elevation myocardial infarction patients treated with primary percutaneous coronary intervention. <i>Coronary Artery Disease</i> , <b>2020</b> , 31, 118-123 | 1.4  | 2 |
| 21 | Unknown Subclinical Hypothyroidism and In-Hospital Outcomes and Short- and Long-Term All-Cause Mortality among ST Segment Elevation Myocardial Infarction Patients Undergoing Percutaneous Coronary Intervention. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,      | 5.1  | 2 |
| 20 | Mepolizumab for the treatment of aspirin-exacerbated respiratory disease associated with coronary spasm. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , <b>2019</b> , 7, 1076-1077  | 5.4  | 2 |
| 19 | Outcomes of early and reversible renal impairment in patients with ST segment elevation myocardial infarction undergoing percutaneous coronary intervention. <i>European Heart Journal: Acute Cardiovascular Care</i> , <b>2020</b> , 9, 684-689                              | 4.3  | 2 |
| 18 | Is long-term beta-blocker therapy for myocardial infarction survivors still relevant in the era of primary percutaneous coronary intervention?. <i>Israel Medical Association Journal</i> , <b>2013</b> , 15, 770-4   | 0.9  | 2 |
| 17 | Comparison of Triggering and Nontriggering Factors in ST-Segment Elevation Myocardial Infarction and Extent of Coronary Arterial Narrowing. <i>American Journal of Cardiology</i> , <b>2016</b> , 117, 1219-23  | 3    | 1 |

|    |  |     |   |
|----|--|-----|---|
| 16 | Relation of Pain-to-Balloon Time and Mortality in Patients With ST-Segment Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. <i>American Journal of Cardiology</i> , <b>2021</b> ,  | 3   | 1 |
| 15 | Contrast Volume to Glomerular Filtration Ratio and Acute Kidney Injury among ST-Segment Elevation Myocardial Infarction Patients Treated with Primary Percutaneous Coronary Intervention. <i>CardioRenal Medicine</i> , <b>2020</b> , 10, 108-115                                  | 2.8 | 1 |
| 14 | Long-term all-cause mortality and its association with cardiovascular risk factors in thyroid cancer survivors: an Israeli population-based study. <i>BMC Cancer</i> , <b>2020</b> , 20, 892   | 4.8 | 1 |
| 13 | Detection of Renal Injury Following Primary Coronary Intervention among ST-Segment Elevation Myocardial Infarction Patients: Doubling the Incidence Using Neutrophil Gelatinase-Associated Lipocalin as a Renal Biomarker. <i>Journal of Clinical Medicine</i> , <b>2021</b> , 10, | 5.1 | 1 |
| 12 | Clinically Significant High-Grade AV Block as a Reversible Cause for Acute Kidney Injury in Hospitalized Patients-A Propensity Score Matched Cohort. <i>Journal of Clinical Medicine</i> , <b>2021</b> , 10,   | 5.1 | 1 |
| 11 | Prolonged Hyperglycemia and Renal Failure after Primary Percutaneous Coronary Intervention. <i>CardioRenal Medicine</i> , <b>2019</b> , 9, 92-99   | 2.8 | 1 |
| 10 | Association of pre-admission statin therapy and the inflammatory response in ST elevation myocardial infarction patients. <i>Biomarkers</i> , <b>2019</b> , 24, 17-22  | 2.6 | 1 |
| 9  | Relation of Subclinical Hypothyroidism to Acute Kidney Injury Among ST-Segment Elevation Myocardial Infarction Patients Undergoing Percutaneous Coronary Intervention. <i>Israel Medical Association Journal</i> , <b>2019</b> , 21, 692-695                                       | 0.9 | 1 |
| 8  | C-Reactive Protein Velocity and the Risk of New Onset Atrial Fibrillation among ST Elevation Myocardial Infarction Patients. <i>Israel Medical Association Journal</i> , <b>2021</b> , 23, 169-173   | 0.9 | 1 |
| 7  | Re-Appraisal of Echocardiographic Assessment in Patients with Pulmonary Embolism: Prospective Blinded Long-Term Follow-Up. <i>Israel Medical Association Journal</i> , <b>2020</b> , 11, 688-695   | 0.9 | 0 |
| 6  | Author's reply: To PMID 24299986. <i>Journal of Cardiology</i> , <b>2014</b> , 64, 328-9   | 3   |   |
| 5  | Acute cardiorenal anemia syndrome among ST-elevation myocardial infarction patients treated by primary percutaneous intervention. <i>Coronary Artery Disease</i> , <b>2021</b> , 32, 275-280   | 1.4 |   |
| 4  | Neutrophil Gelatinase-Associated Lipocalin for the Assessment of Reversible versus Persistent Renal Tubular Damage in ST-Segment Myocardial Infarction Patients. <i>Blood Purification</i> , <b>2021</b> , 50, 925-930 <sup>1</sup>  |     |   |
| 3  | Prognostic Implication of Tricuspid Regurgitation in ST-segment Elevation Myocardial Infarction Patients. <i>Israel Medical Association Journal</i> , <b>2021</b> , 23, 441-446  | 0.9 |   |
| 2  | Prognostic Implication of Tricuspid Regurgitation in ST-segment Elevation Myocardial Infarction Patients.. <i>Israel Medical Association Journal</i> , <b>2021</b> , 23, 783-787   | 0.9 |   |
| 1  | Multi-Vessel Disease in Metabolically Healthy Obese Patients Presenting with ST-Elevation Myocardial Infarction.. <i>Israel Medical Association Journal</i> , <b>2022</b> , 24, 52-56  | 0.9 |   |