

Marie Klintman

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/756648/publications.pdf>

Version: 2024-02-01

8
papers

170
citations

1478505

6
h-index

1588992

8
g-index

8
all docs

8
docs citations

8
times ranked

422
citing authors

#	ARTICLE	IF	CITATIONS
1	Physical Activity and Long-Term Risk of Breast Cancer, Associations with Time in Life and Body Composition in the Prospective Malmö Diet and Cancer Study. <i>Cancers</i> , 2022, 14, 1960.	3.7	10
2	Long-Term Prognostication for 20% 114 Women With Small and Node-Negative Breast Cancer, (T1abN0). <i>JNCI Cancer Spectrum</i> , 2021, 5, pkaa084.	2.9	3
3	Novel 18-gene signature for predicting relapse in ER-positive, HER2-negative breast cancer. <i>Breast Cancer Research</i> , 2018, 20, 103.	5.0	7
4	Androgen Receptor in Stage I-II Primary Breast Cancer – Prognostic Value and Distribution in Subgroups. <i>Anticancer Research</i> , 2017, 37, 6845-6853.	1.1	4
5	Changes in Expression of Genes Representing Key Biologic Processes after Neoadjuvant Chemotherapy in Breast Cancer, and Prognostic Implications in Residual Disease. <i>Clinical Cancer Research</i> , 2016, 22, 2405-2416.	7.0	41
6	The Prognostic Value of Mitotic Activity Index (MAI), Phosphohistone H3 (PPH3), Cyclin B1, Cyclin A, and Ki67, Alone and in Combinations, in Node-Negative Premenopausal Breast Cancer. <i>PLoS ONE</i> , 2013, 8, e81902.	2.5	24
7	Association between tumor tissue TIMP-1 levels and objective response to first-line chemotherapy in metastatic breast cancer. <i>Breast Cancer Research and Treatment</i> , 2010, 121, 365-371.	2.5	14
8	The prognostic value of Ki67 is dependent on estrogen receptor status and histological grade in premenopausal patients with node-negative breast cancer. <i>Modern Pathology</i> , 2010, 23, 251-259.	5.5	67