

Clermont E Dionne

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7567072/publications.pdf>

Version: 2024-02-01

94
papers

4,680
citations

126708

33
h-index

102304

66
g-index

96
all docs

96
docs citations

96
times ranked

5793
citing authors

#	ARTICLE	IF	CITATIONS
1	Anxiety disorders in patients with noncardiac chest pain: association with health-related quality of life and chest pain severity. <i>Health and Quality of Life Outcomes</i> , 2022, 20, 7.	1.0	3
2	The Association Between Self-Reported Cigarette Smoking and Spinal Pain is Not Explained by Serum Cotinine Levels. <i>Annals of Epidemiology</i> , 2022, 67, 35-42.	0.9	1
3	An exploratory identification of biological markers of chronic musculoskeletal pain in the low back, neck, and shoulders. <i>PLoS ONE</i> , 2022, 17, e0266999.	1.1	2
4	Quality of Diabetic Foot Ulcer Care: Evaluation of an Interdisciplinary Wound Care Clinic Using an Extended Donabedian Model Based on a Retrospective Cohort Study. <i>Canadian Journal of Diabetes</i> , 2021, 45, 327-333.e2.	0.4	2
5	Incidence of panic disorder in patients with non-cardiac chest pain and panic attacks. <i>Journal of Health Psychology</i> , 2021, 26, 985-994.	1.3	3
6	Epidemiology and prognostic implications of panic disorder and generalized anxiety disorder in patients with coronary artery disease: rationale and design for a longitudinal cohort study. <i>BMC Cardiovascular Disorders</i> , 2021, 21, 26.	0.7	8
7	Medical cannabis for chronic pain. <i>BMJ, The</i> , 2021, 374, n1942.	3.0	3
8	Psychosocial stressors at work and inflammatory biomarkers: PROspective Quebec Study on Work and Health. <i>Psychoneuroendocrinology</i> , 2021, 133, 105400.	1.3	6
9	Tools Appraisal of Organizational Factors Associated with Return-to-Work in Workers on Sick Leave Due to Musculoskeletal and Common Mental Disorders: A Systematic Search and Review. <i>Journal of Occupational Rehabilitation</i> , 2021, 31, 7-25.	1.2	8
10	Incidence of shoulder pain in 40 years old and over and associated factors: A systematic review. <i>European Journal of Pain</i> , 2020, 24, 39-50.	1.4	31
11	Physical activity and disability in patients with noncardiac chest pain: a longitudinal cohort study. <i>BioPsychoSocial Medicine</i> , 2020, 14, 12.	0.9	9
12	Effect of thermal therapy and exercises on acute low back pain: a protocol for a randomized controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 814.	0.8	2
13	Shoulder Rotator Cuff Disorders: A Systematic Review of Clinical Practice Guidelines and Semantic Analyses of Recommendations. <i>Archives of Physical Medicine and Rehabilitation</i> , 2020, 101, 1233-1242.	0.5	57
14	Evaluation of the Quebec Healthy Enterprise Standard. <i>Journal of Occupational and Environmental Medicine</i> , 2019, 61, 203-211.	0.9	3
15	A closer look at the relationships between panic attacks, emergency department visits and non-cardiac chest pain. <i>Journal of Health Psychology</i> , 2019, 24, 717-725.	1.3	12
16	Publishing the best basic and applied pain science: open science and PAIN. <i>Pain</i> , 2018, 159, 405-406.	2.0	6
17	What are private sector physiotherapists' perceptions regarding interprofessional and intraprofessional work for managing low back pain?. <i>Journal of Interprofessional Care</i> , 2018, 32, 525-528.	0.8	4
18	Cohort Profile: The PROspective QuÃ©bec (PROQ) Study on Work and Health. <i>International Journal of Epidemiology</i> , 2018, 47, 693-693i.	0.9	18

#	ARTICLE	IF	CITATIONS
19	Heart-focused anxiety and health care seeking in patients with non-cardiac chest pain: A prospective study. <i>General Hospital Psychiatry</i> , 2018, 50, 83-89.	1.2	18
20	Vitamin C is not the Missing Link Between Cigarette Smoking and Spinal Pain. <i>Spine</i> , 2018, 43, E712-E721.	1.0	3
21	The Consensus on Exercise Reporting Template (CERT) applied to exercise interventions in musculoskeletal trials demonstrated good rater agreement and incomplete reporting. <i>Journal of Clinical Epidemiology</i> , 2018, 103, 120-130.	2.4	33
22	Work Absenteeism and Presenteeism Loss in Patients With Non-Cardiac Chest Pain. <i>Journal of Occupational and Environmental Medicine</i> , 2018, 60, 781-786.	0.9	3
23	The Revised-Panic Screening Score for emergency department patients with noncardiac chest pain.. <i>Health Psychology</i> , 2018, 37, 828-838.	1.3	6
24	Psychosocial work factors and social inequalities in psychological distress: a population-based study. <i>BMC Public Health</i> , 2017, 17, 91.	1.2	26
25	Which Characteristics are Associated with the Timing of the First Healthcare Consultation, and Does the Time to Care Influence the Duration of Compensation for Occupational Back Pain?. <i>Journal of Occupational Rehabilitation</i> , 2017, 27, 359-368.	1.2	5
26	Association Between the Type of First Healthcare Provider and the Duration of Financial Compensation for Occupational Back Pain. <i>Journal of Occupational Rehabilitation</i> , 2017, 27, 382-392.	1.2	7
27	Efficacy of workplace interventions for shoulder pain: A systematic review and meta-analysis. <i>Journal of Rehabilitation Medicine</i> , 2017, 49, 529-542.	0.8	14
28	Inter-Professional Practices of Private-Sector Physiotherapists for Low Back Pain Management: Who, How, and When?. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2016, 68, 323-334.	0.3	5
29	Consensus on Exercise Reporting Template (CERT): Explanation and Elaboration Statement. <i>British Journal of Sports Medicine</i> , 2016, 50, 1428-1437.	3.1	491
30	Consensus on Exercise Reporting Template (CERT): Modified Delphi Study. <i>Physical Therapy</i> , 2016, 96, 1514-1524.	1.1	279
31	Determinants and predictors of absenteeism and return-to-work in workers with shoulder disorders. <i>Work</i> , 2016, 55, 101-113.	0.6	19
32	Efficacy of exercise therapy in workers with rotator cuff tendinopathy: a systematic review. <i>Journal of Occupational Health</i> , 2016, 58, 389-403.	1.0	57
33	Workers' characteristics associated with the type of healthcare provider first seen for occupational back pain. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 428.	0.8	9
34	Serum vitamin C and spinal pain: a nationwide study. <i>Pain</i> , 2016, 157, 2527-2535.	2.0	14
35	Social position modifies the association between severe shoulder/arm and knee/leg pain, and quality of life after retirement. <i>International Archives of Occupational and Environmental Health</i> , 2016, 89, 63-77.	1.1	1
36	Psychometric properties of self-reported questionnaires for the evaluation of symptoms and functional limitations in individuals with rotator cuff disorders: a systematic review. <i>Disability and Rehabilitation</i> , 2016, 38, 103-122.	0.9	54

#	ARTICLE	IF	CITATIONS
37	Validation of a New Tool to Measure Physiotherapists' Interprofessional Practices. <i>Journal of Allied Health</i> , 2016, 45, 14-9.	0.2	2
38	A consensus definition and rating scale for minimalist shoes. <i>Journal of Foot and Ankle Research</i> , 2015, 8, 42.	0.7	137
39	Reliability, validity, and responsiveness of a Canadian French adaptation of the Western Ontario Rotator Cuff (WORC) index. <i>Journal of Hand Therapy</i> , 2015, 28, 292-299.	0.7	30
40	Chiropractors' Characteristics Associated With Physician Referrals: Results From a Survey of Canadian Doctors of Chiropractic. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2015, 38, 395-406.	0.4	19
41	Diagnostic accuracy of ultrasonography, MRI and MR arthrography in the characterisation of rotator cuff disorders: a systematic review and meta-analysis. <i>British Journal of Sports Medicine</i> , 2015, 49, 1316-1328.	3.1	223
42	The Efficacy of Manual Therapy for Rotator Cuff Tendinopathy: A Systematic Review and Meta-analysis. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2015, 45, 330-350.	1.7	91
43	The efficacy of therapeutic ultrasound for rotator cuff tendinopathy: A systematic review and meta-analysis. <i>Physical Therapy in Sport</i> , 2015, 16, 276-284.	0.8	51
44	THE EFFICACY OF TAPING FOR ROTATOR CUFF TENDINOPATHY: A SYSTEMATIC REVIEW AND META-ANALYSIS. <i>International Journal of Sports Physical Therapy</i> , 2015, 10, 420-33.	0.5	20
45	Chiropractors' characteristics associated with their number of workers' compensation patients. <i>Journal of the Canadian Chiropractic Association</i> , 2015, 59, 202-15.	0.2	6
46	Cross-cultural adaptation of the delphi definitions of low back pain prevalence (German DOLBaPP). <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 397.	0.8	3
47	The efficacy of oral non-steroidal anti-inflammatory drugs for rotator cuff tendinopathy: A systematic review and meta-analysis. <i>Journal of Rehabilitation Medicine</i> , 2014, 46, 294-306.	0.8	59
48	Prediction of poor outcomes six months following total knee arthroplasty in patients awaiting surgery. <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 299.	0.8	41
49	Physiotherapy practice in the private sector: organizational characteristics and models. <i>BMC Health Services Research</i> , 2014, 14, 362.	0.9	19
50	Efficacy of surgery for rotator cuff tendinopathy: a systematic review. <i>Clinical Rheumatology</i> , 2014, 33, 1373-1383.	1.0	22
51	Interprofessional practices of physiotherapists working with adults with low back pain in Québec's private sector: results of a qualitative study. <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 160.	0.8	15
52	Standardised method for reporting exercise programmes: protocol for a modified Delphi study. <i>BMJ Open</i> , 2014, 4, e006682.	0.8	119
53	Determinants of pain, functional limitations and health-related quality of life six months after total knee arthroplasty: results from a prospective cohort study. <i>The Sports Medicine, Arthroscopy, Rehabilitation and Technology</i> , 2013, 5, 2.	1.0	44
54	Obstacles to and Facilitators of Return to Work After Work-Disabling Back Pain: The Workers' Perspective. <i>Journal of Occupational Rehabilitation</i> , 2013, 23, 280-289.	1.2	29

#	ARTICLE	IF	CITATIONS
55	A prospective cohort study to refine and validate the Panic Screening Score for identifying panic attacks associated with unexplained chest pain in the emergency department. <i>BMJ Open</i> , 2013, 3, e003877.	0.8	7
56	Cumulative Incidence of Functional Decline After Minor Injuries in Previously Independent Older Canadian Individuals in the Emergency Department. <i>Journal of the American Geriatrics Society</i> , 2013, 61, 1661-1668.	1.3	80
57	Effort-reward imbalance and video display unit postural risk factors interact in women on the incidence of musculoskeletal symptoms. <i>Work</i> , 2013, 44, 133-143.	0.6	11
58	The impacts of pre-surgery wait for total knee replacement on pain, function and health-related quality of life six months after surgery. <i>Journal of Evaluation in Clinical Practice</i> , 2012, 18, 111-120.	0.9	44
59	A standard measure of persistent bodily pain that is quick and easy to use, valid and stable over time. <i>Pain</i> , 2012, 153, 1338-1339.	2.0	10
60	A validity-driven approach to the understanding of the personal and societal burden of low back pain: development of a conceptual and measurement model. <i>Arthritis Research and Therapy</i> , 2011, 13, R152.	1.6	106
61	Five questions predicted long-term, severe, back-related functional limitations: evidence from three large prospective studies. <i>Journal of Clinical Epidemiology</i> , 2011, 64, 54-66.	2.4	16
62	Intervention Study on Psychosocial Work Factors and Mental Health and Musculoskeletal Outcomes. <i>Healthcare Papers</i> , 2011, 11, 47-66.	0.2	33
63	Self-Efficacy and Health Locus of Control: Relationship to Occupational Disability Among Workers with Back Pain. <i>Journal of Occupational Rehabilitation</i> , 2011, 21, 421-430.	1.2	29
64	Validation of an Adaptation of the Stress Process Model for Predicting Low Back Pain Related Long-term Disability Outcomes. <i>Spine</i> , 2010, 35, 1307-1315.	1.0	14
65	The burden of wait for knee replacement surgery: effects on pain, function and health-related quality of life at the time of surgery. <i>Rheumatology</i> , 2010, 49, 945-954.	0.9	76
66	Measuring chronic pain in populations. , 2010, , 45-60.		4
67	Waiting for total knee replacement surgery: factors associated with pain, stiffness, function and quality of life. <i>BMC Musculoskeletal Disorders</i> , 2009, 10, 52.	0.8	63
68	Regional Differences in Rehabilitation Needs, Rehabilitation Access, and Physical Outcomes Among Multiple Trauma Survivors. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2009, 88, 387-398.	0.7	11
69	Interaction between postural risk factors and job strain on self-reported musculoskeletal symptoms among users of video display units: a three-year prospective study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2009, 35, 134-144.	1.7	42
70	Risk factors and prevention for spinal cord injury from diving in swimming pools and natural sites in Quebec, Canada: A 44-year study. <i>Accident Analysis and Prevention</i> , 2008, 40, 787-797.	3.0	30
71	Agreement between a self-administered questionnaire on musculoskeletal disorders of the neck-shoulder region and a physical examination. <i>BMC Musculoskeletal Disorders</i> , 2008, 9, 34.	0.8	23
72	An interdisciplinary clinical practice model for the management of low-back pain in primary care: the CLIP project. <i>BMC Musculoskeletal Disorders</i> , 2008, 9, 54.	0.8	27

#	ARTICLE	IF	CITATIONS
73	Low-back-pain related disability: An integration of psychological risk factors into the stress process model. <i>Pain</i> , 2008, 137, 564-573.	2.0	33
74	A Consensus Approach Toward the Standardization of Back Pain Definitions for Use in Prevalence Studies. <i>Spine</i> , 2008, 33, 95-103.	1.0	537
75	Predicting Discharge of Trauma Survivors to Rehabilitation. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2007, 86, 563-573.	0.7	6
76	An interdisciplinary guideline development process: the Clinic on Low-back pain in Interdisciplinary Practice (CLIP) low-back pain guidelines. <i>Implementation Science</i> , 2007, 2, 36.	2.5	29
77	Determinants of "return to work in good health" among workers with back pain who consult in primary care settings: a 2-year prospective study. <i>European Spine Journal</i> , 2007, 16, 641-655.	1.0	87
78	Does patient-physiotherapist agreement influence the outcome of low back pain? A prospective cohort study. <i>BMC Musculoskeletal Disorders</i> , 2006, 7, 76.	0.8	14
79	Does back pain prevalence really decrease with increasing age? A systematic review. <i>Age and Ageing</i> , 2006, 35, 229-234.	0.7	293
80	Prevalence of musculoskeletal pain and associated factors in the Quebec working population. <i>International Archives of Occupational and Environmental Health</i> , 2005, 78, 379-386.	1.1	79
81	Training the Next Generation of Researchers in Work Disability Prevention: The Canadian Work Disability Prevention CIHR Strategic Training Program. <i>Journal of Occupational Rehabilitation</i> , 2005, 15, 273-284.	1.2	16
82	A clinical return-to-work rule for patients with back pain. <i>Cmaj</i> , 2005, 172, 1559-1567.	0.9	106
83	Psychological distress confirmed as predictor of long-term back-related functional limitations in primary care settings. <i>Journal of Clinical Epidemiology</i> , 2005, 58, 714-718.	2.4	45
84	Patient-Physiotherapist Agreement in Low Back Pain. <i>Journal of Pain</i> , 2005, 6, 817-828.	0.7	20
85	Impact of transfer delays to rehabilitation in patients with severe trauma. <i>Archives of Physical Medicine and Rehabilitation</i> , 2004, 85, 184-191.	0.5	37
86	Back-Related Functional Limitations Among Full-Time Homemakers: A Comparison With Women Employed Full-Time Outside the Home. <i>Spine</i> , 2004, 29, 1375-1382.	1.0	9
87	Psychosocial job factors and the one-year evolution of back-related functional limitations. <i>Scandinavian Journal of Work, Environment and Health</i> , 2004, 30, 47-55.	1.7	34
88	Scapular behavior in shoulder impingement syndrome. <i>Archives of Physical Medicine and Rehabilitation</i> , 2002, 83, 60-69.	0.5	239
89	A Comparison of Pain, Functional Limitations, and Work Status Indices as Outcome Measures in Back Pain Research. <i>Spine</i> , 1999, 24, 2339.	1.0	76
90	Predicting long-term functional limitations among back pain patients in primary care settings. <i>Journal of Clinical Epidemiology</i> , 1997, 50, 31-43.	2.4	164

#	ARTICLE	IF	CITATIONS
91	Formal Education and Back-Related Disability. <i>Spine</i> , 1995, 20, 2721-2730.	1.0	57
92	Length of stay in a comprehensive rehabilitation programme for chronic low-back pain and residual disability five years after discharge. <i>International Journal of Rehabilitation Research</i> , 1994, 17, 87.	0.7	7
93	Coping with low-back pain: Remaining disabilities 5 years after multidisciplinary rehabilitation. <i>Journal of Occupational Rehabilitation</i> , 1992, 2, 73-88.	1.2	7
94	Cross-cultural adaptation of Delphi definitions of low back pain prevalence in French (Delphi) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 622	1.5	1