

David Cunningham

List of Publications by Citations

Source: <https://exaly.com/author-pdf/75673/david-cunningham-publications-by-citations.pdf>

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

750
papers

65,787
citations

107
h-index

247
g-index

799
ext. papers

75,534
ext. citations

7.1
avg, IF

7.31
L-index

#	Paper	IF	Citations
750	Perioperative chemotherapy versus surgery alone for resectable gastroesophageal cancer. <i>New England Journal of Medicine</i> , 2006 , 355, 11-20	59.2	4148
749	Cetuximab monotherapy and cetuximab plus irinotecan in irinotecan-refractory metastatic colorectal cancer. <i>New England Journal of Medicine</i> , 2004 , 351, 337-45	59.2	4112
748	Irinotecan combined with fluorouracil compared with fluorouracil alone as first-line treatment for metastatic colorectal cancer: a multicentre randomised trial. <i>Lancet, The</i> , 2000 , 355, 1041-7	40	2623
747	Cisplatin plus gemcitabine versus gemcitabine for biliary tract cancer. <i>New England Journal of Medicine</i> , 2010 , 362, 1273-81	59.2	2429
746	Capecitabine and oxaliplatin for advanced esophagogastric cancer. <i>New England Journal of Medicine</i> , 2008 , 358, 36-46	59.2	1679
745	Panitumumab-FOLFOX4 treatment and RAS mutations in colorectal cancer. <i>New England Journal of Medicine</i> , 2013 , 369, 1023-34	59.2	1645
744	Cetuximab plus irinotecan, fluorouracil, and leucovorin as first-line treatment for metastatic colorectal cancer: updated analysis of overall survival according to tumor KRAS and BRAF mutation status. <i>Journal of Clinical Oncology</i> , 2011 , 29, 2011-9	2.2	1463
743	Ramucirumab plus paclitaxel versus placebo plus paclitaxel in patients with previously treated advanced gastric or gastro-oesophageal junction adenocarcinoma (RAINBOW): a double-blind, randomised phase 3 trial. <i>Lancet Oncology, The</i> , 2014 , 15, 1224-35	21.7	1457
742	Randomized, phase III trial of panitumumab with infusional fluorouracil, leucovorin, and oxaliplatin (FOLFOX4) versus FOLFOX4 alone as first-line treatment in patients with previously untreated metastatic colorectal cancer: the PRIME study. <i>Journal of Clinical Oncology</i> , 2010 , 28, 4697-705	2.2	1405
741	A prognostic score for advanced Hodgkin's disease. International Prognostic Factors Project on Advanced Hodgkin's Disease. <i>New England Journal of Medicine</i> , 1998 , 339, 1506-14	59.2	1298
740	Colorectal cancer. <i>Lancet, The</i> , 2010 , 375, 1030-47	40	1182
739	Randomised trial of irinotecan plus supportive care versus supportive care alone after fluorouracil failure for patients with metastatic colorectal cancer. <i>Lancet, The</i> , 1998 , 352, 1413-8	40	1057
738	Comparison of adjuvant gemcitabine and capecitabine with gemcitabine monotherapy in patients with resected pancreatic cancer (ESPAC-4): a multicentre, open-label, randomised, phase 3 trial. <i>Lancet, The</i> , 2017 , 389, 1011-1024	40	999
737	Adjuvant chemotherapy with fluorouracil plus folinic acid vs gemcitabine following pancreatic cancer resection: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2010 , 304, 1073-81	27.4	958
736	Prognostic role of KRAS and BRAF in stage II and III resected colon cancer: results of the translational study on the PETACC-3, EORTC 40993, SAKK 60-00 trial. <i>Journal of Clinical Oncology</i> , 2010 , 28, 466-74	2.2	889
735	CVP chemotherapy plus rituximab compared with CVP as first-line treatment for advanced follicular lymphoma. <i>Blood</i> , 2005 , 105, 1417-23	2.2	812
734	Gastric cancer: ESMO Clinical Practice Guidelines for diagnosis, treatment and follow-up. <i>Annals of Oncology</i> , 2016 , 27, v38-v49	10.3	796

733	Randomized trial comparing epirubicin, cisplatin, and fluorouracil versus fluorouracil, doxorubicin, and methotrexate in advanced esophagogastric cancer. <i>Journal of Clinical Oncology</i> , 1997 , 15, 261-7	2.2	720
732	Patient-derived organoids model treatment response of metastatic gastrointestinal cancers. <i>Science</i> , 2018 , 359, 920-926	33.3	712
731	Kirsten ras mutations in patients with colorectal cancer: the 'RASCAL II' study. <i>British Journal of Cancer</i> , 2001 , 85, 692-6	8.7	701
730	Nanoliposomal irinotecan with fluorouracil and folinic acid in metastatic pancreatic cancer after previous gemcitabine-based therapy (NAPOLI-1): a global, randomised, open-label, phase 3 trial. <i>Lancet, The</i> , 2016 , 387, 545-557	40	630
729	Phase III randomized comparison of gemcitabine versus gemcitabine plus capecitabine in patients with advanced pancreatic cancer. <i>Journal of Clinical Oncology</i> , 2009 , 27, 5513-8	2.2	606
728	Epirubicin, oxaliplatin, and capecitabine with or without panitumumab for patients with previously untreated advanced oesophagogastric cancer (REAL3): a randomised, open-label phase 3 trial. <i>Lancet Oncology, The</i> , 2013 , 14, 481-9	21.7	533
727	Oesophageal cancer. <i>Lancet, The</i> , 2017 , 390, 2383-2396	40	489
726	Phase III study of R-CVP compared with cyclophosphamide, vincristine, and prednisone alone in patients with previously untreated advanced follicular lymphoma. <i>Journal of Clinical Oncology</i> , 2008 , 26, 4579-86	2.2	487
725	Bevacizumab plus capecitabine versus capecitabine alone in elderly patients with previously untreated metastatic colorectal cancer (AVEX): an open-label, randomised phase 3 trial. <i>Lancet Oncology, The</i> , 2013 , 14, 1077-1085	21.7	438
724	Mitomycin or cisplatin chemoradiation with or without maintenance chemotherapy for treatment of squamous-cell carcinoma of the anus (ACT II): a randomised, phase 3, open-label, 2 × 2 factorial trial. <i>Lancet Oncology, The</i> , 2013 , 14, 516-24	21.7	433
723	Safety and efficacy of first-line bevacizumab with FOLFOX, XELOX, FOLFIRI and fluoropyrimidines in metastatic colorectal cancer: the BEAT study. <i>Annals of Oncology</i> , 2009 , 20, 1842-7	10.3	419
722	Docetaxel versus active symptom control for refractory oesophagogastric adenocarcinoma (COUGAR-02): an open-label, phase 3 randomised controlled trial. <i>Lancet Oncology, The</i> , 2014 , 15, 78-86	21.7	413
721	Guidelines for the management of oesophageal and gastric cancer. <i>Gut</i> , 2011 , 60, 1449-72	19.2	404
720	European phase II study of rituximab (chimeric anti-CD20 monoclonal antibody) for patients with newly diagnosed mantle-cell lymphoma and previously treated mantle-cell lymphoma, immunocytoma, and small B-cell lymphocytic lymphoma. <i>Journal of Clinical Oncology</i> , 2000 , 18, 317-24	2.2	404
719	Phase I clinical and pharmacokinetic study of bcl-2 antisense oligonucleotide therapy in patients with non-Hodgkin's lymphoma. <i>Journal of Clinical Oncology</i> , 2000 , 18, 1812-23	2.2	398
718	Multivariate prognostic factor analysis in locally advanced and metastatic esophago-gastric cancer--pooled analysis from three multicenter, randomized, controlled trials using individual patient data. <i>Journal of Clinical Oncology</i> , 2004 , 22, 2395-403	2.2	393
717	Capecitabine compared with observation in resected biliary tract cancer (BILCAP): a randomised, controlled, multicentre, phase 3 study. <i>Lancet Oncology, The</i> , 2019 , 20, 663-673	21.7	392
716	Bevacizumab plus oxaliplatin-based chemotherapy as adjuvant treatment for colon cancer (AVANT): a phase 3 randomised controlled trial. <i>Lancet Oncology, The</i> , 2012 , 13, 1225-33	21.7	389

715	Prospective randomized trial comparing mitomycin, cisplatin, and protracted venous-infusion fluorouracil (PVI 5-FU) With epirubicin, cisplatin, and PVI 5-FU in advanced esophagogastric cancer. <i>Journal of Clinical Oncology</i> , 2002 , 20, 1996-2004	2.2	389
714	Risk of second malignancy after Hodgkin's disease in a collaborative British cohort: the relation to age at treatment. <i>Journal of Clinical Oncology</i> , 2000 , 18, 498-509	2.2	379
713	Brentuximab Vedotin with Chemotherapy for Stage III or IV Hodgkin's Lymphoma. <i>New England Journal of Medicine</i> , 2018 , 378, 331-344	59.2	378
712	Oesophageal cancer. <i>Nature Reviews Disease Primers</i> , 2017 , 3, 17048	51.1	367
711	Neoadjuvant capecitabine and oxaliplatin followed by synchronous chemoradiation and total mesorectal excision in magnetic resonance imaging-defined poor-risk rectal cancer. <i>Journal of Clinical Oncology</i> , 2006 , 24, 668-74	2.2	361
710	Rituximab plus cyclophosphamide, doxorubicin, vincristine, and prednisolone in patients with newly diagnosed diffuse large B-cell non-Hodgkin lymphoma: a phase 3 comparison of dose intensification with 14-day versus 21-day cycles. <i>Lancet, The</i> , 2013 , 381, 1817-26	40	354
709	Randomized phase III trial comparing biweekly infusional fluorouracil/leucovorin alone or with irinotecan in the adjuvant treatment of stage III colon cancer: PETACC-3. <i>Journal of Clinical Oncology</i> , 2009 , 27, 3117-25	2.2	354
708	Final results from PRIME: randomized phase III study of panitumumab with FOLFOX4 for first-line treatment of metastatic colorectal cancer. <i>Annals of Oncology</i> , 2014 , 25, 1346-1355	10.3	353
707	Myocardial infarction mortality risk after treatment for Hodgkin disease: a collaborative British cohort study. <i>Journal of the National Cancer Institute</i> , 2007 , 99, 206-14	9.7	353
706	Clinical determinants of survival in patients with 5-fluorouracil-based treatment for metastatic colorectal cancer: results of a multivariate analysis of 3825 patients. <i>Annals of Oncology</i> , 2002 , 13, 308-17	10.3	345
705	Meta-analyses of chemotherapy for locally advanced and metastatic pancreatic cancer. <i>Journal of Clinical Oncology</i> , 2007 , 25, 2607-15	2.2	335
704	Capecitabine, bevacizumab, and mitomycin in first-line treatment of metastatic colorectal cancer: results of the Australasian Gastrointestinal Trials Group Randomized Phase III MAX Study. <i>Journal of Clinical Oncology</i> , 2010 , 28, 3191-8	2.2	318
703	Oral capecitabine vs intravenous 5-fluorouracil and leucovorin: integrated efficacy data and novel analyses from two large, randomised, phase III trials. <i>British Journal of Cancer</i> , 2004 , 90, 1190-7	8.7	313
702	Systemic chemotherapy with or without cetuximab in patients with resectable colorectal liver metastasis: the New EPOC randomised controlled trial. <i>Lancet Oncology, The</i> , 2014 , 15, 601-11	21.7	298
701	Multicenter randomized phase II clinical trial comparing neoadjuvant oxaliplatin, capecitabine, and preoperative radiotherapy with or without cetuximab followed by total mesorectal excision in patients with high-risk rectal cancer (EXPERT-C). <i>Journal of Clinical Oncology</i> , 2012 , 30, 1620-7	2.2	293
700	Bromodomain inhibitor OTX015 in patients with lymphoma or multiple myeloma: a dose-escalation, open-label, pharmacokinetic, phase 1 study. <i>Lancet Haematology, the</i> , 2016 , 3, e196-204	14.6	270
699	Chemoradiotherapy with or without cetuximab in patients with oesophageal cancer (SCOPE1): a multicentre, phase 2/3 randomised trial. <i>Lancet Oncology, The</i> , 2013 , 14, 627-37	21.7	262
698	Neoadjuvant capecitabine and oxaliplatin before chemoradiotherapy and total mesorectal excision in MRI-defined poor-risk rectal cancer: a phase 2 trial. <i>Lancet Oncology, The</i> , 2010 , 11, 241-8	21.7	262

697	Mismatch Repair Deficiency, Microsatellite Instability, and Survival: An Exploratory Analysis of the Medical Research Council Adjuvant Gastric Infusional Chemotherapy (MAGIC) Trial. <i>JAMA Oncology</i> , 2017 , 3, 1197-1203	13.4	256
696	Noninvasive monitoring of tumor metabolism using fluorodeoxyglucose and positron emission tomography in colorectal cancer liver metastases: correlation with tumor response to fluorouracil. <i>Journal of Clinical Oncology</i> , 1996 , 14, 700-8	2.2	256
695	Optimal duration and timing of adjuvant chemotherapy after definitive surgery for ductal adenocarcinoma of the pancreas: ongoing lessons from the ESPAC-3 study. <i>Journal of Clinical Oncology</i> , 2014 , 32, 504-12	2.2	254
694	Rituximab versus a watch-and-wait approach in patients with advanced-stage, asymptomatic, non-bulky follicular lymphoma: an open-label randomised phase 3 trial. <i>Lancet Oncology, The</i> , 2014 , 15, 424-35	21.7	248
693	Gemcitabine and capecitabine with or without telomerase peptide vaccine GV1001 in patients with locally advanced or metastatic pancreatic cancer (TeloVac): an open-label, randomised, phase 3 trial. <i>Lancet Oncology, The</i> , 2014 , 15, 829-40	21.7	237
692	Vessel co-option mediates resistance to anti-angiogenic therapy in liver metastases. <i>Nature Medicine</i> , 2016 , 22, 1294-1302	50.5	235
691	Managing patients treated with bevacizumab combination therapy. <i>Oncology</i> , 2005 , 69 Suppl 3, 25-33	3.6	232
690	MRI directed multidisciplinary team preoperative treatment strategy: the way to eliminate positive circumferential margins?. <i>British Journal of Cancer</i> , 2006 , 94, 351-7	8.7	227
689	Sorafenib in combination with transarterial chemoembolisation in patients with unresectable hepatocellular carcinoma (TACE 2): a randomised placebo-controlled, double-blind, phase 3 trial. <i>The Lancet Gastroenterology and Hepatology</i> , 2017 , 2, 565-575	18.8	226
688	Long-term survival after epirubicin, cisplatin and fluorouracil for gastric cancer: results of a randomized trial. <i>British Journal of Cancer</i> , 1999 , 80, 269-72	8.7	224
687	Adjuvant or palliative chemotherapy for colorectal cancer in patients 70 years or older. <i>Journal of Clinical Oncology</i> , 1999 , 17, 2412-8	2.2	219
686	Phase III double-blind placebo-controlled study of farnesyl transferase inhibitor R115777 in patients with refractory advanced colorectal cancer. <i>Journal of Clinical Oncology</i> , 2004 , 22, 3950-7	2.2	208
685	Potential regional differences for the tolerability profiles of fluoropyrimidines. <i>Journal of Clinical Oncology</i> , 2008 , 26, 2118-23	2.2	194
684	Efficacy of 5-fluorouracil-based chemotherapy in elderly patients with metastatic colorectal cancer: a pooled analysis of clinical trials. <i>Annals of Oncology</i> , 2004 , 15, 1330-8	10.3	193
683	Rilotumumab plus epirubicin, cisplatin, and capecitabine as first-line therapy in advanced MET-positive gastric or gastro-oesophageal junction cancer (RILOMET-1): a randomised, double-blind, placebo-controlled, phase 3 trial. <i>Lancet Oncology, The</i> , 2017 , 18, 1467-1482	21.7	184
682	Integrated analysis of molecular and clinical prognostic factors in stage II/III colon cancer. <i>Journal of the National Cancer Institute</i> , 2012 , 104, 1635-46	9.7	180
681	Systematic review, including meta-analyses, on the management of locally advanced pancreatic cancer using radiation/combined modality therapy. <i>British Journal of Cancer</i> , 2007 , 96, 1183-90	8.7	179
680	High-Level Clonal FGFR Amplification and Response to FGFR Inhibition in a Translational Clinical Trial. <i>Cancer Discovery</i> , 2016 , 6, 838-851	24.4	176

679	Cediranib or placebo in combination with cisplatin and gemcitabine chemotherapy for patients with advanced biliary tract cancer (ABC-03): a randomised phase 2 trial. <i>Lancet Oncology, The</i> , 2015 , 16, 967-78	21.7	174
678	Non-operative treatment after neoadjuvant chemoradiotherapy for rectal cancer. <i>Lancet Oncology, The</i> , 2007 , 8, 625-33	21.7	173
677	Meta-analysis of the REAL-2 and ML17032 trials: evaluating capecitabine-based combination chemotherapy and infused 5-fluorouracil-based combination chemotherapy for the treatment of advanced oesophago-gastric cancer. <i>Annals of Oncology</i> , 2009 , 20, 1529-1534	10.3	171
676	High-dose melphalan and autologous bone marrow transplantation as consolidation in previously untreated myeloma. <i>Journal of Clinical Oncology</i> , 1994 , 12, 759-63	2.2	171
675	Peri-operative chemotherapy with or without bevacizumab in operable oesophagogastric adenocarcinoma (UK Medical Research Council ST03): primary analysis results of a multicentre, open-label, randomised phase 2-3 trial. <i>Lancet Oncology, The</i> , 2017 , 18, 357-370	21.7	170
674	Cediranib with mFOLFOX6 versus bevacizumab with mFOLFOX6 as first-line treatment for patients with advanced colorectal cancer: a double-blind, randomized phase III study (HORIZON III). <i>Journal of Clinical Oncology</i> , 2012 , 30, 3588-95	2.2	170
673	A multicentre study of capecitabine, oxaliplatin plus bevacizumab as perioperative treatment of patients with poor-risk colorectal liver-only metastases not selected for upfront resection. <i>Annals of Oncology</i> , 2011 , 22, 2042-2048	10.3	167
672	Effect of Fluorouracil, Leucovorin, and Oxaliplatin With or Without Onartuzumab in HER2-Negative, MET-Positive Gastroesophageal Adenocarcinoma: The METGastric Randomized Clinical Trial. <i>JAMA Oncology</i> , 2017 , 3, 620-627	13.4	165
671	Mismatch repair deficient colorectal cancer in the era of personalized treatment. <i>Nature Reviews Clinical Oncology</i> , 2010 , 7, 197-208	19.4	165
670	Tumor stage after neoadjuvant chemotherapy determines survival after surgery for adenocarcinoma of the esophagus and esophagogastric junction. <i>Journal of Clinical Oncology</i> , 2014 , 32, 2983-90	2.2	156
669	Capecitabine plus oxaliplatin (XELOX) versus 5-fluorouracil/folinic acid plus oxaliplatin (FOLFOX-4) as second-line therapy in metastatic colorectal cancer: a randomized phase III noninferiority study. <i>Annals of Oncology</i> , 2008 , 19, 1720-6	10.3	152
668	Placebo-controlled phase III trial of lenograstim in bone-marrow transplantation. <i>Lancet, The</i> , 1994 , 343, 696-700	40	148
667	A randomised comparison between 6 months of bolus fluorouracil/leucovorin and 12 weeks of protracted venous infusion fluorouracil as adjuvant treatment in colorectal cancer. <i>Annals of Oncology</i> , 2005 , 16, 549-57	10.3	146
666	Thromboembolism in patients with advanced gastroesophageal cancer treated with anthracycline, platinum, and fluoropyrimidine combination chemotherapy: a report from the UK National Cancer Research Institute Upper Gastrointestinal Clinical Studies Group. <i>Journal of Clinical Oncology</i> , 2009 , 27, 3786-93	2.2	145
665	Effect of Pathologic Tumor Response and Nodal Status on Survival in the Medical Research Council Adjuvant Gastric Infusional Chemotherapy Trial. <i>Journal of Clinical Oncology</i> , 2016 , 34, 2721-7	2.2	144
664	Targeting the PI3K-AKT-mTOR signaling network in cancer. <i>Chinese Journal of Cancer</i> , 2013 , 32, 253-65		142
663	Randomized comparison of the stanford V regimen and ABVD in the treatment of advanced Hodgkin's Lymphoma: United Kingdom National Cancer Research Institute Lymphoma Group Study ISRCTN 64141244. <i>Journal of Clinical Oncology</i> , 2009 , 27, 5390-6	2.2	139
662	Common variants at the MHC locus and at chromosome 16q24.1 predispose to Barrett's esophagus. <i>Nature Genetics</i> , 2012 , 44, 1131-6	36.3	139

661	Surgery with curative-intent in patients treated with first-line chemotherapy plus bevacizumab for metastatic colorectal cancer First BEAT and the randomised phase-III NO16966 trial. <i>British Journal of Cancer</i> , 2009 , 101, 1033-8	8.7	138
660	Gastric cancer: ESMO-ESSO-ESTRO clinical practice guidelines for diagnosis, treatment and follow-up. <i>European Journal of Surgical Oncology</i> , 2014 , 40, 584-591	3.6	137
659	Neoadjuvant cisplatin and fluorouracil versus epirubicin, cisplatin, and capecitabine followed by resection in patients with oesophageal adenocarcinoma (UK MRC OE05): an open-label, randomised phase 3 trial. <i>Lancet Oncology</i> , 2017 , 18, 1249-1260	21.7	134
658	High-dose therapy and autologous stem-cell transplantation for adult patients with Hodgkin's disease who do not enter remission after induction chemotherapy: results in 175 patients reported to the European Group for Blood and Marrow Transplantation. Lymphoma Working Party. <i>Journal of Clinical Oncology</i> , 2009 , 27, 5101-9	2.2	133
657	The value of routine serum carcino-embryonic antigen measurement and computed tomography in the surveillance of patients after adjuvant chemotherapy for colorectal cancer. <i>Journal of Clinical Oncology</i> , 2004 , 22, 1420-9	2.2	132
656	Longitudinal Liquid Biopsy and Mathematical Modeling of Clonal Evolution Forecast Time to Treatment Failure in the PROSPECT-C Phase II Colorectal Cancer Clinical Trial. <i>Cancer Discovery</i> , 2018 , 8, 1270-1285	24.4	130
655	Detection of colorectal hepatic metastases using MnDPDP MR imaging and diffusion-weighted imaging (DWI) alone and in combination. <i>European Radiology</i> , 2008 , 18, 903-10	8	128
654	Second cancer risk after chemotherapy for Hodgkin's lymphoma: a collaborative British cohort study. <i>Journal of Clinical Oncology</i> , 2011 , 29, 4096-104	2.2	127
653	Individual Patient Data Meta-Analysis of the Value of Microsatellite Instability As a Biomarker in Gastric Cancer. <i>Journal of Clinical Oncology</i> , 2019 , 37, 3392-3400	2.2	123
652	Phase III study of 5FU, etoposide and leucovorin (FELV) compared to epirubicin, cisplatin and 5FU (ECF) in previously untreated patients with advanced biliary cancer. <i>British Journal of Cancer</i> , 2005 , 92, 1650-4	8.7	122
651	CA19-9 as a prognostic factor in inoperable pancreatic cancer: the implication for clinical trials. <i>British Journal of Cancer</i> , 2005 , 93, 740-3	8.7	122
650	Report of two protocol planned interim analyses in a randomised multicentre phase III study comparing capecitabine with fluorouracil and oxaliplatin with cisplatin in patients with advanced oesophagogastric cancer receiving ECF. <i>British Journal of Cancer</i> , 2005 , 92, 1976-83	8.7	121
649	Targeting the human EGFR family in esophagogastric cancer. <i>Nature Reviews Clinical Oncology</i> , 2011 , 8, 492-503	19.4	120
648	Adjuvant therapy in colon cancer--what, when and how?. <i>Annals of Oncology</i> , 2006 , 17, 1347-59	10.3	117
647	Lung cancer after Hodgkin's disease: a nested case-control study of the relation to treatment. <i>Journal of Clinical Oncology</i> , 2001 , 19, 1610-8	2.2	112
646	Insulin-like growth factor 1 receptor targeted therapeutics: novel compounds and novel treatment strategies for cancer medicine. <i>Recent Patents on Anti-Cancer Drug Discovery</i> , 2009 , 4, 54-72	2.6	111
645	Adjuvant capecitabine for biliary tract cancer: The BILCAP randomized study.. <i>Journal of Clinical Oncology</i> , 2017 , 35, 4006-4006	2.2	109
644	Capecitabine and oxaliplatin for advanced esophagogastric cancer. <i>New England Journal of Medicine</i> , 2010 , 362, 858-9	59.2	107

643	Mucinous histology predicts for reduced fluorouracil responsiveness and survival in advanced colorectal cancer. <i>Annals of Oncology</i> , 2005 , 16, 1305-10	10.3	106
642	Epirubicin, oxaliplatin, and capecitabine with or without panitumumab for advanced esophagogastric cancer: dose-finding study for the prospective multicenter, randomized, phase II/III REAL-3 trial. <i>Journal of Clinical Oncology</i> , 2010 , 28, 3945-50	2.2	105
641	Evaluating mesorectal lymph nodes in rectal cancer before and after neoadjuvant chemoradiation using thin-section T2-weighted magnetic resonance imaging. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008 , 71, 456-61	4	105
640	Multicenter randomized phase III trial comparing protracted venous infusion (PVI) fluorouracil (5-FU) with PVI 5-FU plus mitomycin in inoperable pancreatic cancer. <i>Journal of Clinical Oncology</i> , 2002 , 20, 3130-6	2.2	104
639	International Cancer Microbiome Consortium consensus statement on the role of the human microbiome in carcinogenesis. <i>Gut</i> , 2019 , 68, 1624-1632	19.2	101
638	Adjuvant therapy in pancreatic cancer: historical and current perspectives. <i>Annals of Oncology</i> , 2003 , 14, 675-92	10.3	101
637	Breast cancer risk after supradiaphragmatic radiotherapy for Hodgkin's lymphoma in England and Wales: a National Cohort Study. <i>Journal of Clinical Oncology</i> , 2012 , 30, 2745-52	2.2	100
636	The frequency and pattern of cardiotoxicity observed with capecitabine used in conjunction with oxaliplatin in patients treated for advanced colorectal cancer (CRC). <i>European Journal of Cancer</i> , 2005 , 41, 1542-6	7.5	100
635	Patients' willingness to participate in clinical trials and their views on aspects of cancer research: results of a prospective patient survey. <i>Trials</i> , 2016 , 17, 17	2.8	99
634	FDG-PET in the prediction of survival of patients with cancer of the pancreas: a pilot study. <i>British Journal of Cancer</i> , 2000 , 83, 287-93	8.7	96
633	Multiple myeloma: appearance at MR imaging. <i>Radiology</i> , 1992 , 182, 833-7	20.5	96
632	Genomic and Transcriptomic Determinants of Therapy Resistance and Immune Landscape Evolution during Anti-EGFR Treatment in Colorectal Cancer. <i>Cancer Cell</i> , 2019 , 36, 35-50.e9	24.3	94
631	Results of the MRC pilot study show autografting for younger patients with chronic lymphocytic leukemia is safe and achieves a high percentage of molecular responses. <i>Blood</i> , 2005 , 105, 397-404	2.2	94
630	3 versus 6 months of adjuvant oxaliplatin-fluoropyrimidine combination therapy for colorectal cancer (SCOT): an international, randomised, phase 3, non-inferiority trial. <i>Lancet Oncology</i> , 2018 , 19, 562-578	21.7	93
629	Matuzumab plus epirubicin, cisplatin and capecitabine (ECX) compared with epirubicin, cisplatin and capecitabine alone as first-line treatment in patients with advanced oesophago-gastric cancer: a randomised, multicentre open-label phase II study. <i>Annals of Oncology</i> , 2010 , 21, 2213-2219	10.3	90
628	Predictive factors of survival in patients with advanced colorectal cancer: an individual data analysis of 602 patients included in irinotecan phase III trials. <i>Annals of Oncology</i> , 2004 , 15, 1013-7	10.3	89
627	A UK multicentre phase II study of rituximab (chimaeric anti-CD20 monoclonal antibody) in patients with follicular lymphoma, with PCR monitoring of molecular response. <i>British Journal of Haematology</i> , 2000 , 109, 81-8	4.5	89
626	Meta-analyses of chemotherapy for locally advanced and metastatic pancreatic cancer: results of secondary end points analyses. <i>British Journal of Cancer</i> , 2008 , 99, 6-13	8.7	87

625	A randomized phase II study of PEP02 (MM-398), irinotecan or docetaxel as a second-line therapy in patients with locally advanced or metastatic gastric or gastro-oesophageal junction adenocarcinoma. <i>Annals of Oncology</i> , 2013 , 24, 1567-73	10.3	86
624	Gemcitabine, cisplatin and methylprednisolone for the treatment of patients with peripheral T-cell lymphoma: the Royal Marsden Hospital experience. <i>Haematologica</i> , 2007 , 92, 271-2	6.6	86
623	Systemic chemotherapy with or without cetuximab in patients with resectable colorectal liver metastasis (New EPOC): long-term results of a multicentre, randomised, controlled, phase 3 trial. <i>Lancet Oncology</i> , 2020 , 21, 398-411	21.7	85
622	Emerging molecular targets in oncology: clinical potential of MET/hepatocyte growth-factor inhibitors. <i>OncoTargets and Therapy</i> , 2014 , 7, 1001-14	4.4	84
621	Long-term outcome of autologous stem-cell transplantation in relapsed or refractory Hodgkin's lymphoma. <i>Annals of Oncology</i> , 2008 , 19, 1312-1319	10.3	84
620	Best time to assess complete clinical response after chemoradiotherapy in squamous cell carcinoma of the anus (ACT II): a post-hoc analysis of randomised controlled phase 3 trial. <i>Lancet Oncology</i> , 2017 , 18, 347-356	21.7	81
619	Treatment in advanced colorectal cancer: what, when and how?. <i>British Journal of Cancer</i> , 2009 , 100, 1704-19	8.7	81
618	Symptoms and weight loss in patients with gastrointestinal and lung cancer at presentation. <i>Supportive Care in Cancer</i> , 2007 , 15, 39-46	3.9	81
617	Royal Marsden phase III trial of fluorouracil with or without interferon alfa-2b in advanced colorectal cancer. <i>Journal of Clinical Oncology</i> , 1995 , 13, 1297-302	2.2	81
616	High-dose melphalan for multiple myeloma: long-term follow-up data. <i>Journal of Clinical Oncology</i> , 1994 , 12, 764-8	2.2	80
615	Reply: Capecitabine and mitomycin C in patients with metastatic colorectal cancer resistant to fluorouracil and irinotecan. <i>British Journal of Cancer</i> , 2006 , 94, 937-937	8.7	78
614	Reply 2: NICE guidelines on drugs for colorectal cancer. <i>British Journal of Cancer</i> , 2003 , 88, 1154-1155	8.7	78
613	Phase III, randomized, double-blind, multicenter, placebo (P)-controlled trial of rilotumumab (R) plus epirubicin, cisplatin and capecitabine (ECX) as first-line therapy in patients (pts) with advanced MET-positive (pos) gastric or gastroesophageal junction (G/GEJ) cancer: RILOMET-1 study.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 4000-4000	2.2	75
612	The effects of gemcitabine and capecitabine combination chemotherapy and of low-dose adjuvant GM-CSF on the levels of myeloid-derived suppressor cells in patients with advanced pancreatic cancer. <i>Cancer Immunology, Immunotherapy</i> , 2014 , 63, 175-83	7.4	72
611	Simple nutritional intervention in patients with advanced cancers of the gastrointestinal tract, non-small cell lung cancers or mesothelioma and weight loss receiving chemotherapy: a randomised controlled trial. <i>Journal of Human Nutrition and Dietetics</i> , 2011 , 24, 431-40	3.1	72
610	Site of relapse after chemotherapy alone for stage I and II Hodgkin's disease. <i>Radiotherapy and Oncology</i> , 2006 , 78, 1-5	5.3	72
609	Prognostic factors for progression-free and overall survival in advanced biliary tract cancer. <i>Annals of Oncology</i> , 2016 , 27, 134-40	10.3	69
608	Elevated platelet to lymphocyte ratio predicts poor prognosis after hepatectomy for liver-only colorectal metastases, and it is superior to neutrophil to lymphocyte ratio as an adverse prognostic factor. <i>Medical Oncology</i> , 2014 , 31, 239	3.7	68

607	Neoadjuvant systemic fluorouracil and mitomycin C prior to synchronous chemoradiation is an effective strategy in locally advanced rectal cancer. <i>British Journal of Cancer</i> , 2003 , 88, 1017-24	8.7	68
606	Role of magnetic resonance imaging in predicting relapse in residual masses after treatment of lymphoma. <i>Journal of Clinical Oncology</i> , 1993 , 11, 2273-8	2.2	68
605	Impact of protracted venous infusion fluorouracil with or without interferon alfa-2b on tumor response, survival, and quality of life in advanced colorectal cancer. <i>Journal of Clinical Oncology</i> , 1995 , 13, 2317-23	2.2	67
604	Randomized trial assessing the addition of interferon alpha-2a to fluorouracil and leucovorin in advanced colorectal cancer. Colorectal Cancer Working Party of the United Kingdom Medical Research Council. <i>Journal of Clinical Oncology</i> , 1996 , 14, 2280-8	2.2	67
603	Epirubicin, cisplatin, and protracted venous infusion of 5-fluorouracil for esophagogastric adenocarcinoma: response, toxicity, quality of life, and survival. <i>Cancer</i> , 1996 , 77, 1978-85	6.4	67
602	Cost-effectiveness analysis of cetuximab/irinotecan vs active/best supportive care for the treatment of metastatic colorectal cancer patients who have failed previous chemotherapy treatment. <i>British Journal of Cancer</i> , 2007 , 96, 206-12	8.7	66
601	Comparison between MRI and pathology in the assessment of tumour regression grade in rectal cancer. <i>British Journal of Cancer</i> , 2017 , 117, 1478-1485	8.7	64
600	Efficacy of capecitabine versus 5-fluorouracil in colorectal and gastric cancers: a meta-analysis of individual data from 6171 patients. <i>Annals of Oncology</i> , 2011 , 22, 2604-2609	10.3	64
599	Patterns of Recurrence After Resection of Pancreatic Ductal Adenocarcinoma: A Secondary Analysis of the ESPAC-4 Randomized Adjuvant Chemotherapy Trial. <i>JAMA Surgery</i> , 2019 , 154, 1038-1048 ^{5.4}	5.4	63
598	Nivolumab Combined With Brentuximab Vedotin for Relapsed/Refractory Primary Mediastinal Large B-Cell Lymphoma: Efficacy and Safety From the Phase II CheckMate 436 Study. <i>Journal of Clinical Oncology</i> , 2019 , 37, 3081-3089	2.2	63
597	Gastrazole (JB95008), a novel CCK2/gastrin receptor antagonist, in the treatment of advanced pancreatic cancer: results from two randomised controlled trials. <i>British Journal of Cancer</i> , 2006 , 94, 1107-15	8.7	63
596	Twelve weeks of protracted venous infusion of fluorouracil (5-FU) is as effective as 6 months of bolus 5-FU and folinic acid as adjuvant treatment in colorectal cancer. <i>British Journal of Cancer</i> , 2003 , 88, 1859-65	8.7	63
595	The role of surveillance CT scans in patients with diffuse large B-cell non-Hodgkin's lymphoma. <i>Leukemia and Lymphoma</i> , 2003 , 44, 123-5	1.9	63
594	The role of intrathecal chemotherapy prophylaxis in patients with diffuse large B-cell lymphoma. <i>Annals of Oncology</i> , 2007 , 18, 541-5	10.3	62
593	Phase I Population Pharmacokinetic Assessment of the Oral Bromodomain Inhibitor OTX015 in Patients with Haematologic Malignancies. <i>Clinical Pharmacokinetics</i> , 2016 , 55, 397-405	6.2	61
592	Effect of HER2 on prognosis and benefit from peri-operative chemotherapy in early oesophago-gastric adenocarcinoma in the MAGIC trial. <i>Annals of Oncology</i> , 2013 , 24, 1253-61	10.3	61
591	East meets west in the treatment of gastric cancer. <i>New England Journal of Medicine</i> , 2007 , 357, 1863-5	59.2	61
590	Adjuvant treatment for resectable pancreatic cancer. <i>Journal of Clinical Oncology</i> , 2005 , 23, 4532-7	2.2	61

589	MIR21 Drives Resistance to Heat Shock Protein 90 Inhibition in Cholangiocarcinoma. <i>Gastroenterology</i> , 2018 , 154, 1066-1079.e5	13.3	61
588	Elderly patients with fluoropyrimidine and thymidylate synthase inhibitor-resistant advanced colorectal cancer derive similar benefit without excessive toxicity when treated with irinotecan monotherapy. <i>British Journal of Cancer</i> , 2004 , 91, 1453-8	8.7	58
587	Prognostic value of neutrophil-to-lymphocyte ratio in advanced oesophago-gastric cancer: exploratory analysis of the REAL-2 trial. <i>Annals of Oncology</i> , 2016 , 27, 687-92	10.3	57
586	Targeted therapy for gastric cancer. <i>Current Treatment Options in Oncology</i> , 2012 , 13, 377-89	5.4	56
585	Phase I study of epirubicin, cisplatin and capecitabine plus matuzumab in previously untreated patients with advanced oesophagogastric cancer. <i>British Journal of Cancer</i> , 2008 , 99, 868-74	8.7	56
584	Outcome of follicular lymphoma grade 3: is anthracycline necessary as front-line therapy?. <i>British Journal of Cancer</i> , 2003 , 89, 36-42	8.7	56
583	A Randomized Phase II/III Study of Dalotuzumab in Combination With Cetuximab and Irinotecan in Chemorefractory, KRAS Wild-Type, Metastatic Colorectal Cancer. <i>Journal of the National Cancer Institute</i> , 2015 , 107, djv258	9.7	55
582	FOLFIRINOX for locally advanced or metastatic pancreatic ductal adenocarcinoma: the Royal Marsden experience. <i>Clinical Colorectal Cancer</i> , 2014 , 13, 232-8	3.8	55
581	Bevacizumab with peri-operative epirubicin, cisplatin and capecitabine (ECX) in localised gastro-oesophageal adenocarcinoma: a safety report. <i>Annals of Oncology</i> , 2013 , 24, 702-9	10.3	55
580	Lymphocyte-predominant Hodgkin lymphoma--clinical features and treatment outcomes from a 30-year experience. <i>Annals of Oncology</i> , 2010 , 21, 2061-2068	10.3	55
579	A comparison of vincristine and doxorubicin infusional chemotherapy with methylprednisolone (VAMP) with the addition of weekly cyclophosphamide (C-VAMP) as induction treatment followed by autografting in previously untreated myeloma. <i>British Journal of Haematology</i> , 1997 , 97, 153-60	4.5	55
578	Gemcitabine, cisplatin and methylprednisolone (GEM-P) is an effective salvage regimen in patients with relapsed and refractory lymphoma. <i>British Journal of Cancer</i> , 2005 , 92, 1352-7	8.7	55
577	Influence of metastatic site as an additional predictor for response and outcome in advanced colorectal carcinoma. <i>British Journal of Cancer</i> , 1999 , 79, 1800-1805	8.7	55
576	Timing of surgery following preoperative therapy in rectal cancer: the need for a prospective randomized trial?. <i>Diseases of the Colon and Rectum</i> , 2011 , 54, 1251-9	3.1	54
575	Trastuzumab in gastric cancer. <i>European Journal of Cancer</i> , 2010 , 46, 1949-59	7.5	54
574	Gemcitabine, cisplatin and methylprednisolone chemotherapy (GEM-P) is an effective regimen in patients with poor prognostic primary progressive or multiply relapsed Hodgkin's and non-Hodgkin's lymphoma. <i>British Journal of Haematology</i> , 2003 , 120, 970-7	4.5	53
573	Low frequency of germline E-cadherin mutations in familial and nonfamilial gastric cancer. <i>British Journal of Cancer</i> , 1999 , 79, 1935-7	8.7	53
572	Chemotherapy of carcinoma of the stomach. <i>Cancer Treatment Reviews</i> , 1993 , 19, 29-44	14.4	53

571	The value of source data verification in a cancer clinical trial. <i>PLoS ONE</i> , 2012 , 7, e51623	3.7	52
570	Outcome assessment of a population-based group of 195 unselected myeloma patients under 70 years of age offered intensive treatment. <i>Bone Marrow Transplantation</i> , 1997 , 20, 435-43	4.4	50
569	Raltitrexed: current clinical status and future directions. <i>Annals of Oncology</i> , 2002 , 13, 513-22	10.3	50
568	Neoadjuvant chemotherapy for resectable oesophageal and junctional adenocarcinoma: Results from the UK Medical Research Council randomised OEO5 trial (ISRCTN 01852072).. <i>Journal of Clinical Oncology</i> , 2015 , 33, 4002-4002	2.2	50
567	PET-PANC: multicentre prospective diagnostic accuracy and health economic analysis study of the impact of combined modality 18fluorine-2-fluoro-2-deoxy-d-glucose positron emission tomography with computed tomography scanning in the diagnosis and management of pancreatic cancer. <i>Health Technology Assessment</i> , 2018 , 22, 1-114	4.4	50
566	Quality-of-life and performance status results from the phase III RAINBOW study of ramucirumab plus paclitaxel versus placebo plus paclitaxel in patients with previously treated gastric or gastroesophageal junction adenocarcinoma. <i>Annals of Oncology</i> , 2016 , 27, 673-9	10.3	49
565	International Association of Pancreatology (IAP)/European Pancreatic Club (EPC) consensus review of guidelines for the treatment of pancreatic cancer. <i>Pancreatology</i> , 2016 , 16, 14-27	3.8	49
564	An oxaliplatin-based chemotherapy in patients with relapsed or refractory intermediate and high-grade non-Hodgkin's lymphoma. <i>British Journal of Haematology</i> , 2001 , 115, 786-92	4.5	49
563	International prognostic indices in diffuse large B-cell lymphoma: a comparison of IPI, R-IPI, and NCCN-IPI. <i>Blood</i> , 2020 , 135, 2041-2048	2.2	48
562	A rectal cancer feasibility study with an embedded phase III trial design assessing magnetic resonance tumour regression grade (mrTRG) as a novel biomarker to stratify management by good and poor response to chemoradiotherapy (TRIGGER): study protocol for a randomised controlled trial. <i>Trials</i> , 2017 , 18, 304	2.8	48
561	Vandetanib plus gemcitabine versus placebo plus gemcitabine in locally advanced or metastatic pancreatic carcinoma (ViP): a prospective, randomised, double-blind, multicentre phase 2 trial. <i>Lancet Oncology</i> , 2017 , 18, 486-499	21.7	47
560	Predictive and prognostic biomarkers for targeted therapy in metastatic colorectal cancer. <i>Clinical Colorectal Cancer</i> , 2010 , 9, 274-81	3.8	47
559	Longitudinal assessment of quality of life in rectal cancer patients with or without stomas following primary resection. <i>Diseases of the Colon and Rectum</i> , 2009 , 52, 669-77	3.1	47
558	Capecitabine and mitomycin C as third-line therapy for patients with metastatic colorectal cancer resistant to fluorouracil and irinotecan. <i>British Journal of Cancer</i> , 2005 , 93, 510-4	8.7	47
557	Early in vivo detection of metabolic response: a pilot study of 1H MR spectroscopy in extracranial lymphoma and germ cell tumours. <i>British Journal of Radiology</i> , 2002 , 75, 959-66	3.4	47
556	PAN-EX: a pooled analysis of two trials of neoadjuvant chemotherapy followed by chemoradiotherapy in MRI-defined, locally advanced rectal cancer. <i>Annals of Oncology</i> , 2016 , 27, 1557-65	10.3	47
555	Epidermal growth factor receptor inhibitor-related skin toxicity: mechanisms, treatment, and its potential role as a predictive marker. <i>Clinical Colorectal Cancer</i> , 2008 , 7, 33-43	3.8	46
554	Human Bcl-2 antisense therapy for lymphomas. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1999 , 1489, 97-106		46

553	Immunopeptidomics of colorectal cancer organoids reveals a sparse HLA class I neoantigen landscape and no increase in neoantigens with interferon or MEK-inhibitor treatment 2019 , 7, 309		46
552	Capecitabine and streptozocin ± cisplatin in advanced gastroenteropancreatic neuroendocrine tumours. <i>European Journal of Cancer</i> , 2014 , 50, 902-11	7.5	45
551	Improving long-term outcomes for patients with liver metastases from colorectal cancer. <i>Journal of Clinical Oncology</i> , 2005 , 23, 9063-6	2.2	45
550	Adjuvant therapy in colon cancer: current status and future directions. <i>Cancer Treatment Reviews</i> , 2002 , 28, 223-36	14.4	45
549	Magnetic resonance detects metabolic changes associated with chemotherapy-induced apoptosis. <i>British Journal of Cancer</i> , 1999 , 80, 1035-41	8.7	45
548	Functional imaging and circulating biomarkers of response to regorafenib in treatment-refractory metastatic colorectal cancer patients in a prospective phase II study. <i>Gut</i> , 2018 , 67, 1484-1492	19.2	45
547	Assessment of a Noninvasive Exhaled Breath Test for the Diagnosis of Oesophagogastric Cancer. <i>JAMA Oncology</i> , 2018 , 4, 970-976	13.4	45
546	TP53 mutational status and cetuximab benefit in rectal cancer: 5-year results of the EXPERT-C trial. <i>Journal of the National Cancer Institute</i> , 2014 , 106,	9.7	44
545	Two different first-line 5-fluorouracil regimens with or without oxaliplatin in patients with metastatic colorectal cancer. <i>Annals of Oncology</i> , 2009 , 20, 244-50	10.3	44
544	Systemic treatment of gastric cancer. <i>European Journal of Gastroenterology and Hepatology</i> , 2004 , 16, 255-63	2.2	44
543	An Intergroup Randomised Trial of Rituximab Versus a Watch and Wait Strategy In Patients with Stage II, III, IV, Asymptomatic, Non-Bulky Follicular Lymphoma (Grades 1, 2 and 3a). A Preliminary Analysis. <i>Blood</i> , 2010 , 116, 6-6	2.2	44
542	KRAS and BRAF mutations in circulating tumour DNA from locally advanced rectal cancer. <i>Scientific Reports</i> , 2018 , 8, 1445	4.9	43
541	Validation of the Royal Marsden hospital prognostic index in advanced esophagogastric cancer using individual patient data from the REAL 2 study. <i>Journal of Clinical Oncology</i> , 2009 , 27, e3-4	2.2	42
540	Targeting angiogenesis in esophagogastric adenocarcinoma. <i>Oncologist</i> , 2011 , 16, 844-58	5.7	42
539	5-Fluorouracil can cross brain-blood barrier and cause encephalopathy: should we expect the same from capecitabine? A case report on capecitabine-induced central neurotoxicity progressing to coma. <i>Cancer Chemotherapy and Pharmacology</i> , 2006 , 58, 276-8	3.5	42
538	Evaluation of the efficacy of the VEEP regimen in adult Hodgkin's disease with assessment of gonadal and cardiac toxicity. <i>Journal of Clinical Oncology</i> , 1995 , 13, 387-95	2.2	42
537	Oral 4-hydroxyandrostenedione, a new endocrine treatment for disseminated breast cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 1987 , 20, 253-5	3.5	42
536	Identification of novel determinants of resistance to lapatinib in ERBB2-amplified cancers. <i>Oncogene</i> , 2014 , 33, 966-76	9.2	41

535	The impact of primary tumour origins in patients with advanced oesophageal, oesophago-gastric junction and gastric adenocarcinoma--individual patient data from 1775 patients in four randomised controlled trials. <i>Annals of Oncology</i> , 2009 , 20, 885-91	10.3	41
534	Use of first line bronchoalveolar lavage in the immunosuppressed oncology patient. <i>Bone Marrow Transplantation</i> , 2001 , 27, 967-71	4.4	41
533	Dexamethasone can potentiate the anti-emetic action of a 5HT3 receptor antagonist on cyclophosphamide induced vomiting in the ferret. <i>British Journal of Cancer</i> , 1990 , 61, 56-60	8.7	41
532	Outcome of second-line chemotherapy for biliary tract cancer. <i>European Journal of Cancer</i> , 2013 , 49, 1511	7.5	40
531	The prognostic role of WHO classification, urinary 5-hydroxyindoleacetic acid and liver function tests in metastatic neuroendocrine carcinomas of the gastroenteropancreatic tract. <i>British Journal of Cancer</i> , 2007 , 96, 1178-82	8.7	40
530	A randomized trial comparing defined-duration with continuous irinotecan until disease progression in fluoropyrimidine and thymidylate synthase inhibitor-resistant advanced colorectal cancer. <i>Journal of Clinical Oncology</i> , 2004 , 22, 3023-31	2.2	40
529	Progression-Free Survival as a Surrogate End Point for Overall Survival in First-Line Diffuse Large B-Cell Lymphoma: An Individual Patient-Level Analysis of Multiple Randomized Trials (SEAL). <i>Journal of Clinical Oncology</i> , 2018 , 36, 2593-2602	2.2	40
528	Long-term results and recurrence patterns from SCOPE-1: a phase II/III randomised trial of definitive chemoradiotherapy +/- cetuximab in oesophageal cancer. <i>British Journal of Cancer</i> , 2017 , 116, 709-716	8.7	39
527	Breast cancer risk following Hodgkin lymphoma radiotherapy in relation to menstrual and reproductive factors. <i>British Journal of Cancer</i> , 2013 , 108, 2399-406	8.7	39
526	Systemic inflammation, as measured by the neutrophil/lymphocyte ratio, may have differential prognostic impact before and during treatment with fluorouracil, irinotecan and bevacizumab in metastatic colorectal cancer patients. <i>Medical Oncology</i> , 2014 , 31, 166	3.7	38
525	The impact of carcinoembryonic antigen flare in patients with advanced colorectal cancer receiving first-line chemotherapy. <i>Annals of Oncology</i> , 2010 , 21, 1013-9	10.3	38
524	High-grade transformation in splenic marginal zone lymphoma with circulating villous lymphocytes: the site of transformation influences response to therapy and prognosis. <i>British Journal of Haematology</i> , 2008 , 143, 71-4	4.5	38
523	International Rare Cancers Initiative Multicenter Randomized Phase II Trial of Cisplatin and Fluorouracil Versus Carboplatin and Paclitaxel in Advanced Anal Cancer: InterAAct. <i>Journal of Clinical Oncology</i> , 2020 , 38, 2510-2518	2.2	37
522	Comparison of long-term survival outcome of operative vs nonoperative management of recurrent rectal cancer. <i>Colorectal Disease</i> , 2013 , 15, 156-63	2.1	37
521	Risk of premature menopause after treatment for Hodgkin's lymphoma. <i>Journal of the National Cancer Institute</i> , 2014 , 106,	9.7	37
520	Efficacy of palliative low-dose involved-field radiation therapy in advanced lymphoma: a phase II study. <i>Clinical Lymphoma and Myeloma</i> , 2008 , 8, 241-5		37
519	A Multicenter Phase II Study of AMG 337 in Patients with -Amplified Gastric/Gastroesophageal Junction/Esophageal Adenocarcinoma and Other -Amplified Solid Tumors. <i>Clinical Cancer Research</i> , 2019 , 25, 2414-2423	12.9	37
518	Central nervous system relapse of diffuse large B-cell lymphoma in the rituximab era: results of the UK NCRI R-CHOP-14 versus 21 trial. <i>Annals of Oncology</i> , 2017 , 28, 2511-2516	10.3	36

517	Cediranib with mFOLFOX6 vs bevacizumab with mFOLFOX6 in previously treated metastatic colorectal cancer. <i>British Journal of Cancer</i> , 2013 , 108, 493-502	8.7	36
516	Potential of surface-coil MRI for staging of esophageal cancer. <i>American Journal of Roentgenology</i> , 2006 , 187, 1280-7	5.4	36
515	The Preoperative Lymphocyte-to-Monocyte Ratio is Prognostic of Clinical Outcomes for Patients with Liver-Only Colorectal Metastases in the Neoadjuvant Setting. <i>Annals of Surgical Oncology</i> , 2015 , 22, 4353-62	3.1	35
514	Tumour- and treatment-related colostomy rates following mitomycin C or cisplatin chemoradiation with or without maintenance chemotherapy in squamous cell carcinoma of the anus in the ACT II trial. <i>Annals of Oncology</i> , 2014 , 25, 1616-22	10.3	35
513	4-Hydroxyandrostenedione treatment for postmenopausal patients with advanced breast cancer. <i>Steroids</i> , 1987 , 50, 245-52	2.8	35
512	Biomarker analysis in oesophagogastric cancer: Results from the REAL3 and TransMAGIC trials. <i>European Journal of Cancer</i> , 2013 , 49, 2116-25	7.5	34
511	Trastuzumab: a novel standard option for patients with HER-2-positive advanced gastric or gastro-oesophageal junction cancer. <i>Therapeutic Advances in Gastroenterology</i> , 2012 , 5, 301-18	4.7	34
510	Quality of life, long-term survivors and long-term outcome from the ABC-02 study. <i>British Journal of Cancer</i> , 2016 , 114, 965-71	8.7	34
509	Immunotherapy and pancreatic cancer: unique challenges and potential opportunities. <i>Therapeutic Advances in Medical Oncology</i> , 2018 , 10, 1758835918816281	5.4	34
508	CHOP versus GEM-P in previously untreated patients with peripheral T-cell lymphoma (CHEMO-T): a phase 2, multicentre, randomised, open-label trial. <i>Lancet Haematology</i> , 2018 , 5, e190-e200	14.6	33
507	Aflibercept Plus FOLFIRI vs. Placebo Plus FOLFIRI in Second-Line Metastatic Colorectal Cancer: a Post Hoc Analysis of Survival from the Phase III VELOUR Study Subsequent to Exclusion of Patients who had Recurrence During or Within 6 Months of Completing Adjuvant Oxaliplatin-Based Therapy. <i>Targeted Oncology</i> , 2016 , 11, 383-400	5	33
506	Are we ready to stratify treatment for diffuse large B-cell lymphoma using molecular hallmarks?. <i>Oncologist</i> , 2012 , 17, 1562-73	5.7	33
505	Alfacalcidol is a nontoxic, effective treatment of follicular small-cleaved cell lymphoma. <i>British Journal of Cancer</i> , 1991 , 63, 463-5	8.7	33
504	Analysis of KRAS/NRAS and BRAF mutations in the phase III PRIME study of panitumumab (pmab) plus FOLFOX versus FOLFOX as first-line treatment (tx) for metastatic colorectal cancer (mCRC).. <i>Journal of Clinical Oncology</i> , 2013 , 31, 3511-3511	2.2	33
503	MRI Tumor Regression Grade and Circulating Tumor DNA as Complementary Tools to Assess Response and Guide Therapy Adaptation in Rectal Cancer. <i>Clinical Cancer Research</i> , 2020 , 26, 183-192	12.9	33
502	Phase II study of ISIS 3521, an antisense oligodeoxynucleotide to protein kinase C alpha, in patients with previously treated low-grade non-Hodgkin's lymphoma. <i>Annals of Oncology</i> , 2004 , 15, 1413-8	10.3	32
501	miR-21 expression and clinical outcome in locally advanced pancreatic cancer: exploratory analysis of the pancreatic cancer Erbitux, radiotherapy and UFT (PERU) trial. <i>Oncotarget</i> , 2016 , 7, 12672-81	3.3	32
500	Targeting EGFR pathway in metastatic colorectal cancer- tumour heterogeneity and convergent evolution. <i>Critical Reviews in Oncology/Hematology</i> , 2019 , 143, 153-163	7	31

499	The genomic landscape of oesophagogastric junctional adenocarcinoma. <i>Journal of Pathology</i> , 2013 , 231, 301-10	9.4	31
498	Correlation of extended RAS and PIK3CA gene mutation status with outcomes from the phase III AGITG MAX STUDY involving capecitabine alone or in combination with bevacizumab plus or minus mitomycin C in advanced colorectal cancer. <i>British Journal of Cancer</i> , 2015 , 112, 963-70	8.7	31
497	Current perspective: bevacizumab in colorectal cancer--a time for reappraisal?. <i>European Journal of Cancer</i> , 2009 , 45, 2452-61	7.5	31
496	Efficacy and safety results from CheckMate 140, a phase 2 study of nivolumab for relapsed/refractory follicular lymphoma. <i>Blood</i> , 2021 , 137, 637-645	2.2	31
495	Ultra-Sensitive Mutation Detection and Genome-Wide DNA Copy Number Reconstruction by Error-Corrected Circulating Tumor DNA Sequencing. <i>Clinical Chemistry</i> , 2018 , 64, 1626-1635	5.5	31
494	Gastric cancer in 2012: Defining treatment standards and novel insights into disease biology. <i>Nature Reviews Clinical Oncology</i> , 2013 , 10, 73-4	19.4	30
493	A phase III trial comparing CHOP to PMitCEBO with or without G-CSF in patients aged 60 plus with aggressive non-Hodgkin's lymphoma. <i>British Journal of Cancer</i> , 2006 , 94, 806-13	8.7	30
492	Tumour vaccine associated lymphadenopathy and false positive positron emission tomography scan changes. <i>British Journal of Radiology</i> , 2004 , 77, 74-5	3.4	29
491	Phase II study of capecitabine and mitomycin C as first-line treatment in patients with advanced colorectal cancer. <i>British Journal of Cancer</i> , 2004 , 91, 839-43	8.7	29
490	A randomized multicenter trial of epirubicin, oxaliplatin, and capecitabine (EOC) plus panitumumab in advanced esophagogastric cancer (REAL3).. <i>Journal of Clinical Oncology</i> , 2012 , 30, LBA4000-LBA4000	2.2	29
489	Rituximab, cyclophosphamide, doxorubicin, vincristine and prednisolone (R-CHOP) in the management of primary mediastinal B-cell lymphoma: a subgroup analysis of the UK NCRI R-CHOP 14 versus 21 trial. <i>British Journal of Haematology</i> , 2016 , 175, 668-672	4.5	29
488	Circulating tumour DNA, a promising biomarker for the management of colorectal cancer. <i>Critical Reviews in Oncology/Hematology</i> , 2018 , 122, 72-82	7	29
487	The role of pre-treatment diffusion-weighted MRI in predicting long-term outcome of colorectal liver metastasis. <i>British Journal of Radiology</i> , 2013 , 86, 20130281	3.4	28
486	The role of personalized medicine in metastatic colorectal cancer: an evolving landscape. <i>Therapeutic Advances in Gastroenterology</i> , 2013 , 6, 381-95	4.7	28
485	Correlation of bevacizumab-induced hypertension and outcome in the BOXER study, a phase II study of capecitabine, oxaliplatin (CAPOX) plus bevacizumab as peri-operative treatment in 45 patients with poor-risk colorectal liver-only metastases unsuitable for upfront resection. <i>British Journal of Cancer</i> , 2012 , 106, 1718-21	8.7	28
484	Clarifying the TNM staging of rectal cancer in the context of modern imaging and neo-adjuvant treatment: 'y'u' and 'p' need 'mr' and 'ct'. <i>Colorectal Disease</i> , 2008 , 10, 242-3	2.1	28
483	Gefitinib and irinotecan in patients with fluoropyrimidine-refractory, irinotecan-naive advanced colorectal cancer: a phase I-II study. <i>Annals of Oncology</i> , 2007 , 18, 730-7	10.3	28
482	Overview of preoperative and postoperative therapy for colorectal cancer: the European and United States perspectives. <i>Clinical Colorectal Cancer</i> , 2003 , 3, 19-33	3.8	28

481	The palatability of milk-based and non-milk-based nutritional supplements in gastrointestinal cancer and the effect of chemotherapy. <i>Clinical Nutrition</i> , 2005 , 24, 1029-37	5.9	28
480	Mitoxantrone is superior to doxorubicin in a multiagent weekly regimen for patients older than 60 with high-grade lymphoma: results of a BNLI randomized trial of PADriaCEBO versus PMitCEBO. <i>Blood</i> , 2001 , 97, 2991-7	2.2	28
479	Meningeal carcinomatosis from transitional cell carcinoma of the bladder. <i>Cancer</i> , 1993 , 72, 553-7	6.4	28
478	Marked inter-patient variation in adriamycin biotransformation to 7-deoxyaglycones: evidence from metabolites identified in serum. <i>European Journal of Cancer & Clinical Oncology</i> , 1986 , 22, 991-1001		28
477	Prognostic factors and treatment outcomes in patients with Small Bowel Adenocarcinoma (SBA): the Royal Marsden Hospital (RMH) experience. <i>BMC Cancer</i> , 2015 , 15, 15	4.8	27
476	Pancreatic neuroendocrine tumors: a review. <i>Future Oncology</i> , 2015 , 11, 853-64	3.6	27
475	The importance of CD34+/CD33- cells in platelet engraftment after intensive therapy for cancer patients given peripheral blood stem cell rescue. <i>Bone Marrow Transplantation</i> , 1998 , 22, 469-75	4.4	27
474	Phase III study of mitomycin-C with protracted venous infusion or circadian-timed infusion of 5-fluorouracil in advanced colorectal carcinoma. <i>Clinical Colorectal Cancer</i> , 2004 , 3, 235-42	3.8	27
473	Results of a double blind placebo controlled study of ondansetron as an antiemetic during total body irradiation in patients undergoing bone marrow transplantation. <i>Leukemia and Lymphoma</i> , 1992 , 7, 317-21	1.9	27
472	RAS mutations and cetuximab in locally advanced rectal cancer: results of the EXPERT-C trial. <i>European Journal of Cancer</i> , 2014 , 50, 1430-6	7.5	26
471	Cytosine-based nucleoside analogs are selectively lethal to DNA mismatch repair-deficient tumour cells by enhancing levels of intracellular oxidative stress. <i>British Journal of Cancer</i> , 2013 , 108, 983-92	8.7	26
470	HER2 in high-risk rectal cancer patients treated in EXPERT-C, a randomized phase II trial of neoadjuvant capecitabine and oxaliplatin (CAPOX) and chemoradiotherapy (CRT) with or without cetuximab. <i>Annals of Oncology</i> , 2013 , 24, 3123-8	10.3	26
469	A phase II trial evaluating capecitabine and irinotecan as second line treatment in patients with oesophago-gastric cancer who have progressed on, or within 3 months of platinum-based chemotherapy. <i>Cancer Chemotherapy and Pharmacology</i> , 2009 , 64, 455-62	3.5	26
468	Optimizing the use of irinotecan in colorectal cancer. <i>Oncologist</i> , 2001 , 6 Suppl 4, 17-23	5.7	26
467	The changing face of chemotherapy in colorectal cancer. <i>British Journal of Cancer</i> , 2001 , 84, 1-7	8.7	26
466	New options for outpatient chemotherapy--the role of oral fluoropyrimidines. <i>Cancer Treatment Reviews</i> , 2001 , 27, 211-20	14.4	26
465	Optimum time to assess complete clinical response (CR) following chemoradiation (CRT) using mitomycin (MMC) or cisplatin (CisP), with or without maintenance CisP/5FU in squamous cell carcinoma of the anus: Results of ACT II.. <i>Journal of Clinical Oncology</i> , 2012 , 30, 4004-4004	2.2	26
464	A randomized clinical trial of chemotherapy compared to chemotherapy in combination with cetuximab in k-RAS wild-type patients with operable metastases from colorectal cancer: The new EPOC study.. <i>Journal of Clinical Oncology</i> , 2013 , 31, 3504-3504	2.2	26

463	Treatment and Survival Outcome of BRAF-Mutated Metastatic Colorectal Cancer: A Retrospective Matched Case-Control Study. <i>Clinical Colorectal Cancer</i> , 2018 , 17, e69-e76	3.8	25
462	Proangiogenic tumor proteins as potential predictive or prognostic biomarkers for bevacizumab therapy in metastatic colorectal cancer. <i>International Journal of Cancer</i> , 2014 , 135, 731-41	7.5	25
461	The combination of a chemotherapy doublet (gemcitabine and capecitabine) with a biological doublet (bevacizumab and erlotinib) in patients with advanced pancreatic adenocarcinoma. The results of a phase I/II study. <i>European Journal of Cancer</i> , 2014 , 50, 1422-9	7.5	25
460	Gastric cancer: ESMO-ESSO-ESTRO Clinical Practice Guidelines for diagnosis, treatment and follow-up. <i>Radiotherapy and Oncology</i> , 2014 , 110, 189-94	5.3	25
459	Phase III trial of 5-fluorouracil and leucovorin plus either 3H1 anti-idiotypic monoclonal antibody or placebo in patients with advanced colorectal cancer. <i>Annals of Oncology</i> , 2006 , 17, 437-42	10.3	25
458	Cyclooxygenase inhibition in cancer--a blind alley or a new therapeutic reality?. <i>New England Journal of Medicine</i> , 2002 , 346, 1085-7	59.2	25
457	Current opinion on optimal treatment for colorectal cancer. <i>Expert Review of Anticancer Therapy</i> , 2013 , 13, 597-611	3.5	24
456	Cardiotoxicity in patients treated with bevacizumab is potentially reversible. <i>Journal of Clinical Oncology</i> , 2011 , 29, e560-2	2.2	24
455	Monoclonal antibodies against vascular endothelial growth factor and epidermal growth factor receptor in advanced colorectal cancers: present and future directions. <i>Current Opinion in Oncology</i> , 2004 , 16, 385-90	4.2	24
454	The clinical effectiveness and cost-effectiveness of ablative therapies in the management of liver metastases: systematic review and economic evaluation. <i>Health Technology Assessment</i> , 2014 , 18, vii-viii, 1-283	4.4	24
453	Adaptive immunity and neutralizing antibodies against SARS-CoV-2 variants of concern following vaccination in patients with cancer: The CAPTURE study.. <i>Nature Cancer</i> , 2021 , 2, 1321-1337	15.4	24
452	The bioavailability of oral fludarabine phosphate is unaffected by food. <i>The Hematology Journal</i> , 2001 , 2, 316-21		24
451	On-Target Pharmacodynamic Activity of the PI3K Inhibitor Copanlisib in Paired Biopsies from Patients with Malignant Lymphoma and Advanced Solid Tumors. <i>Molecular Cancer Therapeutics</i> , 2020 , 19, 468-478	6.1	24
450	Platinum-Fluoropyrimidine and Paclitaxel-Based Chemotherapy in the Treatment of Advanced Anal Cancer Patients. <i>Oncologist</i> , 2017 , 22, 402-408	5.7	23
449	Analytical Validation of Multiplex Biomarker Assay to Stratify Colorectal Cancer into Molecular Subtypes. <i>Scientific Reports</i> , 2019 , 9, 7665	4.9	23
448	miR-31-3p Expression and Benefit from Anti-EGFR Inhibitors in Metastatic Colorectal Cancer Patients Enrolled in the Prospective Phase II PROSPECT-C Trial. <i>Clinical Cancer Research</i> , 2019 , 25, 3830-3838	12.9	23
447	Evaluation of regorafenib in colorectal cancer and GIST. <i>Lancet, The</i> , 2013 , 381, 273-5	4.0	23
446	Peri-operative chemotherapy in the management of resectable colorectal cancer pulmonary metastases. <i>BMC Cancer</i> , 2012 , 12, 326	4.8	23

445	Discordance between cancer prevalence and training: a need for an increase in oncology education. <i>Clinical Medicine</i> , 2013 , 13, 50-6	1.9	23
444	Docetaxel and irinotecan as second-line therapy for advanced oesophagogastric cancer. <i>European Journal of Cancer</i> , 2011 , 47, 1146-51	7.5	23
443	A phase I/II study of oral uracil/tegafur (UFT), leucovorin and irinotecan in patients with advanced colorectal cancer. <i>Annals of Oncology</i> , 2003 , 14, 1264-9	10.3	23
442	Oxaliplatin and protracted venous infusion of 5-fluorouracil in patients with advanced or relapsed 5-fluorouracil pretreated colorectal cancer. <i>British Journal of Cancer</i> , 2001 , 85, 1258-64	8.7	23
441	Chemotherapy in colorectal cancer: new options and new challenges. <i>British Medical Bulletin</i> , 2002 , 64, 159-80	5.4	23
440	Targeting Angiogenic Pathways in Colorectal Cancer: Complexities, Challenges and Future Directions. <i>Current Drug Targets</i> , 2017 , 18, 56-71	3	23
439	Molecular pharmacology of cancer therapy in human colorectal cancer by gene expression profiling. <i>Cancer Research</i> , 2003 , 63, 6855-63	10.1	23
438	A pilot study assessing the incidence and clinical significance of circulating tumor cells in esophagogastric cancers. <i>Clinical Colorectal Cancer</i> , 2014 , 13, 94-9	3.8	22
437	Relationship between colorectal cancer biomarkers and response to epidermal growth factor receptor monoclonal antibodies. <i>Journal of Clinical Oncology</i> , 2010 , 28, e529-31; author reply e532-e533 ^{2.2}	2.2	22
436	Rationale and design of the POLEM trial: avelumab plus fluoropyrimidine-based chemotherapy as adjuvant treatment for stage III mismatch repair deficient or POLE exonuclease domain mutant colon cancer: a phase III randomised study. <i>ESMO Open</i> , 2020 , 5,	6	22
435	Ataxia Telangiectasia Mutated Protein Loss and Benefit From Oxaliplatin-based Chemotherapy in Colorectal Cancer. <i>Clinical Colorectal Cancer</i> , 2018 , 17, 280-284	3.8	22
434	Dose escalation of subcutaneous epcoritamab in patients with relapsed or refractory B-cell non-Hodgkin lymphoma: an open-label, phase 1/2 study. <i>Lancet, The</i> , 2021 , 398, 1157-1169	4.0	22
433	Patient-reported outcomes during and after definitive chemoradiotherapy for oesophageal cancer. <i>British Journal of Cancer</i> , 2015 , 113, 603-10	8.7	21
432	Exclusion of Gastrointestinal Cancer Patients With Prior Cancer From Clinical Trials: Is This Justified?. <i>Clinical Colorectal Cancer</i> , 2016 , 15, e53-9	3.8	21
431	Positron Emission Tomography/Computed Tomography Assessment After Immunochemotherapy and Irradiation Using the Lugano Classification Criteria in the IELSG-26 Study of Primary Mediastinal B-Cell Lymphoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2017 , 97, 42-49	4	21
430	Perioperative management of esophageal cancer. <i>Nature Reviews Clinical Oncology</i> , 2010 , 7, 231-8	19.4	21
429	Inflammatory (B) symptoms are independent predictors of myelosuppression from chemotherapy in Non-Hodgkin Lymphoma (NHL) patients--analysis of data from a British National Lymphoma Investigation phase III trial comparing CHOP to PMitCEBO. <i>BMC Cancer</i> , 2009 , 9, 153	4.8	21
428	Gemcitabine based combination chemotherapy in advanced pancreatic cancer-indirect comparison. <i>BMC Cancer</i> , 2008 , 8, 192	4.8	21

427	Retrospective study of resection of pulmonary metastases in patients with advanced colorectal cancer: the development of a preoperative chemotherapy strategy. <i>Clinical Colorectal Cancer</i> , 2004 , 4, 101-6	3.8	21
426	High-dose cyclophosphamide and VP 16 as late dosage intensification therapy for small cell carcinoma of lung. <i>Cancer Chemotherapy and Pharmacology</i> , 1985 , 15, 303-6	3.5	21
425	Modulation of Biliary Cancer Chemo-Resistance Through MicroRNA-Mediated Rewiring of the Expansion of CD133+ Cells. <i>Hepatology</i> , 2020 , 72, 982-996	11.2	21
424	Supportive housing and surveillance. <i>International Journal of Drug Policy</i> , 2016 , 34, 72-9	5.5	21
423	Diagnosis and management of rare gastrointestinal lymphomas. <i>Leukemia and Lymphoma</i> , 2012 , 53, 2341-50	5.0	20
422	Three cytotoxic drugs combined with pelvic radiation and as maintenance chemotherapy for patients with squamous cell carcinoma of the anus (SCCA): long-term follow-up of a phase II pilot study using 5-fluorouracil, mitomycin C and cisplatin. <i>Radiotherapy and Oncology</i> , 2012 , 104, 155-60	5.3	20
421	Dose finding and early efficacy study of gemcitabine plus capecitabine in combination with bevacizumab plus erlotinib in advanced pancreatic cancer. <i>Journal of Clinical Oncology</i> , 2009 , 27, 5499-505 ²	5.2	20
420	A phase I study of sunitinib in combination with FOLFIRI in patients with untreated metastatic colorectal cancer. <i>Annals of Oncology</i> , 2012 , 23, 119-127	10.3	20
419	Parainfluenza type 3 infection post stem cell transplant: high prevalence but low mortality. <i>Journal of Hospital Infection</i> , 2006 , 63, 452-8	6.9	20
418	Phase I study of irinotecan and raltitrexed in patients with advanced gastrointestinal tract adenocarcinoma. <i>British Journal of Cancer</i> , 2000 , 83, 146-52	8.7	20
417	Prognostic value of pathological lymph node status and primary tumour regression grading following neoadjuvant chemotherapy - results from the MRC OE02 oesophageal cancer trial. <i>Histopathology</i> , 2018 , 72, 1180-1188	7.3	19
416	Matrix metalloproteinase inhibitors--an emphasis on gastrointestinal malignancies. <i>Critical Reviews in Oncology/Hematology</i> , 2003 , 45, 151-76	7	19
415	Survival in Advanced Esophagogastric Adenocarcinoma Improves With Use of Multiple Lines of Therapy: Results From an Analysis of More Than 500 Patients. <i>Clinical Colorectal Cancer</i> , 2018 , 17, 223-230 ³	3.8	19
414	Patterns of elevation of plasma 2'-deoxyuridine, a surrogate marker of thymidylate synthase (TS) inhibition, after administration of two different schedules of 5-fluorouracil and the specific TS inhibitors raltitrexed (Tomudex) and ZD9331. <i>Clinical Cancer Research</i> , 2002 , 8, 103-9	12.9	19
413	Primary Tumor Resection in Patients with Incurable Localized or Metastatic Colorectal Cancer: A Systematic Review and Meta-analysis. <i>World Journal of Surgery</i> , 2019 , 43, 1829-1840	3.3	18
412	Time course of safety and efficacy of aflibercept in combination with FOLFIRI in patients with metastatic colorectal cancer who progressed on previous oxaliplatin-based therapy. <i>European Journal of Cancer</i> , 2015 , 51, 18-26	7.5	18
411	Prognostic role of the LCS6 KRAS variant in locally advanced rectal cancer: results of the EXPERT-C trial. <i>Annals of Oncology</i> , 2015 , 26, 1936-1941	10.3	18
410	Perioperative chemotherapy with or without bevacizumab in patients with metastatic colorectal cancer undergoing liver resection. <i>Clinical Colorectal Cancer</i> , 2013 , 12, 15-22	3.8	18

409	Diagnostic accuracy of high-resolution MRI as a method to predict potentially safe endoscopic and surgical planes in patients with early rectal cancer. <i>BMJ Open Gastroenterology</i> , 2017 , 4, e000151	3.9	18
408	Preoperative and postoperative chemotherapy for gastric cancer. <i>Surgical Oncology Clinics of North America</i> , 2012 , 21, 99-112	2.7	18
407	Longitudinal quality of life and quality adjusted survival in a randomised controlled trial comparing six months of bolus fluorouracil/leucovorin vs. twelve weeks of protracted venous infusion fluorouracil as adjuvant chemotherapy for colorectal cancer. <i>European Journal of Cancer</i> , 2005 , 41, 1551-9	7.5	18
406	Chemotherapy for advanced pancreatic cancer. <i>Baillieres Best Practice and Research in Clinical Gastroenterology</i> , 2006 , 20, 327-48	2.5	18
405	High-dose chemotherapy and autologous bone marrow transplant in relapsed Hodgkin's disease--a pragmatic prognostic index. <i>British Journal of Cancer</i> , 1996 , 73, 1272-7	8.7	18
404	ESPAC-4: A multicenter, international, open-label randomized controlled phase III trial of adjuvant combination chemotherapy of gemcitabine (GEM) and capecitabine (CAP) versus monotherapy gemcitabine in patients with resected pancreatic ductal adenocarcinoma.. <i>Journal of Clinical</i>	2.2	18
403	A phase III, randomized, double-blind, placebo-controlled study to evaluate the efficacy and safety of andeciximab combined with mFOLFOX6 as first-line treatment in patients with advanced gastric or gastroesophageal junction adenocarcinoma (GAMMA-1).. <i>Journal of Clinical Oncology</i> , 2019 , 37, 4-4	2.2	18
402	Suppression of interferon gene expression overcomes resistance to MEK inhibition in KRAS-mutant colorectal cancer. <i>Oncogene</i> , 2019 , 38, 1717-1733	9.2	18
401	Identifying the role of neutrophil-to-lymphocyte ratio and platelets-to-lymphocyte ratio as prognostic markers in patients undergoing resection of pancreatic ductal adenocarcinoma. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , 2018 , 22, 197-207	1.5	18
400	Development and validation of deep learning classifiers to detect Epstein-Barr virus and microsatellite instability status in gastric cancer: a retrospective multicentre cohort study. <i>The Lancet Digital Health</i> , 2021 , 3, e654-e664	14.4	18
399	Influence of sex on chemotherapy efficacy and toxicity in oesophagogastric cancer: A pooled analysis of four randomised trials. <i>European Journal of Cancer</i> , 2019 , 121, 40-47	7.5	17
398	Management of metastatic pancreatic cancer: Current treatment options and potential new therapeutic targets. <i>Critical Reviews in Oncology/Hematology</i> , 2015 , 95, 318-36	7	17
397	Integration of biologic agents with cytotoxic chemotherapy in metastatic colorectal cancer. <i>Clinical Colorectal Cancer</i> , 2011 , 10, 245-57	3.8	17
396	Fludarabine in lymphoproliferative disorders: the Royal Marsden Hospital experience. <i>Leukemia and Lymphoma</i> , 1994 , 14 Suppl 2, 17-23	1.9	17
395	Application of scanning force microscopy to chromosome analysis. <i>Cancer Genetics and Cytogenetics</i> , 1994 , 76, 93-5		17
394	Influence of polysorbate 80 (Tween 80) and etoposide (VP-16-213) on the pharmacokinetics and urinary excretion of adriamycin and its metabolites in cancer patients. <i>Cancer Chemotherapy and Pharmacology</i> , 1986 , 17, 80-4	3.5	17
393	A randomised multicentre single blind comparison of a cannabinoid anti-emetic (levonantradol) with chlorpromazine in patients receiving their first cytotoxic chemotherapy. <i>European Journal of Cancer & Clinical Oncology</i> , 1983 , 19, 1087-90		17
392	Safety and clinical activity of durvalumab monotherapy in patients with microsatellite instabilityhigh (MSI-H) tumors.. <i>Journal of Clinical Oncology</i> , 2019 , 37, 670-670	2.2	17

391	Functional antibody and T cell immunity following SARS-CoV-2 infection, including by variants of concern, in patients with cancer: the CAPTURE study.. <i>Nature Cancer</i> , 2021 , 2, 1321-1337	15.4	17
390	Optimising treatment regimens for the management of advanced gastric cancer. <i>Annals of Oncology</i> , 2009 , 20, 605-8	10.3	16
389	A phase II trial of preoperative chemotherapy with epirubicin, cisplatin and capecitabine for patients with localised gastro-oesophageal junctional adenocarcinoma. <i>British Journal of Cancer</i> , 2009 , 100, 1725-30	8.7	16
388	New approaches to the treatment of gastro-intestinal cancer. <i>Digestion</i> , 1997 , 58, 508-19	3.6	16
387	Comparison of CHOP versus CIOP in good prognosis younger patients with histologically aggressive non-Hodgkin lymphoma. <i>British Journal of Haematology</i> , 2005 , 130, 536-41	4.5	16
386	Gemcitabine and its combinations in the treatment of malignant lymphoma. <i>Clinical Lymphoma and Myeloma</i> , 2002 , 3, 97-104		16
385	Panitumumab. <i>Drugs of Today</i> , 2006 , 42, 711-9	2.5	16
384	Impact of sex and age on chemotherapy efficacy, toxicity and survival in localised oesophagogastric cancer: A pooled analysis of 3265 individual patient data from four large randomised trials (OE02, OE05, MAGIC and ST03). <i>European Journal of Cancer</i> , 2020 , 137, 45-56	7.5	16
383	The results of local excision with or without postoperative adjuvant chemoradiotherapy for early rectal cancer among patients choosing to avoid radical surgery. <i>Colorectal Disease</i> , 2017 , 19, 139-147	2.1	15
382	Adjuvant or neoadjuvant therapy for operable esophagogastric cancer?. <i>Gastric Cancer</i> , 2015 , 18, 1-10	7.6	15
381	Mapping genetic vulnerabilities reveals BTK as a novel therapeutic target in oesophageal cancer. <i>Gut</i> , 2018 , 67, 1780-1792	19.2	15
380	Bevacizumab in elderly patients with metastatic colorectal cancer. <i>Journal of Geriatric Oncology</i> , 2014 , 5, 78-88	3.6	15
379	Correlation of lactate dehydrogenase isoenzyme profile with outcome in patients with advanced colorectal cancer treated with chemotherapy and bevacizumab or cediranib: Retrospective analysis of the HORIZON I study. <i>Clinical Colorectal Cancer</i> , 2014 , 13, 46-53	3.8	15
378	Docetaxel combined with irinotecan or 5-fluorouracil in patients with advanced oesophago-gastric cancer: a randomised phase II study. <i>British Journal of Cancer</i> , 2012 , 107, 435-41	8.7	15
377	Mucosa associated lymphoid tissue lymphoma of the lung: the Royal Marsden Hospital experience. <i>Leukemia and Lymphoma</i> , 2007 , 48, 547-50	1.9	15
376	Analysis of the time course and prognostic factors determining toxicity due to infused fluorouracil. <i>British Journal of Cancer</i> , 2003 , 88, 1510-5	8.7	15
375	MSI-GC-01: Individual patient data (IPD) meta-analysis of microsatellite instability (MSI) and gastric cancer (GC) from four randomized clinical trials (RCTs).. <i>Journal of Clinical Oncology</i> , 2019 , 37, 66-66	2.2	15
374	Analysis of KRAS, NRAS, BRAF, PIK3CA and TP53 mutations in a large prospective series of locally advanced rectal cancer patients. <i>International Journal of Cancer</i> , 2020 , 146, 94-102	7.5	15

373	Survival Outcomes in Asymptomatic Patients With Normal Conventional Imaging but Raised Carcinoembryonic Antigen Levels in Colorectal Cancer Following Positron Emission Tomography-Computed Tomography Imaging. <i>Oncologist</i> , 2016 , 21, 1502-1508	5.7	14
372	Does rectal cancer height influence the oncological outcome?. <i>Colorectal Disease</i> , 2014 , 16, 801-8	2.1	14
371	Neoadjuvant chemotherapy without radiotherapy for locally advanced rectal cancer. <i>Future Oncology</i> , 2014 , 10, 2243-57	3.6	14
370	The unique entity of nodular lymphocyte-predominant Hodgkin lymphoma: current approaches to diagnosis and management. <i>Leukemia and Lymphoma</i> , 2012 , 53, 354-61	1.9	14
369	IRF4 polymorphism rs872071 and risk of Hodgkin lymphoma. <i>British Journal of Haematology</i> , 2010 , 148, 413-5	4.5	14
368	Results of the 2nd Planned Interim Analysis of the RAPID Trial (involved field radiotherapy versus no further treatment) in Patients with Clinical Stages 1A and 2A Hodgkin Lymphoma and a Negative FDG-PET Scan after 3 Cycles ABVD. <i>Blood</i> , 2008 , 112, 369-369	2.2	14
367	Survival with nal-IRI (liposomal irinotecan) plus 5-fluorouracil and leucovorin versus 5-fluorouracil and leucovorin in per-protocol and non-per-protocol populations of NAPOLI-1: Expanded analysis of a global phase 3 trial. <i>European Journal of Cancer</i> , 2018 , 105, 71-78	7.5	14
366	Circulating biomarkers during treatment in patients with advanced biliary tract cancer receiving cediranib in the UK ABC-03 trial. <i>British Journal of Cancer</i> , 2018 , 119, 27-35	8.7	14
365	Short- and Long-Term Quality of Life and Bowel Function in Patients With MRI-Defined, High-Risk, Locally Advanced Rectal Cancer Treated With an Intensified Neoadjuvant Strategy in the Randomized Phase 2 EXPERT-C Trial. <i>International Journal of Radiation Oncology Biology Physics</i> , 2015 , 93, 303-12	4	13
364	Sequence variation in mature microRNA-608 and benefit from neo-adjuvant treatment in locally advanced rectal cancer patients. <i>Carcinogenesis</i> , 2016 , 37, 852-7	4.6	13
363	Quality of life during first-line FOLFOX4+panitumumab in wild-type metastatic colorectal carcinoma: results from a randomised controlled trial. <i>ESMO Open</i> , 2016 , 1, e000041	6	13
362	The A.L.A.N. score identifies prognostic classes in advanced biliary cancer patients receiving first-line chemotherapy. <i>European Journal of Cancer</i> , 2019 , 117, 84-90	7.5	13
361	Cardiac complications and manifestations of chemotherapy for cancer. <i>Heart</i> , 2014 , 100, 1133-40	5.1	13
360	The selection process can improve the outcome in locally advanced and recurrent colorectal cancer: activity and results of a dedicated multidisciplinary colorectal cancer centre. <i>Colorectal Disease</i> , 2017 , 19, 331-338	2.1	13
359	The role of routine clinical pretreatment 18F-FDG PET/CT in predicting outcome of colorectal liver metastasis. <i>Clinical Nuclear Medicine</i> , 2015 , 40, e259-64	1.7	13
358	First-line treatment of advanced colorectal cancer. <i>Lancet, The</i> , 2011 , 377, 2060-2	4.0	13
357	Final analysis of the UKLG LY02 trial comparing 6-8 cycles of CHOP with 3 cycles of CHOP followed by a BEAM autograft in patients. <i>British Journal of Haematology</i> , 2010 , 149, 237-43	4.5	13
356	Utility of the Follicular Lymphoma International Prognostic Index and the International Prognostic Index in assessing prognosis and predicting first-line treatment efficacy in follicular lymphoma patients. <i>Acta Haematologica</i> , 2009 , 122, 193-9	2.7	13

355	Role of erlotinib in the management of pancreatic cancer. <i>Therapeutics and Clinical Risk Management</i> , 2006 , 2, 435-45	2.9	13
354	3-month versus 6-month adjuvant chemotherapy for patients with high-risk stage II and III colorectal cancer: 3-year follow-up of the SCOT non-inferiority RCT. <i>Health Technology Assessment</i> , 2019 , 23, 1-88	4.4	13
353	Encouraging results for PD-1 inhibition in gastric cancer. <i>Lancet Oncology</i> , 2016 , 17, 682-683	21.7	13
352	Outcomes for transformed follicular lymphoma in the rituximab era: the Royal Marsden experience 2003-2013. <i>Leukemia and Lymphoma</i> , 2017 , 58, 1805-1813	1.9	12
351	Inactivation of Promotes Resistance to EGFR Inhibition in -Wild-Type Colorectal Cancer. <i>Molecular Cancer Research</i> , 2020 , 18, 835-846	6.6	12
350	Outcomes of Patients with Early Onset Colorectal Cancer Treated in a UK Specialist Cancer Center. <i>Cancers</i> , 2019 , 11,	6.6	12
349	"Chronic" metastatic pancreatic acinar cell carcinoma. <i>Pancreatology</i> , 2013 , 13, 549-52	3.8	12
348	Systemic therapy in younger and elderly patients with advanced biliary cancer: sub-analysis of ABC-02 and twelve other prospective trials. <i>BMC Cancer</i> , 2017 , 17, 262	4.8	12
347	Transferring genomics to the clinic: distinguishing Burkitt and diffuse large B cell lymphomas. <i>Genome Medicine</i> , 2015 , 7, 64	14.4	12
346	Selecting patients with locally advanced rectal cancer for neoadjuvant treatment strategies. <i>Oncologist</i> , 2013 , 18, 833-42	5.7	12
345	Inhibition of in vitro proliferation of Epstein Barr Virus infected B cells by an antisense oligodeoxynucleotide targeted against EBV latent membrane protein LMP1. <i>Oncogene</i> , 1997 , 15, 489-93 ^{9.2}		12
344	Current treatment strategies in elderly patients with metastatic colorectal cancer. <i>Clinical Colorectal Cancer</i> , 2007 , 6, 508-15	3.8	12
343	Comparison of serum and cerebrospinal fluid levels of methotrexate in man during high-dose chemotherapy for aggressive non-Hodgkin's lymphoma. <i>Cancer Chemotherapy and Pharmacology</i> , 1985 , 15, 290-4	3.5	12
342	Obinutuzumab-Based Immunochemotherapy Prolongs Progression-Free Survival and Time to Next Anti-Lymphoma Treatment in Patients with Previously Untreated Follicular Lymphoma: Four-Year Results from the Phase III GALLIUM Study. <i>Blood</i> , 2018 , 132, 1597-1597	2.2	12
341	The pattern and timing of disease recurrence in squamous cancer of the anus: Mature results from the NCRI ACT II trial.. <i>Journal of Clinical Oncology</i> , 2012 , 30, 4029-4029	2.2	12
340	RILOMET-1: An international phase III multicenter, randomized, double-blind, placebo-controlled trial of rilotumumab plus epirubicin, cisplatin, and capecitabine (ECX) as first-line therapy in patients with advanced MET-positive gastric or gastroesophageal junction (G/GEJ)	2.2	12
339	A phase III randomized trial of chemoimmunotherapy comprising gemcitabine and capecitabine with or without telomerase vaccine GV1001 in patients with locally advanced or metastatic pancreatic cancer.. <i>Journal of Clinical Oncology</i> , 2013 , 31, LBA4004-LBA4004	2.2	12
338	Bevacizumab (bev) in combination with capecitabine (cape) for the first-line treatment of elderly patients with metastatic colorectal cancer (mCRC): Results of a randomized international phase III trial (AVEX).. <i>Journal of Clinical Oncology</i> , 2013 , 31, 337-337	2.2	12

337	Exploratory Analysis of Plasma Neurotensin as a Novel Biomarker for Early Detection of Colorectal Polyp and Cancer. <i>Hormones and Cancer</i> , 2019 , 10, 128-135	5	11
336	ACORN: Observational Study of Bevacizumab in Combination With First-Line Chemotherapy for Treatment of Metastatic Colorectal Cancer in the UK. <i>Clinical Colorectal Cancer</i> , 2019 , 18, 280-291.e5	3.8	11
335	CD4-positive small T-cell lymphoma of the intestine presenting with severe bile-acid malabsorption: a supportive symptom control approach. <i>British Journal of Haematology</i> , 2014 , 167, 265-275	4.5	11
334	Optimal therapeutic strategies for resectable oesophageal or oesophagogastric junction cancer. <i>Drugs</i> , 2011 , 71, 541-55	12.1	11
333	Correlation of overall survival with gene expression profiles in a prospective study of resectable esophageal cancer. <i>Clinical Colorectal Cancer</i> , 2011 , 10, 48-56	3.8	11
332	Rechallenge with platinum plus fluoropyrimidine +/- epirubicin in patients with oesophagogastric cancer. <i>Oncology</i> , 2010 , 79, 150-8	3.6	11
331	A dose escalation study of gemcitabine plus oxaliplatin in combination with imatinib for gemcitabine-refractory advanced pancreatic adenocarcinoma. <i>Annals of Oncology</i> , 2012 , 23, 942-7	10.3	11
330	Gemcitabine, cisplatin and methylprednisolone (GEM-P) with or without Rituximab in relapsed and refractory patients with diffuse large B cell lymphoma (DLBCL). <i>Hematology</i> , 2007 , 12, 149-53	2.2	11
329	Adjuvant chemotherapy of colorectal cancer. <i>Lancet, The</i> , 2007 , 370, 1980-1	40	11
328	Evaluation of Clinical Efficacy of New Medical Treatments in Advanced Colorectal Cancer. Results of a Workshop Organized by the Eortc Gitccg. <i>Tumori</i> , 1998 , 84, 335-347	1.7	11
327	Molecular profiling of colorectal pulmonary metastases and primary tumours: implications for targeted treatment. <i>Oncotarget</i> , 2017 , 8, 64999-65008	3.3	11
326	EGFR amplification and outcome in a randomised phase III trial of chemotherapy alone or chemotherapy plus panitumumab for advanced gastro-oesophageal cancers. <i>Gut</i> , 2021 , 70, 1632-1641	19.2	11
325	FDG-PET/CT after two cycles of R-CHOP in DLBCL predicts complete remission but has limited value in identifying patients with poor outcome - final result of a UK National Cancer Research Institute prospective study. <i>British Journal of Haematology</i> , 2021 , 192, 504-513	4.5	11
324	Systemic Chemotherapy as Salvage Treatment for Locally Advanced Rectal Cancer Patients Who Fail to Respond to Standard Neoadjuvant Chemoradiotherapy. <i>Oncologist</i> , 2017 , 22, 728-736	5.7	10
323	Rituximab, Gemcitabine, Cisplatin and Methylprednisolone (R-GEM-P) is an effective regimen in relapsed diffuse large B-cell lymphoma. <i>European Journal of Haematology</i> , 2015 , 94, 219-26	3.8	10
322	Emergency Presentation of Esophagogastric Cancer: Predictors and Long-term Prognosis. <i>Annals of Surgery</i> , 2018 , 267, 711-715	7.8	10
321	Characterising timing and pattern of relapse following surgery for localised oesophagogastric adenocarcinoma: a retrospective study. <i>BMC Cancer</i> , 2016 , 16, 112	4.8	10
320	Cetuximab or bevacizumab in metastatic colorectal cancer?. <i>Lancet Oncology, The</i> , 2014 , 15, 1040-1	21.7	10

319	Anti-angiogenic therapies for advanced esophago-gastric cancer. <i>Indian Journal of Medical and Paediatric Oncology</i> , 2014 , 35, 253-62	0.2	10
318	Renal tubular acidosis due to oxaliplatin. <i>Annals of Oncology</i> , 2007 , 18, 805-6	10.3	10
317	MALT lymphoma of the foreskin. <i>Leukemia and Lymphoma</i> , 2004 , 45, 1699-701	1.9	10
316	Sixty-day all-cause mortality rates in patients treated for gastrointestinal cancers, in randomised trials, at the Royal Marsden Hospital. <i>European Journal of Cancer</i> , 2004 , 40, 2230-6	7.5	10
315	MRI in predicting curative resection of rectal cancer: new dilemma in multidisciplinary team management. <i>BMJ, The</i> , 2006 , 333, 808	5.9	10
314	Phase 2A Study of Copanlisib, a Novel PI3K Inhibitor, in Patients with Indolent Lymphoma. <i>Blood</i> , 2014 , 124, 1701-1701	2.2	10
313	RAINBOW: A global, phase 3, randomized, double-blind study of ramucirumab plus paclitaxel versus placebo plus paclitaxel in the treatment of metastatic gastric adenocarcinoma following disease progression on first-line platinum- and fluoropyrimidine-containing combination therapy: Results of a multiple Cox regression analysis adjusting for prognostic factors.. <i>Journal of Clinical Oncology</i> ,	2.2	10
312	Randomized phase 2 study of paclitaxel (PTX), trastuzumab (T) with or without MM-111 in HER2 expressing gastroesophageal cancers (GEC).. <i>Journal of Clinical Oncology</i> , 2016 , 34, 4043-4043	2.2	10
311	Biopsy proportion of tumour predicts pathological tumour response and benefit from chemotherapy in resectable oesophageal carcinoma: results from the UK MRC OE02 trial. <i>Oncotarget</i> , 2016 , 7, 77565-77575	3.3	10
310	Targeting deficient DNA damage repair in gastric cancer. <i>Expert Opinion on Pharmacotherapy</i> , 2016 , 17, 1757-66	4	10
309	Multiplexed single cell protein expression analysis in solid tumours using a miniaturised microfluidic assay. <i>Convergent Science Physical Oncology</i> , 2017 , 3, 024003		9
308	Detecting and Tracking Circulating Tumour DNA Copy Number Profiles during First Line Chemotherapy in Oesophagogastric Adenocarcinoma. <i>Cancers</i> , 2019 , 11,	6.6	9
307	A case of metastatic pancreatic adenocarcinoma with prolonged survival after combination of neoadjuvant FOLFIRINOX therapy and synchronous distal pancreatectomy and hepatectomy. <i>Journal of Surgical Oncology</i> , 2015 , 111, 768-70	2.8	9
306	Bevacizumab-associated gastrointestinal perforation. <i>Lancet Oncology, The</i> , 2009 , 10, 534-6	21.7	9
305	The importance of stabilization as an endpoint in the treatment of metastatic colorectal carcinoma: recent quality of life studies. <i>Anti-Cancer Drugs</i> , 1998 , 9, 783-90	2.4	9
304	Safety of raltitrexed. <i>Lancet, The</i> , 1999 , 354, 1824-5	40	9
303	Comparison of interferon tolerance after autologous bone marrow or peripheral blood stem cell transplants for myeloma patients who have responded to induction therapy. <i>Leukemia and Lymphoma</i> , 1996 , 21, 421-7	1.9	9
302	Omicron neutralising antibodies after third COVID-19 vaccine dose in patients with cancer.. <i>Lancet, The</i> , 2022 ,	40	9

301	Cougar-02: A randomized phase III study of docetaxel versus active symptom control in patients with relapsed esophago-gastric adenocarcinoma.. <i>Journal of Clinical Oncology</i> , 2013 , 31, 4023-4023	2.2	9
300	Genomic loss of heterozygosity and survival in the REAL3 trial. <i>Oncotarget</i> , 2018 , 9, 36654-36665	3.3	9
299	Landmark survival analysis and impact of anatomic site of origin in prospective clinical trials of biliary tract cancer. <i>Journal of Hepatology</i> , 2020 , 73, 1109-1117	13.4	9
298	Immune landscape, evolution, hypoxia-mediated viral mimicry pathways and therapeutic potential in molecular subtypes of pancreatic neuroendocrine tumours. <i>Gut</i> , 2021 , 70, 1904-1913	19.2	9
297	SCOT: a comparison of cost-effectiveness from a large randomised phase III trial of two durations of adjuvant Oxaliplatin combination chemotherapy for colorectal cancer. <i>British Journal of Cancer</i> , 2018 , 119, 1332-1338	8.7	9
296	Pharmacogenetic Analysis of the UK MRC (Medical Research Council) MAGIC Trial: Association of Polymorphisms with Toxicity and Survival in Patients Treated with Perioperative Epirubicin, Cisplatin, and 5-fluorouracil (ECF) Chemotherapy. <i>Clinical Cancer Research</i> , 2017 , 23, 7543-7549	12.9	8
295	Improved survival in resected oesophageal and gastric adenocarcinomas over a decade: the Royal Marsden experience 2001-2010. <i>Gastric Cancer</i> , 2016 , 19, 1114-1124	7.6	8
294	Differences in Signaling Patterns on PI3K Inhibition Reveal Context Specificity in -Mutant Cancers. <i>Molecular Cancer Therapeutics</i> , 2019 , 18, 1396-1404	6.1	8
293	GEM-P chemotherapy is active in the treatment of relapsed Hodgkin lymphoma. <i>Annals of Hematology</i> , 2014 , 93, 827-34	3	8
292	The Role of Systemic Therapy in Resectable Gastric and Gastro-oesophageal Junction Cancer. <i>Current Treatment Options in Oncology</i> , 2017 , 18, 69	5.4	8
291	Toxicity associated with capecitabine plus oxaliplatin in colorectal cancer before and after an institutional policy of capecitabine dose reduction. <i>British Journal of Cancer</i> , 2011 , 104, 43-50	8.7	8
290	Defining patient outcomes in stage IV colorectal cancer: a prospective study with baseline stratification according to disease resectability status. <i>British Journal of Cancer</i> , 2010 , 102, 255-61	8.7	8
289	Cetuximab in previously treated colorectal cancer. <i>Clinical Colorectal Cancer</i> , 2005 , 5 Suppl 1, S28-33	3.8	8
288	Impact of 5-fluorouracil rechallenge on subsequent response and survival in advanced colorectal cancer: pooled analysis from three consecutive randomized controlled trials. <i>Clinical Colorectal Cancer</i> , 2003 , 3, 102-7	3.8	8
287	ST03: A randomized trial of perioperative epirubicin, cisplatin plus capecitabine (ECX) with or without bevacizumab (B) in patients (pts) with operable gastric, oesophagogastric junction (OGJ) or lower oesophageal adenocarcinoma.. <i>Journal of Clinical Oncology</i> , 2012 , 30, TPS4143-TPS4143	2.2	8
286	COUGAR-02: A randomized phase III study of docetaxel versus active symptom control in advanced esophagogastric adenocarcinoma.. <i>Journal of Clinical Oncology</i> , 2013 , 31, LBA4-LBA4	2.2	8
285	Liposomal Irinotecan + 5-FU/LV in Metastatic Pancreatic Cancer: Subgroup Analyses of Patient, Tumor, and Previous Treatment Characteristics in the Pivotal NAPOLI-1 Trial. <i>Pancreas</i> , 2020 , 49, 62-75	2.6	8
284	Cetuximab Is Contraindicated in the Perioperative Treatment of Colorectal Liver Metastases. <i>Journal of Clinical Oncology</i> , 2015 , 33, 2405-6	2.2	7

283	Epirubicin, Cisplatin, and Capecitabine Versus Fluorouracil, Leucovorin, and Irinotecan for Esophagogastric Cancer: The Original and the Rest. <i>Journal of Clinical Oncology</i> , 2015 , 33, 2409	2.2	7
282	Patterns of progression, treatment of progressive disease and post-progression survival in the New EPOC study. <i>British Journal of Cancer</i> , 2016 , 115, 420-4	8.7	7
281	Noninvasive phosphorus magnetic resonance spectroscopic imaging predicts outcome to first-line chemotherapy in newly diagnosed patients with diffuse large B-cell lymphoma. <i>Academic Radiology</i> , 2013 , 20, 1122-9	4.3	7
280	FcRIIIa and FcRIIIa polymorphisms and cetuximab benefit in the microscopic disease. <i>Clinical Cancer Research</i> , 2014 , 20, 4511-9	12.9	7
279	Gemcitabine plus capecitabine in unselected patients with advanced pancreatic cancer. <i>Pancreas</i> , 2013 , 42, 511-5	2.6	7
278	Neoadjuvant chemotherapy alone for early-stage rectal cancer: an evolving paradigm?. <i>Seminars in Radiation Oncology</i> , 2011 , 21, 196-202	5.5	7
277	Current Opinion on Optimal Treatment Choices in First-line Therapy for Advanced or Metastatic Colorectal Cancer: Report From the Adelaide Colorectal Tumour Group Meeting; Stockholm, Sweden; September 2008. <i>Clinical Colorectal Cancer</i> , 2010 , 9, 8-14	3.8	7
276	Recent data with anti-epidermal growth factor receptor antibodies and irinotecan in colon cancer. <i>Clinical Colorectal Cancer</i> , 2005 , 5 Suppl 2, S81-8	3.8	7
275	Thymidine phosphorylase (TP) activation: convenience through innovation. <i>Oncologist</i> , 2001 , 6 Suppl 4, 1-2	5.7	7
274	Advanced pancreatic cancer--5 years on. <i>Annals of Oncology</i> , 2002 , 13, 1165-8	10.3	7
273	CT evaluation of the resectability of gastric cancer postchemotherapy. <i>Abdominal Imaging</i> , 1996 , 21, 293-8		7
272	Small cell lung cancer: results of a phase II study of 1,2,4 triglycidylurazol. <i>Cancer Chemotherapy and Pharmacology</i> , 1986 , 17, 85-6	3.5	7
271	Randomised Comparison of the Stanford V (SV) Regimen and ABVD in the Treatment of Advanced Hodgkin Lymphoma (HL): Results from a UK NCRI Lymphoma Group Study, ISRCTN 64141244. <i>Blood</i> , 2008 , 112, 370-370	2.2	7
270	A Phase 1 Study of the BET-Bromodomain Inhibitor OTX015 in Patients with Non-Leukemic Hematologic Malignancies. <i>Blood</i> , 2014 , 124, 4417-4417	2.2	7
269	Results of the Mantle Cell Lymphoma Subset from a Phase 2a Study of Copanlisib, a Novel PI3K Inhibitor, in Patients with Indolent and Aggressive Lymphoma. <i>Blood</i> , 2015 , 126, 3935-3935	2.2	7
268	PET-PANC: Multi-centre prospective diagnostic accuracy and clinical value trial of FDG PET/CT in the diagnosis and management of suspected pancreatic cancer.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 4008-4008	2.2	7
267	Molecular subtype assay to reveal anti-EGFR response sub-clones in colorectal cancer (CRC).. <i>Journal of Clinical Oncology</i> , 2018 , 36, 658-658	2.2	7
266	Safety and efficacy of PD-L1 inhibitor durvalumab with R-CHOP or R2-CHOP in subjects with previously untreated, high-risk DLBCL.. <i>Journal of Clinical Oncology</i> , 2019 , 37, 7520-7520	2.2	7

265	Outcomes following front-line chemotherapy in peripheral T-cell lymphoma: 10-year experience at The Royal Marsden and The Christie Hospital. <i>Leukemia and Lymphoma</i> , 2018 , 59, 1586-1595	1.9	7
264	Neoadjuvant rectal score: run with the hare and hunt with the hounds. <i>Annals of Oncology</i> , 2018 , 29, 2261-2262	10.3	7
263	Technical reproducibility of single-nucleotide and size-based DNA biomarker assessment using DNA extracted from formalin-fixed, paraffin-embedded tissues. <i>Journal of Molecular Diagnostics</i> , 2015 , 17, 242-50	5.1	6
262	AREG and EREG as Predictive Biomarkers for RAS Wild-Type Colorectal Cancer Treated With Panitumumab: A Fresh Approach to an Old Puzzle. <i>JAMA Oncology</i> , 2016 , 2, 578-579	13.4	6
261	Targeting Vascular Endothelial Growth Factor in Oesophagogastric Cancer: A Review of Progress to Date and Immunotherapy Combination Strategies. <i>Frontiers in Oncology</i> , 2019 , 9, 618	5.3	6
260	Optimal management of esophageal adenocarcinoma: should we be CROSS?. <i>Journal of Clinical Oncology</i> , 2014 , 32, 3080-1	2.2	6
259	Phase I trials in patients with relapsed, advanced upper gastrointestinal carcinomas: experience in a specialist unit. <i>Gastric Cancer</i> , 2014 , 17, 621-629	7.6	6
258	Toward the non-surgical management of locally advanced rectal cancer. <i>Current Oncology Reports</i> , 2012 , 14, 267-76	6.3	6
257	Patupilone in patients with pretreated metastatic/locally recurrent colorectal cancer: results of the Phase II CINATRA trial. <i>Investigational New Drugs</i> , 2013 , 31, 1339-44	4.3	6
256	Colorectal cancer [Authors' reply]. <i>Lancet, The</i> , 2010 , 376, 331-332	4.0	6
255	Chemotherapy of oesophago-gastric cancer. <i>Pathology and Oncology Research</i> , 1998 , 4, 87-95	2.6	6
254	Stem cell transplantation in Hodgkin lymphoma. <i>Expert Review of Anticancer Therapy</i> , 2007 , 7, 297-306	3.5	6
253	Adjuvant therapy for colon cancer in the new millenium. <i>Scandinavian Journal of Surgery</i> , 2003 , 92, 57-64	3.1	6
252	The role of cetuximab in the therapy of previously treated advanced colorectal cancer. <i>Seminars in Oncology</i> , 2005 , 32, S55-8	5.5	6
251	Clinical advances with topoisomerase I inhibitors in gastrointestinal malignancies. <i>Anti-Cancer Drugs</i> , 1999 , 10 Suppl 1, S5-12	2.4	6
250	Mabthera (Rituximab) Plus CVP Chemotherapy for First-Line Treatment of Stage III/IV Follicular Non-Hodgkin's Lymphoma (NHL): Confirmed Efficacy with Longer Follow-Up.. <i>Blood</i> , 2005 , 106, 350-350	2.2	6
249	Molecular analysis of the randomized phase II/III study of the anti-IGF-1R antibody dalotuzumab (MK-0646) in combination with cetuximab (Cx) and irinotecan (Ir) in the treatment of chemorefractory KRAS wild-type metastatic colorectal cancer (mCRC).. <i>Journal of Clinical Oncology</i> , 2012 , 30, 3531-3531	2.2	6
248	Overall survival (OS) analysis from PRIME: Randomized phase III study of panitumumab (pmab) with FOLFOX4 for first-line metastatic colorectal cancer (mCRC).. <i>Journal of Clinical Oncology</i> , 2013 , 31, 3620-3620	2.2	6

247	RAINBOW: A global, phase III, randomized, double-blind study of ramucirumab plus paclitaxel versus placebo plus paclitaxel patients with previously treated gastric or gastroesophageal junction (GEJ) adenocarcinoma: Quality-of-life (QoL) results.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 4058-4058	2.2	6
246	Updated safety and clinical activity of durvalumab monotherapy in previously treated patients with stage IIIB/IV NSCLC.. <i>Journal of Clinical Oncology</i> , 2017 , 35, 9085-9085	2.2	6
245	A phase II, open-label, randomized study to evaluate the efficacy and safety of andeciximab combined with nivolumab versus nivolumab alone in subjects with unresectable or recurrent gastric or gastroesophageal junction adenocarcinoma.. <i>Journal of Clinical Oncology</i> , 2019 , 37, 75-75	2.2	6
244	ESPAC-4: A multicenter, international, open-label randomized controlled phase III trial of adjuvant combination chemotherapy of gemcitabine (GEM) and capecitabine (CAP) versus monotherapy gemcitabine in patients with resected pancreatic ductal adenocarcinoma: Five year follow-up.. <i>Journal of Clinical Oncology</i> , 2020 , 38, 4516-4516	2.2	6
243	Capecitabine in gastric cancer. <i>Drugs of Today</i> , 2008 , 44, 629-40	2.5	6
242	Reduced genomic tumor heterogeneity after neoadjuvant chemotherapy is related to favorable outcome in patients with esophageal adenocarcinoma. <i>Oncotarget</i> , 2016 , 7, 44084-44095	3.3	6
241	Comparison of a coaxial versus non-coaxial liver biopsy technique in an oncological setting: diagnostic yield, complications and seeding risk. <i>European Radiology</i> , 2020 , 30, 6702-6708	8	6
240	Clinical Performance of Abbreviated Liver MRI for the Follow-Up of Patients With Colorectal Liver Metastases. <i>American Journal of Roentgenology</i> , 2021 , 216, 669-676	5.4	6
239	Phase III Study to Evaluate Efficacy and Safety of Andeciximab With mFOLFOX6 as First-Line Treatment in Patients With Advanced Gastric or GEJ Adenocarcinoma (GAMMA-1). <i>Journal of Clinical Oncology</i> , 2021 , 39, 990-1000	2.2	6
238	Safety and Efficacy of the Addition of Lapatinib to Perioperative Chemotherapy for Resectable HER2-Positive Gastroesophageal Adenocarcinoma: A Randomized Phase 2 Clinical Trial. <i>JAMA Oncology</i> , 2019 , 5, 1181-1187	13.4	5
237	Pseudoprogression on treatment with immune-checkpoint inhibitors in patients with gastrointestinal malignancies: Case series and short literature review. <i>Current Problems in Cancer</i> , 2019 , 43, 487-494	2.3	5
236	Caution in the Use of Immunohistochemistry for Determination of Cell of Origin in Diffuse Large B-Cell Lymphoma. <i>Journal of Clinical Oncology</i> , 2015 , 33, 3215-6	2.2	5
235	The evolving immunotherapeutic landscape in advanced oesophagogastric cancer. <i>Therapeutic Advances in Medical Oncology</i> , 2018 , 10, 1758835918786228	5.4	5
234	Factors affecting survival in patients aged 60 and over with diffuse large B cell lymphoma failing first-line therapy. <i>Journal of Geriatric Oncology</i> , 2013 , 4, 134-40	3.6	5
233	Attitudes of Patients With Gastrointestinal Cancers Toward Research Biopsies. <i>Clinical Colorectal Cancer</i> , 2017 , 16, e181-e189	3.8	5
232	The influence of industry sponsorship on the reporting of subgroup analyses within phase III randomised controlled trials in gastrointestinal oncology. <i>European Journal of Cancer</i> , 2015 , 51, 2732-9	7.5	5
231	Neoadjuvant treatment of unresectable liver metastases from colorectal cancer. <i>Clinical Colorectal Cancer</i> , 2006 , 5, 405-12	3.8	5
230	The effects of capecitabine in Raynaud's disease: a case report. <i>Annals of Oncology</i> , 2005 , 16, 835-6	10.3	5

229	ECF in gastric cancer. <i>Journal of Clinical Oncology</i> , 2000 , 18, 3874-5	2.2	5
228	The Activated B-Cell Subtype of Diffuse Large B-Cell Lymphoma As Determined By Whole Genome Expression Profiling on Paraffin Embedded Tissue Is Independently Associated with Reduced Overall and Progression Free Survival in the Rituximab Era: Results from the UK NCRI R-CHOP 14 v	2.2	5
227	Panex: A pooled analysis of EXPERT and EXPERT-C, two trials of neoadjuvant chemotherapy (NACT) and chemoradiotherapy (CRT) in high-risk locally advanced rectal cancer (LARC).. <i>Journal of Clinical Oncology</i> , 2014 , 32, 3575-3575	2.2	5
226	ESPAC-4: A multicenter, international, open-label randomized controlled phase III trial of adjuvant combination chemotherapy of gemcitabine (GEM) and capecitabine (CAP) versus monotherapy gemcitabine in patients with resected pancreatic ductal adenocarcinoma.. <i>Journal of Clinical Oncology</i> , 2016 , 34, LBA4006-LBA4006	2.2	5
225	Efficacy and toxicity of salvage weekly paclitaxel chemotherapy in non-Asian patients with advanced oesophagogastric adenocarcinoma. <i>Therapeutic Advances in Medical Oncology</i> , 2016 , 8, 104-125	4	5
224	Efficacy and Cardiotoxic Safety Profile of Raltitrexed in Fluoropyrimidines-Pretreated or High-Risk Cardiac Patients With GI Malignancies: Large Single-Center Experience. <i>Clinical Colorectal Cancer</i> , 2019 , 18, 64-71.e1	3.8	5
223	Minimal residual disease (MRD) detection with circulating tumor DNA (ctDNA) from personalized assays in stage II-III colorectal cancer patients in a U.K. multicenter prospective study (TRACC).. <i>Journal of Clinical Oncology</i> , 2021 , 39, 102-102	2.2	5
222	Imaging and clinical correlates with regorafenib in metastatic colorectal cancer. <i>Cancer Treatment Reviews</i> , 2020 , 86, 102020	14.4	4
221	Impact of targeted neoadjuvant therapies in the treatment of solid organ tumours. <i>British Journal of Surgery</i> , 2013 , 100, 5-14	5.3	4
220	Chemotherapy for operable gastric cancer: current perspectives. <i>Indian Journal of Surgical Oncology</i> , 2011 , 2, 334-42	0.7	4
219	Trastuzumab for gastric cancer treatment. <i>Lancet, The</i> , 2010 , 376, 1736; author reply 1736-7	40	4
218	Primary follicular lymphoma of the GI tract: an increasingly recognized entity. <i>Journal of Clinical Oncology</i> , 2012 , 30, e370-2	2.2	4
217	Where to position monoclonal antibodies in first-line treatment of advanced colorectal cancer. <i>European Journal of Cancer</i> , 2008 , 44, 652-62	7.5	4
216	Pharmacotherapy for oesophagogastric cancer. <i>Drugs</i> , 2007 , 67, 2539-56	12.1	4
215	Fludarabine, adriamycin and dexamethasone (FAD) in newly diagnosed advanced follicular lymphoma: a phase II study by the British National Lymphoma Investigation (BNLI). <i>British Journal of Cancer</i> , 2004 , 91, 695-8	8.7	4
214	The role of preoperative chemotherapy for esophageal cancer: when is surgery alone feasible?. <i>Nature Clinical Practice Oncology</i> , 2005 , 2, 172-3		4
213	Survival after systemic therapy for metastatic colorectal cancer. <i>Lancet, The</i> , 1995 , 345, 328-9	40	4
212	Detecting t(14;18) in paraffin-embedded lymphoma tissue. <i>Lancet, The</i> , 1989 , 1, 1131-2	40	4

211	Nivolumab Combined with Brentuximab Vedotin for Relapsed/Refractory Primary Mediastinal Large B-Cell Lymphoma: Preliminary Results from the Phase 2 CheckMate 436 Trial. <i>Blood</i> , 2018 , 132, 1691-1691	2.2	4
210	Utility of Progression-Free Survival at 24 Months (PFS24) to Predict Subsequent Outcome for Patients with Diffuse Large B-Cell Lymphoma (DLBCL) Enrolled on Randomized Clinical Trials: Findings from a Surrogate Endpoint in Aggressive Lymphoma (SEAL) Analysis of Individual Patient	2.2	4
209	Final skin toxicity (ST) and patient-reported outcomes (PRO) results from PRIME: A randomized phase III study of panitumumab (pmab) plus FOLFOX4 (CT) for first-line metastatic colorectal cancer (mCRC).. <i>Journal of Clinical Oncology</i> , 2012 , 30, 531-531	2.2	4
208	FGFR: Proof-of-concept study of AZD4547 in patients with FGFR1 or FGFR2 amplified tumours.. <i>Journal of Clinical Oncology</i> , 2013 , 31, TPS2626-TPS2626	2.2	4
207	SCOPE 1: A phase II/III trial of chemoradiotherapy in esophageal cancer plus or minus cetuximab.. <i>Journal of Clinical Oncology</i> , 2013 , 31, LBA3-LBA3	2.2	4
206	Toxicity, surgical complications, and short-term mortality in a randomized trial of neoadjuvant cisplatin/5FU versus epirubicin/cisplatin and capecitabine prior to resection of lower esophageal/gastroesophageal junction (GOJ) adenocarcinoma (MRC OEO5, ISRCTN01852072, <i>Cancer</i> , 2014 , 113, 1011-1014	2.2	4
205	Comparison of efficacy and safety with obinutuzumab plus chemotherapy versus rituximab plus chemotherapy in patients with previously untreated follicular lymphoma: Updated results from the phase III Gallium Study.. <i>Journal of Clinical Oncology</i> , 2020 , 38, 8023-8023	2.2	4
204	TRACC: Tracking mutations in cell-free DNA to predict relapse in early colorectal cancer A randomized study of circulating tumour DNA (ctDNA) guided adjuvant chemotherapy versus standard of care chemotherapy after curative surgery in patients with high risk stage II or stage III colorectal cancer (CRC).. <i>Journal of Clinical Oncology</i> , 2020 , 38, TPS4120-TPS4120	2.2	4
203	Th-Labeled Anti-CD22 Antibody (BAY 1862864) in Relapsed/Refractory CD22-Positive Non-Hodgkin Lymphoma: A First-in-Human, Phase I Study. <i>Cancer Biotherapy and Radiopharmaceuticals</i> , 2021 , 36, 672-681	2.0	4
202	Esophagogastric Adenocarcinoma: Is More Chemotherapy Better?. <i>Current Treatment Options in Oncology</i> , 2016 , 17, 21	5.4	4
201	Contemporary Tailored Oncology Treatment of Biliary Tract Cancers. <i>Gastroenterology Research and Practice</i> , 2019 , 2019, 7698786	2	4
200	Long-Term Outcomes and Exploratory Analyses of the Randomized Phase III BILCAP Study.. <i>Journal of Clinical Oncology</i> , 2022 , JCO2102568	2.2	4
199	Florid T follicular helper cell hyperplasia associated with extranodal marginal zone lymphoma: a diagnostic pitfall which may mimic T cell lymphoma. <i>Histopathology</i> , 2019 , 75, 287-290	7.3	3
198	Genomic loss of heterozygosity (LOH) and survival in patients (pts) treated with epirubicin, oxaliplatin, capecitabine (EOC) ± panitumumab (P) in the REAL3 trial. <i>Annals of Oncology</i> , 2016 , 27, vi220 ^{10.3}	10.3	3
197	Is organ preservation in rectal cancer ready for prime time?. <i>Lancet, The</i> , 2018 , 391, 2480-2482	4.0	3
196	Rapid access clinic for unexplained lymphadenopathy and suspected malignancy: prospective analysis of 1000 patients. <i>BMC Hematology</i> , 2018 , 18, 19	2.5	3
195	Panitumumab Alone for Maintenance Treatment in Advanced Colorectal Cancer. <i>JAMA Oncology</i> , 2019 , 5, 1262-1264	13.4	3
194	Up-to-Date Tailored Systemic Treatment in Pancreatic Ductal Adenocarcinoma. <i>Gastroenterology Research and Practice</i> , 2019 , 2019, 7135437	2	3

193	Beyond genomics - Targeting the epigenome in diffuse large B-cell lymphoma. <i>Cancer Treatment Reviews</i> , 2017 , 59, 132-137	14.4	3
192	Dalotuzumab in chemorefractory KRAS exon 2 mutant colorectal cancer: Results from a randomised phase II/III trial. <i>International Journal of Cancer</i> , 2017 , 140, 431-439	7.5	3
191	Lymphocyte-predominant Hodgkin's lymphoma. <i>Journal of Clinical Oncology</i> , 2010 , 28, e325; author reply e326	2.2	3
190	Optimal treatment of metastatic pancreatic cancer. <i>Gut</i> , 2010 , 59, 1454-5	19.2	3
189	Targeted therapies as adjuvant treatment for early-stage colorectal cancer: first impressions and clinical questions. <i>Clinical Colorectal Cancer</i> , 2010 , 9 Suppl 1, S28-35	3.8	3
188	Capecitabine in advanced gastric cancer. <i>Expert Opinion on Pharmacotherapy</i> , 2007 , 8, 2851-61	4	3
187	Is oxaliplatin the optimal platinum agent in gastric cancer?. <i>European Journal of Cancer, Supplement</i> , 2006 , 4, 10-13	1.6	3
186	Mutant K-ras2 in serum. <i>Gut</i> , 2003 , 52, 915-6	19.2	3
185	Second-line therapy for advanced colorectal carcinoma. <i>Current Oncology Reports</i> , 2005 , 7, 173-80	6.3	3
184	Gut protection by cyclophosphamide "priming" in patients receiving high-dose melphalan--effect of drug scheduling. <i>Cancer Chemotherapy and Pharmacology</i> , 1992 , 30, 149-51	3.5	3
183	Phase 2 Study Evaluating the Efficacy and Safety of Parsaclisib in Patients with Relapsed or Refractory Follicular Lymphoma (CITADEL-203). <i>Blood</i> , 2020 , 136, 36-37	2.2	3
182	MAGIC trial gene expression profiling study.. <i>Journal of Clinical Oncology</i> , 2013 , 31, 4020-4020	2.2	3
181	Patterns of progression, treatment of progressive disease, and postprogression survival in the new EPOC study.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 3556-3556	2.2	3
180	Predictive cytokine biomarkers for survival in patients with advanced pancreatic cancer randomized to sequential chemoimmunotherapy comprising gemcitabine and capecitabine (GemCap) followed by the telomerase vaccine GV1001 compared to concurrent chemoimmunotherapy in the TeloVac trial.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 1181-1191	2.2	3
179	TACE 2: A randomized placebo-controlled, double-blinded, phase III trial evaluating sorafenib in combination with transarterial chemoembolisation (TACE) in patients with unresectable hepatocellular carcinoma (HCC)Background.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 4018-4018	2.2	3
178	Updated overall survival analysis of NAPOLI-1: Phase III study of nanoliposomal irinotecan (nal-IRI, MM-398), with or without 5-fluorouracil and leucovorin (5-FU/LV), versus 5-FU/LV in metastatic pancreatic cancer (mPAC) previously treated with gemcitabine-based therapy.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 4117-4117	2.2	3
177	PLATFORM: Planning treatment of oesophago-gastric (OG) cancerA randomised maintenance therapy trial.. <i>Journal of Clinical Oncology</i> , 2016 , 34, TPS187-TPS187	2.2	3
176	Safety and clinical activity of durvalumab monotherapy in patients with gastroesophageal cancers.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 4032-4032	2.2	3

175	Iconic: Peri-operative immuno-chemotherapy in operable oesophageal and gastric cancer.. <i>Journal of Clinical Oncology</i> , 2018 , 36, TPS4139-TPS4139	2.2	3
174	Comparison of clinical scoring systems in aggressive B-cell lymphomas (BCL): An individual patient-level analysis across international trials (SEAL).. <i>Journal of Clinical Oncology</i> , 2019 , 37, 7544-7544 ²⁻²		3
173	Optimizing the Use of Irinotecan in Colorectal Cancer. <i>Oncologist</i> , 2001 , 6, 17-23	5.7	3
172	R-GEM-Lenalidomide versus R-GEM-P as second-line treatment of diffuse large B-cell lymphoma: results of the UK NRCI phase II randomised LEGEND trial. <i>Annals of Hematology</i> , 2020 , 99, 105-112	3	3
171	Intratumoral Transcriptome Heterogeneity Is Associated With Patient Prognosis and Sidedness in Patients With Colorectal Cancer Treated With Anti-EGFR Therapy From the CO.20 Trial. <i>JCO Precision Oncology</i> , 2020 , 4,	3.6	3
170	Transition from open and laparoscopic to robotic pancreaticoduodenectomy in a UK tertiary referral hepatobiliary and pancreatic centre - Early experience of robotic pancreaticoduodenectomy. <i>Hpb</i> , 2020 , 22, 1637-1644	3.8	3
169	F-choline radiotracer positron emission tomography as a new means to monitor central nervous system lymphoma. <i>British Journal of Haematology</i> , 2021 , 193, 1026	4.5	3
168	Subcutaneous epcoritamab in patients with relapsed/refractory B-cell non-Hodgkin lymphoma: Safety profile and antitumor activity.. <i>Journal of Clinical Oncology</i> , 2021 , 39, 7518-7518	2.2	3
167	DNA epigenetic signature predictive of benefit from neoadjuvant chemotherapy in oesophageal adenocarcinoma: results from the MRC OE02 trial. <i>European Journal of Cancer</i> , 2019 , 123, 48-57	7.5	3
166	Perioperative FLOT plus anti-PD-L1 avelumab (FLOT-A) in resectable oesophagogastric adenocarcinoma (OGA): Interim safety analysis results from the ICONIC trial.. <i>Journal of Clinical Oncology</i> , 2021 , 39, 201-201	2.2	3
165	Potential role of rilotumumab in the treatment of gastric cancer. <i>Immunotherapy</i> , 2014 , 6, 1243-53	3.8	2
164	Are we ready to restrict EGFR therapy to quadruple-negative colorectal cancer?. <i>Lancet Oncology, The</i> , 2010 , 11, 1020-1	21.7	2
163	Reply to M. Mohiuddin et al. <i>Journal of Clinical Oncology</i> , 2011 , 29, 2737-8	2.2	2
162	Does combining docetaxel with cisplatin and fluorouracil improve clinical benefit in advanced gastroesophageal cancer?. <i>Nature Clinical Practice Oncology</i> , 2008 , 5, 132-3		2
161	A retrospective on the inhibition of epidermal growth factor receptor as a therapeutic strategy for patients with relapsed metastatic colorectal cancer: impact on treatment of today's patients. <i>Clinical Colorectal Cancer</i> , 2007 , 7 Suppl 1, S8-15	3.8	2
160	Paraneoplastic syndrome: subacute cerebellar degeneration in Hodgkin's disease. <i>Leukemia and Lymphoma</i> , 2007 , 48, 819-22	1.9	2
159	Sub-clinical dissemination of follicular lymphoma in normal sized lymph nodes may not be detected by radiologic staging: a case of disseminated follicular lymphoma detected in nodal clearance as part of therapy for cutaneous melanoma. <i>Leukemia and Lymphoma</i> , 2006 , 47, 553-6	1.9	2
158	Current therapy and future prospects in lymphoma. <i>Expert Review of Anticancer Therapy</i> , 2001 , 1, 29-41	3.5	2

157	Which surgical strategy for colorectal cancer with synchronous hepatic metastases provides the best outcome? A comparison between primary first, liver first and simultaneous approach.. <i>Updates in Surgery</i> , 2022 , 74, 451	2.9	2
156	Age and Time to Progression Predict Overall Survival (OS) in Patients with Diffuse Large B-Cell Lymphoma (DLBCL) Who Progress Following Frontline Immunochemotherapy (IC). <i>Blood</i> , 2019 , 134, 400-400	2.2	2
155	ME-401-003 (TIDAL): A Multicenter, Randomized, Double-Blind, Placebo-Controlled, Two-Arm, Phase 2 Study of ME-401 Investigating Continuous and Intermittent Dosing Schedules in Patients with Relapsed/Refractory Follicular Lymphoma. <i>Blood</i> , 2019 , 134, 5244-5244	2.2	2
154	R-CHOP in Primary Mediastinal B-Cell Lymphoma (PMBL): Results from the UK NCRI R-CHOP 14 v 21 Trial. <i>Blood</i> , 2015 , 126, 2689-2689	2.2	2
153	Activity of the anti-IGF-1R antibody dalotuzumab (MK-0646) in KRAS-mutant colorectal cancer: Preclinical and clinical data.. <i>Journal of Clinical Oncology</i> , 2012 , 30, 3587-3587	2.2	2
152	A randomized, multicenter, double-blind, placebo (PBO)-controlled phase III study of paclitaxel (PTX) with or without ramucirumab (IMC-1121B; RAM) in patients (pts) with metastatic gastric adenocarcinoma, refractory to or progressive after first-line therapy with platinum (PLT) and fluorouracil (FU). <i>Journal of Clinical Oncology</i> , 2019 , 37, 1261-1261	2.2	2
151	HER-2 in high risk rectal cancer patients treated in EXPERT-C, a randomized phase II trial of neoadjuvant capecitabine and oxaliplatin (CAPOX) and chemoradiotherapy (CRT) with or without cetuximab.. <i>Journal of Clinical Oncology</i> , 2013 , 31, 420-420	2.2	2
150	Correlation of PI3KCA and extended RAS gene mutation status with outcomes from the phase III AGITG MAX involving capecitabine (C) alone or in combination with bevacizumab (B) with or without mitomycin C (M) in advanced colorectal cancer (CRC).. <i>Journal of Clinical Oncology</i> , 2014 , 32, 3733-3733	2.2	2
149	The consistency of effect of ziv-aflibercept (Z) in the bevacizumab (B) pre-treated subgroup of patients (pts) in the velour trial stratified by first-line progression \geq 9 months (mos) versus Journal of Clinical Oncology, 2014 , 32, 3639-3639	2.2	2
148	ABC-03: A randomized phase II trial of cediranib (AZD2171) or placebo in combination with cisplatin/gemcitabine (CisGem) chemotherapy for patients (pts) with advanced biliary tract cancer (ABC).. <i>Journal of Clinical Oncology</i> , 2014 , 32, 4002-4002	2.2	2
147	Quality of life (QoL) analysis from the randomized phase III REAL3 trial of epirubicin, oxaliplatin, and capecitabine (EOC) with or without panitumumab (P) in advanced esophagogastric adenocarcinoma.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 4067-4067	2.2	2
146	Percutaneous radiofrequency versus microwave ablation for the treatment of colorectal liver metastases.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 401-401	2.2	2
145	Impact of age and sex on chemotherapy (CTx) efficacy, toxicity and survival in early oesophagogastric (OG) cancer: A pooled analysis of 3265 patients from four large randomised trials (OE02, OE05, MAGIC & ST03).. <i>Journal of Clinical Oncology</i> , 2019 , 37, 4022-4022	2.2	2
144	Operable gastro-oesophageal junctional adenocarcinoma: Where to next?. <i>World Journal of Gastrointestinal Oncology</i> , 2014 , 6, 145-55	3.4	2
143	Impact of tumour histological subtype on chemotherapy outcome in advanced oesophageal cancer. <i>World Journal of Gastrointestinal Oncology</i> , 2017 , 9, 333-340	3.4	2
142	Long-term Disease-free Survival Following Combination Multi-visceral and Metastatic Resection with Neoadjuvant FOLFIRINOX for Pancreatic Adenocarcinoma: A Case Report. <i>Cureus</i> , 2015 , 7, e429	1.2	2
141	Mutational signatures impact the evolution of anti-EGFR antibody resistance in colorectal cancer. <i>Nature Ecology and Evolution</i> , 2021 , 5, 1024-1032	12.3	2
140	Maintenance durvalumab after first-line platinum-based chemotherapy in advanced oesophago-gastric (OG) adenocarcinoma: Results from the PLATFORM trial.. <i>Journal of Clinical Oncology</i> , 2021 , 39, 4015-4015	2.2	2

139	Chronic lymphocytic leukaemia and Richter's transformation: multimodal review and new imaging paradigms. <i>Clinical Radiology</i> , 2021 , 76, 789-800	2.9	2
138	Clinical role of ramucirumab alone or in combination with paclitaxel for gastric and gastro-esophageal junction adenocarcinoma. <i>OncoTargets and Therapy</i> , 2016 , 9, 4539-48	4.4	2
137	Prognostic indices in diffuse large B-cell lymphoma in the rituximab era: an analysis of the UK National Cancer Research Institute R-CHOP 14 versus 21 phase 3 trial. <i>British Journal of Haematology</i> , 2021 , 192, 1015-1019	4.5	2
136	Clinical utility of clonal origin determination in managing recurrent hepatocellular carcinoma. <i>Expert Review of Gastroenterology and Hepatology</i> , 2021 , 15, 1159-1167	4.2	2
135	Individual patient data meta-analysis of neoadjuvant chemotherapy followed by surgery versus upfront surgery for carcinoma of the oesophagus or the gastro-oesophageal junction. <i>European Journal of Cancer</i> , 2021 , 157, 278-290	7.5	2
134	The Mutational Concordance of Fixed Formalin Paraffin Embedded and Fresh Frozen Gastro-Oesophageal Tumours Using Whole Exome Sequencing. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	2
133	Impact of Circulating Tumor DNA-Based Detection of Molecular Residual Disease on the Conduct and Design of Clinical Trials for Solid Tumors.. <i>JCO Precision Oncology</i> , 2022 , 6, e2100181	3.6	2
132	Peri-operative chemotherapy with or without bevacizumab in operable oesophagogastric adenocarcinoma - Authors' reply. <i>Lancet Oncology, The</i> , 2017 , 18, e244	21.7	1
131	Focal splenic lesions in indolent B-NHL: association with high grade transformation and safe percutaneous biopsy. <i>British Journal of Haematology</i> , 2020 , 189, e157-e160	4.5	1
130	Histological intratumoral heterogeneity in pretreatment esophageal cancer biopsies predicts survival benefit from neoadjuvant chemotherapy: results from the UK MRC OE02 trial. <i>Ecological Management and Restoration</i> , 2020 , 33,	3	1
129	Adjuvant Chemotherapy Following Neoadjuvant Chemotherapy Plus Surgery for Patients With Gastroesophageal Cancer-Is There Room for Improvement?. <i>JAMA Oncology</i> , 2018 , 4, 38-39	13.4	1
128	Response. <i>Journal of the National Cancer Institute</i> , 2016 , 108,	9.7	1
127	Clonal diversity of MYC amplification evaluated by fluorescent in situ hybridisation and digital droplet polymerase chain reaction in oesophagogastric cancer: Results from a prospective clinical trial screening programme. <i>European Journal of Cancer</i> , 2019 , 122, 12-21	7.5	1
126	Neoadjuvant chemotherapy in oesophageal adenocarcinoma - Authors' reply. <i>Lancet Oncology, The</i> , 2017 , 18, e641	21.7	1
125	Nonsurgical management of esophageal adenocarcinoma. <i>Clinical Colorectal Cancer</i> , 2011 , 10, 165-70	3.8	1
124	The role of epidermal growth factor receptor-targeted antibody therapy in previously treated colorectal cancer. <i>Clinical Colorectal Cancer</i> , 2007 , 6 Suppl 2, S47-52	3.8	1
123	Does shorter duration of chemotherapy worsen survival for elderly patients with colon cancer?. <i>Nature Clinical Practice Oncology</i> , 2007 , 4, 12-3		1
122	Chemoradiotherapy alone for rectal cancer: a word of caution [Authors' reply. <i>Lancet Oncology, The</i> , 2007 , 8, 862-863	21.7	1

121	Adjuvant chemotherapy. <i>Lancet, The</i> , 2000 , 356, 1276	40	1
120	Colorectal cancer. <i>Lancet, The</i> , 1999 , 353, 1012-3	40	1
119	Detecting t(14;18) in paraffin-embedded lymphoma tissue. <i>Lancet, The</i> , 1989 , 2, 218-9	40	1
118	Increasing frequency of gene copy number aberrations is associated with immunosuppression and predicts poor prognosis in gastric adenocarcinoma.. <i>British Journal of Surgery</i> , 2022 ,	5.3	1
117	Effect of peri-operative chemotherapy regimen on survival in the treatment of locally advanced oesophago-gastric adenocarcinoma - A comparison of the FLOT and 'MAGIC' regimens.. <i>European Journal of Cancer</i> , 2022 , 163, 180-188	7.5	1
116	Is Stem Cell Transplantation for Transformed Follicular Lymphoma Required in the Rituximab Era?: The Royal Marsden Experience 2003-2013. <i>Blood</i> , 2014 , 124, 1719-1719	2.2	1
115	Risk of CNS Relapse with Diffuse Large B-Cell Lymphoma (DLBCL) in the Rituximab Era: Results from the UK NCRI R-CHOP 14 v 21 Trial. <i>Blood</i> , 2014 , 124, 1723-1723	2.2	1
114	Evaluation of Progression-Free Survival (PFS) As a Surrogate Endpoint for Overall Survival (OS) in First-Line Therapy for Diffuse Large B-Cell Lymphoma (DLBCL): Findings from the Surrogate Endpoint in Aggressive Lymphoma (SEAL) Analysis of Individual Patient Data from 7507 Patients. <i>Blood</i> , 2016 , 128, 4136-4136	2.2	1
113	Treatment of advanced neuroendocrine tumors: Results of the UKINETS and NCRI randomized phase II NET01 trial.. <i>Journal of Clinical Oncology</i> , 2012 , 30, 4121-4121	2.2	1
112	Correlation of lactate dehydrogenase (LDH) isoenzyme profile with outcome in advanced colorectal cancer (CRC) patients (pts) treated with chemotherapy and bevacizumab (BEV) or cediranib (CED).. <i>Journal of Clinical Oncology</i> , 2012 , 30, e13541-e13541	2.2	1
111	A randomized, multicenter trial of epirubicin, oxaliplatin, and capecitabine (EOC) plus panitumumab in advanced esophagogastric cancer (REAL3).. <i>Journal of Clinical Oncology</i> , 2012 , 30, LBA4000-LBA4000	2.2	1
110	HER2 in high-risk rectal cancer patients treated in EXPERT-C, a randomized phase II trial of neoadjuvant capecitabine and oxaliplatin (CAPOX) and chemoradiotherapy (CRT) with or without cetuximab.. <i>Journal of Clinical Oncology</i> , 2013 , 31, e14616-e14616	2.2	1
109	ST03: A randomized trial of perioperative epirubicin, cisplatin plus capecitabine (ECX) with or without bevacizumab (B) in patients (pts) with operable gastric, esophagogastric junction (OGJ), or lower esophageal adenocarcinoma.. <i>Journal of Clinical Oncology</i> , 2013 , 31, TPS4156-TPS4156	2.2	1
108	Analysis of progression-free survival in the new EPOC study in an ill wild-type population.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 3566-3566	2.2	1
107	Effect of TP53 mutation status on survival in the MAGIC trial.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 71-71	2.2	1
106	Immunomodulatory switch maintenance therapy in metastatic colorectal carcinoma: The phase III IMPALA study.. <i>Journal of Clinical Oncology</i> , 2016 , 34, TPS785-TPS785	2.2	1
105	Biomarker prediction of efficacy to vandetanib plus gemcitabine in a phase II double blind multicenter randomized placebo-controlled trial in locally advanced or metastatic pancreatic carcinoma.. <i>Journal of Clinical Oncology</i> , 2017 , 35, 4104-4104	2.2	1
104	The prognostic value of baseline neutrophil-to-lymphocyte ratio (NLR) and platelet-to-lymphocyte ratio (PLR) for predicting clinical outcome in patients with metastatic pancreatic ductal adenocarcinoma (mPDAC) treated with liposomal irinotecan (nal-IRI; MM-398) + 5-fluorouracil and leucovorin (5-FU/LV) vs 5-FU/LV.. <i>Journal of Clinical Oncology</i> , 2017 , 35, e15795-e15795	2.2	1

103	DNA methylation signature predictive of benefit from neoadjuvant chemotherapy in esophageal adenocarcinoma: Results from the MRC OEO2 phase III trial.. <i>Journal of Clinical Oncology</i> , 2019 , 37, 43-43 ^{2,2}		1
102	Evaluating maintenance therapies in advanced oesophago-gastric adenocarcinoma (OGA): Interim analysis and biomarker results from the PLATFORM study.. <i>Journal of Clinical Oncology</i> , 2020 , 38, 282-282 ^{2,2}		1
101	Accomplishments in 2008 in the management of localized gastric cancer. <i>Gastrointestinal Cancer Research: GCR</i> , 2009 , 3, S48-52		1
100	Modulation of pancreatic cancer cell sensitivity to FOLFIRINOX through microRNA-mediated regulation of DNA damage. <i>Nature Communications</i> , 2021 , 12, 6738	17.4	1
99	Efficacy and Safety of Parsaclisib in Patients with Relapsed or Refractory Follicular Lymphoma: Primary Analysis from a Phase 2 Study (CITADEL-203). <i>Blood</i> , 2021 , 138, 813-813	2.2	1
98	Complications and seeding risk after percutaneous liver biopsy in an oncological setting.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 246-246	2.2	1
97	Genomic and transcriptomic determinants of therapy resistance and immune landscape evolution during anti-EGFR treatment in colorectal cancer		1
96	Exploratory evaluation of baseline tumor biomarkers and their association with response and survival in patients with previously treated advanced gastric cancer treated with andeciximab combined with nivolumab versus nivolumab.. <i>Journal of Clinical Oncology</i> , 2019 , 37, 148-148	2.2	1
95	Identification of cancer hallmarks associated with benefit in advanced gastroesophageal adenocarcinoma patients treated with checkpoint blockade.. <i>Journal of Clinical Oncology</i> , 2020 , 38, 439-439	2.2	1
94	Diagnostic accuracy and safety of coaxial core-needle biopsy (CNB) system in Oncology patients treated in a specialist cancer centre with prospective validation within clinical trial data		1
93	Ultra-sensitive mutation detection and genome-wide DNA copy number reconstruction by error corrected circulating tumour DNA sequencing		1
92	iMYC: Proof-of-concept study of ibrutinib in c-MYC and HER2 amplified oesophagogastric carcinoma.. <i>Journal of Clinical Oncology</i> , 2017 , 35, TPS221-TPS221	2.2	1
91	Systemic chemotherapy (CT) as salvage treatment for locally advanced rectal cancer (LARC) patients (pts) who fail to respond to neoadjuvant chemoradiotherapy (CRT).. <i>Journal of Clinical Oncology</i> , 2017 , 35, 709-709	2.2	1
90	First Analysis of a Phase II Study of Rituximab-Gemcitabine, Cyclophosphamide, Vincristine and Prednisolone (R-GCVP) for Diffuse Large B Cell Lymphoma (DLBCL) Patients Considered Unsuited for Anthracycline Containing Chemo-Immunotherapy. An NCRI Lymphoma Clinical Studies Group Trial. <i>Journal of Clinical Oncology</i> , 2017 , 35, 148-148	2.2	1
89	A phase III randomized trial of chemoimmunotherapy comprising gemcitabine and capecitabine with or without telomerase vaccine GV1001 in patients with locally advanced or metastatic pancreatic cancer.. <i>Journal of Clinical Oncology</i> , 2013 , 31, LBA4004-LBA4004	2.2	1
88	Efficacy and safety according to age subgroups in AVEX, a randomized phase III trial of bevacizumab in combination with capecitabine for the first-line treatment of elderly patients with metastatic colorectal cancer.. <i>Journal of Clinical Oncology</i> , 2013 , 31, 3521-3521	2.2	1
87	Diagnostic Accuracy and Safety of Coaxial System in Oncology Patients Treated in a Specialist Cancer Center With Prospective Validation Within Clinical Trial Data. <i>Frontiers in Oncology</i> , 2020 , 10, 1634	5.3	1
86	Relapsed/Refractory International Prognostic Index (R/R-IPI): An international prognostic calculator for relapsed/refractory diffuse large B-cell lymphoma. <i>American Journal of Hematology</i> , 2021 , 96, 599-605 ^{7,1}		1

85	Fibrin-associated diffuse large B-cell lymphoma misdiagnosed as breast implant-associated anaplastic large-cell lymphoma. <i>Histopathology</i> , 2021 , 79, 269-271	7.3	1
84	Coastal: A phase 3 study of the PI3K inhibitor zandelisib with rituximab (R) versus immunochemotherapy in patients with relapsed indolent non-Hodgkin lymphoma (iNHL).. <i>Journal of Clinical Oncology</i> , 2021 , 39, TPS7573-TPS7573	2.2	1
83	Are treatment response assessment maps (TRAMs) and F-choline positron emission tomography the future of central nervous system lymphoma imaging?. <i>British Journal of Haematology</i> , 2021 , 195, e116-e119	4.5	1
82	Chemotherapy with nivolumab in advanced gastro-oesophageal adenocarcinoma. <i>Lancet, The</i> , 2021 , 398, 2-3	4.0	1
81	An Association of Cancer Physicians' strategy for improving services and outcomes for cancer patients. <i>Ecancermedicalscience</i> , 2016 , 10, 608	2.7	1
80	The Association of Cancer Physicians responds to "Cancer drugs, survival, and ethics". <i>BMJ, The</i> , 2016 , 355, i6487	5.9	1
79	Chemotherapy for Advanced Pancreatic Cancer 2010 , 913-949		1
78	Adjuvant Chemotherapy in Pancreatic Cancer 2010 , 1051-1077		1
77	Financial burden and financial toxicity in patients with colorectal, gastro-oesophageal, and pancreaticobiliary cancers: A UK study. <i>Journal of Cancer Policy</i> , 2020 , 25, 100236	1	0
76	Safety and efficacy of durvalumab with R-CHOP or R-CHOP in untreated, high-risk DLBCL: a phase 2, open-label trial. <i>International Journal of Hematology</i> , 2021 , 1	2.3	0
75	Patient-Reported Outcomes in a Phase 3, Randomized, Open-Label Study Evaluating the Efficacy of Axicabtagene Ciloleucel (Axi-Cel) Versus Standard of Care Therapy in Patients with Relapsed/Refractory Large B-Cell Lymphoma (ZUMA-7). <i>Blood</i> , 2021 , 138, 430-430	2.2	0
74	A Phase II Study to Assess the Safety and Efficacy of the Dual mTORC1/2 and PI3K Inhibitor Bimiralisib (PQR309) in Relapsed, Refractory Lymphoma.. <i>HemaSphere</i> , 2021 , 5, e656	0.3	0
73	Digital histological markers based on routine H&E slides to predict benefit from maintenance immunotherapy in esophagogastric adenocarcinoma.. <i>Journal of Clinical Oncology</i> , 2021 , 39, e16074-e16074	2.2	0
72	Adjuvant therapy following neoadjuvant chemotherapy and surgery for oesophageal adenocarcinoma in patients with clear resection margins. <i>Acta Oncologica</i> , 2021 , 60, 672-680	3.2	0
71	Cisplatin Substitution with Carboplatin During Radical Chemoradiotherapy for Oesophagogastric Carcinoma: Outcomes from a Tertiary Centre. <i>Anticancer Research</i> , 2018 , 38, 5943-5949	2.3	0
70	A phase 1/2 study of the combination of acalabrutinib and vistusertib in patients with relapsed/refractory B-cell malignancies. <i>Leukemia and Lymphoma</i> , 2021 , 62, 2625-2636	1.9	0
69	DCE-MRI is more sensitive than IVIM-DWI for assessing anti-angiogenic treatment-induced changes in colorectal liver metastases.. <i>Cancer Imaging</i> , 2021 , 21, 67	5.6	0
68	Neoadjuvant chemotherapy improves survival in patients with oesophageal mucinous adenocarcinoma: Post-hoc analysis of the UK MRC OE02 and OE05 trials. <i>European Journal of Cancer</i> , 2022 , 170, 140-148	7.5	0

- 67 Molecular Stratification of Colorectal Cancer: Moving from the Laboratory to Clinical Practice. *Current Colorectal Cancer Reports*, **2017**, 13, 81-90 1
- 66 A Golden Conundrum. *American Journal of Respiratory and Critical Care Medicine*, **2019**, 200, 631-632 10.2
- 65 Reply to R.C. Turkington et al. *Journal of Clinical Oncology*, **2015**, 33, 1089-90 2.2
- 64 Chemotherapy for Advanced Pancreatic Cancer **2018**, 875-921
- 63 Adjuvant Chemotherapy in Pancreatic Cancer **2018**, 1039-1071
- 62 In Reply. *Oncologist*, **2017**, 22, 1411-1412 5.7
- 61 Emerging treatments for advanced pancreatic cancer: clinical potential of albumin-bound paclitaxel. *Gastrointestinal Cancer: Targets and Therapy*, **2014**, 89
- 60 Gastrointestinal Lymphoma **2012**, 239-267
- 59 Non-operative management for locally advanced rectal cancer: critical review and future perspective. *Colorectal Cancer*, **2013**, 2, 359-370 0.8
- 58 Chemotherapy: Adjuvant and Neoadjuvant Approaches **2010**, 175-187
- 57 Gastrointestinal oncology--what you need to know. *Clinical Medicine*, **2012**, 12, 575-9 1.9
- 56 High-dose chemotherapy and autologous transplantation in lymphomatous polyposis in second remission: three case reports and literature review. *Bone Marrow Transplantation*, **1998**, 22, 103-6 4.4
- 55 A selective policy in follow-up for bowel cancer. *Lancet, The*, **1998**, 351, 1891-2 4.0
- 54 What is the impact of biologicals in colorectal cancer?. *Targeted Oncology*, **2008**, 3, 59-69 5
- 53 Clinical and molecular prognostic factors in patients with metastatic colorectal cancer treated with 5-fluorouracil-based chemotherapy. *Clinical Colorectal Cancer*, **2003**, 2, 235-8 3.8
- 52 Second-line therapy for advanced colorectal cancer. *Current Colorectal Cancer Reports*, **2005**, 1, 7-12 1
- 51 Optimum doses of irinotecan. *Lancet, The*, **1999**, 353, 1276 4.0
- 50 Gastrointestinal non-Hodgkin's lymphoma. *Baillieres Clinical Gastroenterology*, **1990**, 4, 191-200

49	The Value of Follow-up Following Complete Remission with Frontline Chemotherapy for DLBCL. <i>Blood</i> , 2020 , 136, 31-32	2.2
48	SOLar: A translational phase II study of single-agent olaparib in the treatment of advanced esophagogastric cancer.. <i>Journal of Clinical Oncology</i> , 2020 , 38, TPS471-TPS471	2.2
47	Risk of thyroid disorders in adult and childhood Hodgkin lymphoma survivors 40 years after treatment. <i>Leukemia and Lymphoma</i> , 2021 , 1-11	1.9
46	Management of Locally Advanced Rectal Cancer 2007 , 155-189	
45	Breast Implant-Associated Anaplastic Large Cell Lymphoma: A Cost Evaluation Study of Management and Surveillance, and Review of the Recent USA and UK Guidelines. <i>Blood</i> , 2021 , 138, 4014-4014	2.2
44	Discordance between positron emission tomography standard uptake value and proliferation index in mantle cell lymphoma: An initial communication. <i>EJHaem</i> , 2022 , 3, 249	0.9
43	[18F]Fluoromethylcholine PET/CT for CNS lymphoma assessment: a new tool. <i>F1000Research</i> , 10 , 1137	3.6
42	Can pre-transplant 18F-choline positron emission tomography predict relapse following autologous stem cell transplantation in primary central nervous system lymphoma?. <i>Bone Marrow Transplantation</i> , 2021 ,	4.4
41	TS Inhibitors and Antifolates 2002 , 567-584	
40	Subgroup analysis by measurable metastatic lesion (ML) number and selected lesion locations (LL) at baseline (BL) in NAPOLI-1: A phase III study of liposomal irinotecan (nal-IRI)±5-fluorouracil/leucovorin (5-FU/LV) in patients (pts) with metastatic pancreatic ductal adenocarcinoma (mPDAC) previously treated with gemcitabine-based (gem) therapy.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 379-379	2.2
39	Subgroup analysis by baseline pain intensity (BPI) and analgesic use (BAU) in NAPOLI-1: A phase III study of liposomal irinotecan (nal-IRI)±5-fluorouracil/ leucovorin (5-FU/LV) in patients (pts) with metastatic pancreatic ductal adenocarcinoma (mPDAC) previously treated with gemcitabine-based therapy.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 379-379	2.2
38	Single nucleotide polymorphisms of mir-608, LCS-6, and overall survival in the MAGIC trial.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 58-58	2.2
37	Subgroup analysis by baseline (BL) weight-associated parameters: A phase III study of liposomal irinotecan (nal-IRI)±5-fluorouracil/leucovorin (5-FU/LV) in patients (pts) with metastatic pancreatic ductal adenocarcinoma (mPDAC) previously treated with gemcitabine-based (gem) therapy.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 410-410	2.2
36	Surgical quality and the impact of liver resection on outcome in the New EPOC study.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 3559-3559	2.2
35	Evaluation of intratumoral T cells in biopsies from advanced gastric cancer patients treated with andecaliximab and nivolumab.. <i>Journal of Clinical Oncology</i> , 2019 , 37, 118-118	2.2
34	CEA expression patterns determine response and resistance to the CEA-TCB bispecific immunotherapy antibody in colorectal cancer patient derived organoids.. <i>Journal of Clinical Oncology</i> , 2019 , 37, 535-535	2.2
33	LEGEND: A randomised phase II study comparing lenalidomide plus rituximab, gemcitabine, and methylprednisolone (R-GEM-L) to rituximab, gemcitabine, methylprednisolone, and cisplatin (R-GEM-P) in second-line treatment of diffuse large B-cell lymphoma (DLBCL).. <i>Journal of Clinical Oncology</i> , 2014 , 32, TPS8618-TPS8618	2.2
32	MAGIC germline polymorphism analysis.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 4068-4068	2.2

- 31 Residual Disease on FDG-PET and Multiple Lines of Prior Therapy Predict Poorer Outcomes Following Autologous Hematopoietic Stem Cell Transplantation for Lymphoma. *Blood*, **2014**, 124, 3971-3971
- 30 Successful Long-Term Outcomes in Patients with Lymphoma Achieving Only Partial Response on [18F]FDG-PET Prior to Allogeneic Transplant. *Blood*, **2014**, 124, 1249-1249 2.2
- 29 Outcome of Elderly Patients with Diffuse Large B-Cell Lymphoma Treated with R-CHOP: Subgroup Analysis from the UK NCRI R-CHOP 14 Vs 21 Trial. *Blood*, **2015**, 126, 1516-1516 2.2
- 28 Improved Survival in Peripheral T-Cell Lymphoma (PTCL) Following Complete Response to First-Line Chemotherapy: 10 Year Experience at the Royal Marsden and the Christie Hospitals 2002-2012. *Blood*, **2015**, 126, 1499-1499 2.2
- 27 An Unusual Recurrence of Signet Ring Cell Gastric Adenocarcinoma Treated by Right Hemicolectomy, Pancreaticoduodenectomy, and IVC Resection: Controversies and Dilemmas of Following Standard Treatment Pathways. *Cureus*, **2015**, 7, e424 1.2
- 26 Adjuvant Chemotherapy in Pancreatic Cancer **2016**, 1-34
- 25 Updated overall survival (OS) analysis of NAPOLI-1: Phase 3 study of nanoliposomal irinotecan (nal-IRI, MM-398), with or without 5-fluorouracil and leucovorin (5-FU/LV), vs 5-FU/LV in metastatic pancreatic cancer (mPAC) previously treated with gemcitabine (gem)-based therapy.. *Journal of Clinical Oncology*, **2016**, 34, 4126-4126 2.2
- 24 Genome-Wide Methylation Analysis of Patients with Diffuse Large B Cell Lymphoma Treated on the UK NCRI R-CHOP 14 Vs 21 Trial. *Blood*, **2016**, 128, 1747-1747 2.2
- 23 Chemotherapy for Advanced Pancreatic Cancer **2017**, 1-48
- 22 Characteristics of long-term survivors in a randomized phase III trial (NAPOLI-1) of patients with metastatic pancreatic ductal adenocarcinoma (mPDAC) treated with liposomal irinotecan (nal-IRI; MM-398) + 5-FU/LV.. *Journal of Clinical Oncology*, **2017**, 35, 293-293 2.2
- 21 A novel phase I/IIa open-label study of IMM-101 in combination with selected standard of care regimens in patients with metastatic cancer or unresectable cancer at study entry.. *Journal of Clinical Oncology*, **2017**, 35, e14627-e14627 2.2
- 20 Phosphorus Magnetic Resonance Spectroscopy Predicts Outcome to Chemotherapy In Patients with Diffuse Large B-Cell Lymphoma: A Prospective International Multicenter Analysis of a Pretreatment Metabolic Biomarker of Response. *Blood*, **2010**, 116, 3104-3104 2.2
- 19 Comparison of long-term survival outcomes of operative versus nonoperative management of recurrent rectal cancer.. *Journal of Clinical Oncology*, **2012**, 30, e14132-e14132 2.2
- 18 The impact of TP53 mutation on high-risk rectal cancer patients treated within the EXPERT-C trial, a randomized phase II study of neoadjuvant oxaliplatin/capecitabine (CAPOX) and chemoradiation (CRT) with or without cetuximab.. *Journal of Clinical Oncology*, **2012**, 30, e14088-e14088 2.2
- 17 Outcome of patients (pts) with relapsed, advanced upper gastrointestinal (GI) carcinoma treated in a specialist oncology phase I unit.. *Journal of Clinical Oncology*, **2013**, 31, 45-45 2.2
- 16 Association of high-throughput RNAi and drug screening with candidate novel therapeutic targets in esophageal carcinoma.. *Journal of Clinical Oncology*, **2013**, 31, 31-31 2.2
- 15 Reporting of subgroup analyses (SGA) in phase III randomized trials in gastrointestinal (GI) cancer.. *Journal of Clinical Oncology*, **2013**, 31, 78-78 2.2
- 14 Rituximab, gemcitabine, cisplatin, and methylprednisolone (R-GEM-P) in treatment of relapsed diffuse large B-cell lymphoma (DLBCL).. *Journal of Clinical Oncology*, **2013**, 31, e19543-e19543 2.2

13	Tumor-related and treatment-related colostomy-free survival (CFS) following chemoradiation (CRT) using mitomycin (MMC) or cisplatin (CisP), with or without maintenance 5FU/CisP chemotherapy (CT) in squamous cell carcinoma of the anus (SCCA): Results of ACT II.. <i>Journal of Clinical Oncology</i> , 2013 , 31, 3532-3532	2.2
12	Fifteen-year experience of all patients (pts) with small bowel adenocarcinoma (SBA), treated in a specialized gastrointestinal (GI) oncology unit: Royal Marsden (RM) experience.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 316-316	2.2
11	Early interval and serial positron emission tomography-computed tomography (PET-CT) after an indeterminate response defined by a PET scored 4 on the Deauville scale in lymphoma. <i>British Journal of Haematology</i> , 2020 , 190, e357-e362	4.5
10	Breast implant-associated anaplastic large cell lymphoma (BIA-ALCL): Quantifying the direct economic costs of post-treatment radiological surveillance.. <i>Journal of Clinical Oncology</i> , 2021 , 39, e19574 ² e19574	2.2
9	Pulmonary manifestations of grade III lymphomatoid granulomatosis complicated by haemophagocytic lymphohistiocytosis: Rare disorders. <i>EJHaem</i> , 2021 , 2, 669-670	0.9
8	Chemotherapy for Advanced Pancreatic Cancer 2016 , 1-48	
7	Lymphomatoid papulosis mimicking relapsed angioimmunoblastic T-cell lymphoma on histology: the importance of clinicopathological correlation. <i>Histopathology</i> , 2021 , 78, 470-473	7.3
6	A phospho-proteomic study of cetuximab resistance in KRAS/NRAS/BRAF wild-type colorectal cancer. <i>Cellular Oncology (Dordrecht)</i> , 2021 , 44, 1197-1206	7.2
5	The role of surgery after prolonged primary chemotherapy for advanced oesophageal adenocarcinoma. <i>Journal of Surgical Oncology</i> , 2021 , 124, 1296-1305	2.8
4	Ibrutinib in c-MYC and HER2 Amplified Oesophagogastric Carcinoma: Results of the Proof-of-Concept iMYC Study.. <i>Current Oncology</i> , 2022 , 29, 2174-2184	2.8
3	Palliative Chemotherapy for Advanced Pancreatic Cancer 749-756	
2	Abstract PR012: Genetic and immune landscape evolution defines subtypes of MMR deficient colorectal cancer. <i>Cancer Research</i> , 2022 , 82, PR012-PR012	10.1
1	Abstract A002: Genetic and immune landscape evolution defines subtypes of MMR deficient colorectal cancer. <i>Cancer Research</i> , 2022 , 82, A002-A002	10.1